

dwv-assignment_5

Bryn Swiston

```
library(haven)
library(tidyverse)
```

Warning: package 'ggplot2' was built under R version 4.5.2

Warning: package 'tibble' was built under R version 4.5.2

Warning: package 'tidyr' was built under R version 4.5.2

Warning: package 'readr' was built under R version 4.5.2

Warning: package 'purrr' was built under R version 4.5.2

Warning: package 'dplyr' was built under R version 4.5.2

Warning: package 'lubridate' was built under R version 4.5.2

-- Attaching core tidyverse packages ----- tidyverse 2.0.0 --

v dplyr 1.2.1 v readr 2.2.0

v forcats 1.0.1 v stringr 1.6.0

v ggplot2 4.0.3 v tibble 3.3.1

v lubridate 1.9.5 v tidyr 1.3.2

v purrr 1.2.2

-- Conflicts ----- tidyverse_conflicts() --

x dplyr::filter() masks stats::filter()

x dplyr::lag() masks stats::lag()

i Use the conflicted package (<<http://conflicted.r-lib.org/>>) to force all conflicts to become

```
mydata <- read_dta("/Users/brynswiston/Documents/Data Wrangling Library/OneDrive_2026-09-22/
```

```
#Filter data to 2024
```

```
mydata |> filter ('year' == 2024)
```

```
# A tibble: 0 x 108
```

```
# i 108 variables: year <dbl>, case_id <chr>, weight <dbl>,  
#   weight_cumulative <dbl>, state <dbl+lbl>, st <dbl+lbl>, cong <dbl+lbl>,  
#   cong_up <dbl+lbl>, state_post <dbl+lbl>, st_post <dbl+lbl>, dist <dbl>,  
#   dist_up <dbl>, cd <chr>, cd_up <chr>, dist_post <dbl>, dist_up_post <dbl>,  
#   cd_post <chr>, cd_up_post <chr>, zipcode <chr>, county_fips <chr>,  
#   tookpost <dbl+lbl>, weight_post <dbl>, rvweight <dbl>, rvweight_post <dbl>,  
#   starttime <dtm>, pid3 <dbl+lbl>, pid3_leaner <dbl+lbl>, ...
```

```
#Recode Partisan Variables
```

```
mydata <- mydata |>  
  mutate(pid_recode2 = case_when(  
    ideo5 %in% 1:2 ~ 1,  
    ideo5 == 3 ~ 2,  
    ideo5 %in% 4:5 ~ 3,  
    ideo5 == 6 ~ NA  
  ))
```

```
#Recode for Two Party Vote
```

```
mydata <- mydata |>  
  mutate(voted_pres_24recode = case_when(  
    voted_pres_24 %in% 3:6 ~ "N/A"  
  ))
```

```
#Fixing the Recode for Two Party Vote, Oops
```

```
mydata <- mydata |>  
  mutate(voted_pres_24recode2 = case_when(  
    voted_pres_24 == 1 ~ 1,  
    voted_pres_24 == 2 ~ 2,  
    voted_pres_24 %in% 3:6 ~ NA_real_  
  ))
```

```
#Off Party Vote Proportion Liberal Trump
```

```
liberal_trump <- mydata |>  
  filter(year == 2024, pid_recode2 == 1) |>
```

```

summarise(
  n_liberal = n(),
  prop_trump = mean(voted_pres_24recode2 == 2, na.rm = TRUE)
)

```

```

#Off Party Vote Proportion Conservative Harris
conservative_harris <- mydata |>
  filter(year == 2024, pid_recode2 == 3) |>
  summarise(
    n_conservative = n(),
    prop_harris = mean(voted_pres_24recode2 == 1, na.rm = TRUE)
  )

```

```

#Recode Own Home
mydata <- mydata |>
  mutate(ownhome_recode = case_when(
    ownhome == 1 ~ 1,
    ownhome == 2 ~ 2,
    ownhome == 3 ~ NA_real_
  ))

```

```

#Home Ownership and Voting for Trump
own_trump <- mydata |>
  filter(year == 2024, ownhome_recode == 1) |>
  summarise(
    n_ownhome = n(),
    prop_trump = mean(voted_pres_24recode2 == 2, na.rm = TRUE)
  )

```

```

#Home Ownership and Voting for Harris
own_harris <- mydata |>
  filter(year == 2024, ownhome_recode == 1) |>
  summarise(
    n_ownhome = n(),
    prop_harris = mean(voted_pres_24recode2 == 1, na.rm = TRUE)
  )

```

```

#Home Rental and Voting for Trump
rent_trump <- mydata |>
  filter(year == 2024, ownhome_recode == 2) |>
  summarise(

```

```

    n_renthome = n(),
    prop_trump = mean(voted_pres_24recode2 == 2, na.rm = TRUE)
  )

```

```

#Home Rental and Voting for Harris
rent_harris <- mydata |>
  filter(year == 2024, ownhome_recode == 2) |>
  summarise(
    n_renthome = n(),
    prop_harris = mean(voted_pres_24recode2 == 1, na.rm = TRUE)
  )

```

```

mydata <- mydata |>
  mutate(educrecode = case_when(
    educ %in% 1:2 ~ 1,
    educ %in% 3:4 ~ 2,
    educ == 5 ~ 3,
    educ == 6 ~ 4,
  ))

```

```

#Education and 2024 Vote Choice
educ_vote_table <- mydata |>
  filter(year == 2024, !is.na(educrecode)) |>
  group_by(educrecode) |>
  summarise(
    n = n(),
    prop_harris = mean(voted_pres_24recode2 == 1, na.rm = TRUE),
    prop_trump = mean(voted_pres_24recode2 == 2, na.rm = TRUE)
  ) |>
  mutate(educ_group = case_when(
    educrecode == 1 ~ "No HS / HS Grad",
    educrecode == 2 ~ "Some College / 2-Year",
    educrecode == 3 ~ "4-Year Degree",
    educrecode == 4 ~ "Post-Grad"
  ))

```