SEAMLESS SUPPORT FOR LIFELONG LEARNING WITH MOBILE TECHNOLOGY

The research reported in this thesis was carried out at the Open Universiteit in the Netherlands at CELSTEC, the Centre for Learning Sciences and Technologies,

Centre for Learning Sciences and Technologies
celstec.org

and under the auspices of SIKS, the Dutch Research School for Information and Knowledge Systems.

Ambient Learning Displays

The idea is good but the world isn't ready yet

(Tocotronic, 1995)

Contents

Contents

List of Figures

List of Figures

List of Tables

General Introduction[1]

> *The most profound technologies are those that disappear. They weave themselves into the fabric of everyday life until they are indistinguishable from it.*

> (Mark Weiser, 1991)

In Mark Weiser's vision of the computer for the 21st century, computers should be the next technology becoming "an integral, invisible part of people's lives". Basically, the computers would be seamlessly integrated in our life, accessible and connected via networks or somewhere around us "imbedded in walls, chairs, clothing, light switches, cars – in everything" (Weiser, 1991). He described this as ubiquitous computing "characterized by the connection of things in the world with computation". And where are we now? Well, his vision is almost the reality. Although computers are not yet fully seamlessly integrated in this world, they are already highly interconnected and interwoven with our daily practice. Along with the growing connectivity, getting mobile is the trend of our time and can be seen as one intermediate stage towards ubiquitous computing.

Following these trends, it is expected that the number of mobile-connected devices will exceed the number of people on earth by the end of this year (Cisco, 2013). In the next stage more and more of these devices might indeed become ubiquitous – not only with and close to the people but blended into the environment. Ambient displays are one possible technical implementation within this next stage. The term originates from advertising, characterising appliances such as advertising pillars or billboards. Looking at linguistic definitions, the adjective ambient is described as "relating to the immediate surroundings of something" or "relating to or denoting advertising that makes use of sites or objects other than the established media" (Oxford Dictionaries, 2010). The noun display is among others described as "a collection of objects arranged for public viewing", but also as "an electronic device

---

[1]This chapter incorporates abstracts and introductions from several publications.

for the visual presentation of data or images" (Oxford Dictionaries, 2010). Inspired by Weiser's vision, Wisneski et al. (1998) introduced ambient displays in the context of ubiquitous computing as "new approach to interfacing people with online digital information", whereas the "information is moved off the screen into the physical environment, manifesting itself as subtle changes in form, movement, sound, colour, smell, temperature, or light". Instead of demanding attention the approach exploits the human peripheral perception capabilities. The displays situated and interacting in the close proximity are an addition to existing personal interfaces in the foreground, while the user attention can always move from one to the other and back.

The described interaction approach is not new. Looking around one can find several examples that are in line with the given definition. Just take a look at the cover of this thesis. What you see at a first glance is a number of billboards trying to capture the attention of the people passing by. They all try to convey a particular message in a visually appealing way using mainly colour and light. Some also add movement and sound to become even more intrusive. These displays live in the periphery of attention. Although they are designed to make it almost impossible to ignore them, it is possible to keep them out of the focus. Still they are not completely in line with the original definition.

Looking again at the cover, you might find another more unobtrusive ambient display - a traffic light. Already in 1868 a first prototype was installed at a busy intersection in London. The idea was to assist police officers in directing traffic, mainly consisting of pedestrians and horse-drawn vehicles. The manually operated device combined a semaphore with moveable arms and a gas lantern showing red light to signal "Stop" and green light to signal "Caution". With the invention of the automobile, the traffic got heavier and the idea spread. Later on the lights became electric, the semaphores were abandoned, and their operation was automated. Ever since the way of signalling remained more or less the same: a red light indicates to stop, a green light indicates the possibility to cross, and occasionally a yellow or orange light indicates (as state in-between) either to prepare for the one or the other state.

Back to the original definition also traffic lights try to convey a message visually using again mainly colour and light. They live in the periphery and use subtle changes between the various states to capture attention and get in the focus when necessary. This functionality and the contained visual metaphor have even become ubiquitous in a sense that the concept is also used in different contexts, such as

food labelling. Consequently traffic lights can be seen as successful ambient display instances following the definition of Wisneski et al. (1998) with the exception that they do not present or at least symbolise online digital information. Adding up this peculiarity it becomes apparent that there might be some merit in applying the concept also in a learning context.

> *The people are fundamentally, inherently mobile – they move around;*
> *they never, never would want to be leashed tight to a desk or to their*
> *home or to their office if they have a choice.*

(Martin Cooper, 2005)

As Martin Cooper, the inventor of the cell phone, framed it, mobility is one of the basic human needs that influences all aspects of life. Accordingly, the era of mobile and ubiquitous computing challenges the way we learn with computers. Computers as learning technology disappear from the main focus of a learner's attention and become means to an end. Instead of acting as yet another disrupting threshold in the learning process they become integrated unobtrusive facilitators. Again getting mobile is the major trend. Mobile learning focuses on learning support across contexts and learning with mobile devices. Arguably the mobile learner of today is not one that solely uses mobiles to access traditional learning materials – rather it's a learner who is mobile and moves through different environments and occasionally stumbles upon traditional or newly designed learning opportunities and activities. Learning in this world is mostly informal, happens accidentally and in situ, and is highly contextualised. Consequently ubiquitous learning not only enables learning across context, but also facilitates and exploits the mobility of the learners instead of the technology.

Following this approach the ability to deliver contextualised and personalised information in authentic situations fosters ambient displays as an instrument for learning. Up until now this has not been a major research focus. The design of ambient displays for learning proves to be difficult, as the technical implementations as well as the underlying instructional principles are still immature. These gaps are the starting point for this thesis – presenting the results of the conducted research and development of ambient learning displays.

Outline of the thesis

The thesis is structured into three parts: theoretical foundations, formative studies, and empirical findings. An elaborated conceptual framework and an extensive literature review explore the research field and lay the foundation for further research. **Chapter 1** starts with outlining the vision of ambient learning displays. With a focus on the situated support of informal and non-formal learning scenarios in ubiquitous learning environments learners should be enabled to view, access, and interact with contextualised digital content presented in an ambient way. The vision is based on a detailed exploration of the characteristics of ubiquitous learning and a deduction of informational, interactional, and instructional aspects to focus on. Towards the vision essential research questions and objectives as well as a conceptual framework that acquires, channels, and delivers the information framed in the learning process are presented. To deliver scientific insights into the authentic learning support in informal and non-formal learning situations and to provide suggestions for the future design of ambient systems for learning the chapter concludes with a research agenda proposing the research project including a discussion of related issues and challenges.

Chapter 2 then presents results from a recent literature review on ambient displays. While the main background of the authors is education and technology-enhanced learning, the chapter starts more generic with a broader view on ambient displays and their interactional, instructional, and informational characteristics. Beside depicting characteristics and classifying prototypical designs, the chapter also sheds light on the actual use of the covered ambient displays, their application context and addressed domains as well as the type of studies conducted, including the used methodologies and evaluation approaches to measure their effectiveness and impact. The chapter concludes with a discussion of the presented results emphasising the derived implications for the user when interacting with ambient displays.

The review continues in **Chapter 3** analysing work in the research field of ambient display with a focus on the use of ambient displays for situational awareness, feedback and learning. The purpose was to assess the state-of-the-art of the use of ambient displays with an explicit or implicit learning purpose and the possible classification of respective prototypes on the basis of a presented framework. This framework is comprised of theories around the educational concepts of situational awareness and feedback as well as design dimensions of ambient displays. The chapter presents

results of recent empirical studies within this field as well as developed prototypes with a focus on their design and instructional capabilities when providing feedback.

Several formative studies inform the theoretical work as well as the design and development from different perspectives. **Chapter 4** first of all introduces concept mapping as a structured participative conceptualisation approach to identify clusters of ideas and opinions generated by experts within the domain of mobile learning. Utilising this approach, the chapter aims to contribute to a definition of key domain characteristics by identifying the main educational concepts related to mobile learning. A short literature review points out the attempts to find a clear definition for mobile learning as well as the different perspectives taken. Based on this an explorative study was conducted, focusing on the educational problems that underpin the expectations on mobile learning. Using the concept mapping approach, the study identified these educational problems and the related domain concepts.

Chapter 5 presents a project that sets up to make energy consumption data visible and accessible to employees by providing dynamic situated feedback at the workplace. Therefore, a supporting infrastructure as well as two example applications have been implemented and evaluated. The resulting prototype fosters a ubiquitous learning process among the employees with the goal to change their consumption behaviour as well as their attitudes towards energy conservation. The chapter presents the approach, the requirements, the infrastructure and applications, as well as the evaluation results of the conducted informative study, comparative study, user evaluation, and design study.

A pervasive game to increase the environmental awareness and pro-environmental behaviour at the workplace is presented in **Chapter 6**. Based on a discussion of the theoretical background and related work the game design and game elements are introduced. Furthermore, the results of a formative evaluation study are presented and discussed. The results show that incentive mechanisms are less important than challenging game components that involve employees in proposing solutions for energy conservation at the workplace. Conclusions are drawn for future games and energy conservation activities at the workplace.

Chapter 7 summarises the main constituents of a lecture series on the use of ambient displays for learning and a participatory design study conducted during two consecutive lecture sessions. The results show a variety of usable ambient display

types, possible learning scenarios, and specific design proposals towards ambient learning displays.

Following up the theoretical work and the formative studies, empirical studies then evaluated ambient learning display prototypes. The first study presented in **Chapter 8** reports an intervention to initiate environmental learning and facilitate pro-environmental behaviour. The purpose was to examine the impact of ambient learning displays on energy consumption and conservation at the workplace, more specifically the evaluation of learning outcome and behaviour change. Using a quasi-experimental design, the study was conducted among employees working at a university campus. For the experimental treatments, ambient learning display prototypes were varied on two design dimensions, namely representational fidelity and notification level.

Related to this **Chapter 9** then presents an approach to better understand the interaction between users and ambient displays and the evaluation thereof. The purpose of the study was to examine the user attention towards ambient displays as well as the influence of different display designs in a combined approach using quantitative attention data as well as qualitative assessment methods. The study originates from the previous intervention using the same quasi-experimental design, but with a different research objective.

Finally the second study presented in **Chapter 10** reports an intervention to investigate identified research challenges on the evaluation and use of ambient displays in a learning context with the objective to gain insights into the interplay between display design, user attention, and knowledge acquisition. The main research questions were whether an attention-aware display design can capture the user's focus of attention and whether this has an influence on the knowledge gain. A display prototype corresponding to the main ambient display characteristics was designed, applied in a controlled authentic setting, and evaluated accordingly. The prototype conveyed indexical information and was enhanced with a custom-built sensor to measure user attention and trigger interruptive notifications. The study was conducted among employees working at a university campus. Using an experimental research design, a treatment group exposed to an attention-aware display design was compared to a control group.

The thesis concludes with a **General Discussion** reviewing all reported results and their practical implications, general limitations of the conducted research, as well as future research perspectives.

Part I

Theoretical Foundations

Chapter 1

Thinking outside the box: A vision of ambient learning displays

The first part of the thesis looks into the theoretical foundations for the following research. This chapter starts with outlining the vision of ambient learning displays and elaborating on a conceptual framework. Relevant research findings, models, design dimensions, and taxonomies are examined to deduce informational, interactional, and instructional aspects to focus on. The resulting conceptual framework consists of parts dedicated to user and context data acquisition, channelling of information, and delivery of contextualised information framed in a learning process. The chapter concludes with a research agenda.

1.1 Introduction and background

Within the knowledge society the constant update of knowledge and competences of individuals is becoming a necessity to solve some urgent problems of the 21st century. From a lifelong learning perspective users should be enabled to participate in training and learning activities throughout their lifetime, be it within formal educational programs or non-formal respectively informal educational activities (Smith, 2009). We differentiate between educational activities conducted in the context of an educational institution (formal learning) and activities, which are planned and conducted outside of educational institutions and curriculums (non-formal) or even activities which are unplanned or accidental (informal learning). At the same time the technical prospects are changing. The amount of mobile consumer devices is rapidly growing and predicted to be ten times higher than the amount of stationary devices (Morgan Stanley, 2009). Notably the used technology becomes also embedded into the physical environment providing a new digital layer that supplements existing facilities and architectures, ranging from automobiles, over living rooms, up to buildings that become smart. Furthermore, the mobile internet is adopted much faster than the traditional desktop internet. In a rather short period of time after launching respective mobile services attracted already more users than desktop services did in a comparable period and the mobile data traffic is increasing continuously (Morgan Stanley, 2009).

This growing adoption of mobile technologies accompanied with ubiquitous connectivity as well as the increasing pervasiveness of information technology are changing the conditions for lifelong learning. Especially informal learning is becoming more and more prominent in mobile learning approaches (Ally, 2009). While rethinking the relationship of environment, technology, and learning, the promises of mobile and ubiquitous learning need to be explored to build a bridge between different contexts and situations learners are operating in. This is strongly related to authentic learning theories and situated learning. Authentic learning "allows students to explore, discover, discuss, and meaningfully construct concepts and relationships in contexts that involve real-world problems and projects that are relevant and interesting to the learner" (Donovan et al., 1999). Situated cognition suggests that learning is naturally tied to authentic activity, context and culture (Brown et al., 1989). Situated learning is referred to as learning that takes place in the same context as it is applied (Lave and Wenger, 1991). Moreover, Donald Schön's concept

of the reflective practitioner strengthens the relation to contextualised learning and the different situated reflection perspectives (Schön, 1983, 1987) that can be taken.

In order to explore the potentials of mobile and pervasive information technology to support learning it becomes a necessity to take an interdisciplinary perspective. Hence, a combination of technical models and concepts from research on ubiquitous computing, human-computer interaction, and computer-supported ubiquitous learning as well as educational theories and cognitive, respectively, social psychology research is needed.

1.2 Ubiquitous learning characteristics

Since the idea of ubiquitous computing introduced by Weiser (1991) with its subdomains pervasive and mobile computing has first appeared, the relation between people and computing devices and thus the impact of technology on learning has dramatically changed. In this context, education is considered as one of the main application areas for ubiquitous computing (Barbosa et al., 2008), offering mobility combined with pervasive computing functionality (Lyytinen and Yoo, 2002). The enormous possibilities for learning still need to be investigated. On the one hand there is the promise of a seamless integration and enhanced support for learning in action and on the move. On the other hand, the diversity and continuous modification of technologies, changed interaction modalities and usability requirements, the mobility of content, as well as the overwhelming amount of information challenge the learner and demand high standards for corresponding learning environments. Coping with these challenges postulates new approaches of information processing, interaction, and instructional design emerging from the characteristics of ubiquitous learning.

The ubiquitous computing approach establishes a basis for innovative informal and non-formal learning (European Commission, 2001) scenarios that are learner activated, situated as well as activity- and experience-based (Beckett and Hager, 2002) complemented by an increasing contextualisation of content. The embodied mobile learning paradigm encourages learning that is personalised, authentic, and situated (Traxler, 2009a). Based upon this paradigm but differentiated in its level of embeddedness in the environment is ubiquitous learning, which conceptually rests upon the idea of ubiquitous computing. Enhancing learning environments with mobile

technologies and pervasive functionality creates ubiquitous learning environments, in which different channels of information and interaction are synchronised and orchestrated by instructional designs.

Permanency, accessibility, immediacy, interactivity, situatedness, and adaptability have been identified as the main characteristics for ubiquitous learning embedded in our daily life (Ogata and Yano, 2004). A closer examination reveals that permanency, accessibility, as well as adaptability deal with informational aspects, whereas immediacy and interactivity relate to aspects of interaction and situatedness describes an instructional design aspect. Covering all the main characteristics of ubiquitous learning, the mentioned aspects are applicable research clusters that can be explored in greater detail.

1.2.1 Information aspects

Nowadays, information is widely distributed as we are creating a constantly growing number of digital content using the means of digital media, such as pictures, videos, bookmarks, or web-log entries. Following the principles of participation, syndication, and tagging (O'Reilly, 2005), the content is distributed all over the web and gets more and more enriched by metadata, enabling a collaborative annotation and classification. Considering the amount of available digital content finding the right information becomes more and more important (Traxler, 2009a). This indicates a need of information navigation competences and postulates the support and assistance of learners in order to enable them to navigate more efficiently through information and find the right information in any given situation (Koole, 2009). One essential aspect to implement this concept is to keep the learner continuously aware about the environment he is active in, including digital content and services that are available in a real world context. Clearly, the challenges are to improve the identification of relevant digital content and services, to simplify the access mechanisms, as well as to enable and facilitate contextual relationships to provide a better support for learning.

Identifying relevant content can be done using the enriched metadata, for example social classifications that offer a promising information retrieval potential (Morrison, 2007). A popular approach to combine content and functionality from two or more external sources is the creation of mash-ups. This core functionality of the Web 2.0 offers a great potential to enrich learning experiences and paves the way for

empowering personal learning environments (Wild et al., 2009). Mash-ups ease the access to distributed information and establish new coherences never considered before. This includes linking digital content not only to people, but also to physical and virtual objects, for example by adding a geo-location to a picture. Also, the other way round more and more physical and virtual objects get enriched with content and functionality and thus becoming service interfaces for digital media (Sterling, 2005). Towards an 'internet of things' (Dodson, 2003) these links are already used to integrate physical and virtual objects into existing social networks of people or even create social networks of things, by giving these objects an identity (ThingD, 2010; Thinglink, 2010). These services massively collect things that are linked together not only by people but also by their associated digital content.

Regarding the mentioned information aspects of ubiquitous learning finding appropriate support and assistance strategies for contextualised learning sets up the focus for further research. Therefore, the existing links between people, objects, and data need to be facilitated to identify digital content that is available in a real world context and thus can be contextualised to enrich the situated learning experience.

1.2.2 Interaction aspects

The constant change of interaction modalities is closely connected to the continuous technical development and the related computational models. Starting from the electronic paradigm for interaction with the computer, over to the emergence of symbolic and textual forms as more intuitive forms of interaction, resulting in graphical representations – more and more human abilities were considered in human-computer interaction design. By gradually incorporating more skills and abilities, the resulting interaction principles made computation "more widely accessible to people without requiring extensive training, and to be more easily integrated into our daily lives by reducing the complexity of those interactions" (Dourish, 2001). This process is ongoing and new concepts are emerging, as mobile technologies and pervasive computing change once more the role of computation.

An interaction approach that goes beyond conventional graphical user interfaces for personal computing is the use of ambient media in the periphery of the user. Associated with a more tangible and social interaction corresponding systems make use "of the entire physical environment as an interface to digital information. Instead of various information sources competing against each other for a relatively small

amount of real estate on the screen, information is moved off the screen into the physical environment" (Wisneski et al., 1998). Thereby, the used displays in the background are an addition to existing personal interfaces in the foreground, while the user attention can always move from one to the other or vice versa.

From another point of view, this more embodied interaction and the rather situated than individualised design approach triggered by embedding information technology into the physical world extends the digital world beyond the desktop, thus becoming an "ambient social infrastructure" (McCullough, 2004). This aspect goes hand in hand with the call for engaging user experiences, "where technology is designed to enable people to do what they want, need or never even considered before by acting in and upon the environment" (Rogers, 2006). Carrying this idea a bit further even leads to a possible fusion of physical objects with digital information. This notion of blending the real and the digital world is connected to the concept of mixed reality, where physical and digital objects co-exist, interact, and enhance each other. As part of the continuum between real and virtual environments (Milgram et al., 1994) the concept produces new environments and augmentations and can be differentiated in augmented reality (covering all digitally enriched environments) and augmented virtuality (describing virtual environments that are enhanced by physical objects), although clear boundaries between the different parts of the continuum do not exist.

In a world where information is widely distributed and highly contextualised, ambient systems incorporating the mixed reality concept can be used to enable the access to digital content that is available in a real world context, building on the links between people, objects, and data. Facilitating these new interaction approaches for a better ubiquitous learning support extends the research focus.

1.2.3 Instructional design

The changed paradigms of information handling and interaction offer a strong potential to provide both powerful contextual, in situ experiences and discovery of the connected nature of information in the real world. Most notably simple augmented reality (mainly facilitated through mobile technologies) currently attracts a lot of attention and is considered as one of the future trends for learning offering exactly the described potential (Johnson et al., 2010). New technologies are adopted rapidly and digital content becomes more important for learning. Also, the type

of tools used for learning is changing towards social software tools and web 2.0 services (Tools for Learning, 2009). The modelling of ubiquitous learning support has been discussed in relation to the use of IMS LD and the orchestration of learning activities. Several challenges for ubiquitous learning support with IMS LD are discussed by Zervas et al. (2011) while Dillenbourg and Jermann (2010) have summarised the current implications from the orchestration perspective. In a next step, the implications for ubiquitous learning need to be investigated.

Following the situated learning approach (Lave and Wenger, 1991) ubiquitous learning is embedded within activity, context, and culture. By definition, this happens in particular social and physical environments that need to support the learning process. Furthermore, social interaction and collaboration are essential components, as learners involved in 'communities of practice' co-construct knowledge as a social process. In authentic situations, the problem and its context are defining each other, while the learning process does not involve the acquisition of abstract knowledge that is out of context. Solving a problematic situation includes the identification of the problem as unresolved issue, the specification of an approach depending on the current situation the learner is in, and finally the determination of solutions or, respectively, the generation of sub-problems that break down the original problem. Thereby "the problems encountered as well as the knowledge required are all presented in their natural and authentic forms" (Ogata and Yano, 2004).

Regarding the instructional aspect of ubiquitous learning, supporting the learning process in the social and physical environment where it is happening and enabling learners to construct knowledge complements the research focus. Thereby, this process can be of a personal, social, or environmental kind.

1.3 Towards ambient learning displays

Although informal learning contexts become increasingly important for lifelong learning, there is still a divide between existing (traditional) learning environments and the real-world context. The current major problem is that ubiquitous learning is not supported in its situatedness, authentic context, and social dependencies. This is due to the insufficient utilisation of the mobile capabilities of the learner and the pervasive functionality of the physical environment in which the learning takes place.

Ubiquitous access to learning support fosters new opportunities, such as content filtering by context or contextualised access to interaction facilities. Context in that sense is described as a broad concept, which allows adaptation "according to the location of use, the collection of nearby people, hosts, and accessible devices, as well as to changes to such things over time." (Schilit et al., 1994), but might also include environment-induced aspects, for example illumination, noise, and network connectivity.

Offering a variety of display and interaction modalities that can be utilised by the learner is an actual strength of ubiquitous learning environments. Thus, the learner is almost free in the learning process. This main strength implicitly holds a major problem. Learners are confronted with missing awareness indicators reflecting the available learning support in their current environment including relevant digital content meaningful within the situation, context, or activity the learner is in. The main reason for that is the wide distribution of content among different devices, platforms, and providers. Finding the appropriate content is difficult as it often takes more time and effort than it actually benefits. Once identified, accessing the desired content is also difficult, as the different service interfaces differ in design and implementation as well as the used interaction metaphors differ among the learner's different devices, systems, and platforms. What makes it even more difficult is that digital content is often not linked and accessible in a contextualised manner (e.g., links between digital content and real-world objects). The other way round it mostly is not possible to create these links. Furthermore, the threshold to reach the desired awareness gets insuperable, due to the vast amount of available content, which is constantly growing.

To sum up, the main problem is that ubiquitous learning is not supported in its situatedness and authentic context. One reason is that relevant awareness indicators reflecting the available support are missing. This is due to the wide distribution of content; the difficulties of finding and accessing appropriate content and an insufficient contextualisation of content. The depicted problems lead to derived research questions and objectives outlined in the following sections that need to be answered and accomplished.

1.3.1 Research questions

As common techniques and traditional learning environments do not support ubiquitous learning and the required awareness for relevant resources in a sufficient way, the integral parts of ubiquitous learning support need to be examined to define the research questions and after all solve the delineated problems. More precisely, this involves the acquisition, processing, and delivery of learning support framed in authentic situations. Correlating these parts with the enumerated informational, interactional, and instructional aspects of ubiquitous learning and their discussed development potentialities lead to the following broad research questions:

- Which types of digital content can support learning in ubiquitous learning environments? How can this content be condensed to create meaningful mash-ups?
- Which sensors, displays, and artefacts can be used and how must they be aggregated, filtered, and implemented in ubiquitous learning environments?
- Which methods of interaction and information presentation can be used to create awareness in ubiquitous learning environments?
- How are the awareness methods assimilated and perceived in ubiquitous learning environments and what are the implications for the design?
- Does the utilisation of contextualised digital content support and enhance the learning experience in ubiquitous learning environments and what are the effects?

To formulate the research objective more specific research questions are needed, bringing into focus the distinguished characteristics of authentic learning situations including the personal and environmental sense-making process and the development of problem solving strategies.

- Which information is relevant for learners in authentic learning situations within ubiquitous learning environments and how can this information be obtained and aggregated?
- How can ambient interaction modalities improve the availability and accessibility of this information within ubiquitous learning environments?
- Is the improved availability and accessibility of relevant information an effective support in authentic learning situations?

Assembling these specific research questions taking into account the general focus on learning as well as the feasibility of their investigation, leads to the research question that the authors eventually set up to answer in further research work: What are the effects of ambient information presentation on learning in a situated learning context within ubiquitous learning environments?

1.3.2 Research objectives

Apparently, the general research objectives emerge from the intercourse with the specific research questions compiled in the previous section. Hence, the objective is to support learners in authentic learning situations within ubiquitous learning environments. They should be empowered to solve problems, generate knowledge interactively, and interact appropriately. Furthermore the learners need to be aware of their position within the community of practice they are in during the learning process as well as their progress in acquiring the constructed knowledge.

The underlying learning process, especially the personal sense-making process and the development of problem solving strategies, needs to be supported where it is happening. Enabling the learner to navigate more efficiently through information and find the right information in any situation is essential. The available information needs to be presented in authentic contexts, settings, and situations that would normally involve the represented knowledge. Furthermore, this information should be moved off the screen into the physical environment making the representation as well as the interaction with it more social, tangible, and physically perceptible. More condensed, the primary objectives of further research work are as follows:

- establish the awareness for information relevant for situated learning within ubiquitous learning environments
- examine the personal, social, and environmental sense-making process facilitated through ambient information presentation within ubiquitous learning environments
- evaluate the situated learning support in authentic learning situations on its effectiveness for learning, especially to solve problems in context.

Designing such a system the authors intend to facilitate mixed-reality information mashups of digital content and use different ambient channels to distribute this information across contexts and devices. Finally their effects on the situated learning process, resulting in ambient systems for learning – or in other words the envisioned

ambient learning displays – will be measured. As a secondary objective the research activity outcomes can contribute to a definition of functional requirements for a ubiquitous learning support framework. The framework will give suggestions and provide guidelines for the design and implementation of future ambient systems and applications for learning, easing and aiding the situated learning support.

1.3.3 Provisional conceptual framework

To accomplish the research objective and answer the research question several aspects need to be considered. The information presented in context needs to be acquired, channelled, delivered, and framed in the learning process. In this regard relevant research findings, models, design dimensions, and taxonomies have been examined resulting in a conceptual framework that provisionally defines ambient learning displays (Börner et al., 2010b) and consists of parts dedicated to acquisition, channelling, delivery, and framing (see Figure 1.1).

Within the framework awareness as one of the key concepts for informal learning support (Syvanen et al., 2005) is used as acquisition instrument of the information relevant for the learner within the ubiquitous learning environment (Ogata, 2009). Consequently, the acquired social, task, concept, workspace, knowledge, and context awareness information sets up the conceptual framework. In order to present the acquired information in context the ambient information channels model introduced by Specht (2009) is utilised to carry on the conceptual framework. Within the model ambient channels are used to deliver information and services but also to feed information back into the system. Thereby, information might be channelled into visual, auditory, haptic, odorous and respectively tasting extraditable parts. To deliver the previously channelled information within the ubiquitous learning environment ambient systems are used. Based on the comparison and discussion of existing ambient information systems by Pousman and Stasko (2006), the four design dimensions: information capacity, notification level, representational fidelity, and aesthetic emphasis are used to design ambient systems as means of delivery. The framing of the previously acquired, channelled, and delivered information in a learning context then complements the conceptual framework. Based on the revised taxonomy of educational objectives of Anderson and Krathwohl (2001) activities and objectives enabled by the systems are matched to the types of knowledge and the cognition processes involved. Thereby the taxonomy describes on the one hand several cognitive process dimensions ranging from remembering over applying

Figure 1.1 Provisional conceptual framework for ambient learning displays

to creating and distinguishes on the other factual, conceptual, procedural, and metacognitive knowledge.

But how would relevant information actually flow through the proposed conceptual framework? Assuming an example setup where the users are asked to identify existing learning objects/resources available in their proximity and match them according to the context they are used in. Thereby context describes the relation of a learning scenario and the location where the scenario takes place. This task addresses a simple cognitive process dimension dealing with factual knowledge. An ambient system fed with information reflecting the awareness needs of the users operating within the environment would be used to support the task. Depending on the activity (derived from the addressed cognitive process dimension) that needs to be supported, this information is channelled through ambient information channels

utilising different means and modalities to deliver appropriate input for the ambient systems.

In such a setup creating workspace awareness could mean to use an ambient visualisation method to describe possible learning scenarios. Concerning knowledge awareness ambient audification methods could be used to create awareness when someone enters the environment who created a certain learning object/resource and thus might assist with the matching. And to provide a last example, vibration could be used as a possible ambient haptification method to create context awareness reflecting the spatial proximity of the learning object/resource to its learning scenario, respectively the designated location.

1.4 Research agenda

Heading towards the implementation and manifestation of the envisioned ambient learning displays an agenda for further research work has been set up incorporating the outlined research questions and objectives. Based on this agenda the authors propose a research project described in the following sections depicting an experimental design as well as a usable evaluation technique.

In preparation of the research project a small-scale study (Börner et al., 2010a)[1] has already been conducted to gather opinion of experts in the field of mobile and ubiquitous learning on the educational problem that can be solved by mobile learning. For this purpose Concept Mapping (Trochim, 1989b) has been chosen as an appropriate method. The method provides a structured approach to identify the experts' opinion on a given domain, including both qualitative techniques and multivariate analysis approaches. The result is a visual map of useful and important concepts that can then be used for further elaborations. The study revealed that the two most important problem clusters are dealing with 'access to learning' and 'contextual learning' aspects. Focusing on these problem clusters and the covered problem descriptions in detail gives valuable insights on the educational characteristics that define mobile and ubiquitous learning. For the presented research agenda, these results of the study are used both as indicators for the educational focus and as an instrument to validate the research findings.

---

[1]This publication is included as **Chapter 4** in this thesis.

The actual research design will begin with an extensive literature review covering in general the aspects discussed in Section 1.2 with a clear focus on ambient systems. Regarding ambient systems there is a particular interest in existing applications used to support personal, social, and environmental sense-making processes; derived patterns for the design of such applications; and criteria and techniques that have been used for evaluation. It is expected to find a large number of ambient systems that simply represent information rather than supporting more complex cognitive processes. In any case, it needs to be investigated if and how the applications are used within learning scenarios and how they are evaluated on their effectiveness for learning.

Towards a profound conceptual framework that finally establishes the basis to build prototypes for an experimental design, a lot of work has already been done as described in Section 1.3.3. Under the assumption that the information presented in context needs to be acquired, channelled, delivered, and framed in the learning process, relevant research findings, models, design dimensions, and taxonomies have been examined. Though the outlined provisional conceptual framework for ambient learning systems is still subject of modifications. Most probably the modifications will be due to the gathered insights from the literature review of existing ambient systems for learning as well as the evaluation techniques for respective applications.

1.4.1 Experimental design

Based on the prior literature review and the resulting conceptual framework analysis an experimental design will be used to evaluate the prototypes built upon the conceptual framework. Prior to the design it is planned to conduct formative studies to gather insights on the specific usability needs and requirements of ambient systems and aid the design process. Then a setup of ambient system prototypes, addressing specific cognitive process dimensions, varied on the values of single design dimensions will be designed and implemented. There is a particular interest in the effects on learning affected by the way the ambient systems present information. The goal is to unveil in summative studies how the single prototypes and prototype setups perform. The experimental design is oriented on design-based research (Baumgartner et al., 2003), following a recurrent cycle of designing an experiment, implementing the experiment, and evaluating the results in order to review the experimental design again.

An example setup for such an experiment can be illustrated as follows: the ambient system is fed with information reflecting the awareness needs of users operating within the ubiquitous learning environment. Depending on the activity (derived from the addressed cognitive process dimension) that needs to be supported, this information is channelled through ambient information channels to deliver appropriate input for the ambient systems. Each ambient design dimension can be varied on its distinguished values. In this first experimental cycle the effect when manipulating these values on each dimension will be measured, to figure out if and how this influences the performance of the given activity and thus is effective for learning or not.

A possible hypothesis in such an experiment would be that ambient systems with a low information capacity, an abstract representational fidelity, and a level of notification that only makes aware, benefit the cognitive process dimension 'remember'. To test this hypothesis, the single ambient design dimensions would then be varied and compared to each other. To do so, quantitative and qualitative data using data logs, questionnaires, as well as a specific evaluation technique described in the next section will be collected.

1.4.2 Evaluation technique

To investigate and determine if the envisioned experimental prototypes are suitable to support learners in authentic learning situations within ubiquitous learning environments an appropriate evaluation technique is needed. Due to the nature of ubiquitous learning finding suitable techniques is rather difficult. Users constantly move across contexts, change environments, and usually are not restricted to act within a closed testbed for evaluation. Thus, the experienced conditions cannot be controlled completely nor kept similar. Therefore traditional evaluation techniques, such as pre-test/post-test designs, are not sufficient. Instead the evaluation has to be done also in situ, taking into account the current context, environment, and conditions the user is experiencing. The challenge though is to find an appropriate technique that allows measuring the effects in authentic learning situations. For ambient systems as well as ubiquitous learning applications corresponding methods will be explored during the literature review. One method that is already in the focus of attention is the experience sampling method. The method has already been applied and examined for ubiquitous computing applications. Derived from the field of psychology the technique is especially effective for learning about situations

and person-situation interactions and allows to "take place in situ, involve several participants, take place over time, and collect both qualitative and quantitative data" (Consolvo and Walker, 2003). The technique uses several brief adoptable questionnaires to let the participants report about their current activity and the situation they are in. The participants are alerted in situ and asked to respond by filling out a brief questionnaire. Traditionally used to evaluate aspects like emotion, performance, or social interaction, the technique seems also sufficient to evaluate ambient systems for learning.

Coming back to the example given in the previous section the method could be applied as follows. Each participant is assigned to a specific task, which is to identify and match existing objects/resources. To complete the task, the participants need to perform certain actions. In the moment they completed the assigned task an event is triggered that delivers an adapted questionnaire taking into account the current situation and context the participant is in. The participants are then asked to indicate, for example which information supported them to solve the task or which ambient system supported them to solve the task. Using statistical methods on the surveyed qualitative and quantitative data finally allows measuring the effectiveness of the ambient information presentation for learning through the performance of the participants.

1.4.3 Discussion

While elaborating the research project some issues and challenges mainly related to the undetermined target domain used to conduct the experiments, the evaluation of ubiquitous scenarios in laboratory settings, as well as the importance of aesthetic design for the experiments emerged. The issues related to the application domain are rather complex. Quite reasonably the chosen application domain has a great influence on the learning conditions. Authentic and situated learning usually occurs when learners are strongly related to the placement they are active in and at the same time far away from traditional (mostly formal) learning capabilities they would usually make use of. The characteristics of the current placement and the requirements of the learners have in fact a great influence on the assumptions the learners may have, the conditions they may find in situ, as well as technical constrains of the settings. The chosen domain has an impact on the conceptual framework and hence on the experimental design and the evaluation and thus has to be chosen carefully.

The evaluation of ubiquitous scenarios in laboratory settings is self-contradictory. While ubiquitous computing and the derived ubiquitous learning scenarios are characterised by the "anywhere, anytime" paradigm, laboratory settings per se exclude these features as they postulate the full control of all confounding variables. Evaluation techniques need to take into account the current context, environment, and conditions the user is experiencing within the situation that is observed. One possible solution has already been mentioned in Section 1.4.2 describing a method already used to evaluate ubiquitous computing applications (Consolvo and Walker, 2003). Still, other available methods need to be investigated and verified on their adequacy for the evaluation of ubiquitous learning applications and thus ambient systems for learning.

Another issue is the importance and influence of an aesthetic design especially when heading for an end-user product. The aesthetic emphasis is one of the dimensions affecting the design of ambient systems (Pousman and Stasko, 2006). Within the presented research project, this dimension will be mostly ignored. The reason for that is mainly the focus on evaluating the effects of ambient information presentation on learning and learning support rather than actually designing end-user products. In this context emphasising the aesthetics design dimension of ambient systems too much is simply not feasible for the research project, but definitely needs to be considered when applying the outcomes to actual learning scenarios.

1.5 Conclusions

The chapter outlines the authors' vision of ambient learning displays – enabling learners to view, access, and interact with contextualised digital content presented in an ambient way. The vision is based on a detailed exploration of the characteristics of ubiquitous learning and a deduction of informational, interactional, and instructional aspects to focus on. Towards the vision essential research questions and objectives as well as a conceptual framework that acquires, channels, and delivers the information framed in the learning process are presented. Furthermore, a research agenda proposing a research project is presented. This research project offers rich opportunities for the design of environments following the mobile and ubiquitous learning paradigm, which gain in importance for technology enhanced learning (TEL). Recently, the EU-funded project STELLAR identified the grand research challenges for the future of TEL. As a guideline, three themes have been formulated: connecting learners,

orchestrating learning, as well as contextualising virtual learning environments and instrumentalising learning contexts (STELLAR, 2009). The authors' vision of ambient learning displays is strongly devoted to the contextualisation theme; implicating manifold overlaps with the other themes. Therefore the main research outcomes will also flow back into the contextualisation theme. The main idea behind the theme is to encourage situated learning, while supporting the learner's mobility. Building on that, the key research questions in this theme are:

- How can new forms of contextualised learning enable novel experiences for learners and for development of human competences?
- How to support the mobility of the learner in distributed and multi environment learning settings, like the transition between real and virtual contexts?
- Which standards are needed to achieve interoperability and reusability of learning resources in this field? How to harmonise the existing learning standards?

Comparing these key research questions with the presented vision, clarifies the relevance within the field. The authors' vision of ambient learning displays highlights the challenges and explores the possibilities that lie in the convergence of mobile and ubiquitous learning in combination with the utilisation of contextualised digital content as valuable resources to support learning.

Furthermore, the outlined research project delivers new scientific insights into the authentic learning support in informal and non-formal learning situations. Within ubiquitous learning environments the project will investigate if there is a measurable benefit utilising ambient information presentation for a contextualised learning support. From a practical point of view this research will flow into a framework that gives guidelines for the future design of ambient systems for learning.

Part II

Formative Studies

Chapter 2

Expert concept mapping study on mobile learning

To inform the theoretical work as well as the design and development of ambient learning displays from different perspectives, several formative studies were conducted. This chapter describes an explorative study based on a concept mapping approach involving international experts from the field of mobile learning. These experts were asked to identify the major educational problems that can be addressed by mobile learning and cluster these problems into domain concepts that contribute to a definition of mobile learning. Although the study targeted on mobile learning, the results are in a broader view also valuable for the ubiquitous learning domain and thus for the research on ambient learning displays as they make use of key concepts, such as contextualisation and adaptation of information presentation to the user context and other situated factors.

2.1 Introduction

So far there have been lots of attempts to define mobile learning, such as "learning that happens when the learner takes advantage of learning opportunities offered by mobile technologies" (O'Malley et al., 2003). The perspectives taken are either technocentric (like in the given example), consider the mobility of the learners, or rest upon the anytime/anywhere paradigm of existing content (Winters, 2006; Taylor, 2006). Each of these different perspectives is extensively discussed in the literature (Sharples, 2006; Traxler, 2009b), but by now there is no generally accepted definition, nor an agreement on which perspective to consider finding one. Especially the technocentric perspective is highly controversial as the underlying development of mobile technologies is continuously progressing, making the attempted definitions highly unstable (Traxler, 2009b).

A more promising way towards a theory of mobile learning (Sharples et al., 2005) seems to be the focus on the clarification of significant issues (Sharples, 2006), research challenges (Arnedillo-Sánchez et al., 2007), case studies (Kukulska-Hulme and Traxler, 2007; Traxler, 2009b), or motivational or affective aspects (Jones et al., 2006). All these attempts contribute to a definition of key characteristics for mobile learning and sharpen the picture of what constitutes mobile learning rather then finding a precise definition. Traxler (2009b) even suggests replacing the question 'what is mobile learning?' by the questions 'what is learning in a mobile age?' or 'what is mobile *learning*?' focusing more on the educational part of the domain. Following this suggestion we decided to conduct an explorative case study (Krathwohl, 1993; Yin, 1994) within the mobile learning domain that is not taking one of the perspectives mentioned earlier. Instead, the focus was set on the educational problems that underpin the expectations on mobile learning, while at the same time trying to find an adequate conceptualisation of these problems. Therefore the following research questions have been defined:

1. What are the educational problems that mobile learning is trying to solve?
2. Which problem clusters can be identified and how are they emphasised?
3. How are the different problem areas related within the overall research domain of mobile learning?

In the following sections we will introduce the applied method, analyse and evaluate the results, and finally discuss the findings and their relevance for the domain of mobile learning.

2.2 Method

To answer the formulated research questions, the presented study implements the concept mapping approach that has been initially described by Trochim (1989b,a). This method has already been applied in several studies (Stoyanov and Kirchner, 2004; Wopereis and Kirschner, 2005). It provides a structured participative conceptualisation approach to identify clusters of ideas and opinions generated by experts for a given domain aspect. The collected data is then analysed via multidimensional scaling (Kruskal and Wish, 1978; Davison, 1983) and hierarchical cluster analysis (Anderberg, 1973; Everitt, 1980). The result is a set of visual maps representing the generated idea and opinion statements as well as emerging statement clusters and thus important domain concepts. The method consists of several phases to prepare the collection of data and finally collect the data, each of which is described in the following sections.

2.2.1 Preparation

The initial phase of the method has three objectives: defining an initial focus or trigger statement for stimulating the generation of ideas and opinions, selecting key dimensions for rating the generated statements, and selecting the participants.

Derived from the first research question the following trigger statement has been chosen: "The educational problem that mobile learning tries to solve is...". Based on the experiences of previous studies (Stoyanov and Kirchner, 2004; Wopereis and Kirschner, 2005), "importance" and "feasibility" were selected as respective key dimensions. These qualitative dimensions emphasise different aspects of the practices within the domain. The importance dimension refers to the relevance of an educational problem within the mobile learning context. The feasibility dimension refers to the potential of mobile learning for contributing to a sufficient solution for the related educational problem.

Finally the participants were selected from the member list of the International Association for Mobile Learning (IAMLearn, 2009). In total 32 international acknowledged domain experts have been invited to participate in the study. The invitees represented different stakeholder groups within the mobile learning domain, ranging from industry via research to educational practitioners. 20 out of the 32 invited experts accepted the invitation to participate in the study. Given to the international distribution of the participants, the communication as well as the data collection has been conducted entirely online via e-mail messages.

2.2.2 Procedure

The procedure to collect the data consisted of two phases: generation of idea and opinion statements and structuring the generated statements. Due to the characteristics of the method, the participants were actively involved in both phases of the data collection process. The phases are described in greater detail in the following sections.

Generation of Statements

In the first phase of data collection the participants were asked via e-mail to generate ideas and opinions on the previously defined trigger statement. The participants were instructed to simply reply to the e-mail message and include their identified educational problems as short bullet point statements underneath the trigger statement. The participants were free to generate as many statements as they wanted to. Although no direct control could be imposed on this process the participants were requested to describe exactly one educational problem in each statement and if possible limit the generation process to 10 minutes.

During this first phase, 11 experts generated 70 statements elaborating on the given focus in form of the trigger statement. Sighting the list of generated statements revealed an issue that needed to be solved before going on with the next phase. Almost each participant used an own structure to describe the ideas and opinions, which complicated the comparison of the statements. Therefore the statements were restructured into grammatically correct sentences and simultaneously revised for spelling mistakes. In doing so another issue was revealed, as some statements described more than one specific idea. To resolve the issue the relevant statements were taken apart and again restructured into grammatically correct sentences. Finally

all the statements were compared to eliminate obvious duplicates, resulting in a list of 82 unique statements (e.g. "Maintaining continuity of learning across settings, such as between classrooms and museums on school field trips.") that could be used for the next phase.

Structuring of Statements

In the second phase all participants were asked to structure the statements that were collected during the first phase. The participants were contacted no matter weather they generated statements in the first phase or not. The structuring of the statements involved two independent steps: grouping the statements based on their perceived similarity in meaning and the rating of the statements. In order to collect as much information as possible from the participants while reducing the communication overhead, the two steps were combined using a single e-mail message. To ease the process for the participants three documents were attached to each message. One provided the complete list of all unique statements. The other two documents were used to record the results of the grouping and rating. The participants were asked to perform the structuring of the statements within two weeks. 9 experts participated in the structuring phase, grouping and rating the statements that were previously generated.

Step A: Grouping

In the first step the participants were asked to group the statements based on their similarity in meaning. The participants were asked to copy the statements from one document containing all statements into a second document containing a prepared form with empty group containers. The participants were informed that they should place all statements into one group only, while each group should contain statements that were similar in meaning to each other. The instructions emphasised that the similarity must focus on the content of the statement and not on importance or feasibility of the statement. If a statement in the participants' opinion was unrelated to the other statements or stood alone as a unique idea, they were allowed to put this statement in its own group. In any case they were neither allowed to create arbitrary groups such as "misc" or "junk" groups. Again the experts were free to create as many groups as they liked, suggesting that in most cases using 10 to 20 groups should work out well. When finished the participants were asked to create a label for each group that described the included statements. In total, the experts created 111 groups with an average of 12 groups per expert.

Step B: Rating

After grouping the statements the experts were asked to rate all statements in a third document. Each statement had to be rated on the key dimensions "importance" and "feasibility" on a 5-point Likert-scale. For importance the quantitative value 1 meant the statement described a less important educational problem that mobile learning is trying to solve and 5 meant the statement described a highly important educational problem. Respectively, for feasibility the quantitative value 1 meant solving the described educational problem through mobile learning is not feasible and 5 meant it is feasible to solve the problem through mobile learning.

2.3 Results

2.3.1 Data Analysis

To analyse the collected data the concept mapping approach proposes statistical data analysis techniques to map and then cluster the problem statements. Additionally the average ratings for each problem statement and the respective problem clusters are calculated and can be incorporated in the resulting visualisations for further interpretation. In the presented study all required calculations and visualisations for the analyses were accomplished using the spreadsheet application Microsoft® Excel® version 12.2.4 (Microsoft Corporation, 2007) and the open source software environment for statistical computing R version 2.11.0 (R Development Core Team, 2010).

The concept mapping approach facilitates a non-metric multidimensional scaling analysis (Trochim, 1989b) to map the relation between the statements. In the present study, the statements were mapped onto a two-dimensional space, although multidimensional scaling can be applied across multiple dimensions. Trochim suggests the use of two dimensions, as the resulting bivariate distribution of points on the map is easier to visualise and interpret. Hence, the basis of the multidimensional scaling is a two-dimensional symmetric matrix of similarities of all problem statements. This matrix includes the correlations between the statements based on the expert grouping of the statements. For any two statements 1 is added to the respective intersection point within the matrix, whenever an expert placed the two statements in the same group. The result of the multidimensional scaling is a point map representing the

Euclidian distance between the statements based on their similarity. Each point on the map represents a problem statement.

In order to group the statements on the map into clusters of statements, representing important domain concepts, the resulting point map is then used as input for a hierarchical clustering analysis, based on Ward's algorithm for cluster analysis (Trochim, 1989b). This technique isolates the conceptual relationships across statements as they are positioned on the point map obtained from the multidimensional scaling. The difficulty here is to identify a reasonable number of clusters. The concept mapping approach leaves this task open to the judgment and interpretation of the analyst.

Consequently for the presented study the optimal number of clusters was determined through minimising the cluster-size difference of the largest and the smallest cluster and maximising the size of the smallest cluster. After identifying the clusters they were manually labeled. The labels were derived from a list of group labels linked with the cluster and the statements within the cluster. Ideally the group labels provided by the experts converged towards a common domain concept represented by the cluster. If this was not the case, a keyword analysis at statement level was used to find a suitable label. The result of the hierarchical cluster analysis is a cluster map representing the emerging statement clusters and thus important domain concepts. In addition to the points of each problem statement, the map includes the convex hull of the problem clusters. This allows the analysis and interpretation of the relations between the single clusters as well as the associated statements.

2.3.2 Problem Cluster Analysis

As stated, the data analysis techniques were used to map the problem statements, identify, and label the problem clusters. The clusters represent the overarching domain concepts related to the educational problems addressed by mobile learning. Figure 2.1 shows the problem cluster map of the presented study.

The complete result data set including all problem clusters and statements can be found in Table 2.1. The following 7 problem clusters covering 82 problem statements were identified:

(1) Access to learning: The cluster covers 15 statements that are mainly related to the challenges of enabling learning in a mobile society. This includes educational

Figure 2.1 Problem cluster map

problems that are related to flexible learning, including just-in-time learning, equal access to education and learning, and location-based learning. The cluster also covers remote learning and accessibility aspects.

(2) Limitations for learning: 9 statements are included in the cluster. The statements cover challenges related to organisational and educational problems of educational institutions that result from different perceptions of the knowledge society in general and mobile technologies specifically among educators and learners. This also includes the problems of using of mobile technologies in formal learning scenarios.

(3) Contextual learning: The cluster includes 18 statements that highlight the relation between learning and the context in which the learning takes place. The cluster covers individual aspects of situated learning, learning in context, and learning across contexts. Furthermore environmental aspects are included, such as making use of environmental affordances and a stronger interaction with the environment where the learning takes place.

(4) Collaboration: 5 statements are included in the cluster. The statements cover challenges that are related to collaboration, sharing learning resources,

and problems related to social interaction, such as difficulties of building a community during learning.

(5) Personalisation: The cluster includes 8 statements. The statements range from educational problems with self-directed learning to mass-customisation of learning and reflect the potential of mobile learning to support personal learning processes and engage learners.

(6) Orchestrating learning across contexts: 14 statements are included in the cluster, which deals with problems related to current educational practices. The cluster is strongly related to the contextual learning cluster, but focuses more on the organisational aspects that mobile learning can support.

(7) Technology and technology adoption: The cluster covers 13 statements addressing challenges related to the technological characteristics of mobile devices and factors of their adoption, including cost-effectiveness, usability, and user-acceptance.

Table 2.1 Rating of problem clusters and statements

Problem cluster	Mean	
Statement	Importance	Feasibility
1. Access to learning	4.03	3.59
17. Access to learning resources and learning opportunities without the restrictions of location, time and cumbersome equipment or facilities	4.44	4.00
59. Access to information when and where it is required, through "just-in time" browsing of relevant information, and information push to support learning in context	4.44	3.89
41. Easing access to educational opportunities	4.56	3.67
25. Mobility of the learner	4.00	4.11
79. Including learners from rural areas	4.22	3.89
61. Accessibility of information in relevant everyday life and work situations	4.33	3.67
9. Learning at anytime	3.89	4.00
80. Developing third world countries' education	4.11	3.78
8. Learning from any location	3.89	3.78
11. Just-in-time information for immediate application	4.11	3.56
1. Limited access by some learners in remote locations	3.67	3.89
51. Enable learners in classroom settings to have equal access to rich resources and computational tools to support curriculum learning	3.89	3.22
78. Including learners with disabilities	4.33	2.78
4. Nomads who move from one location to the next while learning	3.22	3.22
		(continued)

Problem cluster Statement	Mean Importance	Feasibility
45. Inequality of access to computers, learning resources and teachers	3.33	2.44
3. Contextual learning	3.92	3.60
53. Connect learning across contexts, including between formal and informal settings	4.44	3.78
16. Ability to discover and experiment in own context	4.44	3.67
30. The provision of access to knowledge in the context in which it is applied	4.56	3.56
33. Taking education out of classroom settings into meaningful settings	4.00	3.89
39. Interacting with your environment to achieve new knowledge from it	4.22	3.67
50. Under-utilisation of potentially rich learning resources in heritage sites, art collections and all sorts of other interesting places	3.56	4.22
73. Learning in context	4.00	3.78
74. Learning across contexts	4.22	3.56
58. Using technology to probe or to enrich understanding of the natural environment, and annotating the environment for the benefit of visitors	3.67	4.11
29. The design of augmented contexts for development problem to enable collaborative problem solving where learners generate their own "temporal context for development"	3.89	3.78
12. Learners cannot learn in context	3.88	3.63
57. Making use of affordances of locations to support learning	3.88	3.63
55. Enable enquiry-based learning in novel locations, through novel locations, and about novel locations	3.89	3.44
63. Contextualisation of e-learning	3.67	3.56
56. Making use of space and environment as a backdrop for engaged spatial learning	3.67	3.22
70. The worthwhileness of location-based and contextual mobile learning	3.56	3.33
60. Enable learning through distributed conversation across contexts	3.78	2.78
3. Insufficient real life experience in the learning process	3.22	3.22
6. Orchestrating learning across contexts	3.59	3.28
20. Actively participate in learning activities outside of formal educational settings and facilities	4.44	4.11
24. Flexibility for the learner	4.00	3.89

Problem cluster	Mean	
Statement	Importance	Feasibility
54. Maintaining continuity of learning across settings, such as between classrooms and museums on school field trips	4.11	3.67
62. Documenting real time experiences of learners	3.89	3.78
37. Design suitable activities for the mobile learners	3.89	3.67
52. Orchestrate new forms of classroom pedagogy that require coordination of individual, small group and whole class activity	4.00	3.33
18. Provision of opportunities to contribute to the development/production of learning resources and course content without the restrictions of location, time and cumbersome equipment or facilities	4.00	2.89
47. Blinkered, old-fashioned views about education stopping when working lives begin	3.44	3.22
40. Anything is a potential learning scenario	2.88	3.50
28. Outside in, inside out problem, where cultural practices involving new digital media can be brought into formal learning institution, get enhanced inside the institution and in turn feedback into the digital world at large	3.22	3.00
46. Pressured, busy, fragmented, mobile lives leaving little quality time for conventional, place-and-time-dependent education	3.33	2.89
64. Transfer of training	3.44	2.56
49. Gaps (time lags) between traditionally scheduled learning sessions, limiting achievement, teamwork and collaboration	3.11	2.56
31. Refreshing the image and practice of institutional e-learning	2.56	2.89
5. Personalisation	3.46	3.13
81. Engagement of the learner	4.44	3.56
15. Not enough self-directed learning activities while learning	3.67	3.78
75. Self-directed learning	3.89	3.11
23. Finding new learning strategies that are suitable for the challenges of, and embraces the opportunities of, the knowledge and information age	3.33	3.11
43. Students exhibit passivity, boredom, indifference, low attention spans, and fail to complete their studies	3.44	2.78
42. The perception that there is a lack of student engagement	3.11	2.89
76. Learning with narratives	2.89	3.11
77. Mass-customised learning	2.89	2.67
4. Collaboration	3.31	3.24
19. Provision of opportunities to collaborate, share and publish learning resources and course content without the restrictions of location, time and cumbersome equipment or facilities	4.33	3.33
65. Spontaneous collaboration in situated learning	3.67	3.33

| Problem cluster | Mean | |
Statement	Importance	Feasibility
5. Lack of community building during learning	3.11	3.33
7. Not enough collaboration between learners	2.89	3.44
10. Learners not able to interact with experts from around the world	2.56	2.78
7. Technology and technology adoption	3.32	3.05
36. Make use of the affordable technologies that students have access to	3.78	3.78
66. Harness the fact that every student in every university owns a sophisticated communications device	3.89	3.67
21. Enhance teaching and learning within formal educational settings and facilities through handheld technologies	3.78	3.44
72. Get students to use their mobile devices constantly also in education	3.67	3.56
34. Helping educational institutions to offer learning aligned to the students' ownership, experience and use of technology	3.89	2.89
69. Dealing with small screens and difficult data input	3.22	3.33
32. Helping educational institutions understand the increasing and near universal ownership, acceptance and use of mobile devices across society	3.22	3.11
27. Cost-effectiveness for the providers of teaching and learning	3.33	2.89
26. Cost-effectiveness for the learner	3.33	2.78
71. Difficulties to reuse the products	3.11	2.56
38. Assess learning experiences to be accountable for the stakeholders	2.78	2.67
67. Revolutionise mobile learning, as the iPhone has revolutionised mobile telephony	2.75	2.38
68. Make mobile learning a revenue stream for telecommunication companies	2.44	2.56
2. Limitations for learning	3.23	2.80
22. Finding new teaching methodologies that are suitable for the challenges of, and embraces the opportunities of, the knowledge and information age	3.44	3.22
2. Lack of support to young learners, which have the mobile technology	3.11	3.44
14. Lack of ICT skills for the twenty-first century	3.33	3.22
82. Transformation of traditional education according to the needs of information society	3.44	2.67
48. Traditionally ineffective instruction and low learner performance in some subjects	3.44	2.56
6. Low motivation of learners who are mobile technology literate	3.11	2.78

| Problem cluster | Mean | |
Statement	Importance	Feasibility
13. Teachers not comfortable using mobile technology	3.33	2.56
44. Rigid assessment systems stifle creativity and innovation	3.44	2.33
35. Perceptions of technologically impoverished provision	2.43	2.43

2.3.3 Problem Emphasis Analysis

A detailed analysis of the average rating of the problem statements indicates the experts' opinion about which statements refer to important and feasible educational problems related to mobile learning. Furthermore this analysis also allows estimating the importance and feasibility of the 7 problem clusters as domain concepts. The complete result data set including all problem clusters and statements with attached means can be found in Table 2.1.

Starting with the problem statement emphasis, a statement was considered as important or feasible if the mean was at least 3.5 based on the 5 point Likert-scale rating. An average rating of 3.5 indicates that the experts rated the statement mostly as important or feasible. By taking both rating key dimensions into account the statements can be mapped into four quadrants. Figure 2.2 shows the quadrants and the mapped statements without identifying the actual statements.

The first quadrant contains those statements that are relevant on both dimensions, with a high average rating on importance and feasibility. Thus included statements refer to the most relevant educational problems addressed by mobile learning. In the experts' opinion 34 statements are located in this quadrant. The majority of the statements are related to the clusters "contextual learning" (13 statements), "access to learning" (11statements), and "orchestrating learning across contexts" (5 statements). The highest rated statements within these clusters are also included in the quadrant. The remaining statements are related to the clusters "technology and technology adoption" (3 statements) and "personalisation" (2 statements). The second quadrant contains statements with a high average rating on importance but low average rating on feasibility. The 13 statements in this quadrant can be considered to refer to important educational problems addressed by mobile learning, while sufficient solutions might go beyond the scope of mobile learning. The statements in this cluster

Figure 2.2 Statement rating map

are related to the clusters "contextual learning" (4 statements), "access to learning" (2 statements), "collaboration" (2 statements), "orchestrating learning across contexts" (2 statements), and "technology and technology adoption" (2 statements). The remaining statement is related to the "personalisation" cluster.

The third quadrant contains statements with low average ratings on both dimensions. 34 statements fall in this quadrant. These statements are considered to refer to educational problems that are not specifically related to mobile learning in the experts' opinion. The majority of statements in this quadrant are related to the clusters "limitations for learning" (9 statements) and "technology and technology adoption" (8 statements). The remaining statements are related to the clusters "orchestrating learning across contexts" (6 statements), "personalisation" (5 statements), "collabor-

ation" (3 statements), "access to learning" (2 statements), and "contextual learning" (1 statement). The fourth quadrant contains statements with a high average rating on feasibility but low average rating on importance. The quadrant contains only a single statement that refers to a side educational problem to which mobile learning can offer solutions. This statement is related to the "orchestrating learning across contexts" cluster.

Table 2.2 Highest emphasised problem statements

Problem statement	Mean	
	Importance	*Feasibility*
20. Actively participate in learning activities outside of formal educational settings and facilities.	4,44	4,11
17. Access to learning resources and learning opportunities without the restrictions of location, time and cumbersome equipment or facilities.	4,44	4,00
59. Access to information when and where it is required, through 'just in time' browsing of relevant information, and information push to support learning in context.	4,44	3,89
41. Easing access to educational opportunities.	4,56	3,67
53. Connect learning across contexts, including between formal and informal settings.	4,44	3,78
16. Ability to discover and experiment in own context.	4,44	3,67
25. Mobility of the learner.	4,00	4,11
30. The provision of access to knowledge in the context in which it is applied.	4,56	3,56
79. Including learners from rural areas.	4,22	3,89
61. Accessibility of information in relevant everyday life and work situations.	4,33	3,67

Concerning the importance and feasibility of the problem clusters, the average ratings of all problem statements included in a cluster needed to be considered. This analysis revealed that "access to learning" is rated as the most important cluster in the experts' opinion, followed by the clusters dealing with "contextual learning", "orchestrating learning across contexts", "personalisation", "collaboration", "technology and technology adoption", and finally "limitations for learning". Thus in the experts' opinion the accessibility and contextualisation of learning and education are the most important domain concepts that mobile learning can facilitate. The respective clusters also contain the majority of problem statements and as stated the highest rated statements, listed in Table 2.2. Regarding the rated feasibility the emphasis is similar. The clusters of "contextual learning" and "access to learning" are rated as the most feasible domain concepts that mobile learning can facilitate, followed by the clusters dealing with "orchestrating learning across contexts", "collaboration",

"personalisation", "technology and technology adoption", and finally "limitations for learning".

2.4 Discussion

Based on the experts' emphasis the used concept mapping approach identified the most important educational problems that can be addressed by mobile learning. The identified problems are all related to the three main domain concepts "access to learning", "contextual learning", and "orchestrating learning across contexts", while most of them are related to the concept "access to learning". This clearly reflects the claim on mobile learning to enable learning across context, facilitating and exploiting the mobility of the learners. The most emphasised issues mainly discuss learning activities and opportunities outside of formal settings, better contextualised and situated learning support, stronger connection between informal and formal settings, and the inclusion of rural and remote learners. Among others these issues indicate the most important current and future use cases for the implementation of mobile learning scenarios. On the other hand the experts considered issues related to technologies and their adoption and usage by teachers, learners and other stakeholders as less important to be addressed by mobile learning. The respective problems are mostly related to the domain concepts "technology and technology adoption" and "limitations for learning". The emphasis given by the experts does also provide valuable recommendations. Educational institutes and organisations can draw direct conclusions about the core themes of future research agendas and implementation plans out of the study results. To provide an example, the most relevant problem statement within the "Contextual learning" cluster is "Connect learning across contexts, including between formal and informal settings." The statement is positioned in the first quadrant of the statement rating map shown in Figure 2.2, as it got a high average rating on importance and feasibility. In the experts' opinion facilitating learning across contexts is one of the most important challenges in the domain of mobile learning. At the same time there seem to be sufficient solutions to cope with that challenge. The conclusion that can be drawn is that these solution need to be implemented on a short term.

Contrary to this example is the problem statement "Enable learning through distributed conversation across contexts." covered in the same cluster. The statement is positioned in the second quadrant of the statement rating map with a high average

rating on importance but low average rating on feasibility. So in the experts' opinion this challenge is also quite important, but it seems that there are no feasible solutions yet. Examining the statement clarifies this emphasis. To enable a distributed conversation across contexts is related to research in the field of e.g. computer supported cooperative learning. Even if the complex technology mainly coming from the field of mobile and ubiquitous computing is there, it still needs to be utilised in the learning context, which requires additional research efforts also within the field of mobile learning. In addition to the valuable emphasis, the approach also produced a problem cluster map representing the mobile learning domain concepts based on the similarity of the problem statements identified. The main concepts that characterise the educational challenges mobile learning has to cope with are "access to learning", "contextual learning", "orchestrating learning across contexts", "personalisation", and "collaboration". The minor domain concepts are "technology and technology adoption" and "limitations for learning". The produced map can also be used to relate the emerging problem clusters within the overall domain.

The map shows that the clusters "access to learning" and "contextual learning" appear to be independent domain concepts, as they are individually positioned beyond the centre. The other clusters seem to be more closely related and positioned near to the centre. The mapping shows that the "orchestrating learning across contexts" cluster is the central concept within the domain. This indicates that orchestration is the link between the different concepts within the domain of mobile learning. Both the "collaboration" and the "technology and technology adoption" cluster are positioned in close proximity to the central concept, illustrating that the covered problem statements need to be considered when dealing with orchestration and vice versa. The clusters of "personalisation" and "limitations for learning" are positioned a little bit further away from the central concept and thus do not need to be considered equally when orchestrating learning through mobile learning. The same applies for the distant clusters "access to learning" and "contextual learning".

Focusing on the spatial extend of the single problem clusters, reveals that educational problems covered by the clusters "access to learning", "contextual learning", and "orchestrating learning across contexts" are in most cases only loosely related to each other. The mentioned clusters cover a wide problem space. In contrast the other clusters, especially "technology and technology adoption", cover a relatively narrow problem space with closely related problem statements. On the one hand this underlines that the main domain concepts cover a diversity of educational problems

and it might be useful to put more effort on a more finely granulated distinction in order to make further analyses easier to handle. On the other this fact shows that these concepts are still a major point of discussion and there is no agreement on a clear definition related to mobile learning.

2.5 Conclusions

The presented expert concept mapping study provides new insights on mobile learning and the educational problems that underpin the expectations on it. Especially the identified domain concepts contribute to the discussion about the key characteristics of mobile learning, while clarifying the major educational problems that can be addressed by mobile learning. Still the paper outlines only the major findings of the conducted study. The data collected as well as the results obtained from the concept mapping approach allow further profound analyses on single or multiple domain concepts or specific educational issues and their correlation to others. Furthermore the results can also be used to provide guidelines for upcoming discussions on the theoretical and technical developments within the domain of mobile learning. These aspects will be addressed in future work.

General Discussion[1]

Review of results

This thesis presented the results of the conducted research and development of ambient learning displays. The reported results were structured into three parts: the theoretical foundations, formative studies, and empirical findings. An elaborated conceptual framework and an extensive literature review explored the research field and laid the foundation for further research (**Part I**). Several formative studies informed the theoretical work as well as the design and development from different perspectives (**Part II**). Following up, empirical studies then evaluated respective ambient display prototypes (**Part III**).

Theoretical foundations

Chapter 1 outlined the vision of ambient learning displays – enabling learners to view, access, and interact with contextualised digital content presented in an ambient way. This vision was based on a detailed exploration of the characteristics of ubiquitous learning and a deduction of informational, interactional, and instructional aspects to focus on. Based on these aspects the main research question was formulated:

> *What are the effects of ambient information presentation on learning in a*
> *situated learning context within ubiquitous learning environments?*

To provide a theoretical foundation for the following research, relevant research findings, models, design dimensions, and taxonomies were examined. The result was a conceptual framework that defined ambient learning displays. The framework consists of parts dedicated to user and context data acquisition, channelling of

---

[1]This chapter incorporates discussions and conclusions from several publications.

information, and delivery of contextualised information framed in a learning process. Ambient systems were proposed as means of delivery. Based on the taxonomy of ambient information systems by Pousman and Stasko (2006) four design dimensions were introduced, incorporated in the framework, and applied whenever designing ambient display prototypes throughout the following research. The four design dimensions are:

- Information capacity determined by the amount of information presented by the system.
- Representational fidelity describing how the data is encoded.
- Notification level depicting the degree of user interruption.
- Aesthetic emphasis.

As first step on the research agenda towards ambient learning displays an extensive review of the literature on ambient displays was conducted. The first part of the review in **Chapter 2** depicted characteristics, classified prototypical designs, and shed light on the actual use of the covered ambient displays, their application context and addressed domains as well as the type of studies conducted, including the used methodologies and evaluation approaches to measure their effectiveness and impact. The review confirmed the following main characteristics of ambient displays as defined initially by Wisneski et al. (1998):

- Peripheral, unobtrusive, and embedded design addressing various senses.
- Utilisation of subtle methods in the periphery of attention.
- Focus on ensuring awareness of mostly non-critical information.

The presented prototypes were applied in personal, public, or semi-public contexts. In a personal context the displays were closely linked to individuals (or the individuals close proximity) with high emphasis on privacy. Addressed domains included leisure activities, health related issues, or information awareness. In a public context, the displays implemented a strong environmental link with low emphasis on privacy. Addressed domains included among others consumption and conservation of natural resources. Between the two levels in a semi-public context the covered displays linked to, e.g. workplaces or classrooms. Consequently, addressed domains included group collaboration, communication, or awareness. Single prototypes were also used within educational settings.

Several articles derived principles and guidelines for the design of ambient displays, some of which were already incorporated in the conceptual framework. The classification of the presented prototypes within the framework revealed that the main source to acquire relevant information is sensor data, monitoring user activity and behaviour within the environment. The gathered information is then to a great extend channelled harnessing the learners' sense of vision. In terms of framing into a learning process, most prototypes do not go beyond the factual knowledge dimension, while addressing lower cognitive processes. This result is in line with the initial expectation to find a large number of ambient displays that simply represent information rather than supporting more complex cognitive processes.

The methodological analysis of the reviewed articles highlighted a plethora of methodologies and evaluation strategies used in the different types of study conducted. The whole array of available instruments was applied in the course of the complete research cycle (preparation, implementation, analysis) covering pilot studies, field studies, or a combination of both. In general, the evaluation of ambient displays was described as difficult across the reviewed articles. The following issues were identified as most critical:

- Unobtrusive collection of necessary data without additional user distraction.
- Usefulness of evaluation when user interest is not stable.
- Evaluation of the usefulness, benefit, and comprehension.
- Adaptation of heuristics to evaluate usability and effectiveness.

The literature review continued in **Chapter 3**. This second part focused on the actual use of ambient displays in a learning context. The purpose was to assess ambient displays with an explicit or implicit learning purpose and the classification of respective prototypes on the basis of an extended classification framework. The classification framework included three perspectives:

- Informational and interactional design of the prototypes.
- Research objectives and results of the reported empirical studies.
- Deducible instructional characteristics.

To describe the informational and interactional design, the introduced design dimensions were used. For the instructional characterisation the concept of situational awareness as defined by Endsley (2000) with the three levels perception, comprehension, and projection as well as the research variables of interest when providing

instructional feedback by Mory (2004) were used. Thus the incorporated classification criteria were: level of situational awareness, complexity, timing, error analysis, and learning outcome.

The classification of the ambient display prototypes according to the introduced design dimensions showed that the majority of prototypes handled only a low capacity of information, were reluctant when it comes to the level of notification by just making aware, utilised all available representational means from indexes to symbols, and put a medium emphasis on aesthetics.

Next the research objectives, reported results, and findings were analysed. The majority of articles targeted basic psychological effects, such as raise, enhance, or support awareness. Only some went beyond stating to trigger changes in behaviour or give direct feedback, calling for more research on concepts like persuasion, motivation, feedback, and behaviour change to lay the foundation for learning processes supported by ambient displays. Several papers focused on an evaluation of the displays design without evaluating learning effects explicitly. The missing focus on learning effectiveness opened up a research gap towards ambient learning displays.

The reported result can be classified into groups dealing with the user experience, functionality, design, and evaluation of ambient displays. In general, the displays were experienced positively and perceived as characterised. They fulfilled their intended functionality, especially providing information and presence awareness. To trigger changes in behaviour the displays needed to be engaging and motivating, e.g. by providing direct feedback. A minority of articles explicitly used ambient displays for learning, many more addressed learning implicitly.

Most reviewed prototypes addressed the lowest level of situational awareness, i.e. perception. It was noted that learning outcomes involving higher cognitive process capabilities were most effectively addressed by abstract information representations with at least simple verification feedback incorporating corrective error analysis. In contrast declarative or concept learning also worked with no feedback complexity and simple confirmatory error analysis. Other conclusion drawn were:

- Abstract representations are more effective on raising awareness, foster self-regulation, or increase behavioural impact.
- Feedback complexity, error analysis, and learning outcome increase with the situational awareness level.

In summary, the mapping of the corresponding prototypes with the introduced classification framework led to first general design implications, taking into account instructional characteristics. The framework proved to be suitable to draw conclusions on the effectiveness of prototypical variations in a learning context.

Formative studies

Chapter 4 described an explorative study conducted to inform the research of ambient learning displays. By asking domain experts the used concept mapping approach identified the major educational problems that can be addressed by mobile learning and clustered these problems into domain concepts that contribute to a definition of mobile learning. Although the study targeted on the mobile learning domain, the results were in a broader view also considered valuable for the ubiquitous learning domain. Especially the following identified problem statements were related to the mobile and the ubiquitous learning paradigm:

- Access to learning resources and learning opportunities without the restrictions of location, time and cumbersome equipment or facilities.
- Ability to discover and experiment in own context.
- The provision of access to knowledge in the context in which it is applied.
- Accessibility of information in relevant everyday life and work situations.

These statements were clustered in the following main problem cluster:

- Access to learning covering problems that are mainly related to the challenges of enabling learning in a mobile society.
- Contextual learning comprising problems that highlight the relation between learning and the context in which the learning takes place.

The identified educational problems and derived domain concepts reflected the claim of mobile and ubiquitous learning to enable learning across context, facilitating and exploiting the mobility of the learners. The emphasised issues mainly discussed learning activities and opportunities outside of formal settings with better contextualised and situated learning support. The results were used both as indicators for the research focus and as an instrument to validate research findings.

The results of two projects that informed the design and development of ambient learning displays were presented. The first project, presented in **Chapter 5**, elaborated and developed an infrastructure that supports energy conservation at

the workplace. Therefore the infrastructure utilised existing services and included individual energy consumption information. The main idea was to make hidden consumption data visible and accessible for the people working in the building. The infrastructure implemented the following functionality in line with the presented conceptual framework, i.e. data acquisition and channelling of information:

- Inclusion of individual energy consumption information (device specific or personal level of detail.
- Aggregation of available information extending and enriching the overall energy consumption picture.
- Sensoring and logging to measure the effectiveness in terms of energy conservation and enable the prototypical evaluation.

Based on the supporting infrastructure, application prototypes to access and explore the information were developed. The prototypes were classified according to the presented classification framework. Regarding the instructional capabilities the developed prototypes went beyond the mere level of information perception. Instead, the addressed situational awareness demanded at least the comprehension of the available informational cues. To use the application prototypes efficiently even demanded to forecast and estimate the implications of the personal consumption behaviour. In terms of the used feedback characteristics, the prototypes provided simple verification feedback that could be more elaborated on demand. The timing was immediate, although the delivery of information was not happening in real-time due to technical restrictions. The feedback intended to convey at best relational rules as learning outcome, while not going beyond the confirmatory analysis of errors.

Besides measuring the effectiveness of the prototype, an informative study, a comparative study, an user evaluation, and a design study were conducted. The results indicated the general interest in the topic as well as the usefulness of the prototype in terms of estimation and concern about the individual energy consumption. Participants were especially interested in investigating and adapting their consumption patterns accordingly. The design study revealed a preference towards an indexical representational fidelity.

The second project, presented in **Chapter 6**, implemented a pervasive game to increase the environmental awareness and pro-environmental behaviour at the workplace. Based on a discussion of the theoretical background and related work, the game design and game elements were introduced. The presented evaluation res-

ults showed that a pervasive game is a promising approach to involve employees actively in the energy conservation of an organisation. Incentive mechanisms, such as rewards in form of digital badges, were less important. All game elements that contributed to knowledge building or that involved participants in problem solving or the development of own ideas (activity, action, challenge) had more influence on pro-environmental consciousness and pro-environmental behaviour. When asked about improvement suggestions, participants called for an engaging game design, multiplayer options, and personalised feedback.

Chapter 7 then described a lecture series that summarised the theoretical foundations. Furthermore, the chapter reported on a participatory design study conducted in the course of the lectures. The presented results showed a variety of usable ambient display types, possible learning scenarios, and specific design proposals towards ambient learning displays. The participants described different ambient display types, whereas the majority either utilised embedded display screens or billboards, converted existing technical appliances of daily use, or harnessed mainly visual appliances like glass, windows, or mirrors. The participants had difficulties describing concrete learning scenarios and respective ambient learning display design. The scenarios described by the participants mainly had one of the following objectives:

- Increase awareness of contextual information.
- Provide feedback on user action.
- Support the learning of languages or psychomotor skills.

Empirical findings

This first empirical study into the research and development of ambient learning displays was presented in **Chapter 8**. The first part of the study reported an intervention to initiate environmental learning and facilitate pro-environmental behaviour. The purpose was to examine the impact of ambient learning displays on energy consumption and conservation at the workplace, more specifically the evaluation of learning outcome and behaviour change. For the experimental treatments, prototypes were varied on two design dimensions, namely representational fidelity and notification level. The research questions were:

- Does the design of an ambient learning display influence the environmental learning outcome?

- Do the ambient learning display prototypes deployed lead to pro-environmental behaviour change?

The first hypothesis stated that using interruptive notification and symbolic representation should result in a significantly larger environmental learning outcome than using change blind notification and indexical representation. The results did not show evidence to support this hypothesis. The group with the interruptive and symbolic prototype design had the largest outcome, but the design variations had no significant influence on this.

When investigating the environmental learning construct's single components, namely the participants' environmental awareness, confidence, knowledge about consumption, as well as concern and conservation attitude, some supporting evidence for the hypothesis were found. The group with the interruptive and symbolic design showed the largest gain in confidence and awareness, indicating that this design lowered the awareness need and built up confidence to estimate the actual consumption and conservation potentials. On the other hand the group with the change blind and indexical design showed the largest gain in knowledge, suggesting that this design supported the examination and comprehension of the provided consumption information, saving tips, and conservation potentials. The group exposed to the change blind and symbolic design showed the largest gain in concern and conservation attitude.

The second hypothesis stated that independent of the display's design variation the sole deployment of ambient learning displays should facilitate pro-environmental behaviour change. Again there was no supporting evidence that the prototypes have an influence on the conservation activities performed. The results suggested that the prototypes deployed even had an opposite effect. Testing the single component mean differences across all participants showed that the deployed prototypes significantly influenced awareness and knowledge. So the prototypes did not facilitate pro-environmental behaviour but at least helped to examine, comprehend, and lower the awareness need.

The second part of the study, presented in **Chapter 9**, then focused on the interaction between ambient displays and users. The main purpose was to examine the general user attention towards ambient displays as well as the influence of different display designs. The study combined non-intrusive evaluation techniques as a quantitative approach to measure user attention with qualitative measurement of user perception

and comprehension. The hypothesis was that variations in the display design affect the user attention towards the display. As additional evidence knowledge transfer was incorporated assuming that a better knowledge transfer is another indicator for an effective attention design. The criteria of interest were noticeability, disruption, comprehension, appeal, and relevance. The assumption was that these criteria have a direct influence on the knowledge transferred.

The presented results showed a high degree of user interest in the displays over time. The highest attention rate was measured during the first days of the study, while it peaked again in the middle and at the end of the study. The user interest did not stabilise in the course of the study calling for a longer evaluation period. The results were inconclusive regarding the initial hypothesis on the effectiveness of the chosen representational fidelity and the level of notification. However, the results suggested that the chances are higher to get the user attention when designing ambient displays with easy to grasp information and a sensible but not demanding level of notification.

Besides looking at the quantitative attention data the study tried to support it's claims with additional qualitative data. Supporting the conclusions drawn from the actual attention measurement, the reported results were inconclusive regarding the reported disruptiveness and comprehension of the displays. Participants took more notice of an interruptive display presenting symbolic information. At the same time they also felt more disrupted by it. These factors influenced each other. The study results also revealed other potential relationships, especially the high impact of an appealing information visualisation. The presented information was perceived more useful and relevant, while the information display was considered less disruptive. The noticeability of the display improved the comprehension of the information presented.

Following the initial hypothesis, this should have also affected the knowledge transferred and thus provided another indicator regarding the user attention. Again the results were inconclusive regarding the effectiveness of the chosen representational fidelity and level of notification. Nevertheless they provided evidence for the importance of providing comprehensible and relevant information. Thereby the perceived usefulness and relevance of the presented information acted as a trigger for the knowledge transfer. The result called for a contextualisation of the information presented.

Finally, the second empirical study into the research and development of ambient learning displays was presented in **Chapter 10**. The study reported an intervention to investigate previously identified research challenges on the evaluation and use of ambient displays in a learning context with the objective to gain insights into the interplay between display design, user attention, and knowledge acquisition. A display prototype corresponding to the main ambient display characteristics was designed, applied in a controlled authentic setting, and evaluated accordingly. The prototype conveyed indexical information and was enhanced with a custom-built sensor to measure user attention and trigger interruptive notifications. Using an experimental research design, a treatment group exposed to this attention-aware display design was compared to a control group.

The research questions were whether the attention-aware display design could:

- capture the user's focus of attention,
- influence the knowledge gain, and
- meet the general ambient display requirements.

The first hypothesis stated that an attention-aware display design attracts the attention earlier and retains the attention longer. The results showed clear evidence to support this hypothesis. The group exposed to the attention-aware display design reached the second attention level significantly earlier than the control group, on average in almost half of the time. The attention was also retained longer in the treatment group. The participants paid significantly more attention than the control group, on average more than twice as much.

The hypotheses regarding the second research question were that there is a correlation between user attention and knowledge gain in general and that an attention-aware display design can facilitate this gain. The results showed evidence to support both hypotheses. There was a positive relation between the amount of attention a participant paid towards the display and the participant's score in the knowledge test. Overall when participants paid more attention, their knowledge test scores were higher. Even taking prior knowledge into account the group exposed to the attention-aware display design still scored significantly higher than the control group. Overall the attention-aware designed display using indexical representation and interruptive notifications attracted and retained attention in such a way that the

acquisition of knowledge (i.e. the comprehension of the presented information) was effectively facilitated.

The last hypothesis then stated that there would be no difference in meeting the general ambient display requirements caused by the design. The results only partly showed evidence to support this. The group exposed to the attention-aware design rated the display significantly more distracting than the control group. When it comes to the perceived mental effort required for filling in the questionnaire while paying attention to the display, no significant difference between the groups was found. This lack of significance supported again the hypothesis. The hypothesis was further supported when examining the number of shifts between the periphery and the focus of attention. Due to the notifications the treatment group shifted more but the difference between the groups was not significant.

Limitations of this research

Several factors limited the conducted research and development of ambient learning displays, i.e. the ability to answer the research questions effectively, achieve the research objectives, or provide evidence for hypotheses. These factors can be structured into design limitations and limitations related to evaluation. Overall the chosen application domain has of course a major impact on the learning conditions in general and the design and evaluation of respective ambient learning displays specifically. Authentic and situated learning usually occurs when learners are strongly related to the placement they are active in and at the same time far away from traditional (mostly formal) learning capabilities they would usually make use of. The characteristics of the current placement and the requirements of the learners have an influence on the assumptions the learners may have, the conditions they may find in situ, as well as technical constraints of the settings.

In terms of design limitations, one issue is the importance and influence of an aesthetically pleasing design especially when heading for an end-user product. The emphasis on aesthetics is one of the design dimensions derived from the taxonomy of ambient information systems by Pousman and Stasko (2006). This dimension was mostly ignored throughout the conducted research. The reason for that was the focus on evaluating the effects of ambient information presentation on learning and learning support rather than actually developing end-user products. In the

context of this research putting too much emphasis on aesthetic display design was not feasible, but needs to be considered when applying the outcomes into practice.

More limitations regarding the design can also be identified in relation to the other design dimensions (i.e. information capacity, representational fidelity, and notification level). The information presented by the developed prototypes was mainly limited to factual knowledge with some implications for the evaluation, which did not go beyond the simple recall of the acquired information. Addressing also the conceptual or procedural knowledge dimensions and/or more complex cognitive process dimensions should improve this. As described within the presented conceptual framework, the revised taxonomy of educational objectives by Anderson and Krathwohl (2001) describes and relates these dimensions. The second empirical study was a first step in this direction. Furthermore, it can be argued that the interruptive notification design used in the empirical studies was too obtrusive (even distracting) and that the observed effects are merely a result of this. Of course, the prototypes were designed in such a way that their experimental variations depicted borderline manifestations of the manipulated ambient display characteristics. Reproducing the observed effects, future designs should gradually decrease the level and frequency of notification. However, finding the right balance between obtrusiveness, appeal, and effectiveness remains one of the biggest design challenges. The reported results can only provide rough design guidelines that need to be reconsidered in any given context.

Within the empirical studies, limitations regarding the measurement and analysis of user attention towards ambient displays were revealed. In the first empirical study the quantitative approach using sensor data was no reliable measurement of user attention. Single users could not be identified and thus no statistical methods were applied for the analysis. The data only presented a rough estimation of the actual user attention. The added qualitative approach did not solve this problem completely. The gathered questionnaire data was not a valid measurement of user attention. Single users could be identified and thus statistical methods were applied to analyse the data. Still the used questionnaire was no conclusive inventory of user attention. Nevertheless the combination of quantitative and qualitative measurement provided already a more holistic view on user attention. In the second empirical study the effects of these limitations were reduced. Again sensor data was used as a measurement of user attention, but the experimental setting allowed identifying single users. Further improvements of the custom-built attention sensor and more detailed logging capabilities made the measurement reliable and allowed detailed

statistical analysis. Another limitation is also related to this measurement. The user attention was measured conceptually assuming that a user pays attention to the display and the information presented whenever looking at it. Using the custom-built attention sensor this process is even more abstracted to a level where facing the display frontally equals looking at the display and thus paying attention. Although this broad abstraction is confirmed by previous and related research, there are much more reliable measures available. A proposed solution was eye tracking. Even though eye tracking becomes less intrusive with latest technical developments (e.g., mountable remote trackers, tracking glasses), it is still more intrusive compared to the sensor method used in the empirical studies.

Finally, the evaluation of ambient learning displays in the conducted empirical studies has also several limitations. The main issue is related to the experimental setting used. As noted in the theoretical foundations, the evaluation of ubiquitous scenarios in laboratory settings is self-contradictory. While ubiquitous computing and the derived ubiquitous learning scenarios are characterised by the "anywhere, anytime" paradigm, laboratory settings per se exclude these features as they postulate the full control of all confounding variables. Evaluation techniques need to take into account the current context, environment, and conditions the user is experiencing within the situation that is observed. Kaikkonen et al. (2005) also discussed this tension. While lab settings offer a context without the danger of uncontrollable external variables, they have also been criticised as having a very low ecological validity. On the other hand, field settings suffer from many external variables that can influence the results of an experiment while being highly authentic and therefore offering the best ecological validity possible. Thus for both presented empirical studies the core question was how to evaluate in realistic settings controlling confounding variables? The experimental setting used in the second empirical study proved to be a good compromise between internal validity and ecological validity.

Implications and future research

The presented vision of ambient learning displays highlighted the challenges and explored the possibilities that lie in the convergence of mobile and ubiquitous learning in combination with the utilisation of contextualised digital content as valuable resources to support learning. The empirical findings delivered new scientific insights into the authentic learning support in informal and non-formal learning situations.

The project investigated if there is a measurable benefit utilising ambient information presentation for a contextualised learning support within ubiquitous learning environments. The presented results of the conducted research and development entail several practical implications especially when designing and evaluating ambient learning displays.

Examining existing prototypical ambient display designs in related research work revealed that for acquiring relevant contextual information the increasing amount of sensors available on a personal level and within the environment are exploited to monitor user activity and behaviour. The gathered information is then to a great extend channelled back harnessing the learners' sense of vision. Here the great potential of addressing multiple senses (especially in a learning context) is left unexploited. Important senses, such as hearing and haptic, are clearly underrepresented across the reviewed prototypes and require deeper investigation. Inspecting the use of ambient displays for learning revealed that the majority of prototypes address learning only implicitly by raising, enhancing, or supporting awareness, changing behaviour, giving feedback, providing assistance and guidance, or just by presenting information. More effort needs to be put into research addressing learning explicitly. In terms of framing into the learning process, prototypes designed and developed with explicit learning purpose need to go beyond the factual knowledge dimension addressing solely lower cognitive processes. Beside that, effective means to evaluate learning need to be identified and applied. This is one of the crucial aspects towards ambient learning displays. To go beyond the mere goal to support awareness and lay the foundation for learning processes supported by ambient displays, more effort needs to be put into research on concepts like persuasion, motivation, feedback, and behaviour change.

The mapping of existing prototypes with the introduced classification framework led to first general design implications, taking into account the instructional characteristics considering concepts like situational awareness and feedback. The reviewed ambient display prototypes could be described with and classified within the used taxonomy. This illustrates that the taxonomy is already well elaborated and does meet the requirements of an integrated framework for ambient learning displays. Although the framework as it is proved to be suitable to draw conclusions on the effectiveness of prototypical variations in a learning context, several research gaps and shortcomings have been revealed. Especially the impact of a direct interaction on learning and the motivation to learn has not been investigated. Also, the relation

to the cognitive processes of learning and the role of changing interaction modalities accordingly lacks in-depth research. Connected to that but more an instructional question is the underutilisation of the displays' ability to move between the users' periphery and focus of attention, as most prototypical designs stay within one or the other. It is also questionable if the type of instructional feedback specified is sufficient to cope with the changed handling of information and interaction modalities offered by pervasive technologies such as ambient displays. Other types of feedback might be more efficient. The effect of location-based or contextualised feedback is a yet unexplored research direction in the feedback literature for which ambient learning displays can play an important role in the future. The contextualisation component is not mapped and explored sufficiently within the framework, although the correlation of context, display effectiveness, and chosen design is obvious.

The empirical findings helped to understand and estimate the potential of the introduced ambient learning display prototypes. The studies focusing on user attention revealed that the effectiveness of ambient displays highly depends on surrounding conditions, e.g. differences in the frequency of users passing-by during the day. Existing daily routines need to be considered and the display design should be adapted accordingly. Several guidelines for an effective attention-aware display design can be derived. Successful display designs need to be contextualised and should not go beyond 'just the right' level of obtrusiveness while providing glanceable information. A possible bias is the novelty effect that accounts for outstanding user attention shortly after deployment and then levels off quickly. To reach the next phase and finally get the desired message through, users need to be intrigued and motivated. The intended transfer of knowledge is initiated when the presented information is both relevant and appealing. Finally, comprehensibility facilitates the process. This also confirms for instance McCrickard et al. (2003a) stating that the main challenge for an effective ambient display design is the right balance of attention and usability. How to deal with this trade-off is mainly influenced by the intended use of the display. Future research will then focus on the coherent attention-aware and contextual design of ambient displays.

In terms of the observed effects, the approaches offered a promising way to increase awareness, initiate behaviour change, and support knowledge acquisition. Learning was addressed explicitly. Although the variation on the prototypes' representational fidelity and notification level proved to be inconclusive in the first study, the results revealed different effective design strategies depending on the purpose of the educa-

tional initiative. To form habits the results called for a provision of (direct) feedback reflecting individual behaviour and the use of alternative motivational designs, such as gamification (Werbach and Hunter, 2012). It became clear that confounding variables need to be somehow controlled and generalisability reduced to reach the desired goal and evaluate learning effectively. Consequently, in the second study the main purpose was then to design a noticeable, unobtrusive, and comprehensive display that is capable to retain user interest over time, evaluate this design in an authentic setting controlling confounding variables, and gain insights into the interplay between display design, user attention, and knowledge acquisition. The attention-aware display design attracted and retained user attention more effectively and significantly facilitated the acquisition of knowledge. The design was evaluated in an authentic setting using valid methods. Considerably more work will need to be done to determine the cognitive transfer of knowledge on the long term. Furthermore, the sustainability of the observed attention effect needs to be investigated in detail.

Towards ambient learning displays still some work needs to be done, wherein this thesis can be taken as basis and inspiration to go beyond. The focus needs to be on the development of new display types addressing the whole range of senses as well as the utilisation of existing already embedded displays. Regarding learning scenarios theoretical concepts like situational awareness and feedback need to be incorporated to shape learning experiences so far not touched upon by ambient displays. The actual design of ambient learning displays in compliance with ambient display characteristics remains challenging but not impossible.

Designing an ambient learning display

Based on the results of this thesis an ambient learning display can be designed in the following way. Certainly, the display design follows the original definition of ambient displays, but slightly breaks with certain aspects to find the right balance between unobtrusiveness, appeal, and effectiveness within the learning context. In addition to whatever is happening in the learner's main focus of attention the embedded display enriches the environment with digital information using an appealing representation. This information needs to be contextualised, comprehensible, and relevant. To raise the learner's awareness of something, the display makes use of an interruptive design showing easy to grasp and glanceable information. To address higher cognitive process dimensions, such as knowledge acquisition and transfer, the display presents rather abstract information and makes use of a less interruptive design. This process

can be facilitated with at least a simple verification feedback on the performance or behaviour of the learner and the correction of possible errors. In the long term the display needs to provide elaborated feedback or use an appropriate incentive mechanism to engage and motivate the learner further and not loose the learner's interest and attention. In general the display follows the basic rationale that the more attention a learner pays, the more knowledge can be transferred. Therefore, the learner attention needs to be balanced in a way that the noticeability and disruption of the display are adjusted to the targeted comprehension and relevance. This can be done with a careful attention-aware design involving the display, the learner, and the environment. Such a design then also enables the continuous non-intrusive evaluation of the various aspects, which can again be used to create a closed feedback loop.

Acknowledgements

For their continuous support I would like to thank my family and friends, especially my girlfriend, Jessica Biermann, for allowing me to start this journey and supporting me to finish it, as well as my parents, Marlene Börner and Hans-Joachim Sternkopf, for making everything possible.

Furthermore, I would like to thank my colleagues and all the people I met while conducting this research for their inspiration, review, and support of my work. Special thanks to my *promotor* Marcus Specht and my *co-promotor* Marco Kalz for their outstanding supervision and guidance as well as to Mieke Haemers for her organisational wisdom.

Last but not least, I would like to thank my *paranimfen*, Halszka Jarodzka and Bernardo Tabuenca, for their broad support and friendship, my *promovendus* companion, Sebastian Kelle, for his advice and the mutual cultural exchange, as well as the band Tocotronic for their creative and inspiring song titles.

Funding sources

References

Abramovich, S., Schunn, C., and Higashi, R. M. (2013). Are badges useful in education?: it depends upon the type of badge and expertise of learner. *Educational Technology Research and Development*, 61(2):217–232.

Ajzen, I. (1985). From intentions to actions: A theory of planned behavior. In Kuhl, J. and Beckmann, J., editors, *Action Control From Cognition to Behavior*, volume 2 of *Springer series in social psychology*, pages 11–39. Springer, Heidelberg.

Ally, M. (2009). *Mobile Learning: transforming the delivery of education and training.* AU Press, Edmonton.

Alt, F., Schneegaß, S., Schmidt, A., Müller, J., and Memarovic, N. (2012). How to evaluate public displays. In *Proceedings of the 2012 International Symposium on Pervasive Displays - PerDis '12*, pages 1–6, New York, NY. ACM Press.

Altosaar, M., Vertegaal, R., Sohn, C., and Cheng, D. (2006). AuraOrb: Social Notification Appliance. In *CHI '06 extended abstracts on Human factors in computing systems*, pages 381–386, New York, NY. ACM Press.

Álvarez, P. S. and Vega, P. M. (2010). Developing sustainable environmental behavior in secondary education students (12-16) Analysis of a didactic strategy. *Procedia Social and Behavioral Sciences*, 2(2):3568–3574.

Anderberg, M. (1973). *Cluster analysis for applications.* Academic Press, New York, NY.

Anderson, L. and Krathwohl, D., editors (2001). *A taxonomy for learning, teaching and assessing: A revision of Bloom's Taxonomy of educational objectives.* Longman, New York, NY.

Arnedillo-Sánchez, I., Sharples, M., and Vavoula, G., editors (2007). *Beyond mobile learning workshop.* Trinity College Dublin Press, Dublin.

Bang, M., Svahn, M., and Gustafsson, A. (2009). Persuasive design of a mobile energy conservation game with direct feedback and social cues. In *Breaking New Ground: Innovation in Game, Play, Practice and Theory. Proceedings of the DiGRA 2009.*

Barbosa, J., Hahn, R., Rabello, S., and Barbosa, D. (2008). Local: a model geared towards ubiquitous learning. In *Proceedings of the 39th SIGCSE technical symposium on Computer science education*, number 1, pages 432–436, New York, NY. ACM Press.

Baumgartner, E., Bell, P., Brophy, S., Hoadley, C., Hsi, S., Joseph, D., Orrill, C., Puntambekar, S., Sandoval, W., and Tabak, I. (2003). Design-Based Research: an emerging paradigm for educational inquiry. *Educational Researcher*, 32(1):5–8.

Beckett, D. and Hager, P. (2002). *Life, work and learning: practice in postmodernity*, volume 1. Routledge, London.

Bishouty, M. M. E., Ogata, H., Ayala, G., and Yano, Y. (2010). Context-aware support for self-directed ubiquitous-learning. *International Journal of Mobile Learning and Organisation*, 4(3):317–331.

Björk, S. and Peitz, J. (2007). Understanding Pervasive Games through Gameplay Design Patterns. In *DiGRA 2007 - Situated Play. Proceedings of the 3rd International Conference of the Digital Games Research Association*, pages 440–448. The University of Tokyo.

Bodnar, A., Corbett, R., and Nekrasovski, D. (2004). AROMA: ambient awareness through olfaction in a messaging application. In *Proceedings of the 6th international conference on Multimodal interfaces*, pages 183–190, New York, NY. ACM Press.

Bonanni, L. (2006). Living with Hyper-reality. In Cai, Y. and Abascal, J., editors, *Ambient Intelligence in Everyday Life*, volume 3864 of *Lecture Notes in Computer Science*, pages 130 – 141, Berlin, Heidelberg. Springer.

Börner, D., Glahn, C., Stoyanov, S., Kalz, M., and Specht, M. (2010a). Expert concept mapping study on mobile learning. *Campus-Wide Information Systems*, 27(4):240–253.

Börner, D., Kalz, M., and Specht, M. (2010b). A Conceptual Framework for Ambient Learning Displays. In *Joint Proceedings of the Work-in-Progress Poster and Invited Young Researcher Symposium for the 18th International Conference on Computers*

in Education, pages 4–6, Putrajaya, Malaysia. Asia-Pacific Society for Computers in Education.

Börner, D., Kalz, M., and Specht, M. (2011). Thinking outside the box - A vision on ambient learning displays. *International Journal of Technology Enhanced Learning*, 3(6):627–642.

Börner, D., Kalz, M., and Specht, M. (2013a). Beyond the channel: A literature review on ambient displays for learning. *Computers & Education*, 60(1):426–435.

Börner, D., Kalz, M., and Specht, M. (2013b). It Doesn't Matter, But: Examining the impact of ambient learning displays on energy consumption and conservation at the workplace. *Manuscript submitted for publication*.

Börner, D., Kalz, M., and Specht, M. (2013c). They want to tell us: A multifaceted approach to measure user attention towards ambient displays. *Manuscript submitted for publication*.

Börner, D., Kalz, M., and Specht, M. (2014). Closer to you: review the application, design, and evaluation of ambient displays. *International Journal of Ambient Computing and Intelligence*.

Börner, D., Storm, J., Kalz, M., and Specht, M. (2012). Energy awareness displays: motivating conservation at the workplace through feedback. *International Journal of Mobile Learning and Organisation*, 6(3/4):189–203.

Brewer, J., Williams, A., and Dourish, P. (2007). A Handle on What's Going On: Combining Tangible Interfaces and Ambient Displays for Collaborative Groups. In *Proceedings of the 1st international conference on Tangible and embedded interaction*, pages 3–10, New York, NY. ACM Press.

Brown, J. S., Collins, A., and Duguid, P. (1989). Situated Cognition and the Culture of Learning. *Educational Researcher*, 18(1):32–42.

Campbell, D. T., Stanley, J. C., and Gage, N. L. (1963). *Experimental and quasi-experimental designs for research*. Houghton, Mifflin and Company, Boston, MA.

Carter, S. and Mankoff, J. (2005). Prototypes in the Wild: Lessons from Three Ubicomp Systems. *IEEE Pervasive Computing*, 4(4):51–57.

Chen, Y. and Yan, Z. (2012). Gemini: A Handbag for Pervasive Social Communications. In *2012 IEEE 11th International Conference on Trust, Security and Privacy in Computing and Communications*, pages 820–825. IEEE.

Cisco (2013). Cisco Visual Networking Index: Global Mobile Data Traffic Forecast Update, 2012-2017.

Clark, R. E. and Sugrue, B. M. (1988). Research on instructional media, 1978-1988. In Ely, D., editor, *Educational Media Yearbook 1987-88.* Libraries Unlimited, Littletown, CO.

Cobb, P., Confrey, J., DiSessa, A., Lehrer, R., and Schauble, L. (2003). Design Experiments in Educational Research. *Educational Researcher*, 32(1):9–13.

Cohen, L., Manion, L., and Morrison, K. (2007). *Research methods in education.* Routledge, London, 6th edition.

Consolvo, S., Klasnja, P., McDonald, D. W., Avrahami, D., Froehlich, J., LeGrand, L., Libby, R., Mosher, K., and Landay, J. A. (2008a). Flowers or a robot army?: encouraging awareness & activity with personal, mobile displays. In *Proceedings of the 10th international conference on Ubiquitous computing*, pages 54–63, New York, NY. ACM Press.

Consolvo, S., McDonald, D. W., Toscos, T., Chen, M. Y., Froehlich, J., Harrison, B., Klasnja, P., Lamarca, A., Legrand, L., Libby, R., Smith, I., and Landay, J. A. (2008b). Activity Sensing in the Wild : A Field Trial of UbiFit Garden. In *Proceeding of the twenty-sixth annual SIGCHI conference on Human factors in computing systems*, pages 1797–1806, New York, NY. ACM Press.

Consolvo, S., Roessler, P., and Shelton, B. E. (2004). The CareNet Display: Lessons Learned from an In Home Evaluation of an Ambient Display. In Davies, N., Mynatt, E. D., and Siio, I., editors, *UBICOMP 2004*, pages 1–17, Berlin, Heidelberg. Springer.

Consolvo, S. and Towle, J. (2005). Evaluating an ambient display for the home. In *CHI '05 extended abstracts on Human factors in computing systems*, pages 1304–1307, New York, NY. ACM Press.

Consolvo, S. and Walker, M. (2003). Using the Experience Sampling Method to Evaluate Ubicomp Applications. *IEEE Pervasive Computing*, 2(2):24–31.

Cross, J. and Guyer, M. (1980). *Social traps.* University of Michigan Press, Ann Arbor, MI.

Dadlani, P., Markopoulos, P., and Aarts, E. (2009). Intertwining Implicit and Explicit Awareness of Wellbeing to Support Peace of Mind and Connectedness. In Tscheligi, M., Ruyter, B., Markopoulus, P., Wichert, R., Mirlacher, T., Meschterjakov, A., and Reitberger, W., editors, *Ambient Intelligence*, volume 5859 of *Lecture Notes in Computer Science*, pages 153–158, Berlin, Heidelberg. Springer.

Davison, M. (1983). *Multidimensional Scaling.* John Wiley & Sons, New York, NY.

Dillenbourg, P. and Jermann, P. (2010). Technology for Classroom Orchestration. In Khine, M. S. and Saleh, I. M., editors, *New Science of Learning*, pages 525–552. Springer, New York, NY.

Dodson, S. (2003). The internet of things.

Donovan, S., Bransford, J., and Pellegrino, J. W. (1999). *How people learn: Bridging research and practice*, volume 37. National Academy Press.

Dourish, P. (2001). *Where the action is - The foundations of Embodied Interaction.* MIT Press, Cambridge, MA, 2004 edition.

Eisenack, K. (2012). A Climate Change Board Game for Interdisciplinary Communication and Education. *Simulation & Gaming*.

Eisenberg, M., Eisenberg, A., Buechley, L., and Elumeze, N. (2006). Invisibility Considered Harmful: Revisiting Traditional Principles of Ubiquitous Computing in the Context of Education. In *Fourth IEEE International Workshop on Wireless, Mobile and Ubiquitous Technology in Education (WMTE'06)*, pages 103–110. IEEE.

Endsley, M. (2000). Theoretical underpinnings of situation awareness: A critical review. In Endsley, M. and Garland, D., editors, *Situation Awareness Analysis and Measurement*. Lawrence Erlbaum Associates, Mahwah, NJ.

European Commission (2001). Communication: making a European area of lifelong learning a reality.

Everitt, B. (1980). *Cluster Analysis.* Halsted Press, New York, NY, 2nd edition.

Fass, A., Forlizzi, J., and Pausch, R. (2002). MessyDesk and MessyBoard: two designs inspired by the goal of improving human memory. In *Proceedings of the conference on Designing interactive systems processes, practices, methods, and techniques*, pages 303–311, New York, NY. ACM Press.

Fennewald, T. J. and Kievit-Kylar, B. (2012). Integrating Climate Change Mechanics Into a Common Pool Resource Game. *Simulation & Gaming*.

Ferscha, A. (2007). A Matter of Taste. In Schiele, B., Dey, A. K., Gellersen, H., Ruyter, B., Tscheligi, M., Wichert, R., Aarts, E., and Buchmann, A., editors, *Ambient Intelligence*, volume 4794 of *Lecture Notes in Computer Science*, pages 287 – 304, Berlin, Heidelberg. Springer.

Fishbein, M. and Ajzen, I. (1975). Belief, attitude, intention, and behavior: An introduction to theory and research. *Philosophy Rhetoric*, 10(2):578.

Foster, D., Lawson, S., Wardman, J., Blythe, M., and Linehan, C. (2012). "Watts in it for me?": design implications for implementing effective energy interventions in organisations. In *CHI '12 Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*, pages 2357–2366, New York, NY. ACM Press.

Froehlich, J., Dillahunt, T., Klasnja, P., Mankoff, J., Consolvo, S., Harrison, B., and Landay, J. A. (2009). UbiGreen: investigating a mobile tool for tracking and supporting green transportation habits. In *Proceedings of the 27th international conference on Human factors in computing systems*, pages 1043–1052, New York, NY. ACM Press.

Fujinami, K. and Kawsar, F. (2008). An Experience with Augmenting a Mirror as a Personal Ambient Display. In Lee, S., Choo, H., Ha, S., and Shin, I. C., editors, *Computer-Human Interaction*, volume 5068 of *Lecture Notes in Computer Science*, pages 183 – 192, Berlin, Heidelberg. Springer.

Fujinami, K., Kawsar, F., and Nakajima, T. (2005). AwareMirror: A Personalized Display Using a Mirror. In Gellersen, H. W., Want, R., and Schmidt, A., editors, *Pervasive Computing*, pages 315–332, Berlin, Heidelberg. Springer.

García-Vázquez, J. P., Rodríguez, M. D., Andrade, A. G., and Bravo, J. (2011). Supporting the strategies to improve elders' medication compliance by providing ambient aids. *Personal and Ubiquitous Computing*, 15(4):389–397.

Gardner, G. T. and Stern, P. C. (1996). *Environmental problems and human behavior*.

Goetz, T. (2011). Harnessing the power of feedback loops.

Gonsalves, A., Ternier, S., Vries, F. D., and Specht, M. (2012). Serious games at the UNHCR with ARLearn, a toolkit for mobile and virtual reality applications. In *Proceedings of the 11th World Conference on Mobile and Contextual Learning (mLearn 2012)*, pages 244–247, Helsinki.

Gustafsson, A. and Gyllenswärd, M. (2005). The power-aware cord: energy awareness through ambient information display. In *CHI '05 extended abstracts on Human factors in computing systems*, pages 1423–1426, New York, NY. ACM Press.

Gyllensward, M., Gustafsson, A., and Bang, M. (2006). Visualizing Energy Consumption of Radiators. In IJsselsteijn, W. A., Kort, Y. A. W., Midden, C., Eggen, B., and Hoven, E., editors, *Persuasive Technology*, volume 3962 of *Lecture Notes in Computer Science*, pages 167 – 170, Berlin, Heidelberg. Springer.

Halavais, A. M. (2012). A genealogy of badges. *Information, Communication & Society*, 15(3):354–373.

Harboe, G., Metcalf, C. J., Bentley, F., Tullio, J., Massey, N., and Romano, G. (2008). Ambient social tv: drawing people into a shared experience. In *Proceeding of the twenty-sixth annual CHI conference on Human factors in computing systems*, pages 1–10, New York, NY. ACM Press.

Hazlewood, W. R., Connelly, K., Makice, K., and Lim, Y. (2008). Exploring evaluation methods for ambient information systems. In *Proceeding of the twenty-sixth annual CHI conference extended abstracts on Human factors in computing systems*, pages 2973–2978, New York, NY. ACM Press.

Hazlewood, W. R., Stolterman, E., and Connelly, K. (2011). Issues in evaluating ambient displays in the wild. In *Proceedings of the 2011 annual conference on Human factors in computing systems - CHI '11*, page 877, New York, NY. ACM Press.

Heller, F. and Borchers, J. (2011). PowerSocket. In *Proceedings of the 2011 annual conference extended abstracts on Human factors in computing systems - CHI EA '11*, page 1981, New York, NY. ACM Press.

Hicks, D. and Holden, C. (1995). Exploring the Future: a missing dimension in environmental education. *Environmental Education Research*, 1(2):185–193.

Ho-Ching, F. W., Mankoff, J., and Landay, J. A. (2003). Can you see what i hear?: the design and evaluation of a peripheral sound display for the deaf. In *Proceedings of the conference on Human factors in computing systems*, number 5, pages 161–168, New York, NY. ACM Press.

Holmes, T. G. (2007). Eco-visualization. In *Proceedings of the 6th ACM SIGCHI conference on Creativity & cognition - C&C '07*, pages 153–162, New York, NY. ACM Press.

Holmquist, L. E. (2004). Evaluating the comprehension of ambient displays. In *CHI '04 extended abstracts on Human factors in computing systems*, pages 1545–1545, New York, NY. ACM Press.

Holmqvist, K., Nyström, N., Andersson, R., Dewhurst, R., Jarodzka, H., and van de Weijer, J. (2011). *Eye tracking: a comprehensive guide to methods and measures*. Oxford University Press, Oxford.

IAMLearn (2009). The international association for mobile learning.

IPCC (2007). Mitigation of Climate Change. Contribution of Working Group III to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. In Metz, B., Davidson, O., Bosch, P., Dave, R., and Meyer, L., editors, *Climate Change 2007*. Cambridge University Press, Cambridge and New York, NY.

Ispas, A., Schöni, S., and Norrie, M. C. (2012). ARENO. In *Proceedings of the 24th Australian Computer-Human Interaction Conference on - OzCHI '12*, pages 253–262, New York, NY. ACM Press.

Jensen, B. B. (2002). Knowledge, Action and Pro-environmental Behaviour. *Environmental Education Research*, 8(3):325–334.

Johnson, L. F., Levine, A., Smith, R. S., and Stone, S. (2010). 2010 Horizon Report. Technical report, The New Media Consortium, Austin.

Jones, A., Issroff, K., and Scanlon, E. (2006). Using mobile devices for learning in Informal Settings: Is it Motivating? In *Proceedings of IADIS International Conference Mobile Learning Dublin*, Barcelona. IADIS Press.

Kaikkonen, A., Kekäläinen, A., Cankar, M., Kallio, T., and Kankainen, A. (2005). Usability testing of mobile applications: a comparison between laboratory and field testing. *Journal of Usability studies*, 1(1):4–16.

Kalz, M., Klerx, J., Parra, G., Elsner, J., Haberstroh, M., Ternier, S., Schilberg, D., Jeschke, S., Duval, E., and Specht, M. (2013a). EMuRgency: Addressing cardiac arrest with socio-technical innovation in a smart learning region. *Interaction Design and Architectures Journal*, 17(2):77–91.

Kalz, M., Schmitz, B., Biermann, H., and Klemke, R. (2013b). Design of a game-based pre-hospital resuscitation training for first responders. In *Proceedings of the International Conference on Human Factors in Computing & Informatics (SouthCHI)*.

Kenis, A. and Mathijs, E. (2012). Beyond individual behaviour change: the role of power, knowledge and strategy in tackling climate change. *Environmental Education Research*, 18(1):45–65.

Kim, T., Hong, H., and Magerko, B. (2010). Designing for Persuasion: Toward Ambient Eco-Visualization for Awareness. In Ploug, T., Hasle, P., and Oinas-Kukkonen, H., editors, *Persuasive Technology*, volume 6137 of *Lecture Notes in Computer Science*, pages 106–116, Berlin, Heidelberg. Springer.

Kimura, H. and Nakajima, T. (2008). Extracting Key Factors to Design Applications in Ambient Intelligence Environment. In *IEEE/WIC/ACM International Conference on Web Intelligence and Intelligent Agent Technology*, pages 483–488. IEEE.

Kohn, A. (1994). The risks of rewards. In *ERIC/EECE Clearinghouse on Elementary and Early Childhood Education*. University of Illinois.

Kollmuss, A. and Agyeman, J. (2002). Mind the Gap: Why do people act environmentally and what are the barriers to pro-environmental behavior? *Environmental Education Research*, 8(3):239–260.

Koole, M. L. (2009). A Model for Framing Mobile Learning. In Ally, M., editor, *Mobile Learning: transforming the delivery of education and training*. AU Press, Edmonton.

Krathwohl, D. (1993). *Methods of Educational and Social Science Research: An Integrated Approach.* Longman, New York, NY.

Kruskal, J. and Wish, M. (1978). *Multidimensional scaling.* SAGE Publications, Beverly Hills, CA.

Kukka, H., Kostakos, V., Ojala, T., Ylipulli, J., Suopajärvi, T., Jurmu, M., and Hosio, S. (2013). This is not classified: everyday information seeking and encountering in smart urban spaces. *Personal and Ubiquitous Computing*, 17(1):15–27.

Kukulska-Hulme, A. and Traxler, J. (2007). Designing for mobile and wireless learning. In Beetham, H. and Sharples, M., editors, *Rethinking Pedagogy for the Digital Age*, pages 180–192. Routledge, London.

Kuznetsov, S. and Paulos, E. (2010). UpStream: motivating water conservation with low-cost water flow sensing and persuasive displays. In *Proceedings of the 28th international conference on Human factors in computing systems*, pages 1851–1860, New York, NY. ACM Press.

Lamberty, K. K., Adams, S., Biatek, J., Froiland, K., and Lapham, J. (2011). Using a large display in the periphery to support children learning through design. In *Proceedings of the 10th International Conference on Interaction Design and Children - IDC '11*, pages 62–71, New York, NY. ACM Press.

Lamberty, K. K., Froiland, K., Biatek, J., and Adams, S. (2010). Encouraging Awareness of Peers' Learning Activities Using Large Displays in the Periphery. In *Proceedings of the 28th of the international conference extended abstracts on Human factors in computing systems*, pages 3655–3660, New York, NY. ACM Press.

Lave, J. and Wenger, E. (1991). *Situated learning: Legitimate peripheral participation.* Learning in doing. Cambridge University Press, Cambridge.

Lee, J. J., Ceyhan, P., Jordan-Cooley, W., and Sung, W. (2013). GREENIFY: A Real-World Action Game for Climate Change Education. *Simulation & Gaming*.

Lee, S., Song, K., Kim, J., and Choi, J. (2012). Ambient Widget: An Ambient Information System Using Gesture-Based Interactions. In *2012 15th International Conference on Network-Based Information Systems*, pages 703–708. IEEE.

Leung, M., Tomitsch, M., and Vande Moere, A. (2011). Designing a personal visualization projection of online social identity. In *Proceedings of the 2011 annual conference extended abstracts on Human factors in computing systems - CHI EA '11*, page 1843, New York, NY. ACM Press.

Li, N. and Dillenbourg, P. (2012). Designing conversation-context recommendation display to support opportunistic search in meetings. In *Proceedings of the 11th*

International Conference on Mobile and Ubiquitous Multimedia - MUM '12, page 1, New York, NY. ACM Press.

Lo, S. H., Peters, G.-J. Y., and Kok, G. (2012). A Review of Determinants of and Interventions for Proenvironmental Behaviors in Organizations. *Journal of Applied Social Psychology*, pages 1–35.

Lyytinen, K. and Yoo, Y. (2002). Introduction: Issues and challenges in ubiquitous computing. *Communications of the ACM*, 45(12):62–65.

Maan, S., Merkus, B., Ham, J., and Midden, C. (2010). Making it not too obvious: the effect of ambient light feedback on space heating energy consumption. *Energy Efficiency*, 4(2):175–183.

Mankoff, J., Dey, A., Hsieh, G., Kientz, J., Lederer, S., and Ames, M. (2003). Heuristic evaluation of ambient displays. In *Proceedings of the SIGCHI conference on Human factors in computing systems*, pages 169–176, New York, NY. ACM Press.

Matthews, T., Dey, A. K., Mankoff, J., Carter, S., and Rattenbury, T. (2004). A toolkit for managing user attention in peripheral displays. In *Proceedings of the 17th annual ACM symposium on User interface software and technology - UIST '04*, volume 6, pages 247–256, New York, NY. ACM Press.

Matthews, T., Rattenbury, T., and Carter, S. (2007). Defining, Designing, and Evaluating Peripheral Displays: An Analysis Using Activity Theory. *Human-Computer Interaction*, 22(1):221–261.

McCrickard, D., Catrambone, R., Chewar, C., and Stasko, J. T. (2003a). Establishing tradeoffs that leverage attention for utility: empirically evaluating information display in notification systems. *International Journal of Human-Computer Studies*, 58(5):547–582.

McCrickard, D. S., Chewar, C. M., Somervell, J. P., and Ndiwalana, A. (2003b). A model for notification systems evaluation - assessing user goals for multitasking activity. *ACM Transactions on Computer-Human Interaction*, 10(4):312–338.

McCullough, M. (2004). *Digital Ground: Architecture, Pervasive Computing, and Environmental Knowing*. MIT Press, Cambridge, MA.

Meschtscherjakov, A., Reitberger, W., Lankes, M., and Tscheligi, M. (2008). Enhanced shopping: a dynamic map in a retail store. In *Proceedings of the 10th international conference on Ubiquitous computing*, pages 336–339, New York, NY. ACM Press.

Messeter, J. and Molenaar, D. (2012). Evaluating ambient displays in the wild. In *Proceedings of the Designing Interactive Systems Conference on - DIS '12*, page 478, New York, NY. ACM Press.

Metaxas, G., Metin, B., Schneider, J., and Markopoulos, P. (2007). Daily Activities Diarist: Supporting Aging in Place with Semantically Enriched Narratives. In Baranauskas, C., Palanque, P., Abascal, J., and Barbosa, S. D. J., editors, *Human-Computer Interaction - INTERACT 2007*, volume 4663 of *Lecture Notes in Computer Science*, pages 390–403, Berlin, Heidelberg. Springer.

Michelis, D. and Müller, J. (2011). The Audience Funnel: Observations of Gesture Based Interaction With Multiple Large Displays in a City Center. *International Journal of Human-Computer Interaction*, 27(6):562–579.

Microsoft Corporation (2007). Microsoft Excel 2008 for Mac.

Milgram, P., Takemura, H., Utsumi, A., and Kishino, F. (1994). Augmented Reality: A class of displays on the reality-virtuality continuum. In *Proceedings of Telemanipulator and Telepresence Technologies*, volume 2351, pages 282–292. Citeseer.

Miller, T. R., Muñoz Erickson, T., and Redman, C. L. (2011). Transforming knowledge for sustainability: towards adaptive academic institutions. *International Journal of Sustainability in Higher Education*, 12(2):177–192.

Minakuchi, M., Nakamura, S., and Tanaka, K. (2005). AmbientBrowser: Web Browser for Everyday Enrichment. In Maybury, M., Stock, O., and Wahlster, W., editors, *Intelligent Technologies for Interactive Entertainment*, volume 3814 of *Lecture Notes in Computer Science*, pages 94–103, Berlin Heidelberg. Springer.

Mirlacher, T., Buchner, R., Förster, F., Weiss, A., and Tscheligi, M. (2009). Ambient Rabbits Likeability of Embodied Ambient Displays. In Tscheligi, M., Ruyter, B., Markopoulus, P., Wichert, R., Mirlacher, T., Meschterjakov, A., and Reitberger, W., editors, *Ambient Intelligence*, volume 5859 of *Lecture Notes in Computer Science*, pages 164–173, Berlin, Heidelberg. Springer.

Montola, M. (2005). Exploring the edge of the magic circle: Defining pervasive games. In *Proceedings of DAC*, pages 103–106.

Morgan Stanley (2009). Mobile Internet Report. December 2009.

Morrison, J. (2007). *Tagging and Searching: Search Retrieval Effectiveness of Folksonomies on the Web*. PhD thesis, Kent State University.

Mory, E. H. (2004). Feedback research revisited. In *Handbook of research on educational communications*, pages 745–784.

Mozilla Corporation (2012). Open Badge Specification.

Müller, J., Alt, F., Michelis, D., and Schmidt, A. (2010). Requirements and design space for interactive public displays. In *Proceedings of the international conference on Multimedia - MM '10*, number Figure 1, page 1285, New York, NY. ACM Press.

Müller, J., Exeler, J., Buzeck, M., and Krüger, A. (2009). ReflectiveSigns: Digital Signs That Adapt to Audience Attention. In Tokuda, H., Beigl, M., Friday, A., Brush, A. J. B., and Tobe, Y., editors, *Pervasive Computing*, volume 5538 of *Lecture Notes in Computer Science*, pages 17–24, Berlin, Heidelberg. Springer.

Murata, S., Kagatsume, S., Taguchi, H., and Fujinami, K. (2012). PerFridge: An Augmented Refrigerator That Detects and Presents Wasteful Usage for Eco-Persuasion. In *2012 IEEE 15th International Conference on Computational Science and Engineering*, pages 367–374. IEEE.

Nakajima, T., Kimura, H., Yamabe, T., Lehdonvirta, V., Takayama, C., Shiraishi, M., and Washio, Y. (2008). Using Aesthetic and Empathetic Expressions to Motivate Desirable Lifestyle. In Roggen, D., Lombriser, C., Tröster, G., Kortuem, G., and Havinga, P., editors, *Smart Sensing and Context*, volume 5279 of *Lecture Notes in Computer Science*, pages 220–234, Berlin, Heidelberg. Springer.

Nielsen, J. and Molich, R. (1990). Heuristic evaluation of user interfaces. In *Proceedings of the ACM CHI'90 Conference*, pages 249–256, Seattle. ACM Press.

Obermair, C., Reitberger, W., Meschtscherjakov, A., Lankes, M., and Tscheligi, M. (2008). perFrames: Persuasive Picture Frames for Proper Posture. In Oinas-Kukkonen, H., Hasle, P., Harjumaa, M., Segerstahl, K., and Ohrstrom, P., editors, *Persuasive Technology*, volume 5033 of *Lecture Notes in Computer Science*, pages 128–139, Berlin, Heidelberg. Springer.

Ogata, H. (2009). Assisting Awareness in Ubiquitous Learning. In *Proceedings of the IADIS Mobile Learning 2009*, pages 21–27. IADIS Press.

Ogata, H. and Yano, Y. (2004). Context-aware support for computer-supported ubiquitous learning.

Ojala, T., Kukka, H., Lindén, T., Heikkinen, T., Jurmu, M., Hosio, S., and Kruger, F. (2010). UBI-Hotspot 1.0: Large-Scale Long-Term Deployment of Interactive Public Displays in a City Center. In *Fifth International Conference on Internet and Web Applications and Services*, pages 285–294. IEEE.

Olivier, P., Gilroy, S., Cao, H., Jackson, D., and Kray, C. (2006). Crossmodal Attention in Public-Private Displays. In *2006 ACS/IEEE International Conference on Pervasive Services*, pages 13–18. IEEE.

O'Malley, C., Vavoula, G., Glew, J., and Taylor, J. (2003). Guidelines for learning/teaching/tutoring in a mobile environment. Mobilearn project deliverable.

O'Reilly, T. (2005). What Is Web 2.0.

Otjacques, B., McCall, R., and Feltz, F. (2006). An Ambient Workplace for Raising Awareness of Internet-Based Cooperation. In Luo, Y., editor, *Cooperative Design, Visualization, and Engineering*, volume 4101 of *Lecture Notes in Computer Science*, pages 275 – 286, Berlin, Heidelberg. Springer.

Oxford Dictionaries (2010). Oxford University Press.

Paas, F. (1992). Training strategies for attaining transfer of problem-solving skill in statistics: A cognitive load approach. *Journal of Educational Psychology*, 84:429–434.

Paas, F., Tuovinen, J., Tabbers, H., and Van Gerven, P. (2003). Cognitive load measurement as a means to advance cognitive load theory. *Educational Psychologist*, 38:63–71.

Paas, F. G. W. C., Van Merrienboer, J. J. G., and Adam, J. J. (1994). Measurement of cognitive load in instructional research. *Perceptual and Motor Skills*, 79(1):419–430.

Palay, J. and Newman, M. (2009). SuChef: an in-kitchen display to assist with "everyday" cooking. In *Proceedings of the 27th international conference extended

abstracts on Human factors in computing systems - CHI EA '09, pages 3973–3978, New York, NY. ACM Press.

Plaue, C., Miller, T., and Stasko, J. (2004). A Picture is Worth a Thousand Words. In *Proceedings of Graphics Interface 2004*, volume 37, pages 117–126, Waterloo. Canadian Human-Computer Communications Society.

Pousman, Z. and Stasko, J. (2006). A taxonomy of ambient information systems: four patterns of design. In *Proceedings of the working conference on Advanced visual interfaces*, pages 67–74, New York, NY. ACM Press.

R Development Core Team (2010). R: A language and environment for statistical computing.

Räthzel, N. and Uzzell, D. (2009). Transformative environmental education: a collective rehearsal for reality. *Environmental Education Research*, 15(3):263–277.

Reckien, D. and Eisenack, K. (2013). Climate Change Gaming on Board and Screen: A Review. *Simulation & Gaming*.

Reeves, T. (2006). Design research from a technology perspective. In Akker, J., Gravemeijer, K., McKenney, S., and Nieveen, N., editors, *Educational design research*, pages 86–109. Routledge, London.

Reitberger, W., Obermair, C., Ploderer, B., Meschtscherjakov, A., and Tscheligi, M. (2007). Enhancing the Shopping Experience with Ambient Displays: A Field Study in a Retail Store. In Schiele, B., Dey, A. K., Gellersen, H., Ruyter, B., Tscheligi, M., Wichert, R., Aarts, E., and Buchmann, A., editors, *Ambient Intelligence*, volume 4794 of *Lecture Notes in Computer Science*, pages 314–331, Berlin, Heidelberg. Springer.

Röcker, C. and Magerkurth, C. (2007). Privacy and Interruptions in Team Awareness Systems. In Stephanidis, C., editor, *Universal Acess in Human Computer Interaction. Coping with Diversity*, volume 4554 of *Lecture Notes in Computer Science*, pages 273–283, Berlin, Heidelberg. Springer.

Rodgers, J. and Bartram, L. (2011). Exploring ambient and artistic visualization for residential energy use feedback. *IEEE transactions on visualization and computer graphics*, 17(12):2489–97.

Rogers, Y. (2006). Moving on from Weiser's Vision of Calm Computing: Engaging UbiComp Experiences. In *UbiComp 2006: Ubiquitous Computing*, pages 404 – 421.

Rogers, Y., Hazlewood, W. R., Marshall, P., Dalton, N., and Hertrich, S. (2010). Ambient influence. In *Proceedings of the 12th ACM international conference on Ubiquitous computing - Ubicomp '10*, page 261, New York, NY. ACM Press.

Rosmalen, P. V., Klemke, R., and Westera, W. (2011). Alleviating the Entrance to Serious Games by Exploring the Use of Commonly Available Tools. In *Proceedings of the 5th European Conference on Game Based Learning*, pages 613–619.

Schilit, B., Adams, N., and Want, R. (1994). Context-aware computing applications. *Workshop on Mobile Computing Systems and Applications*, pages 85–90.

Schmidt, A. and Terrenghi, L. (2007). Methods and Guidelines for the Design and Development of Domestic Ubiquitous Computing Applications. In *Fifth Annual IEEE International Conference on Pervasive Computing and Communications (PerCom'07)*, pages 97–107. IEEE.

Schön, D. A. (1983). *The Reflective Practitioner: How Professionals Think in Action.* Basic Books.

Schön, D. A. (1987). *Educating the reflective practitioner: Toward a new design for teaching and learning in the professions.* Number 18 in The Jossey-Bass higher education series. Jossey-Bass.

Shami, N., Leshed, G., and Klein, D. (2005). Context of Use Evaluation of Peripheral Displays (CUEPD). In Costabile, M. F. and Paternò, F., editors, *Human-Computer Interaction - INTERACT 2005*, volume 3585 of *Lecture Notes in Computer Science*, pages 579–587, Berlin, Heidelberg. Springer.

Sharples, M. (2006). *Big Issues in Mobile Learning.* Kaleidoskop Network of Excellence, Mobile Learning Initiative, Nottingham.

Sharples, M., Taylor, J., and Vavoula, G. (2005). Towards a theory of mobile learning. In *Proceedings of mLearn 2005.*

Shen, X., Eades, P., and Moere, A. V. (2007). Intrusive and Non-intrusive Evaluation of Ambient Displays. In *Proceedings of the 1st International Workshop on Ambient Information Systems.*

Shen, X., Moere, A. V., Eades, P., and Hong, S. (2008). The long-term evaluation of Fisherman in a partial-attention environment. In *Proceedings of the 2008 conference on BEyond time and errors: novel evaLuation methods for Information Visualization*, New York, NY. ACM Press.

Shinohara, A., Tomita, J., Kihara, T., and Nakajima, S. (2007). A Huge Screen Interactive Public Media System: Mirai-Tube. In Jacko, J. A., editor, *Human-Computer Interaction. Interaction Platforms and Techniques*, volume 4551 of *Lecture Notes in Computer Science*, pages 936–945, Berlin, Heidelberg. Springer.

Siero, F. W., Bakker, A. B., Dekker, G. B., and Van Den Burg, M. T. C. (1996). Changing organizational energy consumption behaviour through comparative feedback. *Journal of Environmental Psychology*, 16(3):235–246.

Skog, T., Ljungblad, S., and Holmquist, L. (2003). Between aesthetics and utility: designing ambient information visualizations. In *IEEE Symposium on Information Visualization 2003*, volume 2003, pages 233–240. IEEE.

Smith, K. (2009). Looking again at non-formal and informal education - towards a new paradigm.

Specht, M. (2009). *Learning in a Technology Enhanced World*. OCE, Maastricht.

Stasko, J., Miller, T., Pousman, Z., Plaue, C., and Ullah, O. (2004). Personalized Peripheral Information Awareness Through Information Art. In Davies, N., Mynatt, E. D., and Siio, I., editors, *UbiComp 2004*, pages 18–35, Berlin, Heidelberg. Springer.

STELLAR (2009). The STELLAR network of excellence.

Sterling, B. (2005). *Shaping Things*, volume 39. MIT Press, Cambridge, MA.

Stoyanov, S. and Kirchner, P. (2004). Expert concept mapping method for defining the characteristics of adaptive e-learning: ALFANET project case. *Educational Technology Research and Development*, 52(2):41–54.

Streng, S., Stegmann, K., Huß mann, H., and Fischer, F. (2009). Metaphor or Diagram? Comparing Different Representations for Group Mirrors. In *Proceedings of the 21st Annual Conference of the Australian Computer-Human Interaction Special Interest Group*, pages 249–256, New York, NY. ACM Press.

Strong, E. (1925). *The psychology of selling and advertising.* McGraw-Hill, New York, NY.

Suganuma, T., Yamanaka, K., Tokairin, Y., Takahashi, H., and Shiratori, N. (2008). A Ubiquitous Supervisory System Based on Social Context Awareness. In *22nd International Conference on Advanced Information Networking and Applications (AINA 2008)*, pages 370–377. IEEE.

Syvanen, A., Beale, R., Sharples, M., Ahonen, M., and Lonsdale, P. (2005). Supporting Pervasive Learning Environments: Adaptability and Context Awareness in Mobile Learning. *IEEE International Workshop on Wireless and Mobile Technologies in Education (WMTE'05)*, pages 251–253.

Taylor, J. (2006). What are appropriate methods for evaluating learning in mobile environments? Evaluating Mobile Learning. In Sharples, M., editor, *Big Issues in Mobile Learning.* Kaleidoskop Network of Excellence, Mobile Learning Initiative, Nottingham.

Ternier, S., Klemke, R., Kalz, M., van Ulzen, P., and Specht, M. (2012a). ARLearn: augmented reality meets augmented virtuality. *Journal of Universal Computer Science*, 18(15):2143–2164.

Ternier, S., Vries, F. D., Börner, D., and Specht, M. (2012b). Mobile augmented reality with audio. Supporting fieldwork of Cultural Sciences students in Florence. In *Presentation at the InSuEdu 2012 workshop at the SEFM 2012, the 10th International Conference on Software Engineering and Formal Methods.*

ThingD (2010). Thing Daemon.

Thinglink (2010). Thinglink.

Tonder, B. V. and Wesson, J. (2008). Visualisation of Personal Communication Patterns Using Mobile Phones. In Gulliksen, J., Harning, M. B., Palanque, P., Veer, G. C., and Wesson, J., editors, *Engineering Interactive Systems*, volume 4940 of *Lecture Notes in Computer Science*, pages 260–274, Berlin, Heidelberg. Springer.

Tools for Learning (2009). Top 100 tools for learning 2009.

Traxler, J. (2009a). Current State of Mobile Learning. In Ally, M., editor, *Mobile Learning: transforming the delivery of education and training*, volume 5. AU Press, Edmonton.

Traxler, J. (2009b). Learning in a Mobile Age. *International Journal of Mobile and Blended Learning*, 1(March):1–12.

Trochim, W. (1989a). Concept mapping: Soft science or hard art? In Trochim, W., editor, *A Special Issue of Evaluation and Program Planning*, pages 87–110. Pergamon Press, New York, NY.

Trochim, W. M. K. (1989b). An introduction to concept mapping for planning and evaluation. *Evaluation and Program Planning*, 12(1):1–16.

Tsujita, H., Tsukada, K., and Siio, I. (2008). SyncDecor: Communication Appliances for Couples Separated by Distance. In *The Second International Conference on Mobile Ubiquitous Computing, Systems, Services and Technologies*, pages 279–286. IEEE.

United Nations Environment Programme (2012). GEO-5. Global Environment Outlook. Technical report, New York, NY.

Valkanova, N., Moghnieh, A., Arroyo, E., and Blat, J. (2010). AmbientNEWS: Augmenting Information Discovery in Complex Settings through Aesthetic Design. In *14th International Conference Information Visualisation*, pages 439–444. IEEE.

Vega, P. and Álvarez, P. (2012). Formación de profesorado en España orientada a la sostenibilidad: implementación y análisis de una 'ecometodología'. *European Journal of Teacher Education*, 35(4):495–510.

Vertegaal, R. (2003). Attentive User Interfaces. *Communications of the ACM*, 46(3):31–33.

Wang, M., Boring, S., and Greenberg, S. (2012). Proxemic peddler: A Public Advertising Display that Captures and Preserves the Attention of a Passerby. In *Proceedings of the 2012 International Symposium on Pervasive Displays - PerDis '12*, pages 1–6, New York, NY. ACM Press.

Weiser, M. (1991). The Computer for the Twenty-First Century. *Scientific American*, 265:94–104.

Weiser, M. (1993). Some computer science issues in ubiquitous computing. *Communications of the ACM*, 36(7):75–84.

Werbach, K. and Hunter, D. (2012). *For The Win: How Game Thinking Can Revolutionize Your Business*. Wharton Digital Press.

Wild, F., Kalz, M., Palmér, M., and Mueller, D. (2009). Proceedings of the 2nd international workshop on Mash-Up Personal Learning Environments.

Winters, N. (2006). What is mobile learning. In Sharples, M., editor, *Big Issues in Mobile Learning*. Kaleidoskop Network of Excellence, Mobile Learning Initiative, Nottingham.

Wisneski, C., Ishii, H., Dahley, A., Gorbet, M., Brave, S., Ullmer, B., and Yarin, P. (1998). Ambient displays: Turning architectural space into an interface between people and digital information. In *Proceedings of the First International Workshop on Cooperative Buildings*, volume 1370, pages 22–32, New York, NY. Springer.

Wood, S., Cox, R., and Cheng, P. (2006). Attention design: Eight issues to consider. *Computers in Human Behavior*, 22(4):588–602.

Wopereis, I. and Kirschner, P. (2005). Failure and success factors of educational ICT projects: a group concept mapping approach. *British Journal of Educational Technology*, pages 681–684.

Wozniak, P., Romanowski, A., Proborszcz, F., Borkowska, M., Stozek, D., and Koczorowicz, B. (2012). Maintaining proper conditions in quiet study rooms with ambient influence. In *Proceedings of the 7th Nordic Conference on Human-Computer Interaction Making Sense Through Design - NordiCHI '12*, page 787, New York, NY. ACM Press.

Yang, F.-Y., Chang, C.-Y., Chien, W.-R., Chien, Y.-T., and Tseng, Y.-H. (2013). Tracking learners' visual attention during a multimedia presentation in a real classroom. *Computers & Education*, 62:208–220.

Yin, R. (1994). *Case study research: Design and methods*. SAGE Publications, Thousand Oaks, CA.

Yocco, V., Danter, E. H., Heimlich, J. E., Dunckel, B. A., and Myers, C. (2011). Exploring use of new media in environmental education contexts: introducing visitors' technology use in zoos model. *Environmental Education Research*, 17(6):801–814.

Zervas, P., Ardila, S. E. G., Fabregat, R., and Sampson, D. G. (2011). Tools for Context-Aware Learning Design and Mobile Delivery.

Ziola, R., Kellar, M., and Inkpen, K. (2007). DeskJockey: Exploiting Passive Surfaces to Display Peripheral Information. In Baranauskas, C., Palanque, P., Abascal, J., and Barbosa, S. D. J., editors, *Human-Computer Interaction - INTERACT*

2007, volume 4662 of *Lecture Notes in Computer Science*, pages 447–460, Berlin, Heidelberg. Springer.

Summary[1]

This thesis presented the results of the conducted research and development of ambient learning displays. The reported results are structured into three parts: theoretical foundations, formative studies, and empirical findings. An elaborated conceptual framework and an extensive literature review were used to explore the research field and lay the foundation for further research. **Chapter 1** outlined the vision of ambient learning displays – enabling learners to view, access, and interact with contextualised digital content presented in an ambient way. This vision was based on a detailed exploration of the characteristics of ubiquitous learning and a deduction of informational, interactional, and instructional aspects to focus on. To provide a theoretical foundation for the following research, relevant research findings, models, design dimensions, and taxonomies were examined. The result was a conceptual framework that defined ambient learning displays. The framework consists of parts dedicated to user and context data acquisition, channelling of information, and delivery of contextualised information framed in a learning process.

The first part of the conducted literature review, presented in **Chapter 2**, depicted characteristics, classified prototypical designs, and shed light on the actual use of the covered ambient displays, their application context and addressed domains as well as the type of studies conducted, including the used methodologies and evaluation approaches to measure their effectiveness and impact. The results showed that the acquisition and delivery of information through ambient displays were in line with the presented conceptual framework. The means to channel the information and the framing into a learning process needed further investigation. The literature review continued in **Chapter 3**. This second part focused on the actual use of ambient displays in a learning context. The goal was to assess ambient displays with an explicit or implicit learning purpose and the classification of respective prototypes on the basis of an extended classification framework, including the informational and interactional design of the prototypes, research objectives and results of the

---

[1]This chapter incorporates abstracts, discussions, and conclusions from several publications.

reported empirical studies, as well as deducible instructional characteristics. The results exposed that the explicit use of ambient displays for learning was not a prominent research topic, although implicitly ambient displays were already used to support learning activities fostering situational awareness by exploiting feedback. The mapping of the corresponding prototypes with the introduced classification framework led to first general design implications, taking into account instructional characteristics.

Several formative studies informed the theoretical work as well as the design and development from different perspectives. **Chapter 4** described an explorative study conducted to inform the research of ambient learning displays. By asking domain experts the used concept mapping approach identified the major educational problems that can be addressed by mobile learning and clustered these problems into domain concepts that contribute to a definition of mobile learning. The main domain concepts identified were "access to learning" and "contextual learning". This reflected the claim on mobile learning to enable learning across context, facilitating and exploiting the mobility of the learners. Although the study targeted on the mobile learning domain, the results were in a broader view also considered valuable for the ubiquitous learning domain and thus for the conducted research.

The results of two projects that informed the design and development of ambient learning displays were presented. The first project, presented in **Chapter 5**, elaborated and developed an infrastructure that supports energy conservation at the workplace. The purpose was to make energy consumption data visible and accessible to employees by providing dynamic situated consumption feedback. The presented results showed the general interest in the topic and indicated the effectiveness of the introduced means towards the conservation of energy. The second project, presented in **Chapter 6**, implemented a pervasive game to increase the environmental awareness and pro-environmental behaviour at the workplace. In relation to the previous project the purpose was to go beyond increasing awareness and providing personalised information and instead focus on the potential of a pervasive game to increase knowledge, pro-environmental consciousness, and last but not least change consumption behaviour. The results showed that incentive mechanisms are less important than challenging game components that involve employees in proposing solutions for energy conservation at the workplace.

Chapter 7 then described a lecture series that summarised the theoretical foundations. Furthermore the chapter reported on a participatory design study conducted in the course of the lectures with the goal to inform and ease the design process of ambient displays for learning. The presented results showed a variety of usable ambient display types, possible learning scenarios, and specific design proposals towards ambient learning displays.

Following up the theoretical work and the formative studies, respective ambient learning display prototypes were then evaluated in empirical studies. The first empirical study into the research and development of ambient learning displays was presented in **Chapter 8**. The first part of the study reported an intervention to initiate environmental learning and facilitate pro-environmental behaviour. The purpose was to examine the impact of ambient learning displays on energy consumption and conservation at the workplace, more specifically the evaluation of learning outcome and behaviour change. The results did not provide clear evidence that the design of the displays influences the learning outcome or that the displays lead to pro-environmental behaviour change. Nevertheless the sole deployment of the display prototypes eased the comprehension of the information provided and lowered the need for additional information. Furthermore, the results provided insights and revealed several challenges for future research. The second part of the study, presented in **Chapter 9**, then focused on the interaction between ambient displays and users. The main purpose was to examine the general user attention towards ambient displays as well as the influence of different display designs. The study combined non-intrusive evaluation techniques as a quantitative approach to measure user attention with qualitative measurement of user perception and comprehension. The results showed a high degree of user interest in the displays over time, but did not provide clear evidence that the design of the displays influences the user attention. Nevertheless the combination of quantitative and qualitative measurement provided a more holistic view on user attention. Several guidelines for an effective attention-aware display design were derived.

Finally, the second empirical study into the research and development of ambient learning displays was presented in **Chapter 10**. The study reported an intervention to investigate previously identified research challenges on the evaluation and use of ambient displays in a learning context with the objective to gain insights into the interplay between display design, user attention, and knowledge acquisition. The results provided evidence that an attention-aware display design attracts and

retains user attention more effectively and that there is a positive relation between knowledge gain and user attention. Furthermore, the design significantly facilitated the acquisition of knowledge.

The thesis concluded with a **General Discussion** reviewing all reported results and their practical implications, general limitations of the conducted research, as well as future research perspectives. Overall the conducted research and development revealed that ambient displays could be designed and implemented to fulfil a given purpose successfully, possibly also for learning. Once implemented the known long-term effects as well as the contextual factors that influence the display's efficiency need further investigation. In the dawning age of ubiquitous computing, ambient displays represent a technological concept with great potential for learning. The presented vision of ambient learning displays highlighted the challenges and explored the possibilities that lie in the convergence of mobile and ubiquitous learning in combination with the utilisation of contextualised digital content as valuable resources to support learning. The empirical findings delivered new scientific insights into the authentic learning support in informal and non- formal learning situations. The conducted research was mainly limited regarding the chosen application domains, the prototypical ambient display designs, and the occurring tensions when evaluating between lab and field settings. Towards ambient learning displays still some work needs to be done, wherein this thesis can be taken as basis and inspiration to go beyond.

Samenvatting[1]

In dit proefschrift worden de resultaten gepresenteerd van het uitgevoerde onderzoek en de ontwikkeling van ambient learning displays. De resultaten worden in drie delen gerapporteerd: theoretische grondslagen, formatieve studies en empirische bevindingen. Een uitgewerkt conceptueel kader en een uitgebreid literatuuronderzoek werden gebruikt om het veldonderzoek te verkennen en deze vormden de basis voor verder onderzoek. **Hoofdstuk 1** schetst de visie op ambient learning displays - het voor leerlingen mogelijk maken om gecontextualiseerd digitale content die op een ambiente manier aangeboden wordt, te bekijken, zich toegang ertoe te verschaffen en ermee te interageren. Deze visie is gebaseerd op een gedetailleerde verkenning van de kenmerken van ubiquitous learning en een gevolgtrekking van informatieve, interactionele en educatieve aspecten waar we ons op richten. Om te zorgen voor een theoretische grondslag voor het volgende onderzoek, werden relevante onderzoeksresultaten, modellen, ontwerpdimensies en taxonomieën onderzocht. Het resultaat was een conceptueel kader dat ambient learning displays omschrijft. Het kader bestaat uit delen die zich toelegden op de gebruiker en op context data-acquisitie, op het kanaliseren van informatie en op het doorgeven van gecontextualiseerde informatie, ingekaderd in een leerproces.

Het eerste deel van de uitgevoerde literatuurstudie, gepresenteerd in **Hoofdstuk 2**, toont kenmerken en geclassificeerde prototypische ontwerpen en belicht het daadwerkelijke gebruik van de beschreven ambient displays, de context waarin ze toepasbaar zijn en de aangesproken domeinen alsook het type van uitgevoerde studies, met inbegrip van de gebruikte methoden en evaluatiebenaderingen om hun doeltreffendheid en het effect te meten. De resultaten toonden aan dat het verkrijgen en het doorgeven van informatie via ambient displays in lijn was met het gepresenteerde conceptuele kader. De middelen om de informatie en het inkaderen in een leerproces te kanaliseren behoeven verder onderzoek. Het literatuuronderzoek werd voortgezet in **Hoofdstuk 3**. Dit tweede deel was gericht op het werkelijke gebruik van ambient

---

[1]Dit hoofdstuk bevat samenvattingen van, discussies over en conclusies uit verschillende publicaties.

displays in een leeromgeving. Het doel was om ambient displays te beoordelen met een expliciet of impliciet leerdoel en het indelen van de respectievelijke prototypes op grond van een uitgebreid classificatiekader met informatieve en interactionele vormgeving van de prototypes, onderzoeksdoelstellingen en resultaten van de gerapporteerde empirische studies, evenals afleidbare educatieve eigenschappen. Uit de resultaten bleek dat het expliciete gebruik van ambient displays voor leeractiviteiten geen prominent onderzoeksonderwerp was, terwijl ambient displays impliciet al werden gebruikt ter ondersteuning van leeractiviteiten ter stimulering van situationeel bewustzijn door het benutten van feedback. Het vergelijken van de overeenkomende prototypes met het ingevoerde classificatiekader heeft geleid tot de eerste algemene gevolgtrekking met betrekking tot het ontwerp, rekening houdend met educatieve kenmerken.

Verschillende formatieve studies vormden input voor het theoretische werk, alsmede voor het ontwerp en de ontwikkeling vanuit verschillende perspectieven. **Hoofdstuk 4** beschrijft een exploratieve studie die werd uitgevoerd om input te geven aan het onderzoek van ambient learning displays. Door domeinexperts te vragen naar de gebruikte aanpak voor concept mapping werden de voornaamste educatieve problemen geïdentificeerd, welke door mobile learning opgelost kunnen worden en daarna werden deze problemen gebundeld in domeinconcepten die bijdragen aan een definitie van mobile learning. De belangrijkste domeinconcepten die werden geïdentificeerd, waren "access to learning" en "contextual learning". Deze reflecteerden de potentie om het mogelijk te maken om contextoverstijgend te leren met behulp van mobile learning en het vergemakkelijken en het benutten van de mobiliteit van lerenden. Hoewel de studie was gericht op het domein van mobile learning, werden de resultaten in een breder perspectief ook waardevol geacht voor een ubiquitous learning omgeving en daarmee voor het verrichte onderzoek.

De resultaten van twee projecten, die input gaven aan het ontwerp en de ontwikkeling van ambient learning displays, werden gepresenteerd. Het eerste project, gepresenteerd in **Hoofdstuk 5**, onderzocht en ontwikkelde een infrastructuur die energiebesparing ondersteunt op de werkplek. Het doel was gegevens over het energieverbruik zichtbaar en toegankelijk te maken voor de medewerkers door middel van het verschaffen van dynamische feedback in situ over het verbruik. De gepresenteerde resultaten toonden de algemene interesse in het onderwerp en gaven de effectiviteit aan van de geïntroduceerde middelen met betrekking tot energiebesparing. In het tweede project, gepresenteerd in **Hoofdstuk 6**, werd een pervasive game geïm-

plementeerd om het milieubewustzijn en het pro-milieugedrag op de werkplek te vergroten. Ten opzichte van het vorige project was het doel verder te gaan dan het verhogen van het bewustzijn en het verstrekken van persoonlijke informatie en in plaats daarvan zich te richten op de mogelijkheden van een pervasive game om kennis en pro-milieubewustzijn te vergroten en niet in de laatste plaats om het consumptiegedrag te veranderen. De resultaten toonden dat stimulerende mechanismen minder belangrijk zijn dan uitdagende spelonderdelen waarbij medewerkers betrokken zijn bij het voordragen van oplossingen voor energiebesparing op de werkplek.

Hoofdstuk 7 beschrijft een lezingenreeks die de theoretische grondslagen samenvat. Verder wordt in het hoofdstuk gerapporteerd over een participatieve ontwerpstudie, uitgevoerd tijdens de lezingen, met als doel om input te geven aan het ontwerpproces voor ambient learning displays en het te vergemakkelijken. De gepresenteerde resultaten toonden verschillende bruikbare typen van ambient display, mogelijke leerscenario's en specifieke ontwerpvoorstellen richting ambient learning displays.

Volgend op het theoretische werk en de formatieve studies werden vervolgens de desbetreffende ambient learning displays geëvalueerd in empirische studies. De eerste empirische studie naar het onderzoek en de ontwikkeling van ambient learning displays werd gepresenteerd in **Hoofdstuk 8**. Het eerste deel van de studie rapporteerde een interventie om milieuleer te initiëren en pro-milieugedrag te vergemakkelijken. Het doel was om de invloed van ambient learning displays te onderzoeken op energieverbruik en besparing op de werkplek, meer bepaald de evaluatie van leerresultaat en gedragsverandering. De resultaten hebben geen duidelijk bewijs geleverd dat het ontwerp van de displays het leerresultaat beïnvloedt of dat de displays leiden tot pro-milieu gedragsverandering. Toch maakte enkel de inzet van de display prototypes het begrip van de verstrekte informatie gemakkelijker en verminderde de behoefte aan aanvullende informatie. Bovendien verschaften de resultaten inzichten voor verder onderzoek en boden een aantal uitdagingen. Het tweede deel van de studie, beschreven in **Hoofdstuk 9**, richtte zich vervolgens op de interactie tussen ambient displays en gebruikers. Het belangrijkste doel was om de algemene aandacht van de gebruiker voor ambient displays te onderzoeken, alsook de invloed van verschillende displayontwerpen. De studie combineerde niet-intrusieve evaluatietechnieken als een kwantitatieve benadering om de aandacht van de gebruiker te meten met een kwalitatieve meting van de perceptie en het begrip van de gebruiker. De resultaten toonden een hoge mate van interesse van de gebruiker voor de displays op de lange

duur, maar gaven geen duidelijk bewijs dat het ontwerp van de displays de aandacht van de gebruiker beïnvloedt. Toch geeft de combinatie van kwantitatieve en kwalitatieve meting een meer holistische kijk op de aandacht van de gebruiker. Er werden verschillende richtlijnen gevonden voor een display-ontwerp, dat effectief de aandacht bewust bevordert.

Tenslotte werd de tweede empirische studie in het onderzoek en de ontwikkeling van ambient learning displays gepresenteerd in **Hoofdstuk 10**. De studie rapporteerde een interventie om eerder geconstateerde onderzoeksuitdagingen over de evaluatie en het gebruik van ambient displays in een leercontext te onderzoeken met als doel om inzicht te krijgen in de wisselwerking tussen display-ontwerp, aandacht van de gebruiker en kennisverwerving. De resultaten leverden het bewijs dat een aandachtsbewust display-ontwerp effectiever de aandacht trekt en behoudt en dat er een positieve relatie is tussen het verwerven van kennis en aandacht van de gebruiker. Bovendien vergemakkelijkt het ontwerp het verwerven van kennis aanzienlijk.

Het proefschrift wordt afgesloten met een **Algemene Discussie** die alle gerapporteerde resultaten en de praktische gevolgen daarvan, algemene beperkingen van het uitgevoerde onderzoek, alsmede de toekomstig onderzoeksperspectieven beoordeelt. Globaal bekeken maakt het gevoerde onderzoek en de ontwikkeling duidelijk, dat ambient displays kunnen worden ontworpen en geïmplementeerd om met succes te voldoen aan een bepaald doel, eventueel ook voor het leren. Eenmaal geïmplementeerd is er verder onderzoek nodig naar de bekende langetermijneffecten en de contextuele factoren die de efficiency van de display beïnvloeden. In het aanbrekende tijdperk van ubiquitous computing representeren ambient displays een technologisch concept met een groot potentieel voor het leren. De gepresenteerde visie over ambient learning displays benadrukt de uitdagingen en onderzoekt de mogelijkheden die samen gaan met mobile and ubiquitous learning in combinatie met het gebruik van gecontextualiseerde digitale content als waardevol middel ter ondersteuning van het leren. De empirische bevindingen leverden nieuwe wetenschappelijke inzichten in de authentieke ondersteuning bij het leren in informele en non-formele leersituaties. Het uitgevoerde onderzoek werd voornamelijk beperkt op het gebied van de gekozen toepassingsdomeinen, de prototypische ambient display-ontwerpen en de optredende spanningen bij het evalueren tussen het lab en het veldwerk. Omtrent ambient learning displays moet nog wat werk verricht worden, waarbij dit proefschrift als basis en inspiratie genomen kan worden om verder mee te werken.

SIKS Dissertation Series

The complete list of dissertations carried out under the auspices of SIKS, the Dutch Research School for Information and Knowledge Systems from 1998 on can be found at `http://www.siks.nl/dissertations.php`.

2013

2013-36	Than Lam Hoang (TUe)
	Pattern Mining in Data Streams
2013-35	Abdallah El Ali (UvA)
	Minimal Mobile Human Computer Interaction
	Promotor: Prof. dr. L. Hardman (CWI/UVA)
2013-34	Kien Tjin-Kam-Jet (UT)
	Distributed Deep Web Search
2013-33	Qi Gao (TUD)
	User Modeling and Personalization in the Microblogging Sphere
2013-32	Kamakshi Rajagopal (OU)
	Networking For Learning; The role of Networking in a Lifelong Learner's Professional Development
2013-31	Dinh Khoa Nguyen (UvT)
	Blueprint Model and Language for Engineering Cloud Applications
2013-30	Joyce Nakatumba (TUE)
	Resource-Aware Business Process Management: Analysis and Support
2013-29	Iwan de Kok (UT)
	Listening Heads
2013-28	Frans van der Sluis (UT)
	When Complexity becomes Interesting: An Inquiry into the Information eXperience
2013-27	Mohammad Huq (UT)
	Inference-based Framework Managing Data Provenance

2013-26   Alireza Zarghami (UT)

            Architectural Support for Dynamic Homecare Service Provisioning

2013-25   Agnieszka Anna Latoszek-Berendsen (UM)

            Intention-based Decision Support. A new way of representing and

            implementing clinical guidelines in a Decision Support System

2013-24   Haitham Bou Ammar (UM)

            Automated Transfer in Reinforcement Learning

2013-23   Patricio de Alencar Silva(UvT)

            Value Activity Monitoring

2013-22   Tom Claassen (RUN)

            Causal Discovery and Logic

2013-21   Sander Wubben (UvT)

            Text-to-text generation by monolingual machine translation

2013-20   Katja Hofmann (UvA)

            Fast and Reliable Online Learning to Rank for Information Retrieval

2013-19   Renze Steenhuizen (TUD)

            Coordinated Multi-Agent Planning and Scheduling

2013-18   Jeroen Janssens (UvT)

            Outlier Selection and One-Class Classification

2013-17   Koen Kok (VU)

            The PowerMatcher: Smart Coordination for the Smart Electricity Grid

2013-16   Eric Kok (UU)

            Exploring the practical benefits of argumentation in multi-agent

            deliberation

2013-15   Daniel Hennes (UM)

            Multiagent Learning - Dynamic Games and Applications

2013-14   Jafar Tanha (UVA)

            Ensemble Approaches to Semi-Supervised Learning Learning

2013-13   Mohammad Safiri (UT)

            Service Tailoring: User-centric creation of integrated IT-based homecare

            services to support independent living of elderly

2013-12   Marian Razavian (VU)

            Knowledge-driven Migration to Services

2013-11   Evangelos Pournaras (TUD)

            Multi-level Reconfigurable Self-organization in Overlay Services

2013-10	Jeewanie Jayasinghe Arachchige (UvT)
	A Unified Modeling Framework for Service Design.
2013-09	Fabio Gori (RUN)
	Metagenomic Data Analysis: Computational Methods and Applications
2013-08	Robbert-Jan Merk (VU)
	Making enemies: cognitive modeling for opponent agents in fighter pilot simulators
2013-07	Giel van Lankveld (UT)
	Quantifying Individual Player Differences
2013-06	Romulo Goncalves (CWI)
	The Data Cyclotron: Juggling Data and Queries for a Data Warehouse Audience
2013-05	Dulce Pumareja (UT)
	Groupware Requirements Evolutions Patterns
2013-04	Chetan Yadati (TUD)
	Coordinating autonomous planning and scheduling
2013-03	Szymon Klarman (VU)
	Reasoning with Contexts in Description Logics
2013-02	Erietta Liarou (CWI)
	MonetDB/DataCell: Leveraging the Column-store Database Technology for Efficient and Scalable Stream Processing
2013-01	Viorel Milea (EUR)
	News Analytics for Financial Decision Support

2012

2012-51	Jeroen de Jong (TUD)
	Heuristics in Dynamic Sceduling; a practical framework with a case study in elevator dispatching
2012-50	Steven van Kervel (TUD)
	Ontologogy driven Enterprise Information Systems Engineering
2012-49	Michael Kaisers (UM)
	Learning against Learning - Evolutionary dynamics of reinforcement learning algorithms in strategic interactions
2012-48	Jorn Bakker (TUE)
	Handling Abrupt Changes in Evolving Time-series Data

2012-47	Manos Tsagkias (UVA)
	Mining Social Media: Tracking Content and Predicting Behavior
2012-46	Simon Carter (UVA)
	Exploration and Exploitation of Multilingual Data for Statistical Machine Translation
2012-45	Benedikt Kratz (UvT)
	A Model and Language for Business-aware Transactions
2012-44	Anna Tordai (VU)
	On Combining Alignment Techniques
2012-43	Withdrawn
2012-42	Dominique Verpoorten (OU)
	Reflection Amplifiers in self-regulated Learning
2012-41	Sebastian Kelle (OU)
	Game Design Patterns for Learning
2012-40	Agus Gunawan (UvT)
	Information Access for SMEs in Indonesia
2012-39	Hassan Fatemi (UT)
	Risk-aware design of value and coordination networks
2012-38	Selmar Smit (VU)
	Parameter Tuning and Scientific Testing in Evolutionary Algorithms
2012-37	Agnes Nakakawa (RUN)
	A Collaboration Process for Enterprise Architecture Creation
2012-36	Denis Ssebugwawo (RUN)
	Analysis and Evaluation of Collaborative Modeling Processes
2012-35	Evert Haasdijk (VU)
	Never Too Old To Learn – On-line Evolution of Controllers in Swarm- and Modular Robotics
2012-34	Pavol Jancura (RUN)
	Evolutionary analysis in PPI networks and applications
2012-33	Rory Sie (OU)
	Coalitions in Cooperation Networks (COCOON)
2012-32	Wietske Visser (TUD)
	Qualitative multi-criteria preference representation and reasoning
2012-31	Emily Bagarukayo (RUN)
	A Learning by Construction Approach for Higher Order Cognitive Skills Improvement, Building Capacity and Infrastructure

2012-30	Alina Pommeranz (TUD)
	Designing Human-Centered Systems for Reflective Decision Making
2012-29	Almer Tigelaar (UT)
	Peer-to-Peer Information Retrieval
2012-28	Nancy Pascall (UvT)
	Engendering Technology Empowering Women
2012-27	Hayrettin Gurkok (UT)
	Mind the Sheep! User Experience Evaluation & Brain-Computer Interface Games
2012-26	Emile de Maat (UVA)
	Making Sense of Legal Text
2012-25	Silja Eckartz (UT)
	Managing the Business Case Development in Inter-Organizational IT Projects: A Methodology and its Application
2012-24	Laurens van der Werff (UT)
	Evaluation of Noisy Transcripts for Spoken Document Retrieval
2012-23	Christian Muehl (UT)
	Toward Affective Brain-Computer Interfaces: Exploring the Neurophysiology of Affect during Human Media Interaction
2012-22	Thijs Vis (UvT)
	Intelligence, politie en veiligheidsdienst: verenigbare grootheden?
2012-21	Roberto Cornacchia (TUD)
	Querying Sparse Matrices for Information Retrieval
2012-20	Ali Bahramisharif (RUN)
	Covert Visual Spatial Attention, a Robust Paradigm for Brain-Computer Interfacing
2012-19	Helen Schonenberg (TUE)
	What's Next? Operational Support for Business Process Execution
2012-18	Eltjo Poort (VU)
	Improving Solution Architecting Practices
2012-17	Amal Elgammal (UvT)
	Towards a Comprehensive Framework for Business Process Compliance
2012-16	Fiemke Both (VU)
	Helping people by understanding them - Ambient Agents supporting task execution and depression treatment

2012-15   Natalie van der Wal (VU)
          Social Agents. Agent-Based Modelling of Integrated Internal and Social
          Dynamics of Cognitive and Affective Processes.

2012-14   Evgeny Knutov(TUE)
          Generic Adaptation Framework for Unifying Adaptive Web-based Sys-
          tems

2012-13   Suleman Shahid (UvT)
          Fun and Face: Exploring non-verbal expressions of emotion during
          playful interactions

2012-12   Kees van der Sluijs (TUE)
          Model Driven Design and Data Integration in Semantic Web Information
          Systems

2012-11   J.C.B. Rantham Prabhakara (TUE)
          Process Mining in the Large: Preprocessing, Discovery, and Diagnostics

2012-10   David Smits (TUE)
          Towards a Generic Distributed Adaptive Hypermedia Environment

2012-09   Ricardo Neisse (UT)
          Trust and Privacy Management Support for Context-Aware Service
          Platforms

2012-08   Gerben de Vries (UVA)
          Kernel Methods for Vessel Trajectories

2012-07   Rianne van Lambalgen (VU)
          When the Going Gets Tough: Exploring Agent-based Models of Human
          Performance under Demanding Conditions

2012-06   Wolfgang Reinhardt (OU)
          Awareness Support for Knowledge Workers in Research Networks

2012-05   Marijn Plomp (UU)
          Maturing Interorganisational Information Systems

2012-04   Jurriaan Souer (UU)
          Development of Content Management System-based Web Applications

2012-03   Adam Vanya (VU)
          Supporting Architecture Evolution by Mining Software Repositories

2012-02   Muhammad Umair (VU)
          Adaptivity, emotion, and Rationality in Human and Ambient Agent
          Models

2012-01   Terry Kakeeto (UvT)
           Relationship Marketing for SMEs in Uganda

2011

2011-49   Andreea Niculescu (UT)
           Conversational interfaces for task-oriented spoken dialogues: design
           aspects influencing interaction quality
2011-48   Mark Ter Maat (UT)
           Response Selection and Turn-taking for a Sensitive Artificial Listening
           Agent
2011-47   Azizi Bin Ab Aziz (VU)
           Exploring Computational Models for Intelligent Support of Persons
           with Depression
2011-46   Beibei Hu (TUD)
           Towards Contextualized Information Delivery: A Rule-based Architec-
           ture for the Domain of Mobile Police Work
2011-45   Herman Stehouwer (UvT)
           Statistical Language Models for Alternative Sequence Selection
2011-44   Boris Reuderink (UT)
           Robust Brain-Computer Interfaces
2011-43   Henk van der Schuur (UU)
           Process Improvement through Software Operation Knowledge
2011-42   Michal Sindlar (UU)
           Explaining Behavior through Mental State Attribution
2011-41   Luan Ibraimi (UT)
           Cryptographically Enforced Distributed Data Access Control
2011-40   Viktor Clerc (VU)
           Architectural Knowledge Management in Global Software Development
2011-39   Joost Westra (UU)
           Organizing Adaptation using Agents in Serious Games
2011-38   Nyree Lemmens (UM)
           Bee-inspired Distributed Optimization
2011-37   Adriana Burlutiu (RUN)
           Machine Learning for Pairwise Data, Applications for Preference Learn-
           ing and Supervised Network Inference

2011-36	Erik van der Spek (UU)
	Experiments in serious game design: a cognitive approach
2011-35	Maaike Harbers (UU)
	Explaining Agent Behavior in Virtual Training
2011-34	Paolo Turrini (UU)
	Strategic Reasoning in Interdependence: Logical and Game-theoretical Investigations
2011-33	Tom van der Weide (UU)
	Arguing to Motivate Decisions
2011-32	Nees-Jan van Eck (EUR)
	Methodological Advances in Bibliometric Mapping of Science
2011-31	Ludo Waltman (EUR)
	Computational and Game-Theoretic Approaches for Modeling Bounded Rationality
2011-30	Egon van den Broek (UT)
	Affective Signal Processing (ASP): Unraveling the mystery of emotions
2011-29	Faisal Kamiran (TUE)
	Discrimination-aware Classification
2011-28	Rianne Kaptein (UVA)
	Effective Focused Retrieval by Exploiting Query Context and Document Structure
2011-27	Aniel Bhulai (VU)
	Dynamic website optimization through autonomous management of design patterns
2011-26	Matthijs Aart Pontier (VU)
	Virtual Agents for Human Communication - Emotion Regulation and Involvement-Distance Trade-Offs in Embodied Conversational Agents and Robots
2011-25	Syed Waqar ul Qounain Jaffry (VU)
	Analysis and Validation of Models for Trust Dynamics
2011-24	Herwin van Welbergen (UT)
	Behavior Generation for Interpersonal Coordination with Virtual Humans On Specifying, Scheduling and Realizing Multimodal Virtual Human Behavior
2011-23	Wouter Weerkamp (UVA)

Finding People and their Utterances in Social Media

2011-22   Junte Zhang (UVA)
          System Evaluation of Archival Description and Access

2011-21   Linda Terlouw (TUD)
          Modularization and Specification of Service-Oriented Systems

2011-20   Qing Gu (VU)
          Guiding service-oriented software engineering - A view-based approach

2011-19   Ellen Rusman (OU)
          The Mind's Eye on Personal Profiles

2011-18   Mark Ponsen (UM)
          Strategic Decision-Making in complex games

2011-17   Jiyin He (UVA)
          Exploring Topic Structure: Coherence, Diversity and Relatedness

2011-16   Maarten Schadd (UM)
          Selective Search in Games of Different Complexity

2011-15   Marijn Koolen (UvA)
          The Meaning of Structure: the Value of Link Evidence for Information
          Retrieval

2011-14   Milan Lovric (EUR)
          Behavioral Finance and Agent-Based Artificial Markets

2011-13   Xiaoyu Mao (UvT)
          Airport under Control. Multiagent Scheduling for Airport Ground
          Handling

2011-12   Carmen Bratosin (TUE)
          Grid Architecture for Distributed Process Mining

2011-11   Dhaval Vyas (UT)
          Designing for Awareness: An Experience-focused HCI Perspective

2011-10   Bart Bogaert (UvT)
          Cloud Content Contention

2011-09   Tim de Jong (OU)
          Contextualised Mobile Media for Learning

2011-08   Nieske Vergunst (UU)
          BDI-based Generation of Robust Task-Oriented Dialogues

2011-07   Yujia Cao (UT)

Multimodal Information Presentation for High Load Human Computer Interaction

2011-06   Yiwen Wang (TUE)
           Semantically-Enhanced Recommendations in Cultural Heritage

2011-05   Base van der Raadt (VU)
           Enterprise Architecture Coming of Age - Increasing the Performance of an Emerging Discipline.

2011-04   Hado van Hasselt (UU)
           Insights in Reinforcement Learning; Formal analysis and empirical evaluation of temporal-difference & learning algorithms

2011-03   Jan Martijn van der Werf (TUE)
           Compositional Design and Verification of Component-Based Information Systems

2011-02   Nick Tinnemeier (UU)
           Organizing Agent Organizations. Syntax and Operational Semantics of an Organization-Oriented Programming Language

2011-01   Botond Cseke (RUN)
           Variational Algorithms for Bayesian Inference in Latent Gaussian Models

2010

2010-53   Edgar Meij (UVA)
           Combining Concepts and Language Models for Information Access

2010-52   Peter-Paul van Maanen (VU)
           Adaptive Support for Human-Computer Teams: Exploring the Use of Cognitive Models of Trust and Attention

2010-51   Alia Khairia Amin (CWI)
           Understanding and supporting information seeking tasks in multiple sources

2010-50   Bouke Huurnink (UVA)
           Search in Audiovisual Broadcast Archives

2010-49   Jahn-Takeshi Saito (UM)
           Solving difficult game positions

2010-48   Withdrawn

2010-47   Chen Li (UT)

	An Adaptive Service Oriented Architecture: Automatically solving Interoperability Problems
2010-31	Victor de Boer (UVA)
	Ontology Enrichment from Heterogeneous Sources on the Web
2010-30	Marieke van Erp (UvT)
	Accessing Natural History - Discoveries in data cleaning, structuring, and retrieval
2010-29	Stratos Idreos (CWI)
	Database Cracking: Towards Auto-tuning Database Kernels
2010-28	Arne Koopman (UU)
	Characteristic Relational Patterns
2010-27	Marten Voulon (UL)
	Automatisch contracteren
2010-26	Ying Zhang (CWI)
	XRPC: Efficient Distributed Query Processing on Heterogeneous XQuery Engines
2010-25	Zulfiqar Ali Memon (VU)
	Modelling Human-Awareness for Ambient Agents: A Human Mindreading Perspective
2010-24	Dmytro Tykhonov
	Designing Generic and Efficient Negotiation Strategies
2010-23	Bas Steunebrink (UU)
	The Logical Structure of Emotions
2010-22	Michiel Hildebrand (CWI)
	End-user Support for Access to Heterogeneous Linked Data
2010-21	Harold van Heerde (UT)
	Privacy-aware data management by means of data degradation
2010-20	Ivo Swartjes (UT)
	Whose Story Is It Anyway? How Improv Informs Agency and Authorship of Emergent Narrative
2010-19	Henriette Cramer (UvA)
	People's Responses to Autonomous and Adaptive Systems
2010-18	Charlotte Gerritsen (VU)
	Caught in the Act: Investigating Crime by Agent-Based Simulation
2010-17	Spyros Kotoulas (VU)

	Scalable Discovery of Networked Resources: Algorithms, Infrastructure, Applications
2010-16	Sicco Verwer (TUD)
	Efficient Identification of Timed Automata, theory and practice
2010-15	Lianne Bodenstaff (UT)
	Managing Dependency Relations in Inter-Organizational Models
2010-14	Sander van Splunter (VU)
	Automated Web Service Reconfiguration
2010-13	Gianluigi Folino (RUN)
	High Performance Data Mining using Bio-inspired techniques
2010-12	Susan van den Braak (UU)
	Sensemaking software for crime analysis
2010-11	Adriaan Ter Mors (TUD)
	The world according to MARP: Multi-Agent Route Planning
2010-10	Rebecca Ong (UL)
	Mobile Communication and Protection of Children
2010-09	Hugo Kielman (UL)
	A Politiele gegevensverwerking en Privacy, Naar een effectieve waarborging
2010-08	Krzysztof Siewicz (UL)
	Towards an Improved Regulatory Framework of Free Software. Protecting user freedoms in a world of software communities and eGovernments
2010-07	Wim Fikkert (UT)
	Gesture interaction at a Distance
2010-06	Sander Bakkes (UvT)
	Rapid Adaptation of Video Game AI
2010-05	Claudia Hauff (UT)
	Predicting the Effectiveness of Queries and Retrieval Systems
2010-04	Olga Kulyk (UT)
	Do You Know What I Know? Situational Awareness of Co-located Teams in Multidisplay Environments
2010-03	Joost Geurts (CWI)
	A Document Engineering Model and Processing Framework for Multimedia documents
2010-02	Ingo Wassink (UT)
	Work flows in Life Science

2010-01   Matthijs van Leeuwen (UU)
           Patterns that Matter

2009

2009-46   Loredana Afanasiev (UvA)
           Querying XML: Benchmarks and Recursion
2009-45   Jilles Vreeken (UU)
           Making Pattern Mining Useful
2009-44   Roberto Santana Tapia (UT)
           Assessing Business-IT Alignment in Networked Organizations
2009-43   Virginia Nunes Leal Franqueira (UT)
           Finding Multi-step Attacks in Computer Networks using Heuristic
           Search and Mobile Ambients
2009-42   Toine Bogers (UvT)
           Recommender Systems for Social Bookmarking
2009-41   Igor Berezhnyy (UvT)
           Digital Analysis of Paintings
2009-40   Stephan Raaijmakers (UvT)
           Multinomial Language Learning: Investigations into the Geometry of
           Language
2009-39   Christian Stahl (TUE, Humboldt-Universitaet zu Berlin)
           Service Substitution – A Behavioral Approach Based on Petri Nets
2009-38   Riina Vuorikari (OU)
           Tags and self-organisation: a metadata ecology for learning resources
           in a multilingual context
2009-37   Hendrik Drachsler (OU)
           Navigation Support for Learners in Informal Learning Networks
2009-36   Marco Kalz (OU)
           Placement Support for Learners in Learning Networks
2009-35   Wouter Koelewijn (UL)
           Privacy en Politiegegevens; Over geautomatiseerde normatieve
           informatie-uitwisseling
2009-34   Inge van de Weerd (UU)
           Advancing in Software Product Management: An Incremental Method
           Engineering Approach
2009-33   Khiet Truong (UT)

How Does Real Affect Affect Affect Recognition In Speech?

2009-32 Rik Farenhorst (VU) and Remco de Boer (VU)
Architectural Knowledge Management: Supporting Architects and Auditors

2009-31 Sofiya Katrenko (UVA)
A Closer Look at Learning Relations from Text

2009-30 Marcin Zukowski (CWI)
Balancing vectorized query execution with bandwidth-optimized storage

2009-29 Stanislav Pokraev (UT)
Model-Driven Semantic Integration of Service-Oriented Applications

2009-28 Sander Evers (UT)
Sensor Data Management with Probabilistic Models

2009-27 Christian Glahn (OU)
Contextual Support of social Engagement and Reflection on the Web

2009-26 Fernando Koch (UU)
An Agent-Based Model for the Development of Intelligent Mobile Services

2009-25 Alex van Ballegooij (CWI)
"RAM: Array Database Management through Relational Mapping"

2009-24 Annerieke Heuvelink (VUA)
Cognitive Models for Training Simulations

2009-23 Peter Hofgesang (VU)
Modelling Web Usage in a Changing Environment

2009-22 Pavel Serdyukov (UT)
Search For Expertise: Going beyond direct evidence

2009-21 Stijn Vanderlooy (UM)
Ranking and Reliable Classification

2009-20 Bob van der Vecht (UU)
Adjustable Autonomy: Controling Influences on Decision Making

2009-19 Valentin Robu (CWI)
Modeling Preferences, Strategic Reasoning and Collaboration in Agent-Mediated Electronic Markets

2009-18 Fabian Groffen (CWI)
Armada, An Evolving Database System

2009-17 Laurens van der Maaten (UvT)

	Feature Extraction from Visual Data
2009-16	Fritz Reul (UvT)
	New Architectures in Computer Chess
2009-15	Rinke Hoekstra (UVA)
	Ontology Representation - Design Patterns and Ontologies that Make Sense
2009-14	Maksym Korotkiy (VU)
	From ontology-enabled services to service-enabled ontologies (making ontologies work in e-science with ONTO-SOA)
2009-13	Steven de Jong (UM)
	Fairness in Multi-Agent Systems
2009-12	Peter Massuthe (TUE, Humboldt-Universitaet zu Berlin)
	Operating Guidelines for Services
2009-11	Alexander Boer (UVA)
	Legal Theory, Sources of Law & the Semantic Web
2009-10	Jan Wielemaker (UVA)
	Logic programming for knowledge-intensive interactive applications
2009-09	Benjamin Kanagwa (RUN)
	Design, Discovery and Construction of Service-oriented Systems
2009-08	Volker Nannen (VU)
	Evolutionary Agent-Based Policy Analysis in Dynamic Environments
2009-07	Ronald Poppe (UT)
	Discriminative Vision-Based Recovery and Recognition of Human Motion
2009-06	Muhammad Subianto (UU)
	Understanding Classification
2009-05	Sietse Overbeek (RUN)
	Bridging Supply and Demand for Knowledge Intensive Tasks - Based on Knowledge, Cognition, and Quality
2009-04	Josephine Nabukenya (RUN)
	Improving the Quality of Organisational Policy Making using Collaboration Engineering
2009-03	Hans Stol (UvT)
	A Framework for Evidence-based Policy Making Using IT
2009-02	Willem Robert van Hage (VU)
	Evaluating Ontology-Alignment Techniques