

## Review your answers

You have reached the end of the assessment. Please review your answers and click "complete" to finish the module.

### 1. Which file formats are supported while defining the Work Item Structure in a queue?

CSV and Excel

[↑ Change this answer](#)

### 2. Which graphical information can be found under the 'Bots' dashboard?

'Bot status' and 'Top Failure Reasons'

[↑ Change this answer](#)

### 3. The Bot Lifecycle Management (BLM) functionality to export or import bots are available under \_\_\_\_\_ feature of Web CR.

Bots > My Bots

[↑ Change this answer](#)

### 4. Which feature in Web CR provides administrator and/or user important data to monitor user activities, task progress and status, which can be used to enforce internal compliance regulations as well as prevent tampering with mission-critical processes?

Dashboards

[↑ Change this answer](#)

### 5. For which activities does the Audit Log captures and provides read-only records of all the important actions performed by users?

Both Control Room and Client activities

[↑ Change this answer](#)

### 6. If locker consumers provide the credential value in a 'user-provided' credential, the status of this credential is set to \_\_\_\_\_.

Pending for Approval

[↑ Change this answer](#)

### 7. What are the two types of attribute values which can be provided while creating a credential?

Standard and User-provided

[↑ Change this answer](#)

### 8. When a credential is created with its type as 'user-provided' and assigned to a locker, all the present \_\_\_\_\_ will receive a credential request.

Locker Consumers

[↑ Change this answer](#)

**9. Bot Heartbeat Widget in CR provides a statistical representation of the relationship between the failure score of a bot and the respective bot. A failure score is a calculation of the resources utilized by the system resources when you run a bot using the formula "Failure Score = 0.5\*M + 0.3\*C + 0.2\*H", where 'M', 'C' and 'H' stands for \_\_\_\_\_, \_\_\_\_\_ and \_\_\_\_\_ respectively.**

Memory usage, CPU usage and HDD usage

[↑ Change this answer](#)

**10. Which dashboard widget in Web CR provides a statistical representation of the relationship between the failure score of a bot and the respective bot, where the failure score is a calculation of the resources utilized by the CPU, memory, and hard disk (HDD) when you run the bot?**

Heartbeat Widget

[↑ Change this answer](#)

**11. Which of the following dashboard provides information on 'Total Users', 'Total Bot Schedules' and 'Total Queues'?**

Home

[↑ Change this answer](#)

**12. When a new credential is added to a locker an email notification is sent to \_\_\_\_\_ of the locker at their registered email address in Control Room.**

All Consumers

[↑ Change this answer](#)

**13. Which of the following widgets displays bots based on their maximum processing time and the number of times they are run?**

MVP Bots Widget

[↑ Change this answer](#)

**14. What is the correct sequence of below mentioned steps that can be used to add a work item to a Queue? (A) Select the desired queue name from the list (B) Select 'Insert Work Item' command in the Workbench (C) System displays the list of attributes and their data type under Name and Data Type columns (D) Add data in the Value column and click Save**

(A) (B) (C) (D)

[↑ Change this answer](#)

**15. \_\_\_\_\_ provide a logical grouping of similar Bot Runners on which you want to run bot(s) with the work items from a queue.**

Device Pools

[↑ Change this answer](#)

**16. On which browser, the Web Recorder command works?**

Internet Explorer

[↑ Change this answer](#)

**17. Which of the listed commands will allow you to set focus on a particular window?**

Activate Window

[↑ Change this answer](#)

**18. Which command facilitates encryption using public and private keys?**

PGP

[↑ Change this answer](#)

**19. The different play modes available under the Object Cloning command are \_\_\_\_\_.**

Object, Coordinates and Image

[↑ Change this answer](#)

**20. You need to run a bot as soon as the CPU usage goes above 95%. Which feature/command would you use?**

Trigger

[↑ Change this answer](#)

**21. The default variables in any TaskBot are \_\_\_\_\_ and \_\_\_\_\_.**

Prompt-Assignment, my-list-variable

[↑ Change this answer](#)

**22. The extensions of Task/Bot files and Workflow files are \_\_\_\_\_, respectively .**

atmx and wkfx

[↑ Change this answer](#)

**23. Which command provides an ability to capture image and read it as text?**

OCR

[↑ Change this answer](#)

**24. Which of the following is not a valid Printer command?**

Add Printer

[↑ Change this answer](#)

**25. Which variable type has a direct implementation under the loop command?**

List

[↑ Change this answer](#)

**26. Which of the following String Operation sub-commands is used to get number of characters in a given source string?**

Length

[↑ Change this answer](#)

**27. You want to extract a portion of a string and store it in another variable, which of the following string operation commands will allow you to do that?**

String Operation - Substring

[↑ Change this answer](#)

**28. What is the type of variable returned when Excel 'Find/Replace' command is used?**

List

[↑ Change this answer](#)

**29. During task creation and play, the Credential variables can be accessed by a Bot-Creator even when it is disconnected from the Control Room.**

False

[↑ Change this answer](#)

**30. Which of the options is not a valid Delay command?**

Wait for page load

[↑ Change this answer](#)

**31. A bot is required to read large dataset in an Excel spreadsheet(e.g. 50,000+ rows). Which is the most optimal approach you'll use to loop through the dataset?**

Use Excel 'Get All Cells' and Loop 'Each Row in an Excel Dataset' commands

[↑ Change this answer](#)

**32. While debugging, which function key allows you to step over a breakpoint?**

F10

[↑ Change this answer](#)

**33. Which of the following is not a valid recorder in Automation Anywhere Enterprise Platform?**

Desktop Recorder

[↑ Change this answer](#)

**34. It is possible to close a message box automatically after a predetermined time interval specified in seconds.**

True

[↑ Change this answer](#)

**35. Which of the listed commands will allow you to change the active cell in an excel worksheet?**

Excel - Go to Cell

[↑ Change this answer](#)

**36. From which console in the Web CR can one assign user roles as well as relevant privileges?**

Administration -> Roles

[↑ Change this answer](#)

**37. What would happen when '\$' button is clicked in the Email Automation command?**

It will allow you to attach a file (of any type) with the email

[↑ Change this answer](#)

**38. PGP command can be used to \_\_\_\_\_.**

Encrypt/Decrypt files

[↑ Change this answer](#)

**39. We can assign value of one variable to another using \_\_\_\_\_ command.**

Variable Operation

[↑ Change this answer](#)

**40. Which variable is used to read data from the 1st column of a CSV file?**

\$Filedata Column(1)\$

[↑ Change this answer](#)

**41. Which Excel sub-command can be used to read the content of the specified cell in an active spreadsheet?**

Excel - Get Cells

[↑ Change this answer](#)

**42. Which of the following commands does not support Credential Variables?**

Log To File

[↑ Change this answer](#)

**43. Which command is used to automatically launch a file or program?**

Open Program/File

[↑ Change this answer](#)

**44. What is the type of variable returned when 'Prompt For Folder' command is used?**

List

[↑ Change this answer](#)

**45. A TaskBot contains 10 steps, you wish to run the task only from step 5 to step 10, what would be the best way to do this?**

Open Workbench, select the step from where you want to run the task and choose 'Tools -> Run from Step'

[↑ Change this answer](#)

**46. Merge Documents is a sub-command associated with the \_\_\_\_\_ command.**

PDF Integration

[↑ Change this answer](#)

**47. What is the type of variable is returned when 'Prompt For File' command is used?**

List

[↑ Change this answer](#)

**48. Where can a user set the Outgoing Mail Server (SMTP) details to be used for Email Automation Tasks?**

In AAE Client, under Tools -> Options -> Email Settings

[↑ Change this answer](#)

**49. A user sets a Breakpoint in workbench, but does not see the 'Toggle Breakpoints' feature available on top of the workbench, what needs to be done?**

User need to click on 'Enable Debugging' to see that option.

[↑ Change this answer](#)

**50. 'Get All Cells' is a sub-command of \_\_\_\_\_ command and can be used with \_\_\_\_\_ loop to extract the desired set of records.**

Excel; Each Row In An Excel Dataset

[↑ Change this answer](#)

**51. A task named T1 has a variable 'strFirstName' with default value set as 'John'. By using the Run Task command, another task- T2 is invoked and 'strFirstName' is passed as an argument. Now, in task T2, the value of 'strFirstName' is modified to 'Michael'. When the Run Task command finishes in task T1, the variable 'strFirstName' contains the value \_\_\_\_\_.**

Michael

[↑ Change this answer](#)

**52. AAE Client can work even when it is disconnected from the Web Control Room**

False

[↑ Change this answer](#)

**53. If you need to automate a desktop based application, which command or recorder will be your first preference?**

Object Cloning

[↑ Change this answer](#)

**54. A task is required to run everytime you open your browser, which of the options will help you to accomplish this ?**

None of the options

[↑ Change this answer](#)

**55. Which one is not a valid Trigger Type?**

None of the options

[↑ Change this answer](#)

**56. Logic MetaBots are navigational flows that can be created using \_\_\_\_\_.**

Both Screens and DLLs

[↑ Change this answer](#)

**57. When you want to include low level operations of an application without wanting to use the GUI, you should opt for \_\_\_\_\_.**

DLL MetaBots

[↑ Change this answer](#)

**58. \_\_\_\_\_ comprise of logical group of work items that are processed for automation by individual Bot Runners from a pool.**

Queue

[↑ Change this answer](#)

**59. The MetaBots are saved as 'MetaBot Files' with an extension \_\_\_\_\_.**

.mbot

[↑ Change this answer](#)

**60. What are the types of variables, which can be defined in a MetaBot logic?**

'Value', 'List', 'Array' and 'Random'

[↑ Change this answer](#)

COMPLETE

Time: 42 minutes, 47 seconds