

Modelling Uncertainty in the Risk of Intensive Care Unit Readmission I: Data Extraction and Modelling

Ben Cooper

January 20, 2021

1 SCOPE AND AIMS

This document provides a written overview of the first phase of the project. The aims of this phase were twofold:

1. To extract a dataset from the MIMIC-III database of surgical ICU patients, consisting of a clearly defined outcome measure (ICU readmission), and a range of predictors.
2. To compare the performance of a range of published models for the prediction of ICU readmission risk and identify the best model to take forward. This will form the prediction model at the core of a system for quantifying uncertainty and dealing with missing data.

2 INTRODUCTION

2.1 ICU readmission

2.2 Readmission prediction models

3 METHODS

3.1 Data Source

3.2 Inclusion criteria

3.3 Outcome measure

3.4 Candidate models

3.5 Model comparisons

3.6 Recalibration

3.7 Novel model

4 RESULTS

4.1 Descriptive statistics

4.2 Discrimination

4.3 Calibration

4.4 Variables retained in novel model

5 DISCUSSION

5.1 Model performance

5.2 Next steps

Table 1

| Variable | No Readmission | Readmitted to ICU |
|----------------------------|----------------|-------------------|
| N | 4944 (93.5%) | 342 (6.5%) |
| Sex | | |
| Male | 3121 (63.1%) | 207 (60.5%) |
| Female | 1823 (36.9%) | 135 (39.5%) |
| General surgery | 1167 (23.6%) | 136 (39.8%) |
| Cardiac surgery | 2423 (49%) | 93 (27.2%) |
| Hyperglycaemia | 475 (9.6%) | 35 (10.2%) |
| Severe anaemia | 35 (0.7%) | 1 (0.3%) |
| APACHE-II > 20 | 2397 (48.5%) | 164 (48%) |
| Positive fluid balance >5L | 768 (15.5%) | 95 (27.8%) |
| No ambulation | 3882 (78.5%) | 298 (87.1%) |
| ICU stay >5 days | 1244 (25.2%) | 124 (36.3%) |

Table 2

| Variable | No Readmission | Readmitted to ICU |
|------------------------|-----------------|-------------------|
| N | 4944 (93.5%) | 342 (6.5%) |
| Age | 64.2 \pm 14.5 | 63.5 \pm 14.5 |
| Sex | | |
| Male | 3121 (63.1%) | 207 (60.5%) |
| Female | 1823 (36.9%) | 135 (39.5%) |
| Elective admission | 1980 (40%) | 104 (30.4%) |
| Admission source | | |
| Operating theatre | 2246 (45.4%) | 120 (35.1%) |
| Emergency room | 769 (15.6%) | 91 (26.6%) |
| Other hospital | 976 (19.7%) | 69 (20.2%) |
| Ward | 953 (19.3%) | 62 (18.1%) |
| APACHE-II score | 10.4 \pm 4.70 | 12.0 \pm 4.87 |
| ICU stay >7 days | 864 (17.5%) | 98 (28.7%) |
| Discharged after hours | 2874 (58.1%) | 223 (65.2%) |
| Acute renal failure | 788 (15.9%) | 125 (36.5%) |

Table 3

| Variable | No Readmission | Readmitted to ICU |
|------------------------|-----------------|-------------------|
| N | 4944 (93.5%) | 342 (6.5%) |
| Age | 64.2 ± 14.5 | 63.5 ± 14.5 |
| Respiratory rate | 18.4 ± 3.89 | 19.2 ± 3.91 |
| Blood urea nitrogen | 22.8 ± 16.3 | 27.8 ± 20.9 |
| Serum glucose | 129 ± 29.0 | 126 ± 29.2 |
| Serum chloride | 105 ± 4.4 | 105 ± 4.7 |
| Hx atrial fibrillation | 1565 (31.7%) | 129 (37.7%) |
| Hx renal insufficiency | 261 (5.3%) | 31 (9.1%) |

Table 4

| Variable | No Readmission | Readmitted to ICU |
|------------------------|-----------------|-------------------|
| N | 4944 (93.5%) | 342 (6.5%) |
| Heart rate | 83.9 ± 12.2 | 84.8 ± 13.4 |
| Temperature | 36.8 ± 0.51 | 36.8 ± 0.55 |
| Oxygen saturation | 96.8 ± 1.64 | 96.8 ± 1.69 |
| Mean arterial pressure | 81.2 ± 14.6 | 85.0 ± 16.0 |
| Platelets | 221 ± 131 | 241 ± 154 |
| Lactic acid | 1.68 ± 0.82 | 1.58 ± 0.82 |