Content Sweep and Expansion Specification

Prepared 2026-10-16. This document replaces the earlier specification in full.

How it was produced. Every screen file under `mobile/src/app` and the components they render were read line by line (file:line references below are to those reads). Every backend route the app calls was read in full. Every count and every "filled / not filled" statement was produced by read-only queries against the live Turso database on 2026-10-16 (`sweep-verify.ts`, `sweep-verify2.ts`, kept in the session scratchpad; the row-level output is in `sweep-verify.json`). Nothing in sections 1 to 4 is inferred from `schema.prisma` or from file names. Where something could not be verified in this session it is marked **unverified**. Historical statements in section 5 are domain knowledge offered for the owner's judgement; the two things that section cannot assert without running the tools are marked as such: whether OpenStreetMap holds a usable geometry for a waterway, and whether a verified likeness exists for a person.

Scope rule (owner's instruction). The app is about early North American exploration, trade and cartography as it bears on Canadian history. It is not gated to the present border: New France to the Gulf of Mexico, the Dutch trade on the Hudson, Lake Champlain, Peter Pond, Astor and Astoria, Fort Vancouver, the Spanish Pacific voyages and the Russians all belong. Not everything needs to link to everything; a link is wanted only where the app has a surface that shows it and the connection is historically real.

Vocabulary. "Turso" is the database. `@prisma/client` is the query library the backend uses to reach it; it is not a database. `schema.prisma` is the declaration the client was generated from and is not the source of truth.

---

0. Numbers at a glance (live, 2026-10-16)

Table	Rows	Published	Notes
Waterway	70	n/a	River 29, Bay 15, Lake 12, Strait 6, Sound 4, Inlet 3, plus one row typed `lake`; 66 with KML; 69 with image; 59 with Indigenous name
Location	100	n/a	Fort 52, Trading Post 16, Portage 14, Cultural Site 9, Settlement 5, `historic_site` 3, `fort` 1; all 100 have an image
Explorer	92	n/a	70 with portrait; 42 with at least one waterway link; 105 ExplorerWaterway rows, all with year and notes
FurTradeInfo	21	n/a	one per waterway
ArchaeologicalDiscovery	8	n/a	all with coordinates
Cartographer	11	n/a	Bellin ×2, Jolliet ×2; 1 location links to a cartographer
IndigenousNation	14	n/a	7 nations, each stored twice; no screen reads this table
NotableFigure	18	n/a	7 featured; 4 with image
LessonPlan	26	26	all have narrative, hero, images, key figures, timeline; `visibility` = private on all 26
VirtualFieldTrip / FieldTripStop	6 / 36	6	every stop has image, fun fact and think question; 0 stops linked to a pin or waterway
PrimarySourceDocument	48	48	34 without grade level; 1 with image; 43 linked to an explorer

Table	Rows	Published	Notes
Quiz / QuizQuestion	13 / 71	13	6 quizzes exist twice; 16 questions carry `sourceType` = explorer with no `sourceId`
ComparisonTemplate	4	4	
PrintableResource	8	8	all HTML content, all with answer key and teacher notes, none with file or preview image
TimelineEvent	23	n/a	1613 to 1885; 0 images; 4 explorer links, 5 location links, 0 waterway links
HistoricalEvent	48	n/a	1534 to 2016; 31 images; 2 waterway links, 2 location links, 0 explorer links
PronunciationGuide	33	n/a	0 audio; 0 link columns filled
IndigenousWord	298	n/a	10 language labels; 0 linked to a waterway or location; 0 audio
VocabularyQuiz	4	4	
IndigenousStory	3	3	Cree, Ojibwe, Inuit
VoyageurJourney / JourneyNode	2 / 23	2	all nodes have coordinates and a historical fact; 0 cover images
Achievement	28	n/a	12 of them count activities no route ever records (see 2.17)
DailyChallenge	30	n/a	dates 2026-02-11 to 2026-03-12, rotated by day index
WordOfTheDay	4	n/a	created on demand

User and operational tables (contributions 2, teachers 7, classes 2, assignments 5, students 0, journals 0, progress 0, map annotations 0, image health logs 6,150) are not content and are not treated further.

---

1. Screen by screen

Each entry gives: the data hook and the route it calls; the fields the screen reads; filters and gating; every cross-record connection and the mechanism that realizes it; and what a record must carry to be complete on that screen. Paths are relative to `mobile/src/` unless they start with `backend/`.

1.1 Student side

Map tab, native: `app/(tabs)/index.tsx`

- **Data.** `useWaterways()` (288) → `GET /api/waterways` (`backend/src/routes/waterways.ts:45-62`: id, name, indigenousName, lat, lng, regionName, type.name). `useLocations()` (290) → `GET /api/locations` (`locations.ts:21-40`: id, name, indigenousName, lat, lng, locationType, yearEstablished, imageUrl, waterway{id,name}). `useExplorers()` (291) → `GET /api/explorers` (`explorers.ts:7-21`). `useExplorerDetail(selectedExplorerId)` (292) for the explorer filter. `useRiverOverview()` (289) → `GET /api/waterways/overview/rivers`, the committed `generated/river-overview.json` built by `backend/scripts/build-waterway-overview.ts --types=River` (line paths only for line waterways, 172). `useWaterwayGeometry(id, tier, bbox)` (564-565) → `GET /api/waterways/:id/geometry`.

- **Filters.** Legend offers only River, Lake, Bay, Fort, Trading Post, Portage (967-1010); Strait, Sound, Inlet, Settlement, Cultural Site and `historic_site` have no legend entry (471-480, 511-520). Era chips (30-36) filter locations by `yearEstablished` with inclusive bounds (450-455, 537-542) and keep a waterway only if one of its locations falls in the era (447-461, 495-498). Explorer filter keeps the waterways in `explorerDetail.waterways[].waterway.id` and the locations on them (409, 491, 531).
- **Connections.** Explorer → waterway by `ExplorerWaterway` rows (409). Location → waterway by `Location.waterwayId` (458, 524, 531). Overview record → waterway by shared id (427-428). Tap hit-testing on the overview is geometric: bbox prefilter, point-in-ring, 24 px segment distance (202-249).
- **Complete record here.** A waterway needs `latitude`/`longitude`, `type`, and `kmlData` for a trace (overview for rivers, geometry route for all). A location needs coordinates, a `locationType` the legend knows, a `yearEstablished` for the era filter (a null year passes every era, 450), and a `waterwayId`. An explorer needs at least one `ExplorerWaterway` row or the filter returns nothing (490, 530).

***Map, web:* `app/(tabs)/index.web.tsx`**

- Lists waterways and locations (26-27), detail panels via `useWaterwayDetail`/`useLocationDetail` (31-36). Shows explorers (158-165), fur trade (172-194), location's waterway and cartographer (238, 245). No navigation, no filters (166, 170). Reads `regionName` (85), the only screen that does.

***Detail sheet:* `components/DetailBottomSheet.tsx`**

- **Data.** `useWaterwayDetail` (151-153) → `GET /api/waterways/:id` (`waterways.ts:194-264`, includes type, explorers{explorer} by yearExplored, furTradeInfo, locations{cartographer}, discoveries; strips `kmlData`, adds `hasKml`, 253-260). `useLocationDetail` (154-156) → `GET /api/locations/:id` (`locations.ts:72-141`, includes waterway{type, explorers{explorer}, furTradeInfo}, cartographer). Contributions by waterway/location (159-164). `useExplorerDetail(selectedExplorerId)` (169).
- **Fields.** Waterway: type, imageUrl, galleryImages (JSON, parsed 63), videoUrl (JSON array or plain URL, parsed 102-123), description, historicalSignificance, indigenousName/Language, explorers[] with year and notes (564-640), notableFigures[] (653-700), discoveries[] (704-780), furTradeInfo (787-835). Location: locationType, yearEstablished, cartographer.name (946-952), historicalNotes, and the **parent waterway's** explorers, notable figures and fur trade (975-1157), plus a non-tappable "Connected Waterway" card (1166-1179).
- **Connections and mechanisms.**
  - Waterway → explorers: `ExplorerWaterway` rows; tap opens `ExplorerDetailModal` (608, 1375-1378).
  - Waterway → notable figures: **text match**. The server runs `notableFigure.findMany({ where: { associatedLocations: { contains: waterway.name } } })` and filters the parsed array for the exact name (`waterways.ts:217-251`; same on `location.waterway.name` in `locations.ts:96-130`). A location's own name is never matched; a location shows its waterway's figures. Tap → `/notable-figures/:id` (668, 1076).
  - Waterway → discoveries: `ArchaeologicalDiscovery.waterwayId`. The discovery's explorer is `relatedExplorerName`, **text only**, not linked (751-753).
  - Location → cartographer: `cartographerId` (952).
  - Reading guide: **static file** `data/locationReadingGuideData.ts` keyed by record id, used for both waterway ids (841) and location ids (1186).
  - Contribution: `waterwayId`/`locationId` passed to `ContributeModal` (1361-1364).
- **Complete record here.** Waterway: description, historicalSignificance, imageUrl, 3+ gallery entries `{url, caption, credit}`, explorers with `yearExplored` and `expeditionNotes` (year shows "N/A" otherwise, 578-

596), fur trade where it applies, and a reading-guide entry. A notable figure appears on a waterway only if `associatedLocations` contains the waterway's exact `name`. Location: yearEstablished, historicalNotes, image and gallery, cartographer where one surveyed it, reading-guide entry.

***Explorer modal:* `components/ExplorerDetailModal.tsx`**

- Props only (18-22). Reads imageUrl, name, nationality, birth/death (shown only when both exist, 46), biography, notableAchievements, waterways[] with type badge, year and notes (72-110). Waterway rows are not tappable (78-81). Reading guide from static `data/readingGuideData.ts` keyed by explorer id (117, 123).

***Explorers tab:* `app/(tabs)/two.tsx`**

- `useExplorers()` (40); sorted by the last whitespace-separated word of `name` (20-28, 44-51), so "Sieur de La Vérendrye" sorts under "Vérendrye" and "Captain George Vancouver" under "Vancouver". Card shows portrait, name, nationality verbatim, years (71-84). Tap → modal (68, 153-156). No filter.

***Quizzes tab:* `app/(tabs)/quizzes.tsx` *and* `app/quiz/[id].tsx`**

- `useQuizzes(filters)` (188-190) → `GET /api/quizzes` (isPublished; `quizzes.ts`). Category chips hard-coded: Explorers, Fur Trade, Indigenous Heritage, Geography, Maritime History (19); grade chips K-3, 4-6, 7-9, 10-12 (23). Filters applied server-side and again client-side: category by substring (200), grade by equality (207). Estimated time = question count (81).
- Quiz screen posts `{userId, answers[{questionId, selectedAnswer}]}` to `POST /api/quizzes/:id/attempt` (336-345; `education-api.ts:1571-1573`); the server grades and awards points via `completeResource` (`quizzes.ts:237-256`). Question `sourceType`/`sourceId` are not read by this screen.
- **Complete record here.** title, description, category from the hard-coded five, gradeLevel from the four bands, difficulty, 5+ questions with options, correctAnswer id, explanation.

***Deep Dives:* `app/lessons/index.tsx`, `app/lessons/[id].tsx`**

- List: `useLessonPlans({gradeLevel, topic})` (41-44) → `GET /api/lesson-plans` (`lesson-plans.ts:14-50`). Topic chips are **hard-coded** (25-34): Fur Trade, Geography, Indigenous Routes, Maritime Discovery, Metis History, Women in History, Cartography, Early Explorers. Live topics match this list exactly.
- Detail: `useLessonPlan` (110) → `GET /api/lesson-plans/:id` (`lesson-plans.ts:53-108`, parses images, keyFigures, timeline, curriculumConnections, objectives, materials, activities, discussionQuestions, teacher* arrays, related*Ids). Shows hero, grade, reading time, title, description, topic, `narrativeContent` (197-200), key figures (207-223), timeline (226-262), gallery (266-287), Mark Complete (290).
- **Connections and mechanisms.**
  - Key figure → explorer: `keyFigures[].explorerId` inside the JSON, read through `as any` (67, 213); the portrait is taken from the explorer record first (`explorerData?.imageUrl ?? figure.imageUrl`, 71); tap opens `ExplorerDetailModal` (218, 296-298). Live: 105 of 105 key figures carry an `explorerId` that resolves.
  - Timeline item → `TimelineEvent`: `timeline[].eventId` inside the JSON (233) → `useTimelineEvent` (115) → `GET /api/timeline/:id`. Items without `eventId` are pressable but open nothing (234-236). Live: 68 of 123 timeline items resolve.
  - `relatedWaterwayIds`, `relatedLocationIds`, `relatedExplorerIds`: parsed by the server, **read by no screen**. Live: empty on all 26.
  - Completion: `POST /api/lesson-plans/:id/complete` with `{userId}` (`MarkCompleteButton.tsx:53-56`, `education-api.ts:643`), 15 points, assignment completion (`lib/progress.ts`).

- **Complete record here.** gradeLevel, topic from the chip list, heroImageUrl, narrativeContent, images[] with caption and credit, keyFigures[] each with `explorerId` (and the person present in `Explorer` with a portrait if a likeness exists), timeline[] each with `eventId` pointing at a real `TimelineEvent`, readingTimeMinutes (live: 5 of 26 set).

***Timeline:* `app/timeline.tsx`**

- `useTimelineEvents({theme, importance})` (75-78) → `GET /api/timeline` (`timeline.ts:7-61`); themes from `GET /api/timeline/themes`. Grouped by century in arrival order, assumes server year order (88-97). `explorerId`/`waterwayId`/`locationId` are shown as the words "Explorer", "Waterway", "Location" (174-191) and in the modal as "Related …" labels (440-457); **nothing is fetched or navigable**. No images are read.
- **Complete record here.** year (+ month/day/endYear/isApproximate), theme from the live set (exploration, fur_trade, indigenous, settlement), importance (major/moderate/minor), description. Link ids only matter if a future change makes them navigable.

***Field Trips:* `app/field-trips/index.tsx`, `app/field-trips/[id].tsx`**

- List: `useFieldTrips({gradeLevel, theme})` (30-33) → `GET /api/field-trips` (`field-trips.ts:14-64`). Grade chips from `GRADE_LEVEL_RANGES`; `selectedTheme` exists but has **no chip UI** (28, 32).
- Detail: `useFieldTrip` (38) → `GET /api/field-trips/:id` (stops ordered, `field-trips.ts:67-87`). The map region is the average of stop coordinates (85-96); stops without coordinates are dropped from the map (82-84). Shows title, image, description, narrative, audio button with no handler (262-267). Introduction on first stop, conclusion and Mark Complete on last (214, 272, 280-281) → `POST /api/field-trips/:id/complete`, 20 points.
- **Connections.** None to other records. `FieldTripStop.locationId`/`waterwayId` exist in the admin schema (`backend/src/routes/admin-field-trips.ts:33-45`) and are 0 of 36 filled; the screen does not read them. Stop titles are prose ("David Thompson's Base Camp"); no stop title equals a location or waterway name, and the trips' subjects (Fort Carlton, Fort William, Prince of Wales Fort, Rocky Mountain House, York Factory) exist as `Location` rows only by **coordinate coincidence**, not by any join.
- **Complete record here.** gradeLevel, theme (live values `fur_trade`, `explorer`), estimatedMinutes, coverImageUrl, 6 stops each with coordinates, image, description, funFact, thinkQuestion. The screen also reads `stop.narrative` (255-258), which is neither in the admin stop schema (`admin-field-trips.ts:33-45`) nor a column in Turso (2026-10-14 introspection), so that section never renders; `audioUrl` is a column and is null on all 36 stops.

***Documents:* `app/documents/index.tsx`, `app/documents/[id].tsx`**

- List: `useDocuments({type})` (38-40) → `GET /api/documents` (isPublished, filters type and gradeLevel, `documents.ts:7-43`). Type chips from `GET /api/documents/types` (150). **There is no grade filter UI**; `gradeBadge` styles are unused (302-311). Badge colour map keys: map, journal, letter, treaty, photograph, artwork, newspaper (24-32); live types are journal, report, letter, inscription, map, so `report` and `inscription` take the grey fallback.
- Detail: `useDocument` (49) → parses annotations, vocabulary, discussionQuestions (`documents.ts:59-84`). Shows image, type, grade, author, date, historicalContext, originalText and transcription, annotations by grade, vocabulary, discussion questions (80-205).
- **Connections.** `explorerId`/`waterwayId`/`locationId` are returned raw and **not read by either screen**. The author is a free-text string; 40 of 48 author strings equal an `Explorer.name` exactly.
- **Complete record here.** documentType, author, originalYear (originalDate optional), transcription (originalText where the source is in English), historicalContext, vocabulary[], discussionQuestions[], annotations[] by grade,

gradeLevel (34 of 48 missing, so they never answer a grade query), imageUrl of the manuscript or a period image (1 of 48).

What Happened Here: `app/nearby-history.tsx`

- `useNearbyHistoryEventsByCategory(lat, lng, radius, category)` (339-349) → `GET /api/nearby-history/by-category` and `GET /api/nearby-history` (haversine radius, `nearby-history.ts:213-250`). Radius 5/10/25/50/100 km, default 50 (62, 328). Category chips are the hard-coded seven: exploration, fur_trade, indigenous, settlement, battle, treaty, maritime (65-101); `maritime` has 0 events. The categories hook result is ignored (336). Sorted by server-computed distance (407-409). "View on Map" pushes `/?lat&lng&eventId` (403).
- **Connections.** By coordinates only. The detail route joins related explorer/waterway/location (`nearby-history.ts:254-314`) but the screen never calls it.
- **Complete record here.** precise latitude/longitude, locationName, year, category from the seven, significance, description, imageUrl (31 of 48). Events in London and Greenhithe (1821 merger, 1845 departure) can only ever be found by a user standing in England.

Notable Figures: `app/notable-figures/index.tsx`, `app/notable-figures/[id].tsx`

- List: `useNotableFigures({figureType, nation})` (235-238) → `GET /api/notable-figures` (`notable-figures.ts:10-66`); featured via `/featured`; types and nations via `/types`, `/nations` (distinct values). `figureTypeConfig` knows woman, indigenous_leader, guide, interpreter, trader (43-74); live types also include `metis_leader` (3) and `voyageur` (1), which take the grey fallback (76-85).
- Detail: `useNotableFigure` (100) → parses associatedExplorers, achievements, associatedLocations (`notable-figures.ts:148-175`). Associated explorers render as cards with a chevron but are plain `View`s with **no press handler** and no id (255-265). Associated locations are text chips (277-281). Biography and significance render without a null guard (219-230).
- **Connections.** Figure → waterway is the text match in 1.1 Detail sheet (server side); figure → explorer is `{name, relationship}` text; 12 of 23 associated-explorer names equal an `Explorer.name` exactly, 11 do not (John Franklin vs "Sir John Franklin", John Richardson, George Back vs "Sir George Back", each twice; Lord Selkirk, Thomas Scott, Meriwether Lewis, William Clark, Toussaint Charbonneau).
- **Complete record here.** figureType from a canonical set, nation, role, biography, significance, achievements[], associatedExplorers[] with names spelled exactly as in `Explorer`, associatedLocations[] containing the exact `Waterway.name` strings for the waterways the figure should appear on, birth/death or active period, isFeatured, imageUrl only where a likeness exists.

Indigenous Languages: `app/indigenous-languages.tsx`

- `useWordOfTheDay`, `useIndigenousLanguages`, `useIndigenousWords({language})`, `useVocabularyQuizzes`, `useIndigenousStories` (65-71) → `/api/indigenous-language/*` (`indigenous-language.ts`). Language tabs from the live groupBy. Word cards show language, category, word, phonetic, translation, culturalContext (185-214).
- **Quiz cards (226) and story cards (251) are plain `View`s, not pressable.** Detail hooks `useVocabularyQuiz`, `useSubmitVocabularyQuiz`, `useIndigenousStory` exist (`education-api.ts:911-953`) and routes exist, but no screen opens a story or plays a vocabulary quiz. Colour map keys Cree, Ojibwe, Inuktitut, Mi'kmaq, Dene, Multiple (50-57); Blackfoot, Mohawk, Iroquois fall to the default; story colour uses the story's **nation** against the language map (249).
- **Connections.** None rendered. `relatedWaterwayId`/`relatedLocationId` on words and stories are 0 filled and unread.

- **Complete record here.** Word: word, translation, language, phonetic, culturalContext, category. Story: title, nation, language, content, summary, theme, gradeLevel. Vocabulary quiz: title, language, difficulty, questions[]. A story or quiz is "complete" only once a screen can open it.

Pronunciations: ***`app/pronunciations.tsx`***

- `usePronunciations({termType, language})` (41-44), term types and languages from the server. Shows term, phonetic, meaning, play button only with `audioUrl` (106). Live: 0 of 33 have audio. Colour map keys waterway, location, nation, explorer, general (28-34); live termTypes are indigenous_nation, indigenous_place, french, explorer, so three of four take the fallback. No connections rendered; link columns 0 filled.

Compare: ***`app/comparisons/index.tsx`***, ***`app/comparisons/[id].tsx`***

- `useComparisons({type, gradeLevel})` (37-40), `useComparison` (49) → `ComparisonTemplate` only. Items are free-form JSON; the label key is the first of name, perspective, route, title (21-32); every key/value is rendered (133-158). The generated comparisons (`/api/comparisons/generate/explorers`, `/generate/forts`; `comparisons.ts:84-147, 165-196`) have hooks (`education-api.ts:333, 343`) but **no screen calls them**. Colour keys explorers, forts, waterways, nations, trading_companies (24-30); live types are explorers, perspectives, trade_companies, trade_routes, so three of four take the fallback.

Printables: ***`app/printables/index.tsx`***, ***`app/printables/[id].tsx`***

- `usePrintables({type, topic, gradeLevel})` (61-65); topics are fetched but there is no topic UI (58, 67). Detail renders `content` HTML in a WebView (50, 121); Download only with `fileUrl` (143), which no row has. Public route strips answerKey and teacherNotes (`printables.ts:91-94`). Colour keys worksheet, map, timeline, activity_sheet, quiz_printable match live.

Voyageur Journeys: ***`app/voyageur-journey/index.tsx`***, ***`app/voyageur-journey/[id].tsx`***

- `useVoyageurJourneys` (167), `useVoyageurJourney`, `useStartJourney`, `useMakeJourneyChoice`, `useJourneyProgress` (190-193). No client filter. Choices are posted to the server, which returns the next node (`voyageur-journey.ts`; screen 229-241). Map renders when the node has coordinates (346). `nodeType`, `challengeQuestion`, `challengeAnswer` are not read by the screen. Journey completion awards no `UserProgress` points (route adds `pointsChange` to journey progress only).
- **Connections.** `locationName` is text; in "The Grand Portage Route" two node names equal `Location.name` (Grand Portage, Fort William) by coincidence; nothing joins.

Achievements: ***`app/achievements.tsx`***

- `useUserProgress`, `useAchievements`, `useUserAchievements`, `useDailyChallenge`, `useSubmitDailyChallenge` (413-419). Earned status matches `userAchievement.id` to `achievement.id`; the server returns the achievement's id in `id` (`gamification.ts:181-182`), so the match is correct. Daily challenge: `GET /api/gamification/daily-challenge` rotates the 30-row pool by day index (`gamification.ts:214-283`); submit awards `pointsReward` directly (292-407).
- **Criteria that can never be met.** `recordActivity` is called only for journal entries (`journals.ts:186`) and by `completeResource` for quizzes, lessons and field trips (`lib/progress.ts:267`). The only route that records `waterway_explored`, `location_visited`, `pronunciation_learned` or `document_read` is `POST /api/gamification/progress/add-points` (`gamification.ts:111-130`), and its client hook (`education-api.ts:993`) is called by **no screen**. So the 12 achievements with those criteria (First Steps, Waterway Wanderer,

River Runner, Master Cartographer, Location Scout, Fort Finder, First Discovery, Document Detective, Archive Master, First Words, Language Learner, Polyglot) cannot be earned today.

My Class, Join Class, Journal, My Maps

- `app/my-class.tsx`: `GET /api/classes/mine?userId` (`classes.ts:152-213`); assignment rows route to `/quiz/:id`, `/lessons/:id`, `/field-trips/:id` by `quizId`/`lessonPlanId`/`fieldTripId` (42-47). These are the only content types a teacher can assign (`classes.ts:49-57`).
- Journal: entries may carry `waterwayId`, `locationId`, `explorerId`, `quizId`, `lessonPlanId`, `fieldTripId` (`journals.ts:17-27`) but the entry screen posts only title, content, tags (`journal/entry/[id].tsx:72-90`). Saved locations exist server-side (`journals.ts:264-326`) and no screen calls them.
- My Maps: pins may carry `linkedWaterwayId`/`linkedLocationId`/`linkedExplorerId` and routes `compareToExplorerId` (`map-annotations.ts:31-51`); the screen posts coordinates, title, description, colour only (`my-maps/[id].tsx:236-242`).

Learn hub, settings, onboarding

- `app/(tabs)/learn.tsx` is static navigation (130-323). `settings/*` and `onboarding.tsx` carry no records; onboarding hard-codes "Learn 298 words from 8 Indigenous languages" (71), which is the live word count today and will drift.

1.2 Teacher side

Lesson Plans: `app/teacher/lesson-plans.tsx`, `app/teacher/lesson-plan/[id].tsx`

- Same list endpoint as Deep Dives; same hard-coded topic list (24-34). Detail reads the **teacher face**: objectives, materials, activities `{title, duration, description, materials[]}`, discussionQuestions, `assessmentSuggestions` (192-198), curriculumConnections `{subject, strand, expectation}`, relatedQuizIds as a count (227-236) whose button pushes the generic `/(tabs)/quizzes` with no filter (232).
- **Bug.** The screen reads `lesson.assessmentSuggestions`; the server spreads the row and the column is `assessment` (`lesson-plans.ts:53-108`; schema line 277). The type file declares `assessmentSuggestions` (`lib/types/education.ts:63`). The Assessment section never renders for the 25 plans that have one.

Deep Dives (teacher view): `app/teacher/deep-dives.tsx`, `app/teacher/deep-dive/[id].tsx`

- All plans, no filter (26, 81). Detail merges base and teacher arrays without distinction (91-106); "teacher only" sections are styled, not gated, and the screen has no session check (205, 219). Renders narrativeContent, mainContent, teacherNotes, assessmentSuggestions as Markdown via `components/MarkdownContent.tsx` (H2/H3/H4, bullets, numbered as bullets, bold, italic; no links, images or tables, 51-160). "Assign" pushes `/teacher/assignment/new?lessonId=` (340).

Classes and assignments: `app/teacher/dashboard.tsx`, `class/new.tsx`, `class/[id].tsx`, `assignment/new.tsx`

- Dashboard requires a teacher session (56-59). Class detail shows students and assignments with "x of N students completed" against the current roster (231-232); assignment rows are not pressable and never read the resource ids (205). New assignment picks a quiz, lesson plan or field trip by title substring (144-148), **not filtered by the class's grade**, and posts `{title, assignmentType, instructions, dueDate, quizId|lessonPlanId|fieldTripId}` (189-200; `classes.ts:603-664`).

1.3 Admin side

Screen	What it can do	Evidence
`(tabs)/admin.tsx`	login, counts, links; admin tab is always declared in the tab bar (`(tabs)/_layout.tsx:105-118`)	101-111, 279-366
`admin/quizzes.tsx`, `quiz-editor/new.tsx`, `quiz-editor/[id].tsx`, `components/QuestionEditorModal.tsx`	full quiz and question editing; question may link `sourceType` explorer/waterway/location + `sourceId` from live lists (QuestionEditorModal 145-147, 319-330); server validates correctAnswer ∈ options (`admin-quizzes.ts:348-360`)	
`admin/lesson-plans.tsx`	list and delete only; Create and Edit show "Coming Soon" (152-160) although `POST/PATCH /api/admin/lesson-plans` exist	
`admin/documents.tsx`	list and delete; Create/Edit "Coming Soon" (167-175); API exists with annotations/vocabulary schemas (`admin-documents.ts:13-60`)	
`admin/field-trips.tsx`	list and delete; Create/Edit "Coming Soon" (170-178); API exists incl. stops with `locationId`/`waterwayId` (`admin-field-trips.ts:33-59, 207-309`)	
`admin/printables.tsx`	list and delete; Create/Edit "Coming Soon" (166-174)	
`admin/contributions.tsx`	approve/reject pending contributions (156-187)	
`admin/my-content.tsx`	placeholder, all counts hard-coded 0 (66-68, 138-170)	
`admin/users.tsx`, `approvals.tsx`, `teacher-approvals.tsx`	account management	
Notable figures	`POST/PATCH/DELETE /api/notable-figures` behind `requireAdmin` (`notable-figures.ts:178-297`); **no screen**	
KML	`POST/DELETE /api/waterways/:id/kml` super admin; `backend/src/admin-panel.html` served at `/admin/kml` (`index.ts:80-83`)	
Image health	`scheduleImageHealthCheck()` daily 02:00 (`jobs/image-health-check.ts:414-431`), covers imageUrl/gallery/hero/cover fields on 14 models (50-171), auto-repairs broken Wikimedia URLs on non-UGC rows (225-264); `admin-image-health.ts` dashboard route	

No editor of any kind (screen or admin route) exists for: Waterway rows (other than KML), Location, Explorer, ExplorerWaterway, FurTradeInfo, Cartographer, IndigenousNation, TimelineEvent, HistoricalEvent, IndigenousWord, PronunciationGuide, IndigenousStory, VocabularyQuiz, ComparisonTemplate, VoyageurJourney/JourneyNode, DailyChallenge, Achievement. These are populated only by scripts against Turso.

---

2. Type by type: what a complete record is, and how it connects

For each type: the surfaces (from section 1), the connection mechanisms with the live fill, the minimum data for a new record to be useful, and the live defects.

2.1 Waterway

- **Surfaces.** Map pin and trace, preview card, detail sheet, web list, explorer modal (name and type), lesson key-figure modal, fur trade, discoveries.
- **Connections.**

To	Mechanism	Live fill
WaterwayType	`typeId` column	70/70; one row typed `lake` beside 12 `Lake`
Explorer	`ExplorerWaterway` rows (join)	52 waterways have ≥1; 18 have none
Location	`Location.waterwayId` (column on the location)	33 waterways have ≥1 location
FurTradeInfo	1:1 `waterwayId`	21
ArchaeologicalDiscovery	`waterwayId`	6 waterways
NotableFigure	**text**: `associatedLocations` contains exact `name`	5 waterways reached (Coppermine 3, Columbia 2, Great Slave Lake 2, Great Bear Lake 1, Mackenzie River (Ontario) 1; the other 65 show no figure)
TimelineEvent / HistoricalEvent	`waterwayId`	0 / 2
LessonPlan	`relatedWaterwayIds` JSON	0
FieldTripStop	`waterwayId`	0
QuizQuestion	`sourceType`=waterway + `sourceId`	0
IndigenousWord / IndigenousStory	`relatedWaterwayId`	0 / 0
PronunciationGuide	`waterwayId`; or term equals name	0; 1 term equals an Indigenous name (Kisiskatchewan)
Reading guide	static key = id	68 of 70 (Hayes River and Kaministiquia River lack one)
Geometry	`kmlData` → overview JSON (rivers) and geometry route	66 of 70; missing: Davis Strait, Georgia Strait, Parry Channel, Mackenzie River (Ontario)
Imagery	`imageUrl` + `galleryImages` JSON + `videoUrl` JSON, all on R2	69 (the missing one is Mackenzie River (Ontario)); 279 gallery entries

- **Minimum useful record.** name (with a disambiguating suffix for namesakes, e.g. "Red Deer River (Alberta)"), type from the six live types, latitude/longitude anchor (the KML cleaning guard measures from it), regionName, description, historicalSignificance, indigenousName + indigenousLanguage where attested, kmlData exported with `backend/scripts/export-waterway-kml.ts` (continuity guard, `--with-surface` for wide rivers) then `build-waterway-overview.ts` if a River, imageUrl and 3-5 gallery entries with caption and credit on R2, at least one

ExplorerWaterway with year and notes, FurTradeInfo where trade ran on it, its forts/posts/portages as Locations (which is what makes the era filter find it), and a reading-guide entry.

- **Defects.** Type `lake`; "Mackenzie River (Ontario)" has no KML, no image, no links and is reached only by the Roderick McKenzie text match; 18 waterways without an explorer (Abitibi, Albany, Assiniboine, Atikokan, Bellot Strait, Chesterfield Inlet, Friendly Cove, Hayes, Lake Erie, Lake Nipigon, Lesser Slave Lake, Moose, Placentia Bay, Reindeer Lake, Saguenay, Saint John, Yukon, plus the Ontario row).

2.2 Location

- **Surfaces.** Map pin (legend type, era), preview, detail sheet (its own fields plus the parent waterway's people), web list, generated fort comparison (unused by any screen).
- **Connections.** waterwayId 100/100; cartographerId 1/100 (Fort Témiscamingue → Louis Jolliet); reached from field trip stops 0/36, timeline 5/23, historical events 2/48, documents 1/48, lesson relatedLocationIds 0, quiz source 0, words 0, pronunciation 0; reading guide 83/100 (17 forts lack one, listed in `sweep-verify.json`); image 100/100, gallery 99/100 (350 entries, 1 on commons.wikimedia.org and broken per the last health run), video 100/100.
- **Minimum useful record.** name, locationType from the canonical set (Fort, Trading Post, Portage, Settlement, Cultural Site), latitude/longitude, yearEstablished (null passes every era filter), description, historicalNotes, waterwayId, imageUrl + gallery, indigenousName where attested, cartographerId where a mapmaker surveyed it, reading-guide entry. The locationType must be one the legend knows if it should be filterable (Settlement and Cultural Site are not).
- **Defects.** `fort` ×1 and `historic_site` ×3 beside the canonical labels; Fort William / Fort William (NWC), Fort Edmonton / Fort Edmonton (HBC), Fort Churchill / Fort Churchill (HBC), Fort Garry / Fort Garry (Upper) / Upper Fort Garry, Rocky Mountain House / Rocky Mountain House (NWC) are pairs that need a keep/merge decision; Fort Churchill (HBC, 1783) sits on "Churchill River (Saskatchewan)" and Prince of Wales Fort (1717) likewise, though the Churchill mouth is the Manitoba Churchill (data correctness to confirm, unverified against sources).

2.3 Explorer

- **Surfaces.** Explorers tab, explorer modal, map explorer filter, detail-sheet explorer rows, lesson key-figure cards and modal, generated explorer comparison (unused).
- **Connections.** ExplorerWaterway: 42 of 92 have ≥1; 50 have none and are therefore invisible on the map and show an empty "Waterways Explored". Documents by `explorerId`: 43 docs over 17 explorers. Timeline `explorerId` 4; historical events 0. Lesson key figures by `explorerId` 105 entries pointing at 39 distinct explorers; 53 explorers appear in no lesson. Notable figures naming the explorer by text: 10. Discoveries by `relatedExplorerName`: 6. Pronunciation: 3 terms typed explorer (Des Groseilliers, La Verendrye, Radisson) but the term is not the full name so no screen can match it. Reading guide 92/92. Portrait 70/92; all on R2.
- **Minimum useful record.** name (the surname-sort rule means titles like "Captain", "Sir", "Dr." are harmless but "de La Vérendrye" sorts under V), birthYear/deathYear (both or the lifespan is hidden), nationality from a controlled list, biography, notableAchievements, imageUrl only with a verified likeness, ≥1 ExplorerWaterway with yearExplored and expeditionNotes, reading-guide entry, and where the person wrote: documents with `explorerId`.
- **Defects.** 37 nationality variants printed verbatim ("American (Vermont), Loyalist", "Danish (sailing for Russia)"). 22 without portrait: Alexander Henry the Younger, Charlotte Small, Duncan McGillivray, François de La Vérendrye, Isabel Gunn, Jacques de Noyon, James Knight, Jean-Baptiste Gaultier de La Vérendrye, John McDonald of Garth, Joseph Colen, Louis-Joseph Gaultier de La Vérendrye, Matthew Cocking, Moses Norton, Philip Turnor, Pierre Gaultier de La Vérendrye fils, Richard Norton, Richard Stuart, Robert Bylot, Roderick Mackenzie, Thomas James, William Stuart, William Tomison. Richard Stuart and Robert Bylot have no years. **Fourteen rows are not explorers**

and also exist as NotableFigure: Akaitcho, Big Bear, Charlotte Small, Chief Peguis (figure absent), Crowfoot, Cuthbert Grant, Gabriel Dumont, Isabel Gunn, Jean-Baptiste Lagimodiere, Louis Riel, Marie-Anne Gaboury, Matonabbee, Poundmaker, Thanadelthur (Shawnadithit is in Explorer only). They are there because lesson key figures can only point at `Explorer` (2.9). A rule is needed; see section 6.

2.4 Notable figure

- **Surfaces.** Notable Figures list and detail; detail sheet of the waterways named in `associatedLocations`.
- **Connections.** Waterway by text (6 of 18 figures reach any waterway: Akaitcho, Charlotte Small, Matonabbee, Roderick McKenzie, Sacagawea, Tattannoeuck); explorer by `{name, relationship}` text, no id; lesson key figures reach these people only through their duplicate `Explorer` row. Image 4/18 (3 on R2, Crowfoot on Wikimedia and broken in the last health run).
- **Minimum useful record.** As 1.1 Notable Figures. For the figure to appear on a waterway, `associatedLocations` must hold that waterway's exact `name`; for a location, the location's waterway name (a location name alone does nothing).
- **Defects.** `nation` is free text with 11 variants and does not reference `IndigenousNation`; 9 of the 11 are absent from that table. figureTypes `metis_leader` and `voyageur` have no colour/label config. Associated-explorer names mismatch `Explorer.name` in 11 of 23 entries. Sacagawea has no link into the app other than "Columbia River" (owner's earlier call to keep).

2.5 Indigenous nation

- **Surfaces.** None. `useIndigenousNations()` exists (`lib/api/waterways-api.ts:152-155`) and `/api/indigenous/nations` is served, but no file under `app/` calls the hook. The figure filter "nation" and story `nation` are free-text distinct values, not this table.
- **Connections.** None by column anywhere. Pronunciation terms equal 3 nation names (Cree, Dene, Mi'kmaq).
- **Minimum useful record.** name, alternateNames, languageFamily, traditionalTerritory, culturalNotes. Useful only once a surface exists or `NotableFigure.nation` / `IndigenousStory.nation` / `IndigenousWord.language` are tied to it.
- **Defects.** All 7 nations duplicated (14 rows).

2.6 Cartographer

- **Surfaces.** `locationDetail.cartographer.name` only (DetailBottomSheet 946-952; web 245). No list, no detail.
- **Connections.** `Location.cartographerId`: 1 of 100. Five of the eleven (Thompson, Jolliet, Fidler, Turnor, Champlain) duplicate `Explorer` rows by name.
- **Defects.** Bellin ×2, Jolliet ×2 (one of the Jolliet rows holds the single location link).

2.7 Fur trade info

- 1:1 with waterway; shown in detail sheet and web detail and inherited by locations. 21 rows. `tradingCompany` is free text in 11 spellings of the same four companies plus "Pacific Fur Company", "XY Company", "British maritime traders".

2.8 Archaeological discovery

- 8 rows, shown only in the waterway detail sheet. Explorer by `relatedExplorerName` text (6 of 8 equal an `Explorer.name`; Red Bay has none). Route `/api/discoveries` exists but the app reads discoveries only through

the waterway detail include.

2.9 Lesson plan / Deep Dive (one row, two faces)

- **Surfaces.** Deep Dives (student), teacher Lesson Plans, teacher Deep Dives, assignable.
- **Connections.** keyFigures[].explorerId → `Explorer` 105/105 resolve (JSON id, not a column); timeline[].eventId → `TimelineEvent` 68/123; related*Ids 0/26 and unread; relatedQuizIds 0 and read only as a count. Hero and images 26/26 on R2. Completion → points and assignments.
- **Minimum useful record.** Student face: title, description, gradeLevel (one of four bands), topic (from the hard-coded chip list), heroImageUrl, narrativeContent (markdown; live range roughly 2,500-4,000 characters), images[] `{url, caption, credit}`, keyFigures[] `{name, role, years, description, explorerId}`, timeline[] `{year, title, description, eventId}`, readingTimeMinutes. Teacher face: curriculumConnections[] `{subject, strand, expectation}`, objectives[], estimatedMinutes, materials[], mainContent, activities[] `{title, duration, description, materials[]}`, discussionQuestions[], assessment, teacherObjectives[], teacherActivities[], teacherQuestions[], teacherNotes. Flags isPublished (the public route filters on isPublished only; `visibility` and `isCore` are consulted only by the admin edit-permission helper in `backend/src/lib/admin-middleware.ts:161-190`).
- **Consequence for people.** Because the key-figure link is `explorerId`, every person a Deep Dive wants to make tappable must be an `Explorer` row. That is why Thanadelthur, Riel and the chiefs are in that table. Either the key-figure link gains a `notableFigureId` alternative (code change) or the rule stays "anyone who is a key figure is an Explorer" and the Explorers tab accepts that.

2.10 Virtual field trip and stops

- Covered in 1.1. 6 trips, 36 stops, all stops imaged; 0 stop links; themes `fur_trade`/`explorer`; grades 4-6 ×4, 7-9 ×2; none for K-3 or 10-12. Subjects: Fort Carlton, Fort William, L'Anse aux Meadows, Prince of Wales Fort, Rocky Mountain House, York Factory. Four of the six subjects exist as `Location` rows at the same coordinates with no join; L'Anse aux Meadows exists only as a discovery row.

2.11 Quiz and questions

- 13 quizzes, 6 duplicated by title and content (Canada's Waterways Geography, Explorers of Canada's Coasts, Famous Canadian Explorers, Indigenous Peoples & Canadian Waterways, Lost & Found, The Fur Trade Era); "Explorers of Canada" has 1 question. 71 questions, all multiple choice with explanation. `sourceType`=explorer on 16 with `sourceId` null; the editor can set both (QuestionEditorModal 456-472) and the server stores them, but the editor's reset effect wipes a loaded `sourceId` when `sourceType` changes (235-237). Categories and grade bands are hard-coded in the tab.
- **Minimum useful record.** 5-8 questions; category from the five; gradeLevel from the four; difficulty; sourceType/sourceId where the question is about one record (only useful once a screen reads it).

2.12 Primary source document

- 48 rows: journal 25, report 12, letter 9, inscription 1, map 1. Authors: 17 explorers (Mackenzie 3, Back 3, Cartier 3, Champlain 3, Fidler 3, La Pérouse 4, La Salle 3, Norton 3, R. Stuart 3, W. Stuart 3, Turnor 3, Tyrrell 3, Hearne 3, Thompson 2, Rae 1, Fraser 1, Pond 1) plus Joutel, Knight, Matonabbee, Marten, Saukamappee-via-Fidler. 43 have `explorerId`; the 5 without: Rae's report, Knight on Thanadelthur, Pond's map, Fidler recording Saukamappee, York Factory Trade Record (the last is the only one with waterwayId and locationId). 34 have no gradeLevel; 14 have annotations; 1 has an image.

- **Minimum useful record.** As 1.1 Documents, with gradeLevel always set and explorerId set when the author or subject is an explorer.

2.13 Timeline event

- 23 rows, 1613-1885, all without image; 4 explorer and 5 location links, 0 waterway links. Reached from lessons by eventId: 68 of 123 lesson timeline items carry one, pointing at 18 distinct events; 5 events are referenced by no lesson. Link ids are displayed as labels only.

2.14 Historical event (What Happened Here)

- 48 rows, 1534-2016, GPS-driven. 31 images (29 R2, 2 Wikimedia; the Crowfoot one broken). 2 waterway links, 2 location links, 0 explorer links. Two events are placed in England.

2.15 Indigenous language content

- Words 298 in 10 labels (Cree 83, Ojibwe 58, Inuktitut 45, Dene 34, Blackfoot 30, Mohawk 22, Mi'kmaq 19, Iroquois 5, Seneca/Iroquois 1, Mohawk/Iroquois 1), 9 categories, all with phonetic and cultural context, 0 audio, 0 links. Stories 3, vocabulary quizzes 4, neither openable from any screen. Pronunciations 33, 0 audio, 0 links.

2.16 Comparison, printable, voyageur journey, daily challenge

- Comparisons 4 (explorers, perspectives, trade_companies, trade_routes), items with parallel keys; grades 7-9 ×3, 10-12 ×1. Printables 8, all HTML, grades 4-6 ×4, 7-9 ×3, 10-12 ×1, none K-3. Journeys 2 (Race to the Pacific 1793, 7-9; The Grand Portage Route 1790, 4-6), 23 nodes all with coordinates and facts, 0 cover images, 0 challenges. Daily challenges 30 (explorer 8, indigenous 8, fur_trade 6, waterway 4, voyageur 4).

2.17 Achievements and points

- 28 achievements in 6 categories. Reachable today: total_points (3), daily_streak (3), quizzes_completed (4), field_trips_completed (3), journal_entries (3). Unreachable (12): waterways_explored (4), locations_visited (2), documents_read (3), pronunciations_learned (3), because no screen records those activities (1.1 Achievements). This is a code gap, not a content gap, and it bears on what "complete" means for waterways, documents and pronunciations.

2.18 Static data files (shipped in the app binary)

- `data/locationReadingGuideData.ts`: 155 keys; 68 resolve to waterways, 83 to locations, 4 resolve to nothing (`cmlhbjrrri0017m2mbfts7d8is`, `cmlhcpxjz0007m2a3yptljq2u`, `cmlhcpxk7000dm2a3aywic3h2`, `cmlhcpxka000dm2a3aywic3h2`; two look like typos of neighbouring ids). Entries are `{authorSource, title, publisher?, year?, url?, description?}`; some `authorSource` strings are corrupted by escaping ("Hudson\\", "Lady Franklin\\").
- `data/readingGuideData.ts`: 92 keys, all 92 explorers covered.
- Any new waterway, location or explorer needs an entry here and therefore **an app build**, unlike every other content type, which is server-side.

---

3. Connection mechanisms, consolidated

#	Mechanism	Where	Fill today	Note
A	Foreign-key column, joined server-side	Location.waterwayId; Location.cartographerId; FurTradeInfo.waterwayId; ArchaeologicalDiscovery.waterwayId; FieldTripStop.tripId; QuizQuestion.quizId; JourneyNode.journeyId; ClassAssignment.quizId/lessonPlanId/fieldTripId	high where it is the parent key; 1/100 cartographer; 0/36 stop links	the only mechanism the app can navigate reliably
B	Join table	ExplorerWaterway	105 rows, 42/92 explorers	drives map filter and both detail views
C	Id column returned raw, not joined, not read by the screen	TimelineEvent.*Id, HistoricalEvent.*Id (list), PrimarySourceDocument.*Id, IndigenousWord.related*, IndigenousStory.relatedWaterwayId, PronunciationGuide.*Id, LessonPlan.related*Ids, QuizQuestion.sourceId	mostly 0	filling these changes nothing on screen until code reads them
D	Id embedded in a JSON column, read through `as any`	LessonPlan.keyFigures[].explorerId (105/105), LessonPlan.timeline[].eventId (68/123)		the two links that make Deep Dives interactive
E	Text match on a name	NotableFigure.associatedLocations ∋ Waterway.name (server); NotableFigure.associatedExplorers[].name; ArchaeologicalDiscovery.relatedExplorerName; Document.author; JourneyNode.locationName; HistoricalEvent.locationName	partial	breaks silently on any rename or spelling variant
F	Coordinates	FieldTripStop lat/lng; HistoricalEvent radius; JourneyNode lat/lng; map hit-testing	full	coincidence with pins is not a join
G	Static file keyed by id, shipped in the binary	reading guides	155 + 92 keys	needs a build to change
H	Hard-coded taxonomy in the client	quiz categories and grades; lesson topics; nearby-history categories; legend types; colour maps for document type, figure type, pronunciation termType, comparison type, journey difficulty		new values render in grey or are unfilterable until the client changes

---

4. Teaching resources by grade band (live)

Band	Deep Dives / Lesson Plans	Quizzes	Field trips	Documents	Printables	Journeys	Comparisons	Stories
K-3	6	2 (1 distinct)	0	0	0	0	0	0

Band	Deep Dives / Lesson Plans	Quizzes	Field trips	Documents	Printables	Journeys	Comparisons	Stories
4-6	7	4 (2 distinct)	4	5	4	1	0	2
7-9	7	5 (3 distinct)	2	9	3	1	3	1
10-12	6	2 (1 distinct)	0	0	1	0	1	0
no band	0	0	0	34	0	0	0	0

Topic coverage of the 26 plans: Fur Trade 12, Indigenous Routes 4, Metis History 3, Cartography 2, Maritime Discovery 2, Early Explorers 1, Geography 1, Women in History 1. Quiz categories: Explorers 5 (3 distinct), Geography 2 (1), Maritime History 2 (1), Indigenous Heritage 2 (1), Fur Trade 2 (1). Nothing on New France, the Pacific voyages, the Arctic searches, cartography, Métis history or women exists as a quiz; no field trip exists outside the fur trade and L'Anse aux Meadows; no document is set for K-3 or 10-12.

---

5. Gap analysis in the North American context

The test for inclusion is the owner's: relevant to early North American exploration, trade and cartography as it bears on Canadian history, and useful on at least one surface the app has. For each candidate the surfaces it would serve and the records it would link to are stated. **Geometry availability** means the OpenStreetMap exporter has not been run for it in this session and is unverified until it is. **Likeness** means whether a portrait with a defensible provenance exists; this is unverified for every person named below and must be checked one by one at authoring time (the rule stands: no portrait where none is verified, as with David Thompson).

5.1 Waterways

Present and reasonably connected: St. Lawrence, Ottawa, Saskatchewan, Churchill (Sask.), Columbia, Fraser, Mackenzie, Red, Peace, Athabasca, Lake Athabasca, Lake Winnipeg, Lake Superior, Hudson Bay, James Bay, Nootka Sound, Great Slave Lake, Coppermine, Kaministiquia.

Present but isolated (no explorer, no location, or both): Abitibi, Albany, Assiniboine (3 locations, no explorer), Atikokan, Bellot Strait, Chesterfield Inlet, Friendly Cove, Hayes (the HBC's main road inland from York Factory and the one Thompson, Fidler and every Orkney servant travelled; it has neither explorer nor location nor reading guide), Lake Erie, Lake Nipigon, Lesser Slave Lake, Moose, Placentia Bay, Reindeer Lake, Saguenay (Tadoussac is on the St. Lawrence row), Saint John, Yukon.

Absent, grouped by why they matter to the app's story:

- **Interior of the fur trade (Canada).** North Saskatchewan and South Saskatchewan as named rows (the forts along them sit on the single "Saskatchewan River"); Winnipeg River, Rainy River and Rainy Lake, Pigeon River (the Grand Portage route); Clearwater River with Methye Portage (the portage is a location on the Churchill row); Sturgeon-Weir; Slave River (the link between Athabasca and Great Slave Lake that Mackenzie, Pond and every northern brigade used); Liard; Qu'Appelle; Bow and Oldman; Battle River; Beaver River (Alberta); Lake Manitoba, Lake Winnipegosis, Cedar Lake; Lake Nipissing and the Mattawa (the Champlain/voyageur route to the French River); Lake Timiskaming; Rupert, Eastmain, Severn, Attawapiskat, Missinaibi (the James Bay posts); Churchill

River (Manitoba), which is where Prince of Wales Fort actually stands; Dubawnt, Kazan and the Thelon's neighbours (Tyrrell, Hearne); Hay River; Thompson, Skeena, Stikine, Nass, Kootenay and the Okanagan (New Caledonia and the Columbia Department); Richelieu and Lake Champlain (Champlain 1609, the Iroquois war road, the fur route to Albany); Niagara; Detroit River and Lake St. Clair (Cadillac).

- **New France to the Gulf.** Mississippi (Jolliet and Marquette 1673, La Salle 1682, the Louisiana documents already in the app have nowhere to point); Illinois River and the Chicago portage; Wisconsin and Fox rivers (Marquette's route from Green Bay); Ohio (La Salle, the 1750s contest); Missouri (La Vérendrye's sons 1738-43, Thompson at the Mandan villages 1797, Lewis and Clark); Arkansas and Red River of the South only if the Louisiana story is told.
- **The Dutch and the English colonies.** Hudson River (Hudson 1609, Fort Orange/Albany, the Mohawk trade that pulled furs away from Montreal); Mohawk River; Lake George; Connecticut River is marginal.
- **Pacific and Russian.** Strait of Georgia and Juan de Fuca are present; absent are the Snake River (Ogden, Astorians), Willamette, Puget Sound (Vancouver 1792), Prince William Sound and Cook Inlet (Cook 1778, Russians), Sitka Sound (Baranov, the Russian-American Company), Kodiak, the Alaska coast Bering and Chirikov touched (Lituya Bay is present).
- **Arctic and the search for the Passage.** Davis Strait and Parry Channel exist without KML; absent are Smith Sound, Jones Sound, Wellington Channel (Franklin's last route), Peel Sound, Victoria Strait and Simpson Strait (Rae, Dease and Simpson), Coronation Gulf, Bathurst Inlet, Repulse Bay (Rae's winter base), Wager Bay (Middleton 1742), Roes Welcome Sound (Munk, Knight), Great Fish/Back is present, Hood River, Hudson Strait and Ungava Bay (the whole HBC supply road), Fury and Hecla Strait, Lyon Inlet, Melville Sound.
- **Atlantic approaches.** Cabot Strait, Gulf of St. Lawrence as its own row, Bay of Fundy (Port-Royal is currently pinned to the St. Lawrence row, which is geographically wrong), Annapolis River, Miramichi, Restigouche, Labrador coast (Cartwright, the Moravians), Hamilton Inlet and Churchill River (Labrador), Trinity and Conception bays, Grand Banks only as a bay type if fisheries are told.

Each absent waterway is worth adding only with at least one explorer row, its posts as locations, and a reading-guide entry; a bare trace adds nothing to any screen but the map.

5.2 Locations

Absent forts, posts and places that the existing people and documents already name: Île-à-la-Crosse (Thompson, Charlotte Small, Fidler); Fort Fork (Mackenzie 1793, a document exists); Fort Reliance is present but Fort Enterprise and Fort Franklin are not; Fort Wedderburn and Fort Chipewyan (present) on Lake Athabasca; Pembina (Lagimodière, Gaboury, Gunn); Red River Settlement/Fort Douglas and Seven Oaks (Grant, Riel, a battle event exists); Fort Rouge (an event exists); Fort St. Pierre, Fort St. Charles (present), Fort Maurepas, Fort La Reine, Fort Dauphin, Fort Bourbon, Fort Paskoya (the La Vérendrye chain); Grand Portage is present; Fort Charlotte at its inland end; Rainy Lake House (present as Fort Lac La Pluie); Michilimackinac (an event exists), Sault Ste. Marie (present), Green Bay/La Baye, Fort Frontenac (event exists), Fort Niagara, Fort Detroit (event exists), Fort Pontchartrain; Stadacona and Hochelaga as Indigenous settlements rather than only as Quebec and Montreal; Tadoussac present; Trois-Rivières; Lachine; Fort Orange/Albany and New Amsterdam (the Dutch trade); Fort Astoria present, Fort Okanogan, Fort Nez Percés present, Spokane House present, Fort Vancouver present, Fort Nisqually, Fort Langley present, Fort Victoria present, Fort St. James present, Fort McLeod present, Fort Fraser, Fort George (BC) present; Sitka/New Archangel (Russian), Yuquot present, Fort San Miguel present; Fort Enterprise, Fort Confidence, Fort Hope and Repulse Bay (Rae), Beechey Island (a discovery row exists), Fort Ross (Bellot Strait); Churchill: Prince of Wales Fort present; Port Nelson and the first York Factory; Henley

House, Albany present, Moose Factory present, Eastmain House, Rupert House present; Port-Royal present (on the wrong waterway), Louisbourg (event exists), Halifax (event exists), Red Bay present, L'Anse aux Meadows (only as a discovery; the field trip has no pin to open).

For portages (the one location type the legend filters that is not a building): Methye, Grand, Chaudière, Long Sault, La Vase, French, Frog, Echimamish, The Pas, Rat, Slave Falls, Great Dog and Hauteur des Terres are present; absent are the Mattawa portages, Portage la Prairie (a pronunciation term exists), Pigeon River's Grand Portage is present, the Athabasca Pass and Howse Pass (Thompson), the Yellowhead, the Chicago portage, the Fox-Wisconsin portage, and the Mohawk-Hudson carries.

5.3 People

The app has two person tables and one rule gap (2.3, 2.9). Candidates are listed by role; each needs a decision on table membership under the rule the owner chooses.

Explorers, traders and officers absent. Jolliet (present) and Marquette (present) have no waterway; Jean Nicolet has Lake Michigan only. Absent: Louis Hennepin; Daniel Greysolon Dulhut (Lake Superior, Lake Nipigon); Pierre de Troyes and the 1686 James Bay raid; Henry Kelsey is present; James Knight present; Jens Munk (Churchill 1619); Thomas Button present; Christopher Middleton and William Moor (Wager Bay 1742, 1746); Joseph Frobisher and Thomas Frobisher (Churchill River posts, the Montreal partners); Alexander Henry the Elder present; Peter Pond present; the La Vérendrye sons present without waterways; Jacques Repentigny Legardeur de Saint-Pierre; Anthony Henday present; Matthew Cocking present without a waterway; William Tomison present without a waterway; Joseph Colen likewise; John Rowand (Fort Edmonton); Colin Robertson (Athabasca campaign); John Stuart (New Caledonia, Fort St. James); Peter Skene Ogden (Snake Country, Fort St. James, the Pacific department); Samuel Black (Finlay River); Daniel Harmon present without a waterway; John McLoughlin present without a waterway (Fort Vancouver is a location); John Jacob Astor and the Astorians Gabriel Franchère, Alexander Ross, Duncan McDougall, David Stuart (the Pacific Fur Company already appears in the Columbia fur-trade row); Lord Selkirk, Miles Macdonell, Robert Semple (Red River colony, Seven Oaks); George Simpson present without a waterway; Thomas Simpson and Peter Warren Dease (Arctic coast 1837-39); John Richardson (named by three notable figures, absent as a person); John Ross and James Clark Ross (magnetic pole 1831); Francis Leopold McClintock (Fox 1859); Jane Franklin; Elisha Kent Kane and Charles Francis Hall (American Franklin searches, if the Arctic story is told fully); Frederick Schwatka; Jerry Potts; Pierre Falcon (the Métis bard); Alexander Ross; James Sinclair; Jaco Finlay (Howse Pass, Spokane House); David Thompson present; Simon Fraser present; John Stuart; George Vancouver present; Peter Puget and Joseph Whidbey if Puget Sound is added; Alexander Baranov and Grigory Shelikhov (Russian-American Company); Juan José Pérez Hernández present as Juan Pérez; Esteban José Martínez (Nootka Crisis 1789); Manuel Quimper (Juan de Fuca 1790); Francisco de Eliza; John Meares (Nootka); Charles Barkley and Frances Barkley (Juan de Fuca 1787, she the first European woman on the coast); Robert Gray present; Meriwether Lewis and William Clark (named by Sacagawea's row, absent as people); Zebulon Pike (Mississippi headwaters 1805) only if the Mississippi is added; Henry Youle Hind and John Palliser (present, no waterway) with Thomas Blakiston and James Hector; Robert Campbell (Yukon, Fort Selkirk) if the Yukon is to have an explorer; John Bell and Alexander Hunter Murray (Fort Yukon is present with no explorer).

Cartographers absent (the table has no surface today, so these matter only with a screen or with location links): Jean-Baptiste-Louis Franquelin (New France), Guillaume Delisle, Nicolas Sanson, Vincenzo Coronelli, Pierre Desceliers (Dieppe school, the Cartier coast), John Mitchell (1755), Thomas Jefferys, Henry Popple, Lewis Evans, Peter Pond as cartographer (his 1785 map is already a document), Aaron Arrowsmith present, James Cook and George Vancouver as surveyors, Joseph Bouchette present, Henry Youle Hind, Palliser's map, Franklin's and Back's survey maps, Rae's. **Indigenous cartographers**, central to the "cartography" theme and absent entirely: Ac ko mok ki (Old Swan), whose 1801 map for Peter Fidler guided Lewis and Clark and Arrowsmith; Ki oo cus; Cha chay pay way ti (Cree, for Fidler);

the Chipewyan maps Matonabbee and Idotliazee drew for Moses Norton that set Hearne's course; Iligliuk's maps for Parry and Lyon (1822); Tookoolito and Ebierbing with Hall; the Inuit maps Rae and McClintock relied on. These link directly to Fidler, Norton, Hearne, Parry and Matonabbee, all present.

Indigenous leaders, guides and interpreters absent (surface: Notable Figures; link by exact waterway name): Maquinna and Wickaninnish (Nootka Sound, Clayoquot; Cook, Meares, Martínez, Vancouver); Kwah (Carrier, Fort St. James, Simon Fraser, John Stuart); Membertou (Port-Royal, Champlain); Donnacona, Domagaya and Taignoagny (Cartier, Stadacona); Kondiaronk (Great Peace of 1701); Tessouat (Allumette Island, Champlain 1613); Joseph Brant (the Haudenosaunee and the Grand River); Pontiac and Tecumseh are later and marginal to waterways but tied to Detroit; Maskepetoon; Piapot; Mistawasis and Ahtahkakoop (Treaty 6 at Fort Carlton, a field trip exists); Peguis is present as an explorer row only; Yellow Quill; Nescambiouit; William Ouligbuck and his father (Inuit interpreters for Franklin, Rae); Mikak (Labrador Inuit, London 1768); Tookoolito and Ebierbing; Demasduit and Nonosabasut (Beothuk, with Shawnadithit present); English Chief (Mackenzie 1789); Awgeenah; Nestabeck (Keskarrah is present); Augustus/Tattannoeuck present and Junius/Hoeootoerock absent; Saukamappee present; Old Swan as cartographer above; the Mandan chiefs Sheheke and Black Cat (Thompson 1797, Lewis and Clark); Comcomly (Chinook, Astoria, Fort Vancouver); Concomly's daughter Ilchee; the Tsleil-Waututh and Squamish leaders Vancouver met (Burrard Inlet is present).

Métis figures absent. Pierre Falcon; Jean-Baptiste Lagimodière present; Marie-Anne Gaboury present; Cuthbert Grant present; James McKay (Treaty interpreter); Peter Erasmus (Palliser's guide, Treaty 6 interpreter); Jerry Potts; Louis Goulet; Gabriel Dumont present; Marie-Rose Delorme Smith; Pierre Bottineau (Red River guide to the US surveys); Johnny Grant.

Women absent. Frances Barkley (above); Amelia Douglas (Fort St. James, Fort Vancouver, Victoria); Letitia Hargrave (York Factory letters, a primary source); Frances Simpson; Jane Franklin; Marguerite Bourgeoys and Jeanne Mance only if Montreal's founding is told; Hélène Boullé (Champlain); Marie de l'Incarnation (letters on New France); Thanadelthur, Charlotte Small, Isabel Gunn, Marie-Anne Gaboury, Sacagawea present; the "country wives" named in Thompson's and Harmon's journals; Catherine Sinclair; Nahovway; Mary Sinclair Inkster.

5.4 Teaching resources, by gap

- **Quizzes.** No quiz on New France, the Northwest Passage, the Pacific voyages, cartography, Métis history, women, treaties or Indigenous leaders; one quiz has one question; six are duplicates; K-3 and 10-12 each have one distinct quiz. The category list is hard-coded to five, so a "Cartography" or "Métis History" quiz would be unfilterable without a client change.
- **Field trips.** None for K-3 or 10-12; none on the St. Lawrence, the Pacific, the Arctic, the Great Lakes, or any Indigenous site except as the Norse met the "Skrælings". Each new trip should set `locationId` on its stops once a screen reads them.
- **Documents.** 34 without a grade; none for K-3 or 10-12; nothing from Marquette and Jolliet (Marquette's 1673 journal), Hennepin, La Vérendrye's own journals, Hearne's "A Journey" is represented, Thompson's "Narrative" by two; nothing by Franklin, Richardson, Parry, Rae's own letters, Harmon's journal, Henry the Younger's journal, Franchère, Ross, Cook's and Vancouver's journals, the Spanish Nootka accounts, Letitia Hargrave's letters, Isabel Gunn's record, the HBC post journals as a type; one image across all 48.
- **Timeline and What Happened Here.** The timeline stops at 1885 and starts at 1613; no Norse, Cabot, Cartier, Champlain 1608, Hudson, Munk, Kelsey, Cook, Vancouver, Nootka Crisis, Astoria, Oregon Treaty 1846, Franklin, Rae, Amundsen. Historical events have the Cartier, Champlain, Cook, Franklin and Amundsen items but nothing on the Pacific Spanish, the Russians, the Dutch, the Mississippi, or any treaty before 1871.

- **Indigenous languages.** Ten language labels for a country of some seventy; no words in Halkomelem, Nuu-chah-nulth, Dakelh (Carrier), Tlingit, Innu, Wolastoqey, Michif (the Métis language), Anishinaabemowin as distinct from "Ojibwe", Nakoda, Tsuut'ina; three stories; stories and vocabulary quizzes cannot be opened; zero audio anywhere; zero word links to waterways although 27 words are in the "waterway" category.
- **Journeys.** Two. Natural additions with coordinates the app can already draw: the Methye Portage brigade, Hearne to the Coppermine, the Red River cart trail, Fraser's descent, Thompson to the Pacific 1811, a York boat from York Factory to Norway House, Champlain 1615 to Huronia, Jolliet and Marquette 1673.
- **Comparisons.** Four; none at K-3 or 4-6. The generated explorer and fort comparisons are built server-side and unused.
- **Printables.** None at K-3; no map of the Pacific, the Arctic or New France.

5.5 Imagery and geometry, what can be asserted

- Every current image except three Wikimedia URLs is on R2 (`pub-3768…r2.dev`). The last health run (2026-10-16 02:01) found 3 broken records: Marble Island gallery[0] (commons.wikimedia.org), the Crowfoot portrait used by both NotableFigure `crowfoot_leader` and HistoricalEvent `cmlhqohkg000gm2m4tpltfb4p`, and one rate-limited Coppermine image. The health job logged each three times in one run (6,150 rows total), which looks like three scheduler instances; a code item, not content.
- R2 credentials are not present in this session's environment (`R2_*` absent from `backend/.env`), so no upload can be verified here; `backend/src/lib/image-cdn.ts` (`uploadImageFromUrl`) is the path when they are.
- Geometry: `export-waterway-kml.ts` queries OpenStreetMap by name within a North American bbox and can take an explicit `--osm=relation/ID`. Whether a relation exists and is clean for any waterway in 5.1 is **unverified** until the exporter is run for it with the continuity guard; the St. Lawrence experience (centreline plus surface polygons) shows wide estuaries need `--with-surface`.

---

6. Decisions the owner must make before any writes

1. **Who is an Explorer.** Either (a) keep "anyone a Deep Dive key figure points at is an Explorer row" and accept Riel, Crowfoot and Thanadelthur in the Explorers tab, or (b) add a `notableFigureId` alternative to `keyFigures[]` and `useNotableFigure` in the lesson screen, then move the fourteen to NotableFigure only. (b) is a code change plus a data move.
2. **Duplicates.** Nations ×7, Cartographers ×2, Quizzes ×6: delete the later-created copies after confirming no attempt or link references them (quiz attempts: 0 today).
3. **Fort pairs** (2.2): keep both as distinct posts with distinct years and notes, or merge.
4. **Taxonomies.** Canonical `locationType` (fold `fort`, `historic_site`), `WaterwayType` (fold `lake`), `Explorer.nationality` (controlled list, free text kept in biography), `FurTradeInfo.tradingCompany` spellings, `NotableFigure.figureType` colour config for `metis_leader` and `voyageur`, hard-coded quiz categories and lesson topics if new themes are added.
5. **Document grade levels** for 34 rows, and whether Documents should have a grade filter UI like every other resource list.
6. **Mackenzie River (Ontario)** and the Roderick McKenzie figure row that reaches it.
7. **Port-Royal's waterway** (St. Lawrence today) and the two Churchill-mouth forts on the Saskatchewan Churchill row.

8. **Assessment field name** in the teacher Lesson Plan screen (`assessmentSuggestions` vs `assessment`): fix the type and screen, or add an alias on the server.
9. **The twelve unreachable achievements**: record `waterway_explored` and `location_visited` from the detail sheet, `document_read` from the document screen, `pronunciation_learned` from the pronunciation screen, or retire them.
10. **Stories and vocabulary quizzes**: give them screens, or stop listing them.
11. **Links no screen reads** (mechanism C): decide which to make navigable before filling them, in this order of value: field trip stop → pin and waterway; timeline/What Happened Here → explorer, waterway, location; document → explorer; notable figure → explorer by id.
12. **Static reading guides**: fix the 4 dead keys and the escaped author strings, add the 2 waterways and 17 locations, and accept that each new place or person needs a build, or move the guides to Turso.

---

7. What this sweep did not verify

- The historical accuracy of existing prose (descriptions, biographies, notes). Only structure, links and counts were checked.
- The content of `videoUrl` JSON beyond its shape (69 waterways, 100 locations carry a value; the health job does not check video URLs).
- OpenStreetMap coverage for any waterway in 5.1; portrait provenance for any person in 5.3.
- `backend/src/routes/teachers.ts`, `auth.ts`, `admin-approval.ts`, `teacher-approval.ts`, `sample.ts` were read earlier in the project but are account plumbing and carry no content.

---

8. Next steps (nothing below starts without approval)

1. Owner reads this document and answers section 6.
2. Fix-first data pass under the established pattern: dry run, committed backup under `backend/prisma/turso-migrations/backups/`, `--apply`, verification, idempotent rerun.
3. Code items that gate content value: lesson key-figure link to notable figures (if 6.1b), stop/timeline/document link reading, achievement recording, story and vocabulary quiz screens, grade filter on Documents, assessment field, taxonomy configs, reading guides.
4. Content packs by region and theme, student and teacher faces together, each pack validated against section 2 (required fields, canonical values, link targets that exist, exact-name strings for text matches) and section 5 (relevance stated), images fetched with credit to R2, KML exported with the guard and the overview rebuilt for rivers, then the same dry run → backup → apply → verify cycle.
5. Sources for authoring: Dictionary of Canadian Biography, The Canadian Encyclopedia, Library and Archives Canada, Hudson's Bay Company Archives (Archives of Manitoba), Champlain Society editions, Wikimedia Commons for imagery with licence recorded, OpenStreetMap for geometry.

---

9. Decisions taken and implementation status (2026-10-16, later the same day)

The owner answered all twelve questions in section 6: 1 (b); 2, 4, 11 as recommended; 3 merge; 5 yes with a grade filter; 6 yes, provided the real Mackenzie River's display is untouched; 7 yes; 8 fix the type and screen, no alias; 9 record, do not retire; 10 build the screens; 12 move the guides to Turso and identify grade-level gaps.

9.1 Code phase (done, this branch)

- Key figures may carry `notableFigureId` as well as `explorerId`; the Deep Dive screen opens the Notable Figure screen for the former and takes the portrait from whichever record is linked (`lessons/[id].tsx`, `types/education.ts`).
- Documents list has a grade chip row; the server already filtered on `gradeLevel`.
- `assessmentSuggestions` renamed to `assessment` in the type and both teacher screens.
- Colour and label config added for `metis_leader`, `voyageur`, live pronunciation term types, document types `report` and `inscription`, comparison types `perspectives`, `trade_companies`, `trade_routes`, and the Blackfoot, Mohawk, Iroquois and Inuit labels. Underscore replacement is now global in the four screens that only replaced the first one.
- Exploration points: new table `UserExploration` and route `POST /api/gamification/explore`; the server fixes the points (waterway 5, location 3, document 5, pronunciation 2) and awards each (device, activity, record) once. Opening the detail sheet records waterway or location, opening a document records it, and the pronunciation card gained an "I've learned this" button. The twelve achievements of section 2.17 are reachable.
- Screens `stories/[id]` and `vocabulary-quiz/[id]`; the cards on the Indigenous Languages screen open them.
- Related records are navigable: the server attaches `explorer`, `waterway`, `location` objects to timeline events, What Happened Here events, documents and field-trip stops (`backend/src/lib/related.ts`), notable-figure associated explorers gain a resolved `explorerId` (exact or honorific-stripped name match), and the map accepts `/?markerId=&markerType=` to open a record and `/?lat=&lng=` to centre. A shared `RelatedLinks` component renders the chips.
- Reading guides live in the new `ReadingGuide` table and are returned inside the waterway, location, explorer and notable-figure detail responses; the two static files are deleted.

9.2 Reading-guide import and the grade-level gap

`2026-10-16-import-reading-guides.ts` moved the static entries into Turso (backup `backups/2026-10-16-reading-guides-import.json`).

Measure	Value
Entries in the static files	1,047
Exact duplicates (same title, source and url) skipped	60
Rows inserted	986 (waterway 254, location 345, explorer 387)
Targets covered	68 waterways, 85 locations, 92 explorers
Fields truncated at an apostrophe in the static files	290
Of those restored to the full text (unambiguous titles and publishers)	133
Of those kept as the fragment before the cut	157

Measure	Value
Entries dropped	1 (Batoche: Diane Payment, Golden Dog Press, title lost entirely)
Four dead keys remapped by the place their entries describe	Fort Simpson, Oxford House, Fort Edmonton (HBC), Rocky Mountain House (NWC)

Grade bands. No entry carried a reading level. Each row was given one by source type, a heuristic the owner can override per row: encyclopedias, Parks Canada, museums and Wikipedia pages read as 7-9; archival series, scholarly editions and monographs as 10-12.

Band	Entries	Targets with at least one entry
K-3	0	0 of 262
4-6	0	0 of 262
7-9	437	all 245 covered targets have at least one encyclopedia-level entry
10-12	549	all 245 covered targets

So the reading-guide gap is uniform: there is no K-3 or 4-6 "Additional Study" material for any waterway, location or explorer, and no guide at all for Hayes River, Kaministiquia River and fifteen locations (Lower Fort Garry, Fort Ellice, Fort Kaministiquia, Sault Ste. Marie Post, Fort Augustus (NWC), Fort George (NWC - Saskatchewan), Fort McLeod (BC), Fort George (NWC - BC), Fort Gibraltar, Fort Lac La Pluie, Fort Battleford, Fort Liard, Fort Simpson (BC), Fort McLoughlin, Rupert House). Notable figures have none yet; the fourteen people moving out of `Explorer` bring their guides with them in the data pass. Filling the K-3 and 4-6 bands means children's and middle-grade titles (picture books, Canadian Geographic Kids, Scholastic Canada biographies, Parks Canada learning pages), one or two per target, sourced at authoring time.

9.3 Data phase (done, same day; one script per decision under `backend/prisma/turso-migrations/`, each with a dry run, a committed backup and a verification step)

Decision	Script	Result (verified by query after apply)
2 duplicates	`2026-10-16-dedupe-nations-cartographers-quizzes.ts`	7 nations, 9 cartographers, 7 quizzes with 36 questions; the one class assignment that pointed at a deleted quiz copy repointed to the kept copy
6 bogus river	`2026-10-16-remove-mackenzie-ontario.ts`	row and its 4 guide entries deleted; Roderick McKenzie now names Fort William, Thunder Bay, Lake Superior; the real Mackenzie River untouched
1b people	`2026-10-16-move-people-to-notable-figures.ts`	15 Explorer rows removed (77 remain); figure rows created for Chief Peguis and Shawnadithit (20 figures); 35 key-figure entries in 12 lessons now carry `notableFigureId`; 64 reading-guide rows retargeted; portraits copied to Akaitcho, Chief Peguis, Cuthbert Grant, Gabriel Dumont, Lagimodière, Riel, Gaboury, Shawnadithit. **Not copied:** Thanadelthur (no likeness exists). **Provenance to confirm:** Cuthbert Grant, Jean-Baptiste Lagimodière, and the pre-existing Matonabbee portrait; none has an authenticated contemporary likeness that the author of this document knows of

Decision	Script	Result (verified by query after apply)
4 taxonomies	`2026-10-16-canonical-taxonomies.ts`	locationType: Fort 53, Trading Post 16, Portage 14, Cultural Site 12, Settlement 5; WaterwayType `lake` folded (Lake 13); nationality reduced to 16 values with 11 biographies gaining one sentence of detail; tradingCompany to 10 full-name spellings
3 fort pairs	`2026-10-16-merge-fort-pairs.ts`	94 locations; Fort William, Fort Edmonton, Fort Churchill, Upper Fort Garry (absorbing Fort Garry and Fort Garry (Upper)), Rocky Mountain House each hold the merged notes, gallery, earliest year and reading guide; Riel's associated location "Fort Garry" rewritten
7 waterways	`2026-10-16-bay-of-fundy-and-churchill.ts`	see below
5 grades	`2026-10-16-document-grades.ts`	applied 2026-10-17 after approval: no document without a band; 4-6 ×10, 7-9 ×28, 10-12 ×10

Bay of Fundy. New waterway (type Bay, anchor 45.1 N 65.6 W, region New Brunswick / Nova Scotia). Geometry from OpenStreetMap through the exporter's bay branch: one relation, 15,148 points, bbox 66.95 W to 64.94 W, 44.21 N to 45.49 N, anchor inside. Four Wikimedia Commons images with licence and author recorded (Eric Van Lochem CC BY-SA 4.0; Ian Mackenzie CC BY 2.0; Madereugeneandrew CC BY-SA 3.0; NASA/METI ASTER public domain), served as `Special:FilePath` URLs because the R2 keys are not in this session. Champlain linked (1604) with expedition notes; three reading-guide entries; Port-Royal moved onto it. The Mi'kmaq name is left null rather than asserted.

Churchill River: a correction to decision 7. The row named "Churchill River (Saskatchewan)" already carried the whole river: its KML spans 108.38 W to 94.18 W and reaches 58.79 N, the mouth at Churchill, Manitoba. A separate "Manitoba" row would have duplicated that geometry, so the row was renamed "Churchill River" (region unchanged: Saskatchewan / Manitoba) and the merged Fort Churchill moved onto it from Hudson Bay, beside Prince of Wales Fort, Methye Portage and Frog Portage. The home-map overview was rebuilt for the new name (`generated/river-overview.json`, 28 rivers).

9.5 Content pack 1, New France to the Gulf (applied 2026-10-17)

Data in `backend/prisma/turso-migrations/packs/new-france-to-the-gulf.ts`, applied by `2026-10-17-pack-new-france-to-the-gulf.ts` after a dry run that resolved every name to a live id and confirmed every image URL and KML file; backup of the backfilled events in `backups/`. Idempotent: a rerun reports everything as existing and writes nothing.

Added	Count	Notes
Waterways	11	Mississippi, Illinois, Wisconsin, Fox (Wisconsin), Richelieu, Lake Champlain, Hudson, Lake Nipissing, Mattawa, Detroit, Niagara; all with OpenStreetMap geometry (the Fox re-exported with a 25 km continuity gap so the Illinois Fox was not chained to it); Indigenous names only where the attestation is well known, language stated; fur-trade rows for the Mississippi and the Hudson
Explorers	4	Hennepin, Dulhut, de Troyes, Tonti; no portraits (no verified likeness)

Added	Count	Notes
Explorer–waterway links	37	Jolliet, Marquette, La Salle, Cadillac, Champlain, Hudson, Nicolet, Brûlé and Iberville now have waterways; Abitibi, Moose and Kaministiquia rivers gain their first explorer
Locations	21	from Stadacona and Hochelaga to Fort Orange, New Amsterdam, Michilimackinac, Fort de Chartres, Kaskaskia and New Orleans; Fort Crèvecoeur, Stadacona and Hochelaga have no image (nothing suitable and licensed on Commons)
Notable figures	4	Donnacona, Kondiaronk, Tessouat, Membertou; associated locations use exact waterway names so they appear on those waterways
Timeline events	17	1535 to 1763, each linked to its explorer, waterway or location
What Happened Here events	9 new, 14 existing events given their explorer/waterway/location links	
Pronunciations	17	
Quiz	1	8 questions, grade 7-9, every question with `sourceType` / `sourceId`
Deep Dive / lesson plan	1	grade 7-9, student and teacher faces, six key figures (five explorers, Kondiaronk as a figure), seven timeline items linked to events, related waterway/location/explorer/quiz ids filled
Field trip	1	the first K-3 trip, Michilimackinac, five stops each linked to the pin and Lake Huron
Reading-guide entries	69	Wikipedia and Canadian Encyclopedia at 7-9, Dictionary of Canadian Biography, Jesuit Relations and Parkman at 10-12
Images	63 URLs	all Wikimedia Commons, public domain or CC BY / CC BY-SA, author and licence in every credit, served as `Special:FilePath` URLs until R2 keys are available

Added later the same day (`2026-10-17-primary-sources-new-france.ts`): 17 primary-source pointer documents, each saying what the source is, who made it and when, and exactly where it is readable today (archive, edition, verified URL), with no quoted transcription; linked to their explorer, waterway and location and graded (1 at 4-6, 10 at 7-9, 6 at 10-12). Still not included: Indigenous vocabulary. The river overview was rebuilt (37 rivers). The Fox River trip and the `FieldTripStop.narrative` field: the trip table has no introduction or conclusion columns, so that text stays in the pack file.

9.6 Content pack 2, The Pacific and the Russians (applied 2026-10-17)

Data in `backend/prisma/turso-migrations/packs/pacific-and-russians.ts`, applied by `2026-10-17-pack-pacific-and-russians.ts` (dry run, backup of every row it changed, apply, verify; idempotent). Scope: the Northwest Coast from Bering (1741) to the Oregon Treaty (1846) and the sale of Alaska (1867): Spain and the Nootka Crisis, Cook and Vancouver, the Russian-American Company at Sitka, Astoria, the North West and Hudson's Bay companies west of the Rockies, Lewis and Clark, and the Indigenous leaders who dealt with all of them.

Added	Count	Notes
Waterways	14	Puget Sound, Prince William Sound, Cook Inlet, Sitka Sound, Dixon Entrance, Clayoquot Sound, Snake, Willamette, Kootenay, Thompson, Skeena, Stikine, Nass, Okanagan Lake. OpenStreetMap geometry for ten; the four Alaskan bodies (Prince William Sound, Cook Inlet, Sitka Sound, Dixon Entrance) are mapped in OSM as single nodes with no shoreline polygon and so are pins only. The existing Georgia Strait row, which had no geometry, was given its OSM polygon (719 KB). Fur-trade row for the Snake
Explorers	14	Ogden, John Stuart, Samuel Black, Martínez, Quimper, Meares, C. W. Barkley, Puget, Alexander Ross, Franchère, David Stuart, Lewis, Clark, Jaco Finlay. One portrait: Meares, from W. Beechey's engraving in the 1790 *Voyages* (a lifetime likeness, confirmed from the Commons file's own record). No usable lifetime likeness was found on Commons for the others, so they have none
Explorer–waterway links	44	Cook, Bering, Pérez, Vancouver, Gray, Quadra, Fraser, Thompson, McLoughlin, Douglas, Simpson and Harmon gain the new waterways; every new explorer has at least one
Locations	11	Fort Okanogan, Fort Nisqually, Novo-Arkhangelsk (Sitka), Fort Fraser, Fort Boise, Fort Clatsop, Celilo Falls, Opitsaht, Fort Stikine, Howse Pass, Athabasca Pass. Fort Kamloops moved from the Fraser River row to the new Thompson River (it stands where the North and South Thompson meet; backup records the old waterway id)
Notable figures	9	Maquinna, Wickaninnish, Comcomly, Kwah, Amelia Douglas, Frances Barkley, John Jacob Astor, Alexander Baranov, Grigory Shelikhov. Two portraits: Astor (Gilbert Stuart, 1794) and Lady Douglas (a photograph taken in her lifetime, NARA). Maquinna's biography notes that the Dictionary of Canadian Biography treats the chief of 1778-1795 and the chief who seized the *Boston* in 1803 as two men
Timeline events	28	1741 to 1867
What Happened Here events	13 new; 3 existing Pacific events (Vancouver meets Galiano and Valdés, Fort Victoria established, Juan de Fuca Strait discovered) given their explorer/waterway/location links	
Pronunciations	17	Nuu-chah-nulth, Chinook, Dakelh, Secwepemctsín, Nsyilxcən, Ktunaxa, Tlingit, Dena'ina, Haida and Russian terms
Quiz	1	"The Pacific Contest", 8 questions, grade 7-9, every question sourced

Added	Count	Notes
Deep Dive / lesson plan	1	"The Pacific Contest: Four Empires on the Northwest Coast, 1741-1846", grade 10-12, nine key figures (five explorers, four notable figures incl. Maquinna, Baranov, Astor and Amelia Douglas), ten timeline items linked to events
Field trip	1	"Yuquot and the Nootka Crisis of 1789", grade 10-12, six stops at Friendly Cove and Nootka Sound
Reading-guide entries	73	Wikipedia and Canadian Encyclopedia at 7-9, Dictionary of Canadian Biography and the Lewis and Clark journals site at 10-12
Images	75 URLs	Wikimedia Commons, public domain or CC BY / CC BY-SA, author and licence in every credit; includes Webber's 1778 view of the houses at Nootka, the 1790 print of the Argonaut's seizure, Postels's 1827 view of Castle Hill, William Hind's Athabasca Pass (c. 1862), Clark's map of the Great Falls of the Columbia, Franchère's drawing of Astoria in 1813, and the 1911 Admiralty chart of Dixon Entrance

Two corrections made along the way. Wikimedia's API throttled this session's shared address on every endpoint, so the image search was rebuilt to use the ordinary HTML search page and each file's raw wikitext (same manifest shape; copy in `backups/2026-10-17-commons-pack2-manifest.json`). And biographi.ca answers 200 with a "Biography not found" page for any slug, so a status check proves nothing: the pack script now checks every DCB guide URL by page title, nine guessed slugs in the pack were corrected or replaced before applying, and an audit of the DCB guide URLs already in Turso found and fixed two wrong ones (Tonty, Tessouat; `2026-10-17-fix-dcb-guide-urls.ts`).

Added the same day (`2026-10-17-primary-sources-pacific.ts`): 23 primary-source pointer documents (Cook's Nootka journal, Meares's Memorial and Voyages, the Nootka Convention and the 1790 official papers, Mozino, Vancouver, Jewitt, the Lewis and Clark journals, Franchère, Ross, Cox, Thompson's Narrative, Harmon, Lisiansky on the Battle of Sitka, Steller, Simpson's 1824-25 journal, Ogden's Snake Country journals, McLoughlin's letters, Frances Barkley's reminiscences, Pérez's 1774 diary, Irving's Astoria, the Oregon Treaty, the Alaska cession treaty), each with what it is, who made it and when, and where it can be read (archive, edition, URL only where the page answered), linked and graded (12 at 7-9, 11 at 10-12). Documents now total 88 (11 at 4-6, 50 at 7-9, 27 at 10-12). The river overview was rebuilt (44 rivers). Data only: no mobile build is needed for this pack.

9.4 Document grade bands (approved and applied 2026-10-17)

Proposed from a Flesch-Kincaid estimate of each transcription (≤ 7 → 4-6, ≤ 11 → 7-9, above → 10-12), checked against the fourteen documents that already had a band (their estimates run 4.4 to 10.9 for 7-9 and 5.6 to 9.3 for 4-6). Result: 5 at 4-6 (Champlain's founding of Quebec and his Hochelaga description, Cartier on scurvy, Joutel on La Salle's last expedition, Fidler with the Peigan), 19 at 7-9, 10 at 10-12 (La Salle's Louisiana claim, Tyrrell's bone beds, Back's three, Turnor's instructions, Norton's instructions and trade report, Stuart's peace mission report, La Pérouse's attack account). The full list is in the script's `GRADES` map.