


OMI Execution Model & The 0xE_ Manifold

The Structural Architecture
of Digital Agreement



(0x03BF... 0x039F)
(0x03BF... 0x03AB)
0x039F... 0x03DG)
(0x03A0... 0x03BF)

(0x03A0... 0x03B5)

(0x03C2... 0x03D1)

0x7F45... 0x8A90

(0x03C9... 0x0391)

0xEF3A... 0xF04

0x5E12... 0x6F23

(0x03B1... 0x03A9)

0x9BCA... 0xADDE

(0x03B4... 0x0393)

0x5E6F... 0x7G8

(0x03A6... 0x03A7)

0xC1D2... 0xD3E4

(0x03C1... 0x03A8)


Agreement is a Structural Event

Conventional Web



Not a feeling. Not a vote.
Not a platform decision.

OMI Bounded Web



A declaration enters the frame.
A transition resolves. A receipt records.


Agreement is the production of enough structure that disagreement
can be located, replayed, compared, and resolved.

The Epistemic Boundary: Gate vs. Registry

The shell does not branch on meaning. It only extracts structure. The Gate is blind. The Registry owns meaning.


The POSIX Gate (start.sh)

Nature: Blind & Structural
Core Actions: Parses frame, extracts truth row, derives slot index, writes receipt, emits envelope.



The Materializer Registry

Nature: Semantic & Aware
Core Actions: Knows snub geometry, knows Platonic solids, translates rule slots into DOM/CSSOM/JSDOM action.



The OMI Truth Row Syntax

The Ket Selector
 $|LL\rangle$

$(|LL\rangle, NN, MM)$


The Proven Transition

NN = antecedent

MM = consequent


NN and MM prove the transition. LL routes the accepted transition. LL is not the object body, geometry, or semantic meaning. It determines where the accepted transition materializes.

The Ket Lens Metaphor




The LL ket does not replace the proof. It scopes it. LL cannot accept a transition or bypass a receipt. It is the selector state that scopes how the frame is encountered by the materializer.

Dissecting LL: The Nibble Split



LL is a single byte split into two distinct operational halves. The high nibble carries. The low nibble selects.

High Nibble: The Carry-Forward Scope




$$\text{scope}' = \text{scope} \oplus \text{high_nibble}(\text{LL})$$

Ignored Contexts

lens family
authority context
projection family
object scope
depth band
peer scope
document scope
portal scope

The gate only emits context; it does not interpret it. XOR keeps the scope update bitwise, bounded, and reversible in form.

Low Nibble: The Slot Selector



The low nibble contains no geometry. It only selects an address.
It mathematically saturates all sixteen slots of the 0xE_ band.


Mapping the 0xE_ Execution Manifold

0x0 -> 0xE0
0x1 -> 0xE1
0x2 -> 0xE2
0x3 -> 0xE3
0x4 -> 0xE4
0x5 -> 0xE5
0x6 -> 0xE6
0x7 -> 0xE7

0x8 -> 0xE8
0x9 -> 0xE9
0xA -> 0xEA
0xB -> 0xEB
0xC -> 0xEC
0xD -> 0xED
0xE -> 0xEE
0xF -> 0xEF

The Last Four: 0xEC-0xEF
= four outer controller vertices



The Last Four: 0xEC-0xEF
= four outer controller vertices




The execution band is not merely a list of sixteen commands. It is a folded topology: twelve inner operations and four outer controller vertices forming a single accepted manifold.

The Manifold Split: Pack vs. Hold

The first twelve pack. The last four hold.

0xE0-0xEB		0xEC-0xEF	
0xE0-0xEB pack the object.		0xEC-0xEF hold the object.	
Geometry Archimedean/Catalan materializer field		Geometry Platonic controller vertices	
Operations Snub bridges, edge traversal, page framing.		Operations Translation, scale, rotation, bounding.	

The Outer Controller Surface




These are not UI commands floating outside the protocol. The control surface is folded into the exact same accepted manifold as the object operations.

The Rule: No Controller Outside Receipt


No controller outside receipt.

Local Browser




local display may vary
accepted projection must be receipted

Receipt-Bound Viewport




The viewport is receipt-bound when
controlled through 0xEC-0xEF. A conforming
projection must not treat out-of-band
camera or lens changes as accepted state.

Synthesis: The Execution Envelope




The accepted frame emits a strict envelope. This is exactly how the blind routing of the Gate translates a byte into an actionable state for the Materializer.


Orthogonal Parameters of Materialization




`context` = lens family / carry-forward scope



`rule_slot` = operation address



`steps` = magnitude / phase / recursion depth




`chirality` = handed direction

`rule_slot` = 0xEE
`context` = 0x3
`steps` = 3
`chirality` = right

The materializer interprets 0xEE under context 0x3 by three steps in the right-handed direction.

This is materialization policy, not gate policy.

The OMI Substrate Canon



The OMI truth row is (LL, NN, MM). NN and MM prove the transition. LL routes it. The 0xE_ band forms one accepted manifold where twelve inner operations pack the object, and four outer vertices hold it. Agreement is structurally bounded.