

OMI Authority Notice and Instruction Alert

The 8-Tuple Is Pedagogical Only

Status: Authoritative clarification

Scope: All future OMI, Omicron, Omnicron, Hamming-code, E_8 , lattice-ladder, and `omi---imo?0_o` documents

Supersedes: Any prior statement identifying the 8-tuple itself with Hamming `[8,4,4]`, E_8 , an OMI authority layer, or a proof object

Instruction level: Mandatory carry-forward correction

1. Authority Notice

The 8-tuple:

$(Q, \Sigma, L, R, \delta, s, t, r)$

is **pedagogical only**.

It is not a canonical OMI structure.

It is not an OMI authority layer.

It is not a proof object.

It is not the extended Hamming `[8,4,4]` code itself.

It does not construct, authorize, prove, or validate E_8 , Omicron, Omnicron, or `omi---imo?0_o`.

The 8-tuple is an explanatory coordinate surface used to help readers understand how an 8-position computational view may be placed over the extended Hamming `[8,4,4]` code. Its purpose is instructional: it explains why Omicron and Omnicron require a readable relation hinge such as:

`omi---imo?0_o`

This clarification is binding for all future OMI documentation.

2. Approved Status Assignment

The correct status assignment is:

```
extended_hamming_8_4_4:
  status: proved / standard mathematics
```

```

role: finite binary reference surface
properties:
  length: 8
  rank: 4
  minimum_distance: 4
  codewords: 16

omi_8_tuple:
  status: pedagogical coordinate example
  role: explanatory naming scaffold
  canonical_authority: false
  proof_object: false
  hamming_code_identity: false

omicron:
  status: defined_model
  role: deterministic normalization and closure surface

omnicron:
  status: defined_model
  role: resolver / projection surface

omi_imo_readable_hinge:
  notation: omi---imo?0_o
  status: defined_model
  role: readable relation hinge

```

3. Forbidden Carry-Forward Statements

Future documents must not say:

The 8-tuple is the Hamming code.

Future documents must not say:

The 8-tuple constructs E_8 .

Future documents must not say:

The 8-tuple proves E_8 .

Future documents must not say:

The 8-tuple authorizes Omicron or Omnicron.

Future documents must not say:

The 8-tuple is an OMI authority layer.

Future documents must not imply that the 8-tuple is canonical OMI structure.

These statements are deprecated and must be replaced.

4. Approved Carry-Forward Statements

The approved statement is:

The 8-tuple is a pedagogical coordinate surface used to explain how an 8-position computational view can be placed over the extended Hamming [8,4,4] code.

The approved expanded claim is:

The extended Hamming [8,4,4] code provides a finite binary doorway into E_8 -style lattice construction. The 8-tuple is only an explanatory naming scaffold over that doorway, used to clarify the Omicron/Omicron reason for projecting the relation as $omi \rightarrow imo$.

The approved short form is:

The 8-tuple is not the authority. It is the pedagogical bridge.

5. Correct Conceptual Boundary

The authority chain is:

extended Hamming [8,4,4]

↓

```
finite binary reference surface
  ↓
pedagogical 8-position naming scaffold
  ↓
Omicron / Omnicron explanation
  ↓
omi---imo?O_o readable relation hinge
```

The 8-tuple sits only at the explanatory scaffold layer.

It may be used to teach, visualize, or introduce the idea of an 8-position computational surface, but it must not be promoted into the mathematical object itself.

6. Relation to Omicron and Omnicron

The 8-tuple exists to clarify why the OMI system distinguishes between deterministic closure and resolvable projection.

```
Omicron:
  deterministic normalization / closure surface

Omnicron:
  resolver / projection surface

omi---imo?O_o:
  readable hinge where the normalized relation becomes inspectable
```

The 8-tuple is only an explanatory bridge between these ideas.

It helps show why a folded relation such as:

```
omi---imo
```

requires an unfolded readable relation hinge:

```
omi---imo?O_o
```

But the 8-tuple does not authorize the hinge.
The hinge belongs to the OMI model definition.

7. Relation to the Extended Hamming $[8,4,4]$ Code

The extended Hamming $[8,4,4]$ code remains the finite binary reference surface.

Its standard properties are:

Length:	8
Rank:	4
Minimum distance:	4
Codewords:	16

The 8-tuple may name an 8-position surface over this code, but it does not define the code.

The code is the mathematical reference.

The 8-tuple is the explanatory naming layer.

8. Relation to E_8 and the Lattice Ladder

Future lattice-ladder documents must distinguish between the standard mathematical ladder and the OMI explanatory bridge.

Approved phrasing:

The extended Hamming $[8,4,4]$ code provides a finite binary doorway into E_8 -style construction.

Not approved:

The 8-tuple constructs E_8 .

Approved phrasing:

The 8-tuple is a pedagogical naming scaffold over the finite binary doorway.

Not approved:

The 8-tuple is E_8 , proves E_8 , or authorizes E_8 .

The 8-tuple may remain in explanatory diagrams, but only with its status clearly marked as pedagogical.

9. Mandatory Replacement Rule

Whenever an older document says:

The 8-tuple is the Hamming code.

replace it with:

The 8-tuple is a pedagogical coordinate surface over the extended Hamming [8,4,4] code.

Whenever an older document says:

The 8-tuple maps directly to Hamming [8,4,4].

replace it with:

The 8-tuple gives one explanatory way to name an 8-position computational surface over the extended Hamming [8,4,4] code.

Whenever an older document implies:

The 8-tuple authorizes OMI structure.

replace it with:

The 8-tuple is not an authority layer. It is a pedagogical bridge used to explain the Omicron/Omicron readable relation hinge.

10. Canonical Instruction Alert

All future OMI documents must carry the following rule:

Do not promote the 8-tuple beyond its explanatory role.

The 8-tuple may be used for:

teaching
visualization
naming an example 8-position surface
explaining Omicron/Omicron readability
introducing `omi---imo?0_o`

The 8-tuple may not be used for:

canonical authority
proof authority
validation authority
receipt authority
 E_8 construction authority
Hamming-code identity
Omicron identity
Omicron identity
OMI object identity

11. Canonical Lock

The extended Hamming `[8,4,4]` code is the finite binary reference surface.

The 8-tuple is a pedagogical coordinate surface placed over that reference surface.

Omicron is the deterministic normalization and closure surface.

Omicron is the resolver and projection surface.

`omi---imo?0_o` is the readable relation hinge.

The 8-tuple explains the hinge.

The 8-tuple does not authorize the hinge.

12. Final Authoritative Sentence

The 8-tuple `(Q,  $\Sigma$ , L, R,  $\delta$ , s, t, r)` is a pedagogical coordinate surface only: it is an explanatory naming scaffold over the extended Hamming `[8,4,4]` code, used to clarify why Omicron and Omnicron require the readable relation hinge `omi---imo?0_o`. It is not the Hamming code itself, not a canonical

OMI structure, not an authority layer, not a proof object, and not a source of authorization for E_8 , Omicron, Omnicron, or OMI validation.