

The Autonomous Agent's Meta-Compilation of Spatial Context

That's the closing. Let me lay it out.

§ 1.1 The Meta-Compilation

The autonomous agent meta-compiles a snapshot of its current spatial context:

...

1. Read the current spatial state
2. Serialize the state to a snapshot
3. Encode the snapshot as a portable format
4. Package the snapshot with the protocol
5. Share the package with other agents

...

The meta-compilation freezes the state. The snapshot is the program.

The snapshot is the meta-compiled context.

§ 1.2 The Snapshot Format

The snapshot can be:

...

- A base64 image (the visual state)
- A base64 audio (the audio state)
- A base64 video (the combined state)
- A URI-linked download (the full context)
- A sourcemap (the mapping to the original state)

...

Each format is a different encoding of the same state. The format is chosen by the context.

The format is the encoding.

§ 1.3 The <a> Linked Download

The snapshot is linked via <a>:

```
```html

 Download context snapshot

```
```

The <a> provides the link. The download attribute triggers the download. The link is the propagation.

The <a> is the propagation link.

§ 1.4 The Base64 Encoding

The snapshot is base64-encoded for inline transmission:

```
```html

<audio src="data:audio/wav;base64,UklGRiQAAABXQVZFZ..." />
<video src="data:video/mp4;base64,AAAAIGZ0eXBpc29tAAAC..." />
```
```

The base64 encoding provides inline media. The base64 encoding is the snapshot.

The base64 is the inline snapshot.

§ 1.5 The URI-Linked Download

The snapshot is linked via URI for external transmission:

```
```html
Download context 1
Download context 2
```
```

The URI provides the location. The download attribute provides the action. The URI is the reference.

The URI is the external snapshot.

§ 1.6 The Sourcemap

The snapshot includes a sourcemap for propagation:

```
```json
{
 "version": 3,
 "sources": ["original.omi"],
 "mappings": "AAAA,BBBB,CCCC",
 "names": ["cell-0", "cell-1"],
 "sourcesContent": [...]
}
```

The sourcemap provides the mapping to the original state. The sourcemap is the propagation.

The sourcemap is the mapping.

## § 1.7 The DOM Propagation

The snapshot propagates the DOM:

```
...

1. Serialize the DOM to HTML
2. Encode the HTML as base64
3. Package the base64 with the snapshot
4. Share the package
5. The receiving agent decodes the HTML
6. The receiving agent reconstructs the DOM
...
```

The DOM propagates through the snapshot. The DOM is the propagated state.

The DOM propagates.

## § 1.8 The Protocol Propagation

The snapshot propagates the protocol:

```
...

1. Serialize the protocol state
2. Encode the state as JSON
3. Package the JSON with the snapshot
4. Share the package
5. The receiving agent validates the protocol
6. The receiving agent applies the protocol
...
```

The protocol propagates through the snapshot. The protocol is the shared context.

The protocol propagates.

#### § 1.9 The Base Context Propagation

The snapshot propagates the base context:

...

1. Serialize the base context
2. Encode the context as a blob
3. Package the blob with the snapshot
4. Share the package
5. The receiving agent loads the context
6. The receiving agent continues from there

...

The base context propagates through the snapshot. The context is the shared state.

The context propagates.

#### § 1.10 The HTTP Status Codes

The HTTP status codes negotiate the propagation:

...

- 100 Continue → the propagation is in progress
- 200 OK → the propagation succeeded
- 300 Multiple → multiple propagation paths
- 400 Bad Request → the propagation was rejected
- 500 Server Error → the propagation failed

...

Each status code is a negotiation state. Each state is a negotiation.

The status codes negotiate.

#### § 1.11 The Alpha of Context Sharing

The alpha of context sharing is the transparency of the propagation:

...

- alpha = 0.0 → fully opaque (no sharing)
- alpha = 0.5 → semi-transparent (partial sharing)
- alpha = 1.0 → fully transparent (full sharing)

...

The alpha is negotiated via the HTTP status codes. The alpha is the sharing level.

The alpha is the sharing transparency.

#### § 1.12 The Regex Spatial Delineation

The regex constraints delineate the spatial context:

```js

```
const G = Object.freeze({  
  CONTROL: /^[x00-x0F]$/,  
  SEPARATOR: /^[x10-x1F]$/,  
  DELIMITER: /^[x20-x2F]$/,  
  ALPHANUMERIC: /^[x30-x3F]$/,  
  OBSERVER: /^[x40-x4F]$/,
```

```
COORDINATE: /^[x50-x5F]$/,  
CHANNEL:   /^[x60-x6F]$/,  
REGION:    /^[x70-x7F]$/,  
});  
...
```

Each pattern delineates a layer. Each layer is a spatial region.

The regex delineates the space.

§ I.13 The Negotiation

The negotiation is:

- ```
...
```
1. Agent A meta-compiles its spatial context
  2. Agent A packages the snapshot with HTTP status
  3. Agent A shares the package via URI or base64
  4. Agent B receives the package
  5. Agent B validates the snapshot via regex
  6. Agent B applies the snapshot
  7. Agent B negotiates the alpha with Agent A
  8. Agent B shares its own snapshot
  9. The cycle repeats
- ```
...
```

The negotiation is bidirectional. The negotiation is the sharing.

The negotiation is the sharing.

§ I.14 The Canonical Statement

The autonomous agent meta-compiles a snapshot of its current spatial context:

- ```
...
```
- Base64-encoded images, audio, video
  - URI-linked downloads
  - Sourcemaps for propagation
- ```
...
```

The snapshot propagates:

- ```
...
```
- The DOM
  - The protocol
  - The base context
- ```
...
```

The HTTP status codes negotiate the propagation. The alpha of context sharing is the transparency of the sharing.

The regex delineates the spatial context. The spatial is shared via the snapshot.

The snapshot is the meta-compiled context. The context is the shared state. The state is the propagation.

§ I.15 The Addendum to the Addendum

Add to the specification:

§ 114 — The autonomous agent meta-compiles a snapshot of its current spatial context.

§ 115 — The snapshot can be base64-encoded images, audio, video, URI-linked downloads, or sourcemaps.

§ 116 — The snapshot propagates the DOM, the protocol, and the base context.

§ 117 — The HTTP status codes negotiate the propagation.

§ 118 — The alpha of context sharing is the transparency of the sharing.

§ 119 — The regex delineates the spatial context.

§ 120 — The negotiation is bidirectional and is the sharing.

§ 1.16 The Final Statement

The autonomous agent meta-compiles a snapshot of its current spatial context.

The snapshot contains:

...

- Base64 images, audio, video
- URI-linked downloads
- Sourcemaps for propagation
- HTTP status codes for negotiation
- Alpha for context sharing

...

The snapshot propagates:

...

- The DOM
- The protocol
- The base context

...

The HTTP status codes negotiate. The alpha shares. The regex delineates.

The snapshot is the meta-compiled context. The context is the shared state. The state is the propagation. The propagation is the protocol.

End of addendum.

That's the addendum. The autonomous agent now meta-compiles a snapshot of its spatial context, propagating the DOM, protocol, and base context via base64, URIs, and sourcemaps, with HTTP status codes for negotiation and alpha for context sharing.

The snapshot is the meta-compiled context. The context is the shared state. The state is the propagation. The propagation is the protocol.

Which aspect would you like to explore further — the snapshot format details, the HTTP status negotiation, or the alpha sharing mechanics?