




```
user@audit:~$ ./run_evaluation --target=honest_protocol
```

The Honest Protocol



Zero-Metadata Clockless Reconciliation.

[OK] Execution Context: Technical Audit & Architectural Repositioning.



Radical Minimalism in Two-Peer Agreement

The entire shared vocabulary is one value (0) and one operation (XOR).



What it refuses

- ⇒ Vector clocks
- ⇒ Timestamps
- ⇒ Tombstones
- ⇒ Servers
- ⇒ Merge functions

What it carries


- ⇒ State
- ⇒ Mathematical displacement

Key Takeaway: If two agents agree their XOR result is zero, they have ascertained they hold the same state. No causal history is required.

EXECUTION
PASS


2024-06-21 14:38:05 UTC
SUITE_ID: XOR_AGREEMENT TEST 001

STRUCTURE



Strict spatial layout. Throws `CoordinateError` with structured coordinates upon violation.

VALUE




Synthesis: This two-tier discipline isolates structural mapping failures from continuous state reconciliation.

EXECUTION
PASS

2024-06-21 14:38:05 UTC
SUITE_ID: XOR_AGREEMENT TEST 001

Hardware to Protocol (The XOR Engine)



1. Hardware: XOR Gate Transistor Circuit

2. Primitive:
 $\text{distance} = \text{popcount}(a \oplus b)$

(Standard Hamming distance)

3. Execution: `repair(a, b, report)`

```
const exchange = cas || ((i, e, r) => {
  const held = view[i];
  if (held === e) view[i] = r; // direct write, fold not updated
  return held;
});
```

• Executes the exact same XOR operation to collapse the displacement.

The physical operation IS the logical operation. The self-inverse property of XOR acts as both the distance measurement and the delta repair mechanism.

EXECUTION PASS

SUITE_ID: XOR_AGREEMENT_TEST_002

The Translation Problem (Signal vs. Noise)

The Noise (Prose)

1

The reflections never stop.
The canvas never ends.


[UNFALSIFIABLE]

2

The hidden root of the entire climb...

[OBFUSCATION]

The Signal (Predicate Logic)



Prose leaks meaning and alienates skeptics; predicate logic does not.
The protocol's biggest risk is a translation problem.

EXECUTION PASS

SUITE_ID: XOR_AGREEMENT_TEST_002

The Verifiable Ledger: Methodology

Stripping away the prose to evaluate the claims.js execution environment.

[● THEOREM]

Checked exhaustively
or mathematically,
and holds true.

[● DEFINITION]

True by stipulation;
structural choices,
not derived truths.

[● FAILS]

Stated in documents, does
not hold mathematically.

A verification file that reports its own counterexamples is a measurement, not a sales pitch. Separating derived mathematical truths from stipulated structural choices and misreadings.

EXECUTION PASS

SUITE_ID: XOR_AGREEMENT_TEST_003

The Mathematical Truths

 THEOREM

Real-time readout matrix, readout.

STATUS	TIMESTAMP	SUITE	TEST	RESULT
[✓]	00:00:01.245	core_math_suite	Ruler Slots: $2! + 3! = 8$	(PASSED)
[✓]	00:00:01.246	core_math_suite	Orderings: $3! = 6$	(PASSED)
[✓]	00:00:01.248	data_struct_suite	Blob Truth Table: $2^{16} = 65536$	(PASSED)
[✓]	00:00:01.250	core_math_suite	Tetrahedral & Factorial: $T(8) = C(10,3) = 120 = 5!$	(PASSED)
[✓]	00:00:01.251	core_math_suite	Factorial Equality: $240 = 2 \times 5!$	(PASSED)
[✓]	00:00:01.253	replay_logic_suite	Replay Ring: $7! = 7 \times 3 \times 240 = 5040$	(PASSED)
[✓]	00:00:01.255	core_math_suite	Tetrahedral Parity: Odd at $n \equiv 1 \pmod{4}$, strict period 4	(PASSED)

Execution Complete: 7/7 Tests Passed.


The arithmetic foundational layer is flawless, exhaustive, and fully machine-verifiable.

EXECUTION PASS

SUITE_ID: XOR_AGREEMENT_TEST_003

THEOREM The Discriminant Boundary

The strongest structural claim in the document.




Affine Form

$$16x^2 + 16xy + 4y^2$$

Discriminant (Δ) = 0

Degenerate, perfect square: $(4x + 2y)^2$

THEOREM [PASS]



Projective Form

$$60x^2 + 16xy + 4y^2$$

Discriminant (Δ) = -704


Synthesis: The difference 'projective - affine = $44x^2$ ' is exhaustive. $\Delta=0$ vs $\Delta \neq 0$ provides a genuine, mathematical structural separator for the protocol.

THEOREM [PASS]

Resolving the Sextuplet Anomaly

● ● ● THE ERROR TRACE

Whitepaper claims sextuplet {5, 7, 11, 13, 17, 19} has gaps: 2, 4, ~~0~~, 4, 2



● ● ● THE CORRECTION (● FAILS -> ● THEOREM)

Actual consecutive gaps: 2, 4, **2**, 4, 2 (Sum = 14)

● DEFINITION


The '0' was not a gap; it was a tangent base36 offset coordinate.

Conflating a stipulated base36 mapping offset with a derived prime gap destroys mathematical credibility. Keep definitions and theorems strictly separated.

EXECUTION PASS
SUITE_ID: SEXTUPLET_ANOMALY_FIX_001

Mapping the Address Space

DEFINITION





TERMINAL

The layout is intentionally chosen and symmetric, but it is a designed structure, not an inevitable mathematical derivation. Stipulating the definitions shapes the executable space.

✓ EXECUTION PASS
SUITE_ID: ADDRESS_SPACE_MAPPING_001

Architectural Risk: The Inert Genesis



Fresh Zeroed Buffer
[0,0,0,0,0...]

CAS (Compare-And-Swap) Loop

```
Atoms.compareExchange(metric, 0, 4, 2)
```

Cell holds '0', not expected '4'. The CAS fails.

Outputs:
[0, 0]




The old `bind` function is an identity function on a fresh buffer. The elaborate 10-step CAS structure is **latent**—it only activates if the buffer is pre-seeded. The protocol structure is currently the shape of a process, not a working process.



EXECUTION PASS
SUITE_ID: INERT_GENESIS_001

Critical Bug: The Witness False-Positive

● FAILS




● ● ● Step 1: Honest Write

Action: Peer writes 5.

State = 5

Fold = $0 \wedge 5 = 5$

Result: State == Fold (MATCH ●)



● ● ● Step 2: Second Honest Write

Action: Peer writes 7.

State = 7

Fold = $5 \wedge 7 = 2$

Result: State (7) != Fold (2) (MISMATCH ✖)

Unpacking the bug in the headline tamper-evidence feature:
Multi-write honest peers get flagged as tampered. A demo that lies about tampering is worse than no tamper feature.



EXECUTION FAIL

SUITE_ID: WITNESS_FALSE_POSITIVE_001

Critical Bug: State Mutation Bypass

● FAILS

```
$ _  
  const exchange = cas || ((i, e, r) => {  
    const held = view[i];  
    if (held === e) view[i] = r; // direct write, fold not updated  
    return held;  
  });
```

The Breakdown

- declare.js passes the peer's actual live buffer (`first.view`) into `bind021` without a CAS wrapper.
- The fallback function executes raw writes directly to the array.



Impact: Declarative syntax mutates the peer state directly behind the API, bypassing `history.fold` and entirely corrupting the witness chain.

EXECUTION FAIL

SUITE_ID: STATE_MUTATION_BYPASS_001

The Blueprint for Adoption

Phase 1: Bulletproof the Demo

- Fix the Witness false-positive (implement running chain fold or stored head).
- Patch the `bind` state mutation (use a scratch buffer).

Phase 2: Strip the Fluff

- Remove `space.js` and `path-protocol.js` from the demo's critical path entirely.
- Lead only with what is undeniable.

Phase 3: Ship the Proofs, Drop the Prose

- Make the `coqc` proof verification the front door of the repository.
- Replace mystical whitepapers with a single `make verify` command and a clean `claims.js` test suite.

EXECUTION PASS

SUITE_ID: ROADMAP_ADOPTION_001

The Honest Claim



**A zero-metadata reconciliation
primitive for the two-peer case.**

- ✓ XOR measures agreement and acts as the repair mechanism.
- ✓ The shared literal is exactly 0.
- ✓ No metadata required.

The code proves what the prose obscures. Lead with the ledger.

EXECUTION PASS

SUITE_ID: THE_HONEST_CLAIM_001