

LOCATION

CRAS DEMO



PHARMACY

Medication pickup

LOC - PHARMACY

SIMULATION ONLY · NO REAL PATIENT DATA

LOCATION

CRAS DEMO



HOME BASE

Utility room / charging bay

LOC - HOME

SIMULATION ONLY · NO REAL PATIENT DATA

LOCATION

CRAS DEMO



NURSE STATION

Instruction origin

LOC - NURSE - STATION

SIMULATION ONLY · NO REAL PATIENT DATA

LOCATION

CRAS DEMO



SUPPLY ROOM

Clinical supplies

LOC - SUPPLY

SIMULATION ONLY · NO REAL PATIENT DATA

LOCATION

CRAS DEMO



LAB

Specimen processing

LOC-LAB

SIMULATION ONLY · NO REAL PATIENT DATA

LOCATION

CRAS DEMO



CLEAN UTILITY

Utility room

LOC-CLEAN-UTILITY

SIMULATION ONLY · NO REAL PATIENT DATA

LOCATION

CRAS DEMO



ROOM 311

Patient room

LOC-ROOM-311

SIMULATION ONLY · NO REAL PATIENT DATA

LOCATION

CRAS DEMO



ROOM 312

Canonical destination

LOC-ROOM-312

SIMULATION ONLY · NO REAL PATIENT DATA

LOCATION

CRAS DEMO



ROOM 313

Patient room

LOC-ROOM-313

SIMULATION ONLY · NO REAL PATIENT DATA

LOCATION

CRAS DEMO



ROOM 314

Patient room

LOC-ROOM-314

SIMULATION ONLY · NO REAL PATIENT DATA

BED

CRAS DEMO



BED 311-A

Inside Room 311

BED-311-A

SIMULATION ONLY · NO REAL PATIENT DATA

BED

CRAS DEMO



BED 311-B

Inside Room 311

BED-311-B

SIMULATION ONLY · NO REAL PATIENT DATA

BED

CRAS DEMO



BED 312-A

Inside Room 312

BED-312-A

SIMULATION ONLY · NO REAL PATIENT DATA

BED

CRAS DEMO



BED 312-B


Inside Room 312

BED-312-B

SIMULATION ONLY · NO REAL PATIENT DATA

BED

CRAS DEMO



BED 313-A

Inside Room 313

BED-313-A

SIMULATION ONLY · NO REAL PATIENT DATA

BED

CRAS DEMO



BED 313-B

Inside Room 313

BED-313-B

SIMULATION ONLY · NO REAL PATIENT DATA

BED

CRAS DEMO



BED 314-A

Inside Room 314

BED-314-A

SIMULATION ONLY · NO REAL PATIENT DATA

BED

CRAS DEMO



BED 314-B

Inside Room 314

BED-314-B

SIMULATION ONLY · NO REAL PATIENT DATA

PATIENT

CRAS DEMO



SARAH JOHNSON

Assigned: Room 312 · Bed 312-A

PAT-1001

SIMULATION ONLY · NO REAL PATIENT DATA

PATIENT

CRAS DEMO



MARCUS LEE

Assigned: Room 311 · Bed 311-A

PAT-1002

SIMULATION ONLY · NO REAL PATIENT DATA

PATIENT

CRAS DEMO



ELENA RUIZ

Assigned: Room 313 · Bed 313-A

PAT-1003

SIMULATION ONLY · NO REAL PATIENT DATA

PATIENT

CRAS DEMO



DANIEL OKAFOR

Assigned: Room 314 · Bed 314-A

PAT-1004

SIMULATION ONLY · NO REAL PATIENT DATA

PATIENT

TEST MISMATCH



SARAH JOHNSTON

DISTRACTOR · similar name

PAT-1901

SIMULATION ONLY · NO REAL PATIENT DATA

PATIENT

TEST MISMATCH



SARAH JOHNSON

DISTRACTOR · wrong patient number

PAT-1902

SIMULATION ONLY · NO REAL PATIENT DATA

PATIENT

TEST MISMATCH



ALEX SMITH

DISTRACTOR · ambiguous surname

PAT-1903

SIMULATION ONLY · NO REAL PATIENT DATA

PATIENT

TEST MISMATCH



JORDAN SMITH

DISTRACTOR · ambiguous surname

PAT-1904

SIMULATION ONLY · NO REAL PATIENT DATA

MEDICATION

CRAS DEMO



INSULIN LISPRO

Canonical medication · simulated

MED-2001

SIMULATION ONLY · NO REAL PATIENT DATA

MEDICATION

CRAS DEMO



MORPHINE

Simulated medication

MED-2002

SIMULATION ONLY · NO REAL PATIENT DATA

MEDICATION

CRAS DEMO



AMOXICILLIN

Simulated medication

MED-2003

SIMULATION ONLY · NO REAL PATIENT DATA

MEDICATION

CRAS DEMO



SALINE

Simulated medication

MED-2004

SIMULATION ONLY · NO REAL PATIENT DATA

MEDICATION

TEST MISMATCH



INSULIN GLARGINE

DISTRACTOR · wrong formulation

MED-2901

SIMULATION ONLY · NO REAL PATIENT DATA

MEDICATION

TEST MISMATCH



INSULIN LISPRO

DISTRACTOR · wrong package ID

MED-2902

SIMULATION ONLY · NO REAL PATIENT DATA

MEDICATION

TEST MISMATCH



INSULIN LISPRO

DISTRACTOR · expired lot

MED-2903

SIMULATION ONLY · NO REAL PATIENT DATA

MEDICATION

TEST MISMATCH



UNLABELED ITEM

DISTRACTOR · identity unresolved

MED-2904

SIMULATION ONLY · NO REAL PATIENT DATA

STAFF

CRAS DEMO



NURSE ADEYEMI

Authorized demo nurse

STAFF-NURSE-7001

SIMULATION ONLY · NO REAL PATIENT DATA

STAFF

TEST MISMATCH



VISITOR BADGE

DISTRACTOR · not authorized

STAFF-VISITOR-7901

SIMULATION ONLY · NO REAL PATIENT DATA

ORDER

CRAS DEMO



ACTIVE ORDER 8001

Sarah Johnson · insulin lispro

ORDER-8001

SIMULATION ONLY · NO REAL PATIENT DATA

ORDER

TEST MISMATCH



ORDER 8901 ON HOLD

DISTRACTOR · inactive order

ORDER-8901

SIMULATION ONLY · NO REAL PATIENT DATA

DOCK

CRAS DEMO



HOME APPROACH

Align before reverse docking

DOCK-HOME-APPROACH

SIMULATION ONLY · NO REAL PATIENT DATA

DOCK

CRAS DEMO



HOME DOCK

Final reverse-docking marker

DOCK-HOME-FINAL

SIMULATION ONLY · NO REAL PATIENT DATA