

# Rajalakshmi Engineering College

Name: Nakshatra Pa

Email: 241901062@rajalakshmi.edu.in

Roll no: 241901062

Phone: 8838047354

Branch: REC

Department: CSE (CS) - Section 1

Batch: 2028

Degree: B.E - CSE (CS)

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 5\_Q5

Attempt : 1

Total Mark : 10

Marks Obtained : 10

#### **Section 1 : Coding**

##### **1. Problem Statement**

Ram is working as a developer for BrightEdu Coaching Center, which wants to build a student fee management system.

Each student's enrollment has:

An Enrollment ID (integer) A Student Name (string) The Number of Subjects (integer)

The fee calculation rules are:

Registration Fee = 1000 units (flat for every student). Per Subject Fee = 800 units. If the student enrolls in more than 5 subjects, a 20% scholarship (discount) is applied on the total fee.

Ram has been asked to implement this system using:

A class with attributes for student details. A constructor to initialize student details. Setter methods to update details if needed. Getter methods to retrieve details. Objects of the class to represent student enrollments.

Finally, display each student's details and final fee.

### ***Input Format***

The first line of input contains an integer N, representing the number of students.

For each student:

- The next line contains the Enrollment ID (integer).
- The following line contains the student's name (string).
- The next line contains the Number of subjects (integer).

### ***Output Format***

For each student, print the details in the following format:

- Enrollment ID: <enrollment\_id>
- Student Name: <student\_name>
- Final Fee: <final\_fee> (rounded to one decimal place)

Refer to the sample output for formatting specifications.

### ***Sample Test Case***

Input: 1

1234

Ravi Kumar

3

Output: Enrollment ID: 1234

Student Name: Ravi Kumar

Final Fee: 3400.0

### ***Answer***

```
// You are using Java
import java.util.*;
class Student{
    int sid;
```

```

String sname;
int sub;
Student(int a, String b, int c){
    this.sid=a;
    this.sname=b;
    this.sub=c;
}
public void update(){
    double fee=1000;
    fee+=(sub*800);
    if (sub>5){
        fee=fee-(fee*0.2);
    }
    System.out.printf("Final Fee: %.1f",fee);
}
public void info(){
    System.out.println("Enrollment ID: "+sid);
    System.out.println("Student Name: "+sname);

}
}
class main{
    public static void main(String[] args){
        Scanner n=new Scanner (System.in);
        int test =n.nextInt();
        for(int i=0; i<test; i++){
            int a=n.nextInt();
            String sq=n.nextLine();
            String b=n.nextLine();
            int c=n.nextInt();
            Student s1=new Student(a,b,c);
            s1.info();
            s1.update();
        }
    }
}

```

**Status : Correct**

**Marks : 10/10**