



Site Survey / Brandbook



Surveyor Name /
Phone

Reimage America
(999) 999-9999

Site Number

Sample

Bank Sample
123 Main St
Anytown, US
11111

Survey Date

00/00/0000




Survey Index

I.	Location Map
II.	Satellite Map
III.	Overview Photographs
IV.	Site Plan
V.	Elevation Page
VI.	Inventory Summary
VII.	Inventory Detail

Surveyor Name / Phone	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000	Sample	

Location Map



Surveyor Name /
Phone:

Reimage America
(999) 999-9999

Site Number

Bank Sample
123 Main St
Anytown, US
11111

Survey Date

00/00/0000

Sample

Satellite Map



Surveyor Name /
Phone:

Reimage America
(999) 999-9999

Site Number

Bank Sample
123 Main St
Anytown, US
11111

Survey Date

00/00/0000

Sample

Overview Photos

Photo 1



Photo 2



Photo 3



Photo 4



Photo 5



Photo 6



Photo 7



Photo 8



Photo 9



Surveyor Name /	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US
Survey Date	00/00/0000	Sample	11111

Overview Photos

Photo 10



Photo 11



Photo 12



Photo 13



Photo 14



Photo 15



Photo 16



Photo 17



Photo 18



Surveyor
Name /

Reimage America
(999) 999-9999

Site Number

Sample

Bank Sample
123 Main St
Anytown, US
11111

Survey Date

00/00/0000

Overview Photos

Photo 19



Photo 20



Photo 21



Photo 22



Photo 23



Photo 24



Photo 25



Photo 26



Photo 27



Surveyor Name /	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000	Sample	

Overview Photos

Photo 28



Photo 29



Photo 30



Photo 31



Photo 32



Photo 33



Photo 34



Photo 35



Photo 36



Surveyor
Name /

Reimage America
(999) 999-9999

Site Number

Sample

Bank Sample
123 Main St
Anytown, US
11111

Survey Date

00/00/0000

Overview Photos

Photo 37



Photo 38



Photo 39



Photo 40



Photo 41



Photo 42



Photo 43



Photo 44



Photo 45



Surveyor Name /	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000	Sample	

Overview Photos

Photo 46



Photo 47



Photo 48



Photo 49



Photo 50



Photo 51



Photo 52



Photo 53



Photo 54



Surveyor Name /	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000	Sample	

Overview Photos

Photo 55



Photo 56



Photo 57



Photo 58



Photo 59



Photo 60



Photo 61



Photo 62



Photo 63



Surveyor Name /	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000	Sample	

Overview Photos

Photo 64



Photo 65



Photo 66



Photo 67



Photo 68



Photo 69



Photo 70



Photo 71



Photo 72



Surveyor Name /	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000	Sample	

Overview Photos

Photo 73



Photo 74



Photo 75



Photo 76



Photo 77



Photo78



Photo 79



Photo 80



Photo 81



Surveyor Name /	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000	Sample	

Overview Photos

Photo 82



Photo 83



Photo 84



Photo 85



Photo 86



Photo 87




Photo 88



Photo 89




Photo 90



Surveyor Name /	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000	Sample	


Site Plan



Surveyor Name / Phone:	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000	Sample	

Site Survey / Brandbook

Front Elevation



Surveyor Name / Phone	Reimage America (999) 999-9999	Site Number	Bank Sample 123 Main St
Survey Date	00/00/0000	Sample	Anytown, US 11111

Inventory Summary

Inventory		Recommendation	
Sign #	Existing Sign Type	Action	Sign Type
E 01	Monument		
E 02	Letter Set		
E 03	Vinyl		
E 04	Vinyl		
E 05	Cabinet		
E 06	Regulatory		
E 07	Regulatory		
E 08	Directional		
E 09	Directional		
E 10	Directional		
E 11	Directional		
I 01	Vinyl		
		RO = Remove Only	
		NEW = New Sign	
		RR = Remove / Replace	
		FR = Face Replacement	
Total existing signs:	0	Total recommended :	0

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site Number Sample	Bank Sample 123 Main St Anytown, US 11111
Survey Date	00/00/0000		

Inventory and Recommendation Detail

E 01

Recommendation Detail



Notes: E1 Ph# 14 - 19

Quantity 2

Available area represents the metal backplate.

Color code for Metal Backing is between
SW6327 and SW6319

Sign Copy		
First National		
Existing Sign Type		
Monument		
Height	Width	Depth
6' 1"	5' 10 1/2"	2"
Letter Height	OAH above Grade	
8"	6'	
Sign Material	Mount	
Alum	Flush	
Face Type	Face Material	
Flat	Alum	
Retainer Width	Retainer Depth	
N/A	N/A	
V.O. Height	V.O. Width	
Custom	Custom	
Surface Color	Surface Material	
See note	Metal	
Available Height	Available Width	
6' 5 1/4"	9' 7"	
Double Face	Illuminated	
Yes	Yes - External	

Recommendation Comments :

Recommended Action	
Recommended Sign Type	
Sign Type Description	
Signage Copy	
Wall Repair Action	

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 02

Recommendation Detail



Notes: E2 Ph# 35 - 37

Estimated due to slanting roof

LOGO is estimated at 4' 1" High

The available height is 9' at the peak

Sign Copy		
First National		
Existing Sign Type		
Letter Set		
Height	Width	Depth
7'	15'	1/4"
Letter Height	OAH above Grade	
1' 6"	26'	
Sign Material	Mount	
Alum	Flush	
Face Type	Face Material	
Flat	Alum	
Retainer Width	Retainer Depth	
N/A	N/A	
V.O. Height	V.O. Width	
N/A	N/A	
Surface Color	Surface Material	
SW6672	Dryvit	
Available Height	Available Width	
9'	18'	
Double Face	Illuminated	
No	No	

Recommendation Comments :

Recommended Action	
Recommended Sign Type	
Sign Type Description	
Signage Copy	
Wall Repair Action	

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 03

Recommendation Detail



Notes: E3 Ph# 39 - 41
Quantity 2

Sign Copy		
First National		
Existing Sign Type		
Vinyl		
Height	Width	Depth
11"	1'	N/A
Letter Height	OAH above Grade	
2"	5' 6"	
Sign Material	Mount	
Vinyl	1st Surface	
Face Type	Face Material	
Flat	Glass	
Retainer Width	Retainer Depth	
N/A	N/A	
V.O. Height	V.O. Width	
N/A	N/A	
Surface Color	Surface Material	
Clear	Glass	
Available Height	Available Width	
6'	2' 6"	
Double Face	Illuminated	
No	No	

Recommendation Comments :

Recommended Action
Recommended Sign Type
Sign Type Description

Signage Copy

Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 04

Recommendation Detail



Notes: E4 Ph# 39

Sign Copy		
Banking Hours		
Existing Sign Type		
Vinyl		
Height	Width	Depth
4"	1'	N/A
Letter Height	OAH above Grade	
1"	4' 6"	
Sign Material	Mount	
Vinyl	1st Surface	
Face Type	Face Material	
Flat	Glass	
Retainer Width	Retainer Depth	
N/A	N/A	
V.O. Height	V.O. Width	
N/A	N/A	
Surface Color	Surface Material	
Clear	Glass	
Available Height	Available Width	
6'	2' 6"	
Double Face	Illuminated	
No	No	

Recommendation Comments :

Recommended Action
Recommended Sign Type
Sign Type Description
Signage Copy
Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 05

Recommendation Detail



Notes: E5 Ph# 43 - 45
Quantity 3

Sign Copy		
Open/ Closed		
Existing Sign Type		
Cabinet		
Height	Width	Depth
7"	2' 10"	7"
Letter Height		OAH above Grade
4"		13'
Sign Material		Mount
Alum		Flush
Face Type		Face Material
Flat		Alum
Retainer Width		Retainer Depth
1/2"		N/A
V.O. Height		V.O. Width
6"		2' 9"
Surface Color		Surface Material
SW7005		Wood
Available Height		Available Width
7"		4'
Double Face		Illuminated
No		Yes

Recommendation Comments :

Recommended Action

Recommended Sign Type

Sign Type Description

Signage Copy

Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 06

Recommendation Detail



Notes: E6 Ph# 46 - 48
Quantity 3

Sign Copy		
Clearance 10ft		
Existing Sign Type		
Regulatory		
Height	Width	Depth
8"	2' 10"	7"
Letter Height	OAH above Grade	
3"	13'	
Sign Material	Mount	
Alum	Flush	
Face Type	Face Material	
Flat	Alum	
Retainer Width	Retainer Depth	
N/A	N/A	
V.O. Height	V.O. Width	
Custom	Custom	
Surface Color	Surface Material	
SW7005	Wood	
Available Height	Available Width	
7"	4'	
Double Face	Illuminated	
No	No	

Recommendation Comments :

Recommended Action

Recommended Sign Type

Sign Type Description

Signage Copy

Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 07

Recommendation Detail



Notes: E7 Ph# 49 - 51
Quantity 2

Sign Copy		
First National		
Existing Sign Type		
Regulatory		
Height	Width	Depth
2' 1"	1' 4"	1/4"
Letter Height	OAH above Grade	
2"	7'	
Sign Material	Mount	
Alum	Post	
Face Type	Face Material	
Flat	Alum	
Retainer Width	Retainer Depth	
N/A	N/A	
V.O. Height	V.O. Width	
Custom	Custom	
Surface Color	Surface Material	
SW7005	Wood	
Available Height	Available Width	
N/A	N/A	
Double Face	Illuminated	
No	No	

Recommendation Comments :

Recommended Action
Recommended Sign Type
Sign Type Description

Signage Copy

Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 08

Recommendation Detail



Notes: E8 Ph# 54, 55, 62, 63
Quantity 2

Post is clad

Recommendation Comments :

Sign Copy		
Exit		
Existing Sign Type		
Directional		
Height	Width	Depth
2'	2'	2"
Letter Height	OAH above Grade	
3 1/2"	3'	
Sign Material	Mount	
Alum	Post	
Face Type	Face Material	
Flat	Alum	
Retainer Width	Retainer Depth	
N/A	N/A	
V.O. Height	V.O. Width	
Custom	Custom	
Surface Color	Surface Material	
N/A	N/A	
Available Height	Available Width	
N/A	N/A	
Double Face	Illuminated	
Yes	No	

Recommended Action
Recommended Sign Type
Sign Type Description

Signage Copy

Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 09

Recommendation Detail



Notes: E9 Ph# 56, 57, 60, 61
Quantity 2

Post is clad

Recommendation Comments :

Sign Copy		
Enter		
Existing Sign Type		
Directional		
Height	Width	Depth
2'	2'	2"
Letter Height		OAH above Grade
3 1/2"		3'
Sign Material		Mount
Alum		Post
Face Type		Face Material
Flat		Alum
Retainer Width		Retainer Depth
N/A		N/A
V.O. Height		V.O. Width
Custom		Custom
Surface Color		Surface Material
N/A		N/A
Available Height		Available Width
N/A		N/A
Double Face		Illuminated
No		No

Recommended Action
Recommended Sign Type
Sign Type Description

Signage Copy

Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 10

Recommendation Detail



Notes: E10 Ph# 58, 59

Post is clad

"Stop" is on the reverse side

Sign Copy		
Do Not Enter/ Stop		
Existing Sign Type		
Directional		
Height	Width	Depth
2' 8"	1' 6"	2"
Letter Height		OAH above Grade
2 1/4"		4'
Sign Material		Mount
Alum		Post
Face Type		Face Material
Flat		Alum
Retainer Width		Retainer Depth
N/A		N/A
V.O. Height		V.O. Width
Custom		Custom
Surface Color		Surface Material
N/A		N/A
Available Height		Available Width
N/A		N/A
Double Face		Illuminated
Yes		No

Recommendation Comments :

Recommended Action
Recommended Sign Type
Sign Type Description
Signage Copy
Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

E 11

Recommendation Detail



Notes: E11 Ph# 64, 65

Sign Copy		
Drive Thru ATM		
Existing Sign Type		
Directional		
Height	Width	Depth
2'	2'	2"
Letter Height		OAH above Grade
3"		3'
Sign Material		Mount
Alum		Post
Face Type		Face Material
Flat		Alum
Retainer Width		Retainer Depth
N/A		N/A
V.O. Height		V.O. Width
Custom		Custom
Surface Color		Surface Material
N/A		N/A
Available Height		Available Width
N/A		N/A
Double Face		Illuminated
No		No

Recommendation Comments :

Recommended Action

Recommended Sign Type

Sign Type Description

Signage Copy

Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	

Inventory and Recommendation Detail

I 01

Recommendation Detail



Notes: I 1 Ph# 4 Interior

The measurement is of the mirror glass

Sign Copy		
First National		
Existing Sign Type		
Vinyl		
Height	Width	Depth
3' 10"	5' 10"	N/A
Letter Height		OAH above Grade
3 1/2"		7' 6"
Sign Material		Mount
Vinyl		Flush
Face Type		Face Material
Flat		Glass
Retainer Width		Retainer Depth
N/A		N/A
V.O. Height		V.O. Width
N/A		N/A
Surface Color		Surface Material
Clear		Glass
Available Height		Available Width
3' 10"		5' 10"
Double Face		Illuminated
No		No

Recommendation Comments :

Recommended Action
Recommended Sign Type
Sign Type Description
Signage Copy
Wall Repair Action

Surveyor Name / Phone:	Reimage America (999) 999-9999	Site No.	Bank Sample 123 Main St Anytown, US 11111
Survey Date:	00/00/0000	Sample	