Cs-607 Important Mid Term Mcq’s Solution 100% Correct : Solve By Vu-Topper RM!!

Question No:1 **(Marks:1)** **Vu-Topper RM**
_____________ has the same notion of having something or some attribute from a parent.
Inheritance **77**

Question No:2 **(Marks:1)** **Vu-Topper RM**
The ability to understand things without explicitly programmed a computer is called?
Machine learning **7**

Question No:3 **(Marks:1)** **Vu-Topper RM**
"If you find the goal, exit, otherwise repeat DFS to the next lower level". The statement refers to:
Progressive Deepening **32**

Question No:4 **(Marks:1)** **Vu-Topper RM**
_________ is based on deducing new information from logically related known information.
Deductive reasoning **102**

Question No:5 **(Marks:1)** **Vu-Topper RM**
Hit and trial is a classical approach to solve the ___________ problems easily.
Trivial **15**

Question No:6 **(Marks:1)** **Vu-Topper RM**
The searching technique in which we purely use a hit and trial approach and will check all combinations till one takes it to the exact solution is referred to as ___________.
Mouse **23**

Question No:7 **(Marks:1)** **Vu-Topper RM**
Genetic algorithm start with the population of randomly generated, attempted solutions to a problem and repeatedly do the following except__________.
Perform non-parallel search **77**

Question No:8 **(Marks:1)** **Vu-Topper RM**
We use graphs to represent problems and their ________.
Solution spaces **22**

Question No:9 **(Marks:1)** **Vu-Topper RM**
____________is the type of knowledge that can be described as the knowledge about knowledge.
Metaknowledge **90**

Question No:10 (Marks:1) Vu-Topper RM
The ability to learn and recognize things automatically called?
Intelligence 6

Question No:11 (Marks:1) Vu-Topper RM
Most of the solution spaces for problems can be represented in a ________.
Graph 21

Question No:12 (Marks:1) Vu-Topper RM
If Alpha implies beta is true and beta is known to be not true, then alpha could not have been true. This rule refers to:
Modus Tolens 105

Question No:13 (Marks:1) Vu-Topper RM
The initial state and the legal moves for each side define the ___________ for the game.
Game Tree G

Question No:14 (Marks:1) Vu-Topper RM
In AI cycle _________________are closely coupled components; each is intrinsically tied to the other.
Reasoning 89

Question No:15 (Marks:1) Vu-Topper RM
What is the other name of the informed search strategy?
heuristic function 39

Question No:16 (Marks:1) Vu-Topper RM
The problem is to place 8 queens on a chess board by using genetic algorithm, so that none of them can attack the other. A chess board can be considered as a plain board with ______ columns and ______ rows.
Eight, eight 82

Question No:17 (Marks:1) Vu-Topper RM
There are many techniques to solve our problem of optimal search without using a brute force technique; one such procedure is called _______.
Branch and Bound 48

Question No:18 (Marks:1) Vu-Topper RM
_____ is a description of valid statements, the expressions that are legal in that language.
Syntax 104

Question No:19 (Marks:1) Vu-Topper RM

To create intelligent machines, we first need to understand how the real ____________.
brain functions 14

Question No:20 (Marks:1) Vu-Topper RM
"In a context of Hill climbing algorithm, a person may reach the portion of a mountain which is totally flat, whatever step he takes gives him no improvement in height hence he gets stuck." The above statement refers to:
Plateau problem 40

Question No:21 (Marks:1) Vu-Topper RM
The conference that launched the AI revolution in 1956 ware held at?
Dartmouth 10

Question No:22 (Marks:1) Vu-Topper RM
Cost of a human expert is _______ as compared to an expert system
High G

Question No:23 (Marks:1) Vu-Topper RM
The expert system models the following aspect(s) of human expert
Knowledge and reasoning G

Question No:24 (Marks:1) Vu-Topper RM
The machine has _________, it would have used its knowledge to counter for this new situation in its environment
Strong intelligence 9

Question No:25 (Marks:1) Vu-Topper RM
_____AI actually tries to recreate the function of the inside of the brain as opposed to simply emulating behavior.
Strong 8

Question No:26 (Marks:1) Vu-Topper RM
Implication can also be represented as (A → B)=?
¬A ∨ B G

Question No:27 (Marks:1) Vu-Topper RM
________ can be viewed as the processor in an expert system.
Inference engine 117

Question No:28 (Marks:1) Vu-Topper RM
General games involve _______.
Only single-agent and multi-agent G

Question No:29 (Marks:1) Vu-Topper RM

Adversarial search problem uses__
Competitive environment G

Question No:30 (Marks:1) Vu-Topper RM
IF A THEN B This can be considered to have a similar logical meaning as th
A-> B

Question No:31 (Marks:1) Vu-Topper RM
If an arrow point from node “A” to node “B” then, node “B” will be called.
Child of node “A”

Question No:32 (Marks:1) Vu-Topper RM
What is artificial intelligence?
Making a machine intelligent

Question No:33 (Marks:1) Vu-Topper RM
The breath- first search traversal of a graph will result into?
Tree

Question No:34 (Marks:1) Vu-Topper RM
R1/XCON expert system was developed by?
Digital Equipment Corporation

Question No:35 (Marks:1) Vu-Topper RM
Every graph can be converted into a______
Tree

Question No:36 (Marks:1) Vu-Topper RM
A function by which we can tell which board position is nearer to our goal is called_____
Fitness function 83

Question No:37 (Marks:1) Vu-Topper RM
Graphs and networks allow_______between ejects/entities to be incorporated.
Relationships

Question No:38 (Marks:1) Vu-Topper RM
Back–propagation learning algorithm was invented by___
Bryson and ho

Question No:39 (Marks:1) Vu-Topper RM
The simple idea behind _____is that if we can reach a specific node through more than one different paths then we shall take the path with the minimum cost.
Dynamic programming 55

Question No:40 (Marks:1) Vu-Topper RM

The simplest way to perform_____ is to combine the head of one individual to the tail of the other.

Crossover 82

Question No:41 (Marks:1) Vu-Topper RM

How many types of rules are there in formal knowledge representation?

7

Question No:42 (Marks:1) Vu-Topper RM

Variation in the offspring's(children) of the individuals are due to______

Both mutation and inheritance

Question No:43 (Marks:1) Vu-Topper RM

The symbol for the existential qualifier is represented as ____. It is also read as " THERE EXIST".

3 100

Question No:44 (Marks:1) Vu-Topper RM

Which of the following is not a component of an expert system?

Template

Question No:45 (Marks:1) Vu-Topper RM

In CLIPS, the Defrule construct is used to add

Rules

Question No:46 (Marks:1) Vu-Topper RM

Which of the following is not considered being trait(s) of an expert?

They possess long term memory

Question No:47 (Marks:1) Vu-Topper RM

Which of the following is NOT one of the expert systems?

XOR

Question No:48 (Marks:1) Vu-Topper RM

-------are able to overside the normal rules in expert systems.

Meta rules

Question No:49 (Marks:1) Vu-Topper RM

_____ are data structures for representing stereotypical knowledge of some concept or object.

Frames

Question No:50 (Marks:1) Vu-Topper RM

Which one of the following commands is used to see the facts in CLIPS?

Facts

Question No:51 (Marks:1) Vu-Topper RM
Ability to tackle ambiguous and fuzzy problems demonstrate.
Intelligence

Question No:52 (Marks:1) Vu-Topper RM
Which approach is used by the Best First S earch algorithm while searching?
Greedy

Question No:53 (Marks:1) Vu-Topper RM
General stages of ESDLC includes.
Beta system

Question No:54 (Marks:1) Vu-Topper RM
Can we precisely define Artificial Intelligence?
No we can not

Question No:55 (Marks:1) Vu-Topper RM
In Candidate-Elimination algorithm version space is represented by two sets named:
G and S

Question No:56 (Marks:1) Vu-Topper RM
In backward chaining terminology, the hypothesis to prove is called the ________.
Goal 126

Question No:57 (Marks:1) Vu-Topper RM
The traveling inside a solution space requires something called as __________.
Operators 18

Question No:58 (Marks:1) Vu-Topper RM
Genetic Algorithms is a search method in which multiple search paths are followed in _______.
Parallel 77

Question No:59 (Marks:1) Vu-Topper RM
Identify the sets in which Membership Function is used.
Fuzzy set

Question No:60 (Marks:1) Vu-Topper RM
Mutation can be as simple as just flipping a bit at random or any number of bits.
True 79

Question No:61 **(Marks:1)** **Vu-Topper RM**
Outputs of learning are determined by the ________
Application **161**

Question No:62 **(Marks:1)** **Vu-Topper RM**
________ is the process of formulating the mapping from a given input to an output using Fuzzy logic.
Fuzzy inference system **153**

Question No:63 **(Marks:1)** **Vu-Topper RM**
Intelligence is the ability to _____________.
All of the above

Question No:64 **(Marks:1)** **Vu-Topper RM**
The tractable problems are further divided into structured and _____________ problems.
Complex **166**

Question No:65 **(Marks:1)** **Vu-Topper RM**
In Optimal Path searches we try to find the __________ solution.
Best **24**

Question No:66 **(Marks:1)** **Vu-Topper RM**
Inductive learning takes examples and generalizes rather than starting with ___________ knowledge
Existing **162**

Question No:67 **(Marks:1)** **Vu-Topper RM**
The foothill problem occurs whenever there are_________ peaks.
Secondary

Question No:68 **(Marks:1)** **Vu-Topper RM**
A statement in conjunctive normal form (CNF) consists of __________.
ANDs of Ors. **107**

Question No:69 **(Marks:1)** **Vu-Topper RM**
Intelligence is the characteristic of
Living being

Question No:70 **(Marks:1)** **Vu-Topper RM**
In ___ search(es), we only have one agent searching solution space to find goal state
Depth first search
All of the given

Question No:71 (Marks:1) Vu-Topper RM
Solving 32-bit computer words using genetic algorithm we want a string in which all the bits are ones. We count the 1 bits in each word and exit if any of the words having all 32 bits set to 1 by using ___
initial population
evaluation function

Question No:72 (Marks:1) Vu-Topper RM
The initial state and the legal moves for each side define the ___ for the game
search tree
game tree

Question No:73 (Marks:1) Vu-Topper RM
Which of the following are the main phrases of the linear sequence?
Planning
All of the above

Question No:74 (Marks:1) Vu-Topper RM
___ is used when the facts of the case are likely to change after some time.
Inductive reasoning
Non-Monotonic reasoning

Question No:75 (Marks:1) Vu-Topper RM
Which of the following is NOT one of the drawbacks of depth first search?
Can run forever in search spaces with infinite length paths
Does not guarantee finding the shallowest goal
Cut-off depth is similar so time complexity is more

Question No:76 (Marks:1) Vu-Topper RM
In eight queen problem for the given sequence 1 6 5 3 2 5 3 7 the position of Q4 queen is at ___
fourth column and third row
second column and third row

Question No:77 (Marks:1) Vu-Topper RM
In ___ we may have multiple agents searching for solution in the same solution space
Adversarial search
Depth first search

Question No:78 (Marks:1) Vu-Topper RM
In CLIPS, the Defrule construct is used to add ___
rules
facts

Question No:79 **(Marks:1)** **Vu-Topper RM**
Every graph can be converted into a tree
True
False

Question No:80 **(Marks:1)** **Vu-Topper RM**
Reasoning in backward chaining is known as:
Data-driven reasoning
Goal-driven reasoning

Question No:81 **(Marks:1)** **Vu-Topper RM**
The simple idea behind ___ is that if we can reach a specific node through more than one different paths then we shall take the path with the minimum cost
Dynamic programming
Estimates

Question No:82 **(Marks:1)** **Vu-Topper RM**
Progressive deepening emulates BFS using DFS
True
False

Question No:83 **(Marks:1)** **Vu-Topper RM**
Genetic algorithms use ___
parallel approach
sequential approach

Question No:84 **(Marks:1)** **Vu-Topper RM**
Expert system technique where a hypothesis is given at the beginning and the inference engine proceeds to ask the user questions about selected facts until the hypothesis is either confirmed or denied
Network Knowledge
Data mining

Question No:85 **(Marks:1)** **Vu-Topper RM**
The component of the system that performs inference is called:
inference engine
inference object

Question No:86 **(Marks:1)** **Vu-Topper RM**
LISP was created by?
Marvin Minsky
John McCarthy

Question No:87 **(Marks:1)** **Vu-Topper RM**
Allen Newell and Herbert Simon

To which depth does the alpha-beta pruning can be applied?
10 states
Any depth

Question No:88 **(Marks:1)** **Vu-Topper RM**
"Specialized knowledge" in human experts is referred to as ___ when it comes to an expert system
Affirmation knowledge
Domain knowledge

Question No:89 **(Marks:1)** **Vu-Topper RM**
A natural language generation program must decide ___
what to say
both what to say & when to say something

Question No:90 **(Marks:1)** **Vu-Topper RM**
___ combine predicates and quantifiers to represent information
Objects
Formulae

Question No:91 **(Marks:1)** **Vu-Topper RM**
In CNF(Conjunctive normal form) the outermost structure is made up of ___ and inner units called clauses are made up of ___
conjunctions, disjunctions
disjunctions, conjunctions

Question No:92 **(Marks:1)** **Vu-Topper RM**
The formulae $(\exists x)(\text{Person}(x) \wedge \text{father}(x, \text{Ahmed}))$ can be translated in simple words and read as
there exists some person, x who is Ahmed's father
for all person, x who is Ahmed's father

Question No:93 **(Marks:1)** **Vu-Topper RM**
Adversarial search problems uses ___
competitive environment
cooperative environment

Question No:94 **(Marks:1)** **Vu-Topper RM**
A fact or proposition is divided into two parts and are represented as ___
object and logic
predicate and argument

Question No:95 **(Marks:1)** **Vu-Topper RM**
___ describes objects, rather than processes. That is known about a situation, e.g. it is sunny today, and cherries are red

Procedural knowledge
Declarative knowledge

Question No:96 (Marks:1) Vu-Topper RM
This set of Artificial Intelligence Multiple Choice Questions & Answers (MCQs) **focuses on "Fuzzy Logic".**

Question No:97 (Marks:1) Vu-Topper RM
What is the form of Fuzzy logic?
Many-valued logic

Question No:98 (Marks:1) Vu-Topper RM
Traditional set theory is also known as Crisp Set theory.
True

Question No:99 (Marks:1) Vu-Topper RM
Fuzzy logic is extension of Crisp set with an extension of handling the concept of Partial Truth.
True

Question No:100 (Marks:1) Vu-Topper RM
The room temperature is hot. Here the hot (use of linguistic variable is used) can be represented by ________
Fuzzy Set

Question No:101 (Marks:1) Vu-Topper RM
The values of the set membership is represented by ____________
Degree of truth

Question No:102 (Marks:1) Vu-Topper RM
Japanese were the first to utilize fuzzy logic practically on high-speed trains in Sendai.
True

Question No:103 (Marks:1) Vu-Topper RM
Fuzzy Set theory defines fuzzy operators. Choose the fuzzy operators from the following.
All of the mentioned

Question No:104 (Marks:1) Vu-Topper RM
There are also other operators, more linguistic in nature, called __________ that can be applied to fuzzy set theory.
Hedges

Question No:104 (Marks:1) Vu-Topper RM
Fuzzy logic is usually represented as ____________
IF-THEN rules