9:29 4G 28%

vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: 09:29

Question # 1 of 10 (Start time: 09:29:34 PM, 17 July 2023)

The test-statistic has d.f :

Select the correct option

- (●) n-1
- ( ) n-2
- ( ) n1+n2-2
- ( ) n

Click to Save Answer & Move to N

9:30 4G 28%

vulms.vu.edu.pk/Qu

The difference between the average marks of females and males is not less than 20 marks. The alternative hypothesis is

Select the correct option

- \[{\mu _F} - {\mu _M} < 20\]
- \[{\mu _F} - {\mu _M} > 20\]
- \[{\mu _F} - {\mu _M} = 30\]
- \[{\mu _F} - {\mu _M} = 20\]

Click to Save Answer & Move to Next Ques

9:32 4G 27%

vulms.vu.edu.pk/Qu

uestion # 3 of 10 (Start time: 09:30:38 PM, 17 July 2023) Total M

The Ford Motor Company claims that its 2017 model of the Ford Escape averages more than 30 miles per gallon for highway driving. To investigate this claim, which of the following hypotheses is appropriate?

elect the correct option

- $H0: \mu > 30\ mpg;\ HA: \mu < 30\ mpg$
- $H0: \mu = 30\ mpg;\ HA: \mu \neq 30\ mpg$
- $H0: \mu > 30\ mpg;\ HA: \mu = 30\ mpg$
- $H0: \mu = 30\ mpg;\ HA: \mu > 30\ mpg$

Click to Save Answer & Move to Next Questi

9:32 4G 27%
vulms.vu.edu.pk/Qu

Question # 4 of 10 (Start time: 09:32:42 PM, 17 July 2023)

The degrees of freedom for a t-test with sample size 11 is:

Select the correct option

- (●) 10
- ( ) 8
- ( ) 11
- ( ) 9

Click to Save Answer & Move

9:33 4G 27%
vulms.vu.edu.pk/Qu

Question # 5 of 10 (Start time: 09:32:48 PM, 17 July 2023)

A Type I error is committed when:

Select the correct option

- we don 't reject a null hypothesis that is false.
- we reject a null hypothesis that is true.
- we don 't reject a null hypothesis that is true.
- we reject a null hypothesis that is false.

Click to Save Answer &

9:34 4G 27%
vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start T

Question # 6 of 10 (Start time: 09:33:51 PM, 17 July 2023)

When σ is known, the hypothesis about population mean is tested by:

Select the correct option

- F-test
- χ 2 -test
- Z-test
- t-test

Click to Save Answer &

9:36 4G 27%
vulms.vu.edu.pk/Qu

Question # 7 of 10 (Start time: 09:35:01 PM, 17 July 2023)

The meaning of β is

Select the correct option

- ○ Significance level
- ○ Probability of rejecting a null hypothesis when its true
- ○ All of the above
- ◉ The probability of type II error

Click to Save Answer & Move to N

9:37 4G 27%
vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:29 PM, 17 July

Question # 9 of 10 (Start time: 09:37:29 PM, 17 July 2023)

Total M

Paired t-test is applicable when the observations in the two samples are:

Select the correct option

- All of the above
- Correlation
- Paired
- Equal in number

Click to Save Answer & Move to Next Questio

9:37 4G 27%

vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: 09:29 PM, 17

Question # 10 of 10 (Start time: 09:37:36 PM, 17 July 2023) Tot

Student's t-test is applicable only when:

Select the correct option

- (●) All of the above
- ( ) n≤30 and σ is known
- ( ) n>30 and σ is unknown
- ( ) n=30 and σ is known

Click to Save Answer & Move to Next Qu

9:50 4G 25%
mcqmate.com
Search MCQ | Topic | Course
Get Free 15 Min Consultation
Open

Q. Student's t-test is applicable only when:

A. $n \leq 30$ and σ is known

B. $n > 30$ and σ is unknown

C. $n = 30$ and σ is known

D. All of these

Answer» A. $n \leq 30$ and σ is known

View all MCQs in:
Total Quality Management (TQM)

10:02 4G 22%
vulms.vu.edu.pk/Qu

BC210207072: FEHMIDA TAJ

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: 10:02

Question # 1 of 10 (Start time: 10:02:03 PM, 17 July 2023)

Two types of errors associated with hypothesis testing are Type I and Type II. Type II error is committed when

Select the correct option

- ○ We accept a null hypothesis when it is not true
- ○ We reject a null hypothesis when it is true
- ◉ We reject the null hypothesis whilst the alternative hypoth s true
- ○ All of these

Click to Save An & Move to N

VU x CHAT

10:04 4G 22%
vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: 10:02 PM, 1

Question # 2 of 10 (Start time: 10:04:09 PM, 17 July 2023) To

The degrees of freedom for a t-test with sample size 8 is:

Select the correct option

- 5
- 8
- 7
- 6

Click to Save Answer & Move to Next Q

10:04 4G 22%
vulms.vu.edu.pk/Qu

Question # 3 of 10 (Start time: 10:04:16 PM, 17 July 2023)

If a test of hypothesis has a Type I error probability (α) of 0.01, we mean

Select the correct option

- [ ] if the null hypothesis is false, we don't reject it 1% of the time.
- [ ] if the null hypothesis is false, we reject it 1% of the time.
- [x] if the null hypothesis is true, we reject it 1% of the time.
- [ ] if the null hypothesis is true, we don't reject it 1% of the time.

Click to Save Answer & Move

10:05 4G 22%

vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: 10:02 PM, 17 Ju

Question # 5 of 10 (Start time: 10:05:04 PM, 17 July 2023) Total

In a two-tailed hypothesis about a population mean with a sample size of 100 and a = 0.05 (critical value : 1.96), the rejection region woul _____.

Select the correct option

- z > 1.64
- z < -1.96 and z > 1.96
- z > 1.96
- z < -1.64 and z > 1.64

Click to e Answer ve to Next Ques

Not Cnfvm

10:07 4G 21%
vulms.vu.edu.pk/Qu

Question # 7 of 10 (Start time: 10:07:40 PM, 17 July 2023) T

The test-statistic has d.f :

Select the correct option

- [ ] n
- [ ] n-2
- [x] n-1
- [ ] n1+n2-2

Click to Save Answer & Move to Next

10:07 4G 21%
vulms.vu.edu.pk/Qu

Question # 8 of 10 (Start time: 10:07:47 PM, 17 July 2023) To

The meaning of α is

Select the correct option

- Probability of rejecting the null hypothesis given its true
- All of the above
- Significant level
- Probability of Type I error

Click to Save Answer & Move to Next Q

10:08 4G 21%

vulms.vu.edu.pk/Qu

Question # 9 of 10 (Start time: 10:07:55 PM, 17 July 2023) Total Mar

We wish to test the following hypotheses at a 5% level of significance:
$H0$: μ = 5 pounds versus HA: μ > 5 pounds
A random sample of size 15 is taken from the target population which follows a normal distribution. Which of the following is the correct rejection region in this situation?

Select the correct option

- t > 2.15
- t < -1.76
- t > 1.645
- t > 1.76

Click to Save Answer & Move to Next Question

10:08 4G 21%

vulms.vu.edu.pk/Qu

Question # 9 of 10 (Start time: 10:07:55 PM, 17 July 2023) Total Mar

We wish to test the following hypotheses at a 5% level of significance:
$H0$: μ = 5 pounds versus HA: μ > 5 pounds
A random sample of size 15 is taken from the target population which follows a normal distribution. Which of the following is the correct rejection region in this situation?

Select the correct option

- t > 2.15
- t < -1.76
- t > 1.645
- t > 1.76

Click to Save Answer & Move to Next Question

9:29 4G 28%

vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: 09:29

Question # 1 of 10 (Start time: 09:29:34 PM, 17 July 2023)

The test-statistic has d.f :

Select the correct option

- (●) n-1
- ( ) n-2
- ( ) n1+n2-2
- ( ) n

Click to Save Answer & Move to N

9:32 4G 27%
vulms.vu.edu.pk/Qu

Question # 4 of 10 (Start time: 09:32:42 PM, 17 July 2023)

The degrees of freedom for a t-test with sample size 11 is:

Select the correct option

- (●) 10
- ( ) 8
- ( ) 11
- ( ) 9

Click to Save Answer & Move

9:30 4G 28%

vulms.vu.edu.pk/Qu

The difference between the average marks of females and males is not less than 20 marks. The alternative hypothesis is

Select the correct option

- \[{\mu _F} - {\mu _M} < 20\]
- \[{\mu _F} - {\mu _M} > 20\]
- \[{\mu _F} - {\mu _M} = 30\]
- \[{\mu _F} - {\mu _M} = 20\]

Click to Save Answer & Move to Next Ques

9:34 4G 27%
vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start T

Question # 6 of 10 (Start time: 09:33:51 PM, 17 July 2023)

When σ is known, the hypothesis about population mean is tested by:

Select the correct option

- F-test
- χ 2 -test
- Z-test
- t-test

Click to Save Answer &

10:07 4G 21%
vulms.vu.edu.pk/Qu

Question # 7 of 10 (Start time: 10:07:40 PM, 17 July 2023) T

The test-statistic has d.f :

Select the correct option

- [ ] n
- [ ] n-2
- [x] n-1
- [ ] n1+n2-2

Click to Save Answer & Move to Next

10:10 4G 21%

vulms.vu.edu.pk/Qu

BC210207

Time Left 82 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 10:02 PM, 17 July 2023

Question # 10 of 10 (Start time: 10:09:58 PM, 17 July 2023)

Total Marks: 1

The average height of Pakistani solders exceeds the average height of American solders by not more than 3 inches. The alternative hypothesis is

Select the correct option

- \[{\mu _P} - {\mu _A} > 3"\]
- \[{\mu _P} - {\mu _A} = 3"\]
- \[{\mu _P} - {\mu _A} < 3"\]
- \[{\mu _P} - {\mu _A} \geqslant 3"\]

Click to Save Answer & Move to Next Question

9:37 4G 27%

vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: 09:29 PM, 17

Question # 10 of 10 (Start time: 09:37:36 PM, 17 July 2023) Tot

Student's t-test is applicable only when:

Select the correct option

- (●) All of the above
- ( ) n≤30 and σ is known
- ( ) n>30 and σ is unknown
- ( ) n=30 and σ is known

Click to Save Answer & Move to Next Qu

9:36 4G 27%
vulms.vu.edu.pk/Qu

Question # 7 of 10 (Start time: 09:35:01 PM, 17 July 2023)

The meaning of β is

Select the correct option

- ○ Significance level
- ○ Probability of rejecting a null hypothesis when its true
- ○ All of the above
- ◉ The probability of type II error

Click to Save Answer & Move to N

10:05 4G 22%

vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: 10:02 PM, 17 Ju

Question # 5 of 10 (Start time: 10:05:04 PM, 17 July 2023) Total

In a two-tailed hypothesis about a population mean with a sample size of 100 and a = 0.05 (critical value : 1.96), the rejection region woul _____.

Select the correct option

- z > 1.64
- z < -1.96 and z > 1.96
- z > 1.96
- z < -1.64 and z > 1.64

Click to Save Answer & Move to Next Ques

10:07 4G 21%
vulms.vu.edu.pk/Qu

Question # 8 of 10 (Start time: 10:07:47 PM, 17 July 2023) To

The meaning of α is

Select the correct option

- Probability of rejecting the null hypothesis given its true
- All of the above
- Significant level
- Probability of Type I error

Click to Save Answer & Move to Next Q

10:07 4G 21%
vulms.vu.edu.pk/Qu

Question # 6 of 10 (Start time: 10:06:36 PM, 17 July 2023)

A hypothesis may be classified as:

Select the correct option

- ○ Simple
- ◉ All of the above
- ○ Null
- ○ Composite

Click to Save Answer & Move to Next

9:37 4G 27%
vulms.vu.edu.pk/Qu

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:29 PM, 17 July

Question # 9 of 10 (Start time: 09:37:29 PM, 17 July 2023)

Total M

Paired t-test is applicable when the observations in the two samples are:

Select the correct option

- All of the above
- Correlation
- Paired
- Equal in number

Click to Save Answer & Move to Next Questio

Question # 1 of 10 (Start time: 08:32:54 AM, 18 July 2023)

The average height of Pakistani solders exceeds the average height of American solders by not more than 6 inches. The alternative hypothesis is

Select the correct option

- \[{\mu _P} - {\mu _A} > 6^{`}\]
- \[{\mu _P} - {\mu _A} = 6^{`}\]
- \[{\mu _P} - {\mu _A} = 8^{`}\]
- \[{\mu _P} - {\mu _A} < 6^{`}\]

Type here to search
New games
ENG

Question # 2 of 10 (Start time: 08:34:08 AM, 18 July 2023)

Given μo = 130, = 150, σ = 25 and n = 4; what test statistics is appropriate?

Select the correct option

- Z
- F
- t
- χ

Type here to search
29°C Partly sunny
ENG

Question # 3 of 10 (Start time: 08:35:34 AM, 18 July 2023)

Total Marks: 1

The average height of Pakistani solders exceeds the average height of American solders by not more than 3 inches. The alternative hypothesis is:

Select the correct option

- \[{\mu _P} - {\mu _A} = 3^{\circ}\]
- \[{\mu _P} - {\mu _A} > 3^{\circ}\]
- \[{\mu _P} - {\mu _A} < 3^{\circ}\]
- \[{\mu _P} - {\mu _A} \geqslant 3^{\circ}\]

Type here to search
29°C Partly sunny
ENG
8:36 AM
7/18/2023


Question # 4 of 10 (Start time: 08:36:57 AM, 18 July 2023)


If a test of hypothesis has a Type I error probability (α) of 0.01, we mean

Select the correct option

- if the null hypothesis is true, we reject it 1% of the time.
- if the null hypothesis is true, we don't reject it 1% of the time.
- if the null hypothesis is false, we don't reject it 1% of the time.
- if the null hypothesis is false, we reject it 1% of the time.

Type here to search


Quiz Start Time: 08:32 AM, 18 July 2023
Question # 5 of 10 (Start time: 08:37:44 AM, 18 July 2023)
Total Marks: 1
A researcher is testing a hypothesis of a single mean. The critical z value for α =0.05 and a two-tailed test is +1.96. The observed test statistic value from sample data is -1.85. The decision made by the researcher based on this information is to _____ the null hypothesis
Select the correct option
Reject
do not reject
redefine
change the alternate hypothesis
Type here to search
29°C Partly sunny
ENG


Question # 6 of 10 (Start time: 08:39:08 AM, 18 July 2023)
Total Marks: 1
If the critical region is located equally in both sides of the sampling distribution of test-statistic, the test is called:
Select the correct option
Right tailed
One tailed
Left tailed
Two tailed
Type here to search
29°C Partly sunny
ENG
8:40 AM
7/18/2023


Question # 7 of 10 (Start time: 08:40:22 AM, 18 July 2023)

Total Marks:

Whenever hypotheses are established such that the alternative hypothesis is ">", then the test is a:

Select the correct option

- Type II test
- two-tailed test
- Type I test
- one-tailed test



Question # 8 of 10 (Start time: 08:41:31 AM, 18 July 2023)

The proportion of males in Pakistan is at least 0.48, the alternative hypothesis:

Select the correct option

- P>0.48
- P<0.48
- P>0.88
- P=0.48

Type here to search

Question # 9 of 10 (Start time: 08:42:21 AM, 18 July 2023)

Student's t-test is applicable only when:

Select the correct option

- $n \leq 30$ and σ is known
- $n > 30$ and σ is unknown
- $n = 30$ and σ is known
- All of the above

Type here to search

Question # 10 of 10 (Start time: 08:43:20 AM, 18 July 2023)

Any statement whose validity is tested on the basis of a sample is called:

Select the correct option

- Statistical hypothesis
- Null hypothesis
- Alternative hypothesis
- Simple hypothesis

Type here to search

8:49 4G 2 K/s 78
vulms.vu.edu.pk/Quiz/(4

BC210202256: SIDRA MANSHA

Time Left 85 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 08:49 AM, 18 July 2023

Question # 1 of 10 (Start time: 08:49:52 AM, 18 July 2023)

Total Marks: 1

A researcher is testing a hypothesis of a single mean. The critical z value for α =0.05 and a two-tailed test is +1.96. The observed test statistic value from sample data is -1.85. The decision made by the researcher based on this information is to _____ the null hypothesis

Select the correct option

- change the alternate hypothesis
- Reject
- redefine
- do not reject

Click to Save Answer & Move to Next Question

8:51 vulms.vu.edu.pk/Quiz/(4

If the critical region is located equally in both sides of the sampling distribution of test-statistic, the test is called:

Select the correct option

- One tailed
- Right tailed
- Left tailed
- Two tailed

Click to Save Answer & Move to N

8:52 457 B/s 78
vulms.vu.edu.pk/Quiz/(4

Question # 3 of 10 (Start time: 08:52:03 AM, 18 July 2023)

Given μo = 130, = 150, σ = 25 and n = 4; what test statistics is appropriate?

Select the correct option

- Z
- F
- t
- X

Click to Save Answer & Move to Nex

8:52 123 B/s 78
vulms.vu.edu.pk/Quiz/(4

Question # 4 of 10 (Start time: 08:52:42 AM, 18 July 2023)

In hypothesis testing, how many types of error we have:

Select the correct option

- three
- one.
- four
- two

Click to Save Answer &

8:53 140 B/s 78
vulms.vu.edu.pk/Quiz/(4

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: 08:

Question # 5 of 10 (Start time: 08:53:17 AM, 18 July 2023)

The proportion of males in Pakistan is at least 0.56, the alternative hypothesis is:

Select the correct option

- P=0.56
- P>0.96
- P>0.56
- P<0.56

Click to Save Answer & Move

8:54 4G 1 K/s 78

vulms.vu.edu.pk/Quiz/(4

BC210202256: SIDRA MANSHA

Time Left 82 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 08:49 AM, 18 July 2023

Question # 6 of 10 (Start time: 08:54:32 AM, 18 July 2023)

Total Marks: 1

The average height of Pakistani solders exceeds the average height of American solders by not more than 3 inches. The alternative hypothesis is

Select the correct option

- \[{\mu _P} - {\mu _A} > 3"\]
- \[{\mu _P} - {\mu _A} \geqslant 3"\]
- \[{\mu _P} - {\mu _A} = 3"\]
- \[{\mu _P} - {\mu _A} < 3"\]

Click to Save Answer & Move to Next Question

▢ ○ ◁

8:56 140 B/s 77
vulms.vu.edu.pk/Quiz/(4

Question # 7 of 10 (Start time: 08:56:16 AM, 18 July 2023)

A type I error, also known as:

Select the correct option

- error of the second kind.
- none of these.
- error of the first kind
- error of the third kind.

Click to Save Ans

◻ ○ ◁

8:57 728 B/s 77
vulms.vu.edu.pk/Quiz/(4

Question # 8 of 10 (Start time: 08:57:45 AM, 18 July 2023)

The proportion of male teachers in a university is at least 0.6, the alternative hypothesis is

Select the correct option

- P=0.6
- P>0.9
- P>0.6
- P<0.6

Click to Save Answer & M

8:58 176 B/s 77
vulms.vu.edu.pk/Quiz/(4

Question # 9 of 10 (Start time: 08:58:21 AM, 18 July 2023)

In an unpaired samples t-test with sample sizes n1= 11 and n2= 11, the value of tabulated t should be obtained for:

Select the correct option

- 21 degrees of freedom
- 10 degrees of freedom
- 20 degrees of freedom
- 22 degrees of freedom

Click to Save Answer & Move

◻ ○ ◁

8:59 27 K/s 77
vulms.vu.edu.pk/Quiz/(4

Question # 10 of 10 (Start time: 08:59:41 AM, 18 July 2023)

The test-statistic has d.f :

Select the correct option

- n-2
- n-1
- n
- n1+n2-2

Click to Save Answer

9:02 vulms.vu.edu.pk/Quiz/(4

Question # 1 of 10 (Start time: 09:02:25 AM, 18 July 2023)

The proportion of males in Pakistan is at least 0.56, the alternative hypothesis is:

Select the correct option

- ○ P<0.56
- ○ P=0.56
- ● P>0.56
- ○ P>0.96

Click to Save An

9:02 17 K/s 77
vulms.vu.edu.pk/Quiz/(4

BC210200684: MUHAMMAD UMAR

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start Time: (

Question # 2 of 10 (Start time: 09:02:53 AM, 18 July 2023)

The degrees of freedom for a t-test with sample size 'n' is:

Select the correct option

- (●) n-1
- ( ) n-3
- ( ) n+1
- ( ) n-2

Click to Save Answer & Mov

9:03 387 B/s 77
vulms.vu.edu.pk/Quiz/(4

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Star

Question # 3 of 10 (Start time: 09:03:18 AM, 18 July 2023)

The meaning of β is

Select the correct option

- Significance level
- All of the above
- The probability of type II error
- Probability of rejecting a null hypothesis when its true

Click to Save Answ

9:05 vulms.vu.edu.pk/Quiz/(4

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start

Question # 7 of 10 (Start time: 09:05:13 AM, 18 July 2023)

If a significance level of 1% is used rather than 5%, the null hypothesis is:

Select the correct option

- Less likely to be rejected
- None of the above
- Just as likely to be rejected
- More likely to be rejected

Click to Save Answer

9:07 209 B/s 76
vulms.vu.edu.pk/Quiz/(4

Question # 8 of 10 (Start time: 09:07:42 AM, 18 July 2023)

If a test of hypothesis has a Type I error probability (α) of 0.01, we mean

Select the correct option

- if the null hypothesis is false, we reject it 1% of the time.
- if the null hypothesis is true, we don't reject it 1% of the time.
- if the null hypothesis is true, we reject it 1% of the time.
- if the null hypothesis is false, we don't reject it 1% of the time.

Click to Save Answer & Mo

9:08 vulms.vu.edu.pk/Quiz/(4

BC210200684: MUHAMMAD UMAR

Time Left 81 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:02 AM, 18 July 202

Question # 9 of 10 (Start time: 09:08:26 AM, 18 July 2023)

Total Marks

A researcher is testing a hypothesis of a single mean. The critical z value for α =0.05 and a two-tailed test is +1.96. The observed test statistic value from sample data is -1.85. The decision made by the researcher based on this information is to _____ the null hypothesis

Select the correct option

- do not reject
- change the alternate hypothesis
- redefine
- Reject

Click to Save Answer & Move to Next Question

9:09 19 K/s 76
vulms.vu.edu.pk/Quiz/(4

STAT406 - Statistical Inference Methods (Quiz 3) Quiz Start

Question # 10 of 10 (Start time: 09:09:08 AM, 18 July 2023)

A single-sample t ratio is considered statistically significant only when

Select the correct option

- the null hypothesis is rejected.
- the population values are known.
- the standard error is quite large.
- there is no Type I error.

Click to Save Answer

9:12 90%

vulms.vu.edu.pk/Qu 85

BC210202646: IQRA MUKHTAR

Time Left 75 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:11 AM, 18 July 2023

Question # 1 of 10 (Start time: 09:12:00 AM, 18 July 2023)

Total Marks: 1

The difference between the average marks of females and males is not less than 20 marks. The alternative hypothesis is

Select the correct option

- \[{\mu _F} - {\mu _M} > 20\]
- \[{\mu _F} - {\mu _M} = 30\]
- \[{\mu _F} - {\mu _M} = 20\]
- \[{\mu _F} - {\mu _M} < 20\]

Click to Save Answer & Move to Next Question



9:12 90%

vulms.vu.edu.pk/Qu 85

BC210202646: IQRA MUKHTAR

Time Left 90 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:11 AM, 18 July 2023

Question # 2 of 10 (Start time: 09:12:35 AM, 18 July 2023)

Total Marks: 1

The proportion of males in Pakistan is at least 0.48, the alternative hypothesis:

Select the correct option

- P>0.48
- P=0.48
- P<0.48
- P>0.88

Click to Save Answer & Move to Next Question



9:13 90%

vulms.vu.edu.pk/Qu 85

BC210202646: IQRA MUKHTAR

Time Left 89 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:11 AM, 18 July 2023

Question # 4 of 10 (Start time: 09:14:01 AM, 18 July 2023)

Total Marks: 1

In analyzing the results of an experiment involving seven paired samples, tabulated t should be obtained for:

Select the correct option

- 6 degrees of freedom
- 14 degrees of freedom
- 13 degrees of freedom
- 12 degrees of freedom

Click to Save Answer & Move to Next Question

9:17 89%

vulms.vu.edu.pk/Qu 85

BC210202646: IQRA MUKHTAR

Time Left 90 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:11 AM, 18 July 2023

Question # 7 of 10 (Start time: 09:17:09 AM, 18 July 2023)

Total Marks: 1

A type I error, also known as:

Select the correct option

- error of the second kind.
- error of the third kind.
- error of the first kind
- none of these.

Click to Save Answer & Move to Next Question

◁ ○ □

9:17 89%

vulms.vu.edu.pk/Qu 85

BC210202646: IQRA MUKHTAR

Time Left 89 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:11 AM, 18 July 2023

Question # 8 of 10 (Start time: 09:17:31 AM, 18 July 2023)

Total Marks: 1

The proportion of Females in Pakistan is at least 0.65, the alternative hypothesis is:

Select the correct option

- P<0.65
- P>0.65
- P=0.65
- P>0.85

Click to Save Answer & Move to Next Question

9:19 89%

vulms.vu.edu.pk/Qu 86

BC210202646: IQRA MUKHTAR

Time Left 89 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:11 AM, 18 July 2023

Question # 9 of 10 (Start time: 09:20:06 AM, 18 July 2023)

Total Marks: 1

The degrees of freedom for a t-test with sample size 10 is:

Select the correct option

- 9
- 10
- 8
- 7

Click to Save Answer & Move to Next Question



9:20 89%

vulms.vu.edu.pk/Qu 86

BC210202646: IQRA MUKHTAR

Time Left 90 sec(s)

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz Start Time: 09:11 AM, 18 July 2023

Question # 10 of 10 (Start time: 09:20:38 AM, 18 July 2023)


Total Marks: 1

The degrees of freedom for a t-test with sample size 'n' is:

Select the correct option

- n-2
- n+1
- n-1
- n-3

Click to Save Answer & Move to Next Question


9:22
Quiz
vulms.vu.edu.pk
The degrees of freedom for a t-test with sample size 11 is:
Select the correct option
10
8
9
11

9:22 0.12 KB/S

Quiz
vulms.vu.edu.pk

STAT406 - Statistical Inference Methods (Quiz 3)

Question # 2 of 10 (Start time: 09:22:45 AM, 18 July 2023)

In a two-tailed hypothesis about a population mean with a sample size of 100 and $\alpha = 0.05$ (critical value
_____

Select the correct option

- $z > 1.64$
- $z < -1.64$ and $z > 1.64$
- $z < -1.96$ and $z > 1.96$
- $z > 1.96$

Click to Sa

Quiz

vulms.vu.edu.pk

If a significance level of 1% is used rather than 5%, the null hypothesis is:

Select the correct option

- None of the above
- Just as likely to be rejected
- Less likely to be rejected
- More likely to be rejected

0.06 KB/S

Quiz

vulms.vu.edu.pk

Question # 4 of 10 (Start time: 09:24:39 AM, 18 July 2023)

The proportion of Females in Pakistan is at least 0.65, the alternative hypothesis is:

Select the correct option

- P=0.65
- P>0.65
- P>0.85
- P<0.65

Quiz

vulms.vu.edu.pk

In hypothesis testing, how many types of error we have:

Select the correct option

- four
- three
- one.
- two

STAT406 - Statistical Inference Methods (Quiz 3)

Question # 6 of 10 (Start time: 09:25:49 AM, 18 July 2023)

A Type II error is committed when

Select the correct option

- we don't reject a null hypothesis that is true.
- we don't reject a null hypothesis that is false.
- we reject a null hypothesis that is false.
- we reject a null hypothesis that is true.

STAT406 - Statistical Inference Methods (Quiz 3)

Question # 7 of 10 (Start time: 09:26:57 AM, 18 July 2023)

A Type I error is committed when:

Select the correct option

- we don 't reject a null hypothesis that is false.
- we don 't reject a null hypothesis that is true.
- we reject a null hypothesis that is true.
- we reject a null hypothesis that is false.

9:29
3.00 KB/S
Quiz
vulms.vu.edu.pk

estion # 9 of 10 (Start time: 09:29:34 AM, 18 July 2023)

The mean difference between 16 paired observations is 25 and the standard deviation of differences is 10.The

lect the correct option

- 25
- 10
- 16
- 4

Click to Save Answer

Quiz

vulms.vu.edu.pk

Question # 10 of 10 (Start time: 09:30:14 AM, 18 July 2023)

The average height of Pakistani solders exceeds the average height of American solders by not more is

Select the correct option

- \[{\mu _P} - {\mu _A} > 6"\]
- \[{\mu _P} - {\mu _A} < 6"\]
- \[{\mu _P} - {\mu _A} = 8"\]
- \[{\mu _P} - {\mu _A} = 6"\]

Click to Save

Question # 1 of 10 (Start time: 09:36:44 AM, 18 July 2023)

In analyzing the results of an experiment involving seven paired samples, tabulated t should be obtained for

Select the correct option

- 14 degrees of freedom
- 12 degrees of freedom
- 6 degrees of freedom
- 13 degrees of freedom

Click to Save Answer & Move to Ne

9:40
3.00 KB/S
Quiz
vulms.vu.edu.pk

STAT406 - Statistical Inference Methods (Quiz 3)

Quiz

Question # 3 of 10 (Start time: 09:39:55 AM, 18 July 2023)

If the critical region is located equally in both sides of the sampling distribution of test-statistic, the test is called

Select the correct option

- Right tailed
- Left tailed
- One tailed
- Two tailed

Click to Save Answ

Quiz

vulms.vu.edu.pk

The meaning of β is

Select the correct option

- The probability of type II error
- Probability of rejecting a null hypothesis when its true
- Significance level
- All of the above

9:41
0.08 KB/S
61
Quiz
vulms.vu.edu.pk

Question # 5 of 10 (Start time: 09:41:18 AM, 18 July 2023)

In an unpaired samples t-test with sample sizes n1= 11 and n2= 11, the value of tabulated t should be obtained f

Select the correct option

- 22 degrees of freedom
- 21 degrees of freedom
- 20 degrees of freedom
- 10 degrees of freedom

Click to Save Ans

Quiz

vulms.vu.edu.pk

Question # 6 of 10 (Start time: 09:41:59 AM, 18 July 2023)

The degrees of freedom for a t-test with sample size 7 is:

Select the correct option

- 5
- 4
- 7
- 6

Question # 7 of 10 (Start time: 09:42:32 AM, 18 July 2023)

The average height of Pakistani solders exceeds the average height of American solders b
is:

Select the correct option

- $\[{\mu _P} - {\mu _A} = 3^{\circ}\]$
- $\[{\mu _P} - {\mu _A} < 3^{\circ}\]$
- $\[{\mu _P} - {\mu _A} \geqslant 3^{\circ}\]$
- $\[{\mu _P} - {\mu _A} > 3^{\circ}\]$

Quiz

vulms.vu.edu.pk

Level of significance α lies between:

Select the correct option

- -1 and +1
- 0 and 1
- -∞ to +∞
- 0 and n

Quiz

vulms.vu.edu.pk

A hypothesis may be classified as:

Select the correct option

- Composite
- Null
- Simple
- All of the above

9:45

0.16 KB/S

Quiz
vulms.vu.edu.pk

Question # 10 of 10 (Start time: 09:45:00 AM, 18 July 2023)

The proportion of male teachers in a university is at least 0.6, the alternative hypothesis is

Select the correct option

- P<0.6
- P>0.6
- P>0.9
- P=0.6

Question # 1 of 10 (Start time: 11:11:34 AM, 18 July 2023) Tot

A Type II error is committed when

Select the correct option

- we reject a null hypothesis that is false.
- we don't reject a null hypothesis that is false.
- we don't reject a null hypothesis that is true.
- we reject a null hypothesis that is true.

Click to Save Answer & Move to Next Qu