

CS611 Final term

Current paper 2025

Learning with Miss Khattak

Time: 2: 15 Pm

The paper was too easy.

Objective Part

Mcqs from file 65% conceptual 20% handouts 15 %

File Name: Cs611 Final Term Mcqs FILE.pdf

Subjective Part

write any three software testing activities.

No.	Activity	Explanation
1	Test Planning & Preparation	The objective is to set the goals for testing, select the best and appropriate testing strategy/methodology, and prepare specific test cases and the general test procedure.
2	Test Execution	Execution and implementation of the testing strategy and measurement of product behavior.
3	Analysis & Follow-up	This step includes analysis of results to determine if a failure has been observed, and if so, corrective actions are taken and monitored to ensure removal and reproduction of defects.

Write three impacts of Unit testing.

1. Early Defect Detection
2. Easy Debugging
3. Cost-Saving Defect Fixing

Do you agree Requirements engineering is Technical?

E. Requirement Defined

A requirement can be defined as a feature of the system or a description of something the system is capable of doing in order to fulfill the system's purpose. A point worth understanding is that the requirement engineering is not a technical activity rather it is purely a communicational activity. Different stakeholders from all the facets of software development may have different concerns and point of views. But the challenge is to create a win/win situation for all stakeholders. Another impediment is to understand the requirement from a nontechnical client because they are difficult to handle because of knowledge issues.

Attributes Of software requirement

1. Correct
2. Coherent
3. Complete
4. Feasible
5. Necessary
6. Verifiable

7. Traceable

Do you Agree code is main artifact of the testing. (yes or No) How testing is performed.

The primary software artifact to be tested is the software program or code written in different programming language. Testing is usually performed by writing and executing test cases which are derived from use cases. Test case is document that describes the testing activities, pre and post condition, expected system behavior and result for a specific test. While use cases describe all the steps that final user will be performing to complete the task and those steps become input of the test cases which elaborate those steps and actual & expected results against each one.

Feature Level Testing ?

U. Feature Level Testing

Functions of any software product are functional requirements that are developed as a unit and depending on feature size and nature there can be multiple underlying units. Feature level testing is aimed at making sure that software and its features works properly to meet all the intended specifications and requirements. In simple words, it's a test for software functionality where each function, the might be consisted on multiple units, is evaluated to see if it's is working as required and designed.

Is software requirements is different from requirement in other domains. Give reason?

F. Software Requirements vs. Requirements

Software requirements are not similar to the requirement in other domains. Software requirements comes with a lot of variation and changes (in all stages of SDLC) as compared to other domains where requirements are completely understood and defined in the beginning of the project and they remain same throughout. Software product is not tangible until the first demo and requirements changes after it. For example, in the construction industry the requirement and design are completely understood and they remain fixed throughout the project. But that's not the case with software development where requirements changes during all stages of SDLC.

Learning With Miss Khattar

why post release defects are costly to fix ?

E. Post-Release Defects

Post-release defects are those who appear in production or at customer site. The software supplier company has to pay for its pocket to fix those post-release defects. Post-release defects have higher cost of fixing as compared to other defects because of multiple installation of the product and the defect has to be fixed at every place. Besides financial loss, company image, trust on the company, reputation, market position all of them will be negatively impacted.

Software Maintenance and Defect Handling?

J. Software Maintenance and Defect Handling

As mentioned above, project and product based defect handling is different. Same is the case with support to be provided after deployment of the product. Software maintenance defines the scope of the support to be provided with all relevant terms and conditions. There are following levels of software support:

Level 1	Customer Support Team: A special team other than QA and development resources with the expertise to provide technical support to customers
Level 2	QA Team: Members from QA team are involved in providing support to customers
Level 3	Development Team: Members from development team are involved in providing support to customers

K. Tool and Processes in Defect Handling

Usually MS Excel sheets are used to log and track defects but there are many other free and paid tools available in the market for the same purpose. These tools provide that provide some

additional features to make tracking and logging easier. In those tools, support team has the admin rights and they add QA and Development resources as per the need of the situation.

L. Using Mantis for Defect Handling

Mantis is one such tool used for keeping log and tacking details of the defects. This tool is also available on cloud and it makes collaboration among team members and other stakeholders easier and faster.

Most Important MCQs

1. The.....involves project planning and execution of plans, management of software development teams, project documentation and project monitoring.

Project development

Project Management

Requirements Management

Project Maintenance

2. Planning for development activities requires.....

Estimation

Thinking

Skills

3. Theis usually worked out in terms of man-hours.

Skills

Motivation

Estimation

Reasoning

4. _____ is a prerequisite to the project planning.

Peoples

Motivation

Software engineers

Estimation

5. Planning for development activities requires

Motivation

Estimation

Thinking

Skills

6. The purpose of _the project is to ensure the project is moving ahead as per the plan.

Tracking

Estimation

Planning

Managing

7. Schedule Performance Index (SPI) is used to determine, and it is expressed as the ratio of earned value and planned value.

Project schedule

Project performance

Project cost

Project Plan

8. Projectis performed to determine the project's health.

Planning

Audit

Controlling

Estimation

9. The__is responsible to provide relevant data for Audit.

User

Customer

Software engineer

Project manager

10. A requirement can be defined as a _of the system.

Vision

Understanding

Name

Feature

11. Requirement engineering is a activity

Maintenance

Communication

Technical

Development

12. Ideally, there should be a budget for requirement gathering and documentation.

20%

40%

10%
30%

13. Faulty or missing requirements are the biggest reason behind the project.....

Completion
Failure
Success
Ending

14. Schedule Performance Index (SPI) is used to determine __ and it is expressed as the ratio of earned value and planned value

Project Plan
Project schedule
Project cost
Project performance

15. Requirement engineering is aactivity. Development
Technical
Communication
Maintenance

16. The requirement should be and it should add value to the project.

Complex
Easy
Logical
Difficult

17. The requirement should capture the client.....

Behavior

Feelings

Expectations

Emotions

18. Software Requirements should not be based on.....

Guesswork

Proof

Facts

Reality

19. The basic rule for requirements completeness is that we should never proceed on the basis of _____ and without the approval of all the Stakeholders.

Assumptions

Certainly

Fact

Proof

20. The criteria for requirements completeness is broken when you .

Ask more questions from client

Ask less questions from client

Arrange meetings and ask directly from client

Formally collect requirements

21. The decision of a particular requirement being feasible or not is recommended to be made by the.....

Clients

Project manager along with the clients

Project manager and developer(s)

Project Manager alone

22. Software requirements are supposed to be?

Inconsistent

Open Ended

Close Ended

Partial

23. Incomplete software requirements will result in a software product.

Fault

Quality

Productive

Secure

24.....in requirements is the key to being understandable to all the stakeholders.

Incompleteness

Inconsistency

Non-Feasibility

Completeness

25. By of requirements, the system would not be able to function properly as per the need of the client.

Neglecting the “Necessary” attribute

Ensuring the “Necessary” attribute

Ensuring the “Feasible” attribute

Neglecting Security

26. Software Requirements are supposed to be understandable to.....

All the Stakeholders

Project Manager

Specific Stakeholders

Developers only

27. Necessary attribute of the requirements comes from the __ and the need behind developing the software solution.

Business goals

Quantitative goals

Short-term goals

Long-term goals

28. software requirements should not be.....

Inconsistent

Open Ended

Close Ended

Complete

29. A/An __ in software requirements is the root cause of all the failures.

Proof

Assumption

Fact

Certainty

30. With the help of the “Necessary” attribute of requirements the main concern should be on what is expected by the from the market point of view.

Designer

Client

Architect

Developer

31. Those Requirements which cannot be tested are termed as _____ requirements.

Not Verifiable

Necessary

Verifiable

Not Necessary

32. Relating to traceability of requirements the term ____ helps to determine where a specific requirement is getting used.

Forward integration

Backward integration

Reverse integration

Bottom-up integration

33. Suppose we have a specific requirement which has been linked rightly to the use case, design and its implementation, but somehow we have missed to write its use cases, will be considered as ____.

Traceable

Feasible

Non Traceable

Correct

34. A resource who is spending time on implementing a feature having no discussion in the SRS document will most likely result in _.

Scope Creep

Scope Coverage

Feasibility

Coherence

35. in the requirements specification document, there should be a linkage each requirement with its source, is concerned with ____of requirements.

Coherence

Performance

Completeness

Traceability

36. Those Requirements which cannot be tested are termed asrequirements.

Not Necessary

Necessary

Verifiable

Not Verifiable

37.The criteria for a requirement to be verifiable is that each requirement should be expressed.....

With Uncertainty

Vaguely

Ambiguously

Unambiguously

38. Consider a developer who is working on a feature which he thinks is very interesting and will attract the client's attention, but its requirements are non-traceable, will most likely result in _.

Failure to meet the deadline

Get more value

Attract Client's attention

More profitable project.

39. __ is helpful to determine the reasons in scenarios where the intended project fails to be delivered on time.

Feasibility analysis
Formal analysis
Root cause analysis
Technical analysis

40. __ helps to identify the origination of a specific feature as part of software requirements.

Forward integration
Backward integration
System integration
Opposite integration

41. A team is formed whose task is to determine what went wrong with the project that has caused its failure, is termed as __.

Formal analysis
Technical analysis
Root cause analysis
Feasibility analysis

42. __ are concerned about what the system should do and how will it behave in a specific environment.

Non-functional Requirements
Domain Requirements
Functional Requirements
Business Requirements

43. ___ are helpful in capturing Functional requirements for a system.

Actors

Sequencing

Use Cases

Entities

44. ___ consists of a list of actions or event steps that are helpful in defining the interactions between systems in achieving a goal.

Sequence

Entities

Actors

Use Case

45. Doctor, Patient, Administrator etc. are the types of_in a use case scenario.

Actor

Developers

Events

Conditions

46....._are responsible for establishing a connection among different phases of a SDLC i.e. design and development phases.

Entities

Instances

Use cases

Layers

47. We can ensure the requirements to be Traceable, with the help of _____in a use case scenario.

Use Case ID

Post-condition

Alternative paths

Pre-condition

48..... consists of a list of actions or event steps that are helpful in defining the interactions between systems in achieving a goal.

Sequence

Use Case

Entities

Actors

49..... are helpful in capturing Functional requirements for a system.

Use Cases

Sequencing

Actors

Entities

50. New requirements at the stage of releasing the first demo-able version of the software product are incorporated using.....

Change request template

Use case template

Release template

Test case template

51..... must be performed before incorporating any new requirement and its result should be communicated to the clients in order to avoid any ambiguity.

Impact analysis

Feasibility analysis

Fault analysis

Earned Value analysis

52.A can be defined as a distribution of final version of the software product made available to the customers.

Release

Build

Package

Unit

53.product development is achieved via Release when a working product is delivered to the.....

Manager

Testing Team

Customer

Development and Testing team

54..... are provided by the sales or business development team.

Features

Backlogs

Designs

Environment variables

55..... for each release are provided by the technical team.

Backlogs

Features

Designs

Environment variables

56..... are discussed and finalized between Sales and Technical Team.

Environment variables

Designs

Features

Backlogs

57..... is another name of controlling a software build throughout different stages.

Build management

Feature management

Release management

Project management

58. A _____ can be defined as a distribution of the final version of the software product made available to the customers.

Package

Build

Release

Unit

59.....execution of the agreed features of the release for intended customers.

Release management

Feature management

Build management

Project management

60.The purpose of _____ to make sure that the developed product is meeting the requirements of the customer and all the features are working as planned.

Software development

Software architecture

Deployment

Software quality assurance

61.A requirement can be defined as a __of the system.

Name

Feature

Vision

Understanding

62. The requirement should be __and it should add value to the project.

Easy

Complex

Difficult

Logical

63. Quality Assurance (QA) must be involved since the _ of the project.

Initial stages

Testing stage

Specific/ Critical stages only

Final stages

64. An incorrect step in computer program is known as _

Issue

Fault

Presentation error

Routine defect

65. will review all the requirements and write test cases against all the use cases.

Project Manager

Development team

Requirements Team

Quality Assurance (QA) resources

66. Software quality assurance is considered to be a/an _ process.

Halted

Ongoing

Unnecessarily Costly

Extra time consuming

67. ensures that the built software product fully address the documented and agreed upon requirements.

Requirement creep

Requirement deviation

Requirement elicitation
Requirement verification

68..... is considered to be the internal customer of the product.

Software Quality Assurance (SQA) team
Designing team
Requirements team
Development team

69..... Requirements often lead to financial loss, clientage loss and alike.

Realistic
Unreal
Rational
Large

70. The purpose of ___ to make sure that the developed product is meeting the requirements of the customer and all the features are working as planned.

Deployment
Software architecture
Software development
Software quality assurance

71. Quality Assurance (QA) must be involved since the _ of the project.

Initial stages
Testing stage
Final stages
Specific/ Critical stages only

72.The purpose of ____to make sure that the developed product is meeting the requirements of the customer and all the features are working as planned.

Software development

Software architecture

Software quality assurance

Deployment

73.....Requirements often lead to financial loss, clientage loss and alike.

Unreal

Rational

Realistic

Large

74.....Areas of the product should be defects free, whereas we can bear some defects in the____area.

Low priority, High priority

Low priority, Low priority

High priority, High priority

High priority, Low priority

75.The purpose of Quality Assurance (QA) is to reduce the defects to minimum to ensure ____.

Maximum disruption

Minimum disruption

Increased interruption

Intermediate disruption

76. Software quality assurance is an ongoing process and it's a part of _____ in a Software Development Life Cycle model.

Every stage

Specific stages

Development stage only

Testing stage only

77. _____ is considered to be the internal customer of the product.

Software Quality Assurance (SQA) team

Requirements team

Designing team

Development team

78. _____ is the process of addressing root causes of defects to stop their future occurrence.

Defect Detection

Defect Containment

Defect Detection and Containment

Defect Prevention

79. "Error Source Removal" term is related to _____.

Defect Detection

Defect Containment

Defect Prevention

Defect Detection and Containment

80. ___ is a process to identify and remove defects as early and as many as possible through various approaches.

Defect Prevention

Defect Detection and Containment

Defect Detection

Defect Containment

81. In ___ the task is to measure the amount of defects that any QA team was able to find as a portion of total defects.

Defect Detection

82. The defects which are known only to the developers and they do not want to let the client know about them are termed as ___.

D. Syntax related Defects

B. Post-release Defects

Dormant Defects

Logic based Defects

83. ___ is a process to identify and remove defects as early and as many as possible through various approaches.

Defect Detection

Defect Detection and Containment

Defect Containment

Defect Prevention

84. In ___ the task is to measure the amount of defects that any QA team was able to find as a portion of total defects.

Defect Containment

Defect Prevention

Defect Detection

Defect Detection and Containment

85. ___ is a process to identify and remove defects as early and as many as possible through various approaches.

Defect Detection and Containment

Defect Containment

Defect Prevention

Defect Detection

86. A feature/functionality asked by the client and the company claimed falsely that it is working, now fixing certain issues at run time can be termed as a ____.

Compile time fix

Hot fix

Late fix

Cost fix

87. are normally triggered in low priority areas where the concentration of Quality Assurance (QA) activities is low.

Active defects

Inactive defects

Post-release

Pre-release

88. ___ usually occur in low priority areas of the software flow unlike the commonly or mostly used cases of the software flow by the clients.

Dormant Defects

Syntax Defects

Post-release Defects

Run Time Defects

89. ___ defects appear in production or at customer site

Post-release

Pre-release

Logical

Active

90. Post-release defects have ___ of fixing mainly due to multiple installations of the product.

Higher cost

Lower cost

Fixed cost

Zero cost

91. are defined as 'Dormant Defects' which have the potential to create problems for the users and customers.

Post-release

Logical defects

Pre-release defects

Active defects

92. is a way to reduce the number of defects and the cost to fix them.

Defect prevention

Defect Detection

Defect Tracking

Defect Logging

93.The software engineers must be aware of the __.

Historical trends

Latest trends

Coding method

Management

94.....and demotivation among the team members.

Highest domain

Lowest domain

Highest testing

Lowest testing

95..... is a way to reduce the number of defects and the cost to fix them.

Defect prevention

Defect Logging Defect

Detection Defect

Tracking

96... knowledge is important for understanding requirements.

Testing

Coding and Designing

Domain specific

Technology specific

97. __ is the only constant in a software development environment.

People

Change

Domain

Technology

98. ___ specific knowledge may lead to ambiguity, confusion, and demotivation among the team members.

Highest domain

Lowest domain

Highest testing

Lowest testing

99. knowledge is important for understanding requirements.

Domain specific

Technology specific

Coding and Designing

Testing

100. Which of the following is not the cause of defects in a software project?

Lack of Expertise in Phases of Life Cycle Models

Absence of Process Knowledge

Deficiency of knowledge about Product integration

Knowledge of requirements management

101. If a developer writes code which is out of scope may result the in-scope features to be ___.

Polished

Delayed

Enhanced

Regulated

102. Awareness about implementation details of a process is very critical for___.

Defect enhancement

Defect prevention

Deployment

Testing

103. Process knowledge at team and individual level is vital to _____ defects.

Expand

Detect

Prevent

Contain

104. The defect prevention technique helps in reducing the number of defects but it ____ product.

Guarantees 100% defect free Depends upon

Is independent of

Doesn't guarantee 100% defect free

104. Vigorous defect reduction process is followed to ____.

Update defects

Insert defects

Install defects

Remove defects

105. Which of the following is a commonly used Quality Assurance (QA) activity?

Inspection

Designing

Unit testing

Integration testing

106. Inspections are conducted to provide ___ of different artifacts to provide another view/perspective.

Technical view

Walkthrough

Management view

Design view

107. is generally conducted to identify smells at any phase of the Software Development Life Cycle (SDLC).

Integration testing

Unit testing

Inspection

Designing

108. The defect prevention technique helps in reducing the number of defects but it ___ product.

Depends upon

Is independent of

Doesn't guarantee 100% defect free

Guarantees 100% defect free

109. Which of the following is a commonly used Quality Assurance (QA) activity?

Inspection

Unit testing

Integration testing

Designing

110. can be defined as a core Quality Assurance (QA) activity with the aim of identifying faulty areas within the product.

Integration

Planning

Deployment

Testing

111. Vigorous defect reduction process is followed to ____.

Remove defects

Insert defects

Update defects

Install defects

112. With modern fault detection and prevention tools and frameworks in high impact applications, it is to test exhaustively all the conditions within a software product.

Impossible

Neutral

Possible

More likely

113. In high impact applications the stakes of failure are __. Select the correct option

Very high

Unavailable

Medium level

Very low

114. Which of the following is a commonly used Quality Assurance (QA) activity?

Unit testing

Integration testing

Designing

Inspection

115. Faults are not identified, hence not fixed, which is a/an ____ to defect prevention. Select the correct option

- Equal
- Enhancement
- Contradiction
- Accessible

116. If there is a fault in one version, then ____ the faultless version is switched from multiple versions of same specifications running in parallel.

- Abstractly
- Statically
- Dynamically
- Locally

117. Damage control through ____ is achieved to ensure minimal global damage.

- Shortest route
- Longest route
- Escape route
- Boundary route

118. With modern fault detection and prevention tools and frameworks in high impact applications, it is to test exhaustively all the conditions within a software product.

- More likely
- Neutral
- Possible
- Impossible

119. Even though with the usage of vigorous defect prevention and reduction strategies and activities, existence of defects is _.

Avoidable

Still possible

Impossible

Unlikely to occur

120. After a defect is identified by the Quality Assurance team during testing/QA activities, this defect is then sent to the _ to fixation.

Deployment team

Development team

Designing team

Requirement team

121. is a process that maintains the record of all the reported defects till the testing department close it.

Defect removal efficiency

Defect prevention

Defect resolution

Defect detection

122. Different statuses like In-Progress, Fixed, Not a Fix, Pending, Not Reproducible and Closed are normally assigned to _.

Track defect

Delete defect

Visualize defect

Release defect

123. Software products used in medical, transportation or nuclear industry, the risks associated with defects are_.

Medium level

Moderate

Very low

Very high

124. A defect that is fixed by the development team is forwarded to the ____ for validation.

Designing team

Requirement team

Deployment team

Quality Assurance team

125. All the reported defects are to be fixed, re-verified and formally closed by the .

Designing team

Deployment team

Requirement team

Quality Assurance team

126. is a process that maintains the record of all the reported defects till the testing department closes it.

Defect detection

Defect prevention

Defect resolution

Defect removal efficiency

128.A defect that is fixed by the development team is forwarded to the ____ for validation.

Quality Assurance team

Designing team

Requirement team

Deployment team

129.Different statuses like In-Progress, Fixed, Not a Fix, Pending, Not Reproducible and Closed are normally assigned to ____.

Release defect

Visualize defect

Delete defect

Track defect

130.After a defect is identified by the Quality Assurance team during testing/QA activities, this defect is then sent to the _to fixation.

Designing team

Deployment team

Requirement team

Development team

131.consists of all the necessary steps to be carried out from defect identification or reporting to defect resolution.

Defect lifecycle

Software lifecycle

Defect removal efficiency

Software process

132.All the reported defects are to be fixed, re-verified and formally closed by the .

Quality Assurance team

Requirement team

Deployment team

Designing team

133.In __step Quality Assurance (QA) team tests the application or the product to identify, discover and report all the defects.

Defect Evaluation

Defect Quarantine

Defect Logging

Defect Deletion

134.A __is established containing all the defects identified in the testing phase.

Defect lifecycle

Defect tracking

Defect log

Defect Register

135.Which of the following is a methodology used to monitor and control the discovered and reported defects through different stages of defect resolution?

Defect Logging

Defect Detection

Defect Tracking

Defect Prevention

136.The use of ____helps us to ensure that tacking is being done

properly.

Design

Bookmarks

Templates

Use cases

137. Which of the following is the first step in defect resolution?

Defect Logging

Defect Deletion

Defect Detection

Defect Evaluation

138. Certain parameters like defect ID, priority and severity level, current defect status and others, are included in a __.

Defect log

Defect Register

Defect tracking

Defect lifecycle

139. ensures that all the necessary details about defects are provided to the __ in order to fix the defects.

Defects log, Development team

Defects log, Project manager Defects register,

Project manager Defects register,

Development team

140. Defects are being monitored and controlled throughout different stages of _

Defect Prevention

Defect resolution

Defect Logging

Defect Detection

141. The defects which are known only to the developers and they do not want to let the client know about them are termed as ____.

Syntax related Defects

Dormant Defects

Post-release

Defects Logic based Defects

142. Defects are being monitored and controlled throughout different stages of ____.

Defect resolution

Defect Detection

Defect Prevention

Defect Logging

143. Service level agreements (SLA) are signed by stakeholders in order to provide ____.

Post-testing support

Post-deployment support

Pre-testing support

Pre-deployment support

144. Defect resolution in a product based scenario is a/an activity.

Extra

Unimportant

Ongoing

Fixed

145. The customer support team represents ____ among the different levels used for software support to customers.

Level 2

Level 4

Level 3

Level 1

146. The process of ____ is used to assess the reliability, stability and the market value of the product.

Product functionality

Product evaluation

Product testing

Product deployment

146. Development team represents ____ of the different levels used for software support to customers.

Level 4

Level 3

Level 2

Level 1

147. Which of the following defect is more critical and costly in nature?

Defects related to early stages

Testing related defects

Post-deployment defects

Pre-deployment defects

148. Service level agreements (SLA) are signed by stakeholders in order to provide ____.

Post-deployment support

Pre-deployment support

Pre-testing support

Post-testing support

149. The quality assurance team represents ___ among the different levels used for software support to customers.

Level 3

Level 2

Level 1

Level 4

150. Defect resolution in a product based scenario is a/an activity.

Ongoing

Fixed

Extra

Unimportant

151. Product evaluation deals with the assessment of the _of the software product according to the specified procedures.

Final version

Initial version

High version

Low version

152. Development team represents _____ of the different levels used for software support to customers.

Level 3

Level 2

Level 4

Level 1

153. is a tool that helps in keeping logs and tacking details of the defects.

Mantis

Apache Spark

Power Point

Apache Hadoop

154. is usually used to log and track defects in a software product.

MS Excel sheet

Word document

Microsoft outlook

Power Point

155. In _step Quality Assurance (QA) team tests the application or the product to identify, discover and report all the defects.

Defect Deletion

Defect Quarantine

Defect Logging

Defect Evaluation

156. Mantis Bug Tracker is a well-known open source web-based

_____.

Bug tracking system

Bug generating system

Bug amplification system

Bug tracking system

157. Mantis for Defect Handling makes collaboration among team members and other stakeholders is

Easier but slower
Complicated but faster
Complicated and slower
Easier and faster

158. The full form of MatisBT is ____.

Mantis Binary Ticketing

Mantis Binary Tracker
Mantis Bug Ticketing
Mantis Bug Tracker

159. Mantis Bug Tracker is a/an ____ web-based bug tracking system.

Paid
Pirated
Closed-source
Open source

160. Mantis Bug Tracker is built on PHP and supports ____ on the server side.

Windows but not Linux
Linux and Windows
Linux but not Windows
Neither Linux nor Windows

161. The full form of MatisBT is ____.

Mantis Bug Ticketing
Mantis Binary Ticketing
Mantis Bug Tracker
Mantis Binary Tracker

162. As a (n) __, we can add new resources or team members in Mantis.

Tester

Developer

Analyst

Administrator

163. is a methodology to track the discovered and reported defects.

Defect tracking

Software testing

Defect logging

Requirements analysis

164. The ____ lifecycle begins with the discovery of the flaw.

Information

Software Development

Data

Defect

165. In which process, it has to be checked that a software product is giving the desired outcomes and satisfying all the requirements and business needs?

Requirement gathering

Software testing

Design and implementation

Deployment

166. Software testing can provide a (n) __and objective view of the quality of the product.

Abstract

Imaginary

Concrete

Theoretical

167. Testing can reveals the risks, if any, associate with the ____of the product.

Cost estimation

Implementation

Deployment

Objectives

168. Which statement is true regarding software testing?

To find out just the business requirements

To find out the defects but ignoring the bugs because these are not important.

To find out defects and bugs

To find out the total cost of the product

169. The most natural method of __is to dry-run the software in a controlled or simulated environment.

Requirement gathering

Implementation

Testing

Deployment

170. which statement is true regarding an artifact?

The word “artifact” means a document or some visualization.

The word “artifact” means to remove the bugs from the software product.

The word “artifact” means a QA engineer and his passion to test the code.

The word “artifact” means a developer and his effort to write a code.

171. In context of testing, which one is an artifact?

Code

Use case

Developer

QA engineer

172. In which step, the objective is to set the goals for testing?

Deployment

Test execution

Test planning and preparation

Analysis and follow-up

173. in which step, we execute and implement the testing strategy and measure the behavior of the product?

Deployment

Test execution

Analysis and follow-up

Test planning and preparation

174.stage includes analysis of results to determine if a failure has been observed, and if so, corrective actions are taken and monitored to ensure removal and reproduction of defects.

Analysis and follow-up

Deployment

Test planning and preparation

Test execution

175. functional testing is usually called as ____.

Unit testing

Structural testing

Integration testing

Abstract level testing

176. Which type of testing is more concerned about verifying that the software and all of its function are performed in total conformance with the software requirements?

Integration testing

Structural testing

Functional testing

Unit testing

177. Programming and coding is not a matter of question in ____.

Structural testing

Integration testing

Unit testing

178. The purpose of ____ is to test the different programming structures and data structures used in the program

Structural testing

Integration testing

Unit testing Functional testing

Functional testing

179.verifies that the internal units of the software product like programming/code structure, blocks, data structure and all relevant interconnections are implemented correctly.

Unit testing
Integration testing
Functional testing
Structural testing

180. Structural testing is total opposite of the _.

Regression testing
Functional testing
Integration testing
Unit testing

181. Structural testing is also called as ___ from code view point.

Concrete testing
Abstract level testing
Black box testing
Functional testing
White box testing

182.is an ad-hoc running and execution of the software system to observe any difference between expected and actual performance.

Functional testing
Structural testing
White box testing
Black box testing

183.is usually achieved by performing white box testing.

White box testing
Artifact level testing
Structural testing
Functional testing

184.describes the functionality and features of the product with sample input and expected output data.

Good characteristics

Use case diagram

Specification checklist

Hardware price

185. In case of gap or variance from the desired results of a software system, is used to eliminate the possibility of hardware failure causing the difference.

Functional

Black box testing

Structural

White box testing

186. Smoke Tests are most ___ level of testing that aims at ensuring that the most important functions work.

Abstract

Actual

Artifact

Concrete

187.and black box testing are two terms used interchangeably.

Functional testing

White box testing

Structural testing

Artifact level testing

188. describes the functionality and features of the product

with sample input and expected output data.

Good characteristics

Specification checklist

Use case diagram

Hardware price

189. In case of gap or variance from the desired results of a software system, is used to eliminate the possibility of hardware failure causing the difference.

Black box testing

Functional

White box testing

Structural

190. Structural testing is achieved by performing ____.

Sanity testing

Functional testing

White box testing

Artifact level testing

191. required extensive knowledge of code and flow of code.

Black box testing

White box testing

Functional testing

Sanity testing

192.covers branch level testing (if-else, loops, switch) and Path level testing (all possible paths).

Artifact Level Testing

Sanity Testing
Black box testing
White box testing
Statement level testing

193.is performed by the developer himself as it required extensive knowledge of code and flow of code.

Functional testing
Sanity testing
White box testing
Black box testing

194.ensures maximum coverage of code

Artifact level testing
Path level testing
Statement level testing
Branch level testing

195. stages of software development are identified and corrected.

Artifact level testing
Defect logging Reviews
White box testing

196. Reviews in the context of ____ are time saving activity and need no formal planning or resource utilization.

Analysis
Testing
Deployment
Implementation

197.is a static testing method.

Review

Friend function

Implementation

Black box testing

198. Due to __, the mistakes overlooked in the early stages of software development are identified and corrected.

Artifact level testing

Defect logging

Reviews

White box testing

199. Reviews include code and design walkthrough and it is usually done by more experienced technical people who are not the author of the __.

Usage scenarios

Test cases

Design document

Code

200.is the most formal type of static testing.

Artifact level testing

Inspection

Implementation

Black box testing

201. Inspection is a type of __.

Design document

Review

Usage scenario

Test case

202. All inspections activities are well documented and all the defects identified in this stage are logged in.....sheet.

Defect logging

Test cases

Design document

Usage scenario

203. activities and tasks to be performed before the test and during the test.

Reviews

Inspections

Usage Scenarios

Test Checklist

Don't Forget to Subscribe my Channel

Learning With Miss Khattak

Learning With Miss Khattak