OBJECTIVES ZOO503

FINAL TERM 2023- 100%

Zoogeography-and-Paleontology

BY SULMAN ALI

0341-7547044

OBJECTIVES

- All organisms were linked in a time by unidirectional ladder from simplest at the bottom to the complex at top. ***(Scala naturae)***
- Rohde and Muller (2005) argued that there is____ periodicity in mass extinctions ……._***62 myr***
- The acme of the group Gastropoda with the radiation of the siphonal carnivorous neogastropods was in ……._____***Cenozoic***
- Water Vascular system is present in…….._____.***Echinoderms***
- Ostracoderms: Were jawless, generally armored, Had their heyday in the ------- ***Devonian***
- Amniotes radiated in……..._____***Late carboniferous***
- Crocodile more diverse… _____***Jurassic and cretaceous***
- The oldest human was found is approximately lived _____ago……___***6Mya/3.75***
- The brachiopods experienced _____ main extinction events?_____ ***Five***
- German paleontologist ---------- established a classification of trace fossil based on behavior …….._____.***Adolf Seilacher***
- Biography is an integrative field of inquiry that unites concepts and information from following branches of science except?
- Ecology, 2. Evolutionary biology 3. Geology 4. Physical geography ***THESE ARE PRESENT CHOSE INSTEAD OF THEM.***
- Which Scientist translated Cuvier's idea into English in 1813…_***Robert Jameson***
- Biology of ocean----------***Marine Biology***
- Biogeography of the oceans is ***island biogeography***/ ***similar to that of the continents***.
- The sum of all niche requirements under ideal conditions when the species is given unimpeded access to resources is called……_____***Fundamental Niche***
- _____is a term sometimes used to describe the wave of biological invasion that has occurred……..._____***Ecological imperialism***
- Among gastropods, the exogastric condition shows that -------***evolution*** (the coiling of the shell is directed outward and away from the body of the animal)
- Who make world map indicating four floral regions for the first time was?---------- ***Adolf Engler (1879).***
- 90% of brachiopod specie extinct during extinction?---------- ***End-Permian Mass Extinction***.
- the last glaciation about ***22,000*** years ago.
- The Huronian glaciation period occurred approximately ***2.4 to 2.1*** billion years ago during the ***Proterozoic eon***.
- Cnidarians have life strategies?----------***2***

- Lagerstatten is a…… ***fossil*** /***exceptional preservation***
- The geological time shows climate zone…… ***calcretes, Dropstones/ 5*** zones
- The sum of all niche requirements under ideal conditions when the species is given unimpeded access to resources is called…….._____***Fundamental Niche***
- Geological studies show that the island was submerged for long periods in the Paleocene– Eocene, so that the island was not available for colonization until about ----------***37 mya***
- The ancestors of the mammoths and modern Asian elephant probably evolved in Africa ***4 to 5*** mya and migrated back into Eurasia ***2 million*** years later.
- Certain species play key roles in the ecosystem, and when they are lost there is a sudden drop in the capacity of the ecosystem to function….._____***Rivert hypthosis***
- In terms of diversification of life during the early Cambrian _____ was an important part of an ecosystem……_____***Predation***
- Oldest jawbearing fishes were the_____ _____ ***Placoderms***
- Placoderm are (***oldest jaw bearing fishes***.
- Which are threatened animal Of Pakistan himayalan brown bear , Indian wolf, Asiatic black bear***, (All)***
- From the Greek Anthropos and Kainos ***(Human being and new)***
- Newland and it's total area***(270,000km2)***
- The acme of group gastropoda with the radiation of the siphonal carnivorous neogastropods was in? ***(Cenozoic)***
- Water vascular system is present in?***(Echinoderms)***
- The type of jawless fishes, ostracoderm were jawless, generally armored and had their hey day in the?***(Devonion)***
- Amniotes radiated in? ***(Late Carboniferous)***
- Early crocodilian was more diverse in? ***(both jurrassic and Cretaceous)***
- The oldest human was found is approximately lived ago? ***(6Ma)***
- There are main extinction in brachiopod? ***(Five)***
- German paleontologist established a classification action of trace fossils based on behavior?***(Adolf Seilacher).***
- Biography is an introgrative field of inquiry that unites concepts and information from following branches of science except?***(physichs)***
- Which scientist translated Cuvier's idea into English in 1813? ***(Robert Jameson)***
- Biography of the ocean is called? ***(Marine biogeography).***
- The sum of all the niche requirements under ideal condition when the species is given unimpeded access to resources called? ***(Fundamental nich)*** ya 2 time pouchi the.
- Is a term sometimes used to describe the wave of the biological invasion that has occurred in the wake of human invasion by either accidental transport or deliberate? ***(Ecological Imperialism).***
- Who make world map indicating four floral regions for the first time was? ***(Adolf Engler)***
- 90% of brachiopod specie extinct during extinction? ***(End . Permian)***
- Certain species play key role in the ecosystem and when they lost there is a sudden drop in the capacity of the ecosystem of the function?***(Rivet hypothesis)***
- In term of diversification of life during the early Cambrian was an important part of ecosystem?***(Predations).***
- Oldest known bird found in. ***(Upper jurrassic sediment).***
- Brrig distinguish…. zoogeographical region ***(23).***
- All of the following are part of gondwana except ***(North America)***
- Trade Wich found in both Northern and southern hemispheres in the region of equator is know as ***.(Intertropical convergence zone ITCZ.***

- modiflication of aparin ….Haldane biochemical models is ***.(Hydrothermal model).***
- Parazoan body plan is found in ***.(. Sponge)***
- homo habilis species liver nearly***.(2ma)***
- Milk contains the following ------***All of given***
- Geographic time show climatic zones --------***5***
- the membrane which enclose the embryo ---- ***the amnion***
- the ancestor of human and chimps separated about ------- ***8-6 ma***
- Oldest known bird fossil were found in ----- ***Upper Jurassic***
- Water vascular system is found in ----- ***Echinoderms***
- The most advanced mollusks are -------- ***Cephalopods***
- ---------- in an origin of species where devoted to geographical distribution. ***Two Chapters***
- .---------- is a term sometimes use to describe the wave of biological invasion that has occurred. ***Ecological imperialism***
- in terms of diversification of life during the early Cambrian ---------- was an important part of an ecosystem. ***Predation***
- the theory of island biogeography published in ---------- ***1967***
- when two species are attempting to tap a resource in the same way and when that resource in short supply the two are said to be --------- ***Competition***
- many study have demonstrated that the richness of the species particularly plants increases with ---------- ***Altitude***
- which scientist translated Cuvier's idea into English in 1813------ ***Robert Jameson***
- The oldest substantial skeletons, of Praeanthropus afarensis, ***3.2 Ma***
- German paleontologist ***Adolf Seilacher*** established a classification of trace fossils based on behavior
- Biogeography is an integrative field of inquiry that unites concepts and information from except. ***Physics***
- ***Robert Jameson*** Translated Cuvier’s ideas into English in 1813.
- ***Panbiogeography*** Argued that all of the areas connected by one of these tracks had originally formed a single, continuous area that was inhabited by the groups concerned.
- Biogeography of oceans is called ***marine biogeography.***
- The sum of all the niche requirements under ideal conditions when the species is given unimpeded access to resources is called ***Fundamental Niche.***
- ***Alfred Wallace***, noted that the range boundaries of Amazonian birds seemed to coincide with the pattern of the rivers.
- All are the part of godwana ***except***
- Two continents, India and Africa originally part of Gondwana. Africa became united with the northern continents during the Mid Miocene, 16–10 mya it was probably from Africa that tropical flowering plants dispersed to the tropics of southern Asia.
- The ‘trade winds’, found in both the Northern and Southern Hemispheres, meet in the region of the equator, and this is known as ***the intertropical convergence zone (ITCZ).***
- Certain species play key roles in the ecosystem, and when they are lost there is a sudden drop in the capacity of the ecosystem to function. This is sometimes referred to as the ***rivet hypothesis***
- When two species are attempting to tap a resource in the same way, and when that resource is in short supply, the two are said to be in ***competition***
- In term of diversification During the Early Cambrian ***Predation*** was an important part of the ecosystem.
- ***Ecological imperialism*** is a term sometimes used to describe the wave of biological invasions that has occurred in the wake of human invasions
- ***99%*** of human genetic makeup is shared with the ***chimpanzee***

- When large animals feed on dead plant or animal tissues, the process is termed ***scavenging.***
- Isthmus of panama separated • The emergence of the Isthmus of Panama ***(3 Mya)***
- Two groups, the ***Porifera and the Cnidaria,*** form the basal parts of the metazoan tree, diverging during Neoproterozoic. Important parts of the planet's reef ecosystems
- ***Stromatoporoids*** A grade of organization within the Porifera with a secondary calcareous skeleton. Important in reefs during the midPaleozoic and mid-Mesozoic
- ***Aplacophorans*** A group of shell-less mollusks
- The amount of difference in the fine structure of a protein is ***proportional*** to the time since they last shared a ***common ancestor.***
- Jaws among fishes evolved during ***early Ordovician*** period.
- ***Ecophysiology*** Examines how plants and animals vary in their physiological processes in response to the environment.
- ***Marsupials, and Placentals***, radiated dramatically in the ***Tertiary.***
- A new hominin, Homo ergaster, appeared around ***1.9 mya***, closely followed Homo erectus
- Gorillas, chimpanzees and humans appear to be very closely related. Share many anatomic characters and ***>94%*** of their DNA is identical
- Conservation movement has evolved in response to the threats with most prominent organization started in ……. ***18th century***
- ***Fossils*** information Helps in identifying the levels of thermal ***maturity of rocks.***
- Species rashness, particularly plants, increases with altitude, reaches a peak and then declines again at very ***high altitudes***
- The diversification of ……. Started in the early Cenozoic of old wold Australia ***(Marsupial mammals)***
- The oldest substantial skeletons, of Praeanthropus afarensis, _____***3.2 Ma***
- Which Scientist translated Cuvier's idea into English in 1813….____***Robert Jameson***
- Oldest mammals group known as_____***All of the given***
- A new hominin, Homo ergaster, appeared around ***1.9 mya***
- The focus of human evolution was in ***Africa***
- In Climate change in life history of earth has oscillated at least ---------- between icehouse and greenhouse conditions…….____.***5 times***
- ------ in on origin of species where devoted to geographical distributions…___ ***Two Chapters***
- Chondricthyans is fish……_____***Cartilaginous.***
- The trade winds found in the both northern and southern hemisphere meet in the region of equators this is known as……_____***Intertropical Convergence zone (ITCZ)***
- The ancestors of mammoths and modern Asian elephant probably evolved in……____***Africa***
- ____ is Defined in terms of inertia, or resistance to change. _____***Stability***
- Chelicerates are diversed and heterogeneous which includes….____ ***All of the above (Mites, Scorpions, Spiders).***
- homoplasy have contributed to a number of different ***phylogenies.***
- Planula is the larval stage of _____***cnidarians***
- Namibia is present in ***Upper Proterozoic rocks.***
- which continent was the pouch of the human evolution…….***Africa***
- The Amazon basin contains approximately _____ flowering plant species, whereas equivalent areas in Africa and in South-East Asia contain only about ***40,000*** each_____***90 000***
- altitudinal gradients were organized by ……***Humboldt***

- ----------are the threatened species of Pakistan. ***All of the above***
- major constituent of milk _____***carbohydrates lactose/ water***
- Early Devonian period starts about___***380***_____mya.
- Fossils in fold belts are, Except _____***In excellent Shape***
- The current extinction crisis is sometimes called the_____ ***sixth extinction***
- The parazoan body plan is seen in?_____ ***sponges***
- The belly-footed mullusks are _____ ***Gastropods***
- The first vertebrates had a _____ ***cartilaginous Skeleton***
- Oldest known bird fossil was found in _____Upper Jurassic__ ***Sediments***
- Are the observation of the appearance and disappearance of species?_____ ***Patterns***
- Briggs used the patterns of endemicity of coastal faunas to identify locations where there appears to be a zone of unusually rapid faunal change, and then used this to distinguish ***23*** zoogeographical regions.
- Geological studies show that the island was submerged for long periods in the Paleocene– Eocene, so that the island was not available for colonization until about ***37 mya.***
- The fossil record suggests that all the early amphibian and reptile groups evolved in the continent called ***Euramerica***
- All of the following part of Gondwana Except…….._____***North America***
- Evolution a process by which new species are generated it essentially involve……_____ _____ ***Genetic Variation and Subsequent selection***
- Certain species play key roles in the ecosystem, and when they are lost there is a sudden drop in the capacity of the ecosystem to function…..____***Rivert hypthosis***
- All of the following are included in ecological biogeography except……_____***Altitude***
- The reptile ancestors of the mammals are……..____***basal synapsid***
- After the Late Triassic extinction a new group of herbivorous evolved named as ------ ***sauropodomorphs***
- _____is a term sometimes used to describe the wave of biological invasion that has occurred…….._____***Ecological imperialism***
- According to which model, diversity continues to expand without reaching a global carrying capacity***------- Exponential model***
- When large animals feed on dead plant or animal tissues, the process is termed - ____ ***Scavenging***
- Homoplasy means----***Same function***
- The evolution by natural selection model was presented by _____***Darwin***.
- The true patterns of Relationship among the organisms_____ ***Cladistics***
- The amount of difference in the fine structure of a protein is proportional to the ***time*** since they last shared a common ancestor.
- Examines how plants and animals vary in their physiological processes in response to the environment.--- ***Ecophysiology***
- The oldest known mammals group is known as ----------***All of the given***