Zoo506 APPLIED ENTOMOLOGY AND PEST MANAGEMENT MCQ MADE BY EXCELLENT ZOOLOGIST GROUP

Admins (**Asmat niazi, Momna zareen**)

https://chat.whatsapp.com/EDvrtGed0ygG8lpWv6yLfe

1- Relationship of Insects with other animals

1- Members of Arthropoda fond in
   A) in the seas
   B) in fresh water
   C) on land or even flying freely
   D) all

2- fifth large group is composed mainly of soft, jellylike animals, the more common larger members being called jellyfish, and to this group the name…… is applied.
   A) Coelenterata
   B)
   C)
   D)

3- **Which class has the largest number of animals?**
   A) Fishes
   B) Reptiles
   C) Insects
   D) Mammals

2 - Characteristics of Arthropod

4- In arthropods the body is composed of a series of more or less similar pieces or segments. The statement is
   a) True
   b) False

5- Characteristics of insects is
   a) the presence of jointed legs
   b) The surface of the body is covered by a secretion
   c) series of more or less similar pieces or segments
   d) all of these

6- crab, beach flea, sowbug include which group of Arthropoda
   A) diplopoda
   B) hexapoda
   C) chilopoda
   D) Crustacea

7- Millipedes are the
   a) Chilopoda
   b) Diplopoda
   c) Crustacea

d) Hexapoda

8- scorpions, pseudo-scorpions, spiders, mites, tick belongs to the group

a) Arachnid

b) Chilopoda

c) Hexapoda

d) Crustacean

4-Crustacea

9- Water inhabiting animals are

a) Hexapoda

b) Chilopoda

c) Crustacean

d) Arachnid

10- Crustacean breathe

a) By gills

b) Through the surface of the body

c) Both

d) None of the above

11- Often some of the bug; body segments are fused with the ……. to form a crustacean cephalothorax

a) Legs

b) Head

c) Moth

12- Crustacea have …….. pairs of legs and generally two pairs of antennae (jointed "feelers"

a) Some

b) Numerous

c) Three

d) Four

5- Diplopoda

13- Diplopoda are the ……..animals

a) Water

b) Land

c) Air

d) All

14- ……breathing by air tubes opening on the sides of the body, these tubes carrying the air into all the internal parts of the animal

a) Chilopoda
b) Diplopoda
c) Crustace
d) Both a and b

15- In diplopda , head bears a pair of antennae and is followed by a series of segments all practically alike and each,
except the first three, with ……pairs of legs

A) Two
B) Three
C) Four
D) Six

16- IN the diplopoda the reproductive organs open far forward on the body. The statement is

a) True
b) False

17- small diplopods about the diameter *of the lead of a pencil and gray in color are often found boring* into…… and roots in the ground

a) potatoes
b) carrot
c) ladyfinger
d) all of the above

6-Chilopoda

18- Chilopoda are also ……..animals

a) Land
b) Water
c) Air
d) None

19- In chilopoda each segment bears only ….. pair of legs

A) One
B) Two
C) Three
D) Four

20- The reproductive organ open posterior of the body, in

A) Chilopoda
B) Hexapoda
C) Diplopoda

7-Arachnida

Zoo506 APPLIED ENTOMOLOGY AND PEST MANAGEMENT MCQ MADE BY EXCELLENT ZOOLOGIST GROUP

Admins (Asmat niazi, Momna zareen)

https://chat.whatsapp.com/EDvrtGed0ygG8lpWv6yLfe

21- The Arachnida generally have the segments of the body grouped into…… sections

a) Two
b) Three
c) Six
d) Eight

22- In arachnida ….. antennae are present and the eight legs are all attached to the cephelothorax

A) Two
B) Three
C) No
D) One

8- Hexapoda

23- Head , thorax and abdomen are present in the group

a) Arachinda
b) Hexapoda
c) Both
d) Non of the above

24- Chracteristics of hexapoda

a) Pair of antenna
b) Six legs and four wings
c) Animals breath by air tubes
d) All of the above

9,10- General features of insects

25- Insects have symmetry ….

a) Radial
b) Bilateral
c) Asymmetry

26- in insects the reproductive organs open near the hinder end of the body. The statement is

A) True
B) False

27- Usually ……..pairs of wings are present.

a) Two
b) Three
c) Five
d) Non of the above

Zoo506 APPLIED ENTOMOLOGY AND PEST MANAGEMENT MCQ MADE BY EXCELLENT ZOOLOGIST GROUP

Admins (**Asmat niazi, Momna zareen**)

https://chat.whatsapp.com/EDvrtGed0ygG8lpWv6yLfe

11- General Segmentation in Insects

28- Segments in adult insects are….
a) 6 to 15
b) 7 to 15
c) 8 to 15
d) 9 to 15

29- How many segment in the head of insects
a) 1
b) 3
c) 4
d) 5

30- How many segment in the thorax
a) 3
b) 4
c) 6
d) 0

31- How many segment in the abdomen
a) 3 to 11
b) 5 to 11
c) 3 to 12
d) 3 to 6

32- in the egg, however, the embryo shows the presence of ……. segments in the head, 3 in the thorax and 11
or 12 in the abdomen
a) 6
b) 7
c) 9
d) 2

12,13 Cuticle or External skeleton

33- The skeleton of the body, or cuticula as it is called, supports and protects the…….tissues within it.
a) Hard living
b) Soft non living
c) Soft linvig
d) Hard non living

34- Cuticle is the
a) Hypodermis
b) Endodermis

c) Mesodermis

d) Non of the above

35- Chitin is a nitrogenous substance , the statement is

a) True

b) False

36- Cuticle is made up of

a) Cellulose

b) Chitin

c) Both

d) Non of the above

37- Characteristics of cuticle are

a) Soft , thicker, darker

b) Flexible , thicker ,soft

c) Flexible , thicker , rigid

d) All of the above

38- The ……. along certain lines forms folds which project inward, carrying its cuticular secretion along with it

a) Epidermis

b) Hypodermis

c) Endodermis

d) All of the above

39- The sclerites on the back of each segment are usually together termed the notum or …..;

a) Tergum

b) Satures

c) Both

d) Non

40- In the head the sutures are ….. in number, so only a few plates or sclerites are gener ally in evidence

a) enormous

c) Few

d) Zero

41- In the thorax the sutures are enormous in number , the statement is

a) True

b) False

42- Occasionally weakly sclerotized areas are quite ….. (queen white ant) *and elastic.*

a) Small

b) Larger

c) Thick

d) Non

Zoo506 APPLIED ENTOMOLOGY AND PEST MANAGEMENT MCQ MADE BY EXCELLENT ZOOLOGIST GROUP

Admins (**Asmat niazi, Momna zareen**)

https://chat.whatsapp.com/EDvrtGed0ygG8lpWv6yLfe

14- Structure of Head

43- The head of insect is

a) Progonathous
b) Hypogonathous
c) Opisthogonathous
d) All of the above

43- Head perpendicular to the longitudinal body axis (pointed donward)

a) Progonathous
b) Hypogonathous
c) Opithogonathous]
d) Non

44- Head extended longitudinally with the body axis (pointed forward)

a) Progonathous
b) Hypogonathous
c) Opithogonathous]
d) Non

45- Head pointed backward

a) Progonathous
b) Hypogonathous
c) Opithogonathous]
d) Non

46- Heads with the mouth beneath are called

a) Progonathous
b) Hypogonathous
c) Opithogonathous]
d) Non

47- Structures found on the head are

a) A pair of antennae
c) Mouth parts
d) Two compound eyes
e) All of the above

48- ovipositor, sting, cerci and styli, are present in

a) thorax
b) abdomen
c) head
d) all

49- wings and legs; are present in

a) head
b) thorax
c) abdomen
d) non of the above

Zoo506 APPLIED ENTOMOLOGY AND PEST MANAGEMENT MCQ MADE BY EXCELLENT ZOOLOGIST GROUP

Admins (Asmat niazi, Momna zareen)

https://chat.whatsapp.com/EDvrtGed0ygG8lpWv6yLfe

15- Antennae

50- Antennae are always present _____?

A) Nearly B) far away C) both A and b D) None of above

51- Antennae are usually _____?

A) slender, jointed B)Thick and jointed C)Thin and jointed D) pointed and thin

52- Antennae resemble with_____ _____?

A) feathers B) plumes C) both A and B D) Hair

53- Sense organs are present on_____?

A) Head B) Antennae C) Thorax D) Abdomen

54- Sense organs are present on them for the sense of touch, and probably also for smell and hearing, at least in some cases , are the characteristics of

a) Antennae b) thorax c) abdomen d) head)

16- Eyes

55- The eyes are of _____ kinds of insects ?

A) Two B)Three C) Four D) Five

56- There is a pair of_____, each of which is a group of similar structures which usually are like tall, slender pyramids in form

A) naked eye B) small eye C) compound eyes D)simple eye

57- he other kind of eyes, called ….., may be absent or, if present, may vary in number in different insects, three being perhaps the most usual

a) compound
b) ocelli
c) both
d) non

58- _____ may be larger than this but is never equal to an entire compound eye in size.

A) concave B) convex C) head D) Ocelli

59- The cuticula of the surface of the body is transparent where it_____ the surface of an eye?

A) clear B) covers C) Hide D) suppor

17,18,19,20 –Mouth parts of Insects

60- The mouth parts of____ vary extremely in their structure..?

Zoo506 APPLIED ENTOMOLOGY AND PEST MANAGEMENT MCQ MADE BY EXCELLENT ZOOLOGIST GROUP

Admins (Asmat niazi, Momna zareen)

https://chat.whatsapp.com/EDvrtGed0ygG8lpWv6yLfe

A) Birds B) insects C) Animals D) fungi

61- In some groups, however____ transformed into a sucking apparatus?

A)Mouth part B) Head C) Head D) Face

62- In front of (in hypognathous heads) or above the mouth opening (prognathous heads) is the front_____?

A) Side B) face C) Lip D) bone

63- Attached on the outer side of each maxilla, not far from where the latter articulates with the head, is a sort of tiny antenna like structure consisting of from one to six (usually five) segments, which is called_____?

A) Maxillary head B) Thorax C) Joint D) maxillary palpus

64- Behind the maxillae and closing the mouth opening behind, is the ?

A) Front Lip B) hinder lip C) Front bone D) none of above

65- At the sides of the mouth opening, immediately behind the labrum, is a pair of ____?

A) Jaws B) Bone C) lips D) Mandibles

66- Its inner surface, forming the roof of the mouth, is often called the

a) Epipharynx
b) Hypopharynx
c) Both
d) Non

67- The tips and outer internal margins of the maxillae usually bear numerous ?

A) Teeth B) hairs C) spines D) Both B and C

68- In some, only ____of the pieces nearest the head have fused.?

A) one or two B) Two or Three C) Four or Five D) six or Eight

69- The function of the maxillae appears to be to hold and retain the ____in the mouth.?

A) Tounge B) food C) Teeth D) None of above

70- Both mandibles and maxillae move___?

A) sideways B) same C) equal D) Different

71- The thorax has its ____ segments usually quite clearly marked?

A) Two B) three C) Four D) Five

72- The ___abdominal segment, when seemingly more apart of the thorax than of the abdomen, is called the median segment or ropodeum?

A) 1st B) 2nd C) 3rd D) 4th

73- On the second, or mesothorax, and on the third, or metathorax, both wings and legs occur in the majorty of insects

a) Legs and mouth
b) Wings and legs
c) Mouth and legs
d) All

74- There is a tendency in some groups, carried farthest in the higher Hymenoptera, for the first segment of the abdomen to consolidate more closely with the

a) Metathorax
b) Mesothorax
c) Both
d) Non

75- The first abdominal segment, when seemingly more apart of the thorax than of the abdomen, is called the median segment or ropodeum, the statement is

a) True
b) false

21,22 – Structure of legs

76- In insect pairs of legs mostly found

a- two pairs

b- four pairs

c- three pairs

d- one pairs

Ans three pairs

77- Forelegs used for_insects

a- preying

b- eating

c- flying

d- capturing

Ans capturing

78- Jumping power of insect is due to _

a- hind legs

b- forelegs

c- pelvic gridle

d- shoulder

79- The leg is composed of _

a- trochanter

b- coca

c- femur

d- coxa trochante

80- The _ is the segment that articulates with the body

a- hinge

b- coxa

c- hollow

d- tibia

81- The _ is usually small and may not be visible on all sides of the leg

a- trochanter

b- tibia

c- fibula

d- tarsal

82- At the end of the last pair of claws is generally found,and between them a sort of pad or cushion, the_

a- trochanter

b- coxa

c- pelvic

d- pulvillus

23,24 Structure of Wings

83- - The wings are _ outgrown

a- chitinous

b- hard

c- leathery

d- soft

84- Hollow rods are usually called_

a- nothing

b- sort

c- veins or nerves

d- nerve

85- Entirely surrounded by veins are called_

a - closed cells

b- veins

c- nerve

d- radiating

86- Areas of membrane between veins are termed

a) cells
b) nerve
c) radiating
d) veins

87- There is usually a point or tip called the_

a - Costa

b- coxa

c- apex

d- wing

88- The edge begin and turned backwards is called_

a- apex

b- Costa

c- pelvic

d- tibia

89- _ are entirely absent in some groups of insect

a- wings

b- legs

c- bone

d- beak

90- where wings are absent this condition is associated with a_

a-parasitic life

b- adult Life

c- birds life

d- embro life

25,26- Structure of Abdomen

91- The ……. does not usually show great differences in its segments except in those near the hinder end

a) abdomen
b) thorax
c) mouth
d) all

92- Generally a dorsal plate (notum or tergum) and a ventral plate (sternum) are the only …… skeletal plates evident in a segment

a) three
b) two
c) four
d) six

Zoo506 APPLIED ENTOMOLOGY AND PEST MANAGEMENT MCQ MADE BY EXCELLENT ZOOLOGIST GROUP

Admins (Asmat niazi, Momna zareen)

https://chat.whatsapp.com/EDvrtGed0ygG8lpWv6yLfe

93- Small openings, usually a pair in each, or at least in some of the segments, are the openings of the

a) breathing organs
b) hearing organs
c) smelling organs
d) all of the above

94- Legs are very rarely present on the thorax in adult insects but are often found in the earlier stages . the statement is

a) false
b) true
(Legs are very rarely present on the abdomen in adult insects but are often found in the earlier stages)

95- - which lay their eggs within objects is a combination of pieces know as an _

a- viviparous

b- oviparous

c- ovipositor

d- vivipositor

96- Ovipositor usually consists of about ……..pairs of parts

a) three
b) four
c) five
d) two

97- In one group which has apparently changed its habits and no longer needs to make holes for egg laying, the ovipositor being unnecessary for this purpose has been transformed into a……..

a) wing
b) sting
c) lip
d) non of the above

98- A pair of many-segmented, antenna-like structures, sometimes short, sometimes long, may occur at the end of the

a) abdomen b) thorax c) both d) non

Zoo506 APPLIED ENTOMOLOGY AND PEST MANAGEMENT MCQ MADE BY EXCELLENT ZOOLOGIST GROUP

Admins (**Asmat niazi, Momna zareen**)

https://chat.whatsapp.com/EDvrtGed0ygG8lpWv6yLfe

99- they probably serve as organs of touch and possibly organ of smell in some cases

a) sting
b) cerci
c) legs
d) all of the above

27- The internal structure of insects

100- In those insects whose food is most concentrated, the elementary canal is

a) simple
b) complex
c) no
d) both a and b

28,29,30- Digestive organs

101- The necessity for a greater digestive and absorptive surface has resulted in an …….of its length

a) increase b) decrease c) both a and b d) non

102- In the embryo the alimentary canal forms as …….separate sections which connect later

a) one
b) two
c) three
d) six

103- The mid intestine forms the stomach of the adult insect, the statement is

a) trure
b) false

104- the fore intestine, by differences of structure, may sometimes consist of

- Mouth cavity
- Esophagus
- Crop
- Proventriculus

105- The stomach may develop side ……..

a) pouches
b) gastric caeca
c) cerci
d) both a and b

106- the hind intestine is often separable by differences of structure into an
a) Ileum,
b) Colon
c) Rectum d) all of the above

31, 32, Breathing Organs

107- The oxygen needed, instead of being drawn into _____

A) Lungs B) stomach c) Heart. D) kidney

108- The openings by which the air enters are called _____

B) Tracheae B) spiracles C) both a and B D) None

109- These spiracles occur in_____

C) Single form B)pairs form C) triple forms D) None

110- Spiracles occur in pairs on some of the thoracic and _____

D) Esophagus. B) Rectum C) abdominal segments. D) ileum

111- The spiracles often have valves which they can be ____ completely closed at will .

E) More or less . B) more or high C) both a and B D) None

112- Each spiracles opens into a short tube or

F) Air sacs. B) mouth cavity. C) trachea D) none

113-The tracheae frequently enlarge here and there, forming so called _____

G) Air sacs B) air tubes. C) tracheal gills. D) spiracles

114-The tracheae are lined by ____ connected with that of the surface of the body.

H) Cellulose B) Chitin C) pectin D) Hemicellulose

115-That materials, which kill the insects by contact with their bodies___

I) Insecticides B) pesticides C) contact insecticides D) none

116- Insects breathe air into their bodies through _____

J) Spiracles B) tracheae. C) lungs D) gills

117- In some cases , animals obtain and usually through special structures called _____

K) Air sacs. B) tubes. C) colon. D) tracheal gills

118- In a few small water inhabiting forms , the chitin covering the surface of body is so _____

L) Thin. B) Thick. C) Both a and B D) None

33,34,35 Circulatory Organ

119- Insects have only an incomplete system of _____

A) Blood capillaries. B) tracheal gills. C) air sacs. D) blood vessels

120-In circulatory system of insect a tube lies in the _____ of the body close beneath the back .

B) Upward B) lower . C) middle D) None

121-The chambered portion is called _____

a. Heart B) lungs. C) gills D) rectum

122-The front end of the heart finds itself in a tube without chambers or valves called the _____

a. Contraction wave. B) Abdomen. C) gills D) aorta

123-Aorta may divided into a few _____

a. Short branches. B) long branches. C) unbranched D) both a and c

124- During each contraction ,the heart occupies _____

a. No space B) high space. C) less space D) none

125- The direction of least resistance is now through the valves and into the

A)Lungs. B) gills. C) air sacs. D)Heart

126- The living parts of the body _the cells_ need _____

M)Carbon dioxide B) oxygen C) Both. D) None

126- The cells by their activities produce not only carbon …….. but also waste material nitrogenous in nature which must be removed like all wastes from the body

a) Carbon dioxide gas
b) Oxygen gas
c) Nitrogen
d) Non of the above

36 37 -Excretory organ

127- Excretory organs of insects are

a) Nephridia
b) Malpighain tubules
c) Green plants
d) All of the above

128- Excretory waste of insect is

a) Nitrogenous waste
b) Uric acid
c) Both
d) Non of the above

129- In insects, The blood itself is usually a……fluid

a) Colorless
b) Yellow
c) Reddish or green
d) All of the above

130- The blood itself is usually a colorless, yellowish, reddish or greenish fluid, in which are corpuscles resembling the white corpuscles of ……blood

a) Human
b) Birds
c) Both

Zoo506 APPLIED ENTOMOLOGY AND PEST MANAGEMENT MCQ MADE BY EXCELLENT ZOOLOGIST GROUP

Admins (Asmat niazi, Momna zareen)

https://chat.whatsapp.com/EDvrtGed0ygG8lpWv6yLfe

131- the organs that eliminate the nitrogenous wastes from the body and correspond in function to the human ….. are known as Malpighian tubes

a) stomach
b) heart
c) kidneys
d) non

132- The Malpighian tubes may be ……..

a) Few
b) Short
c) Long
d) All of the above

38,39-Nervous System

133- The nervous system is located the ____line of the body of insects.

a . Down b.upper c. middle d. none

134- Nervous fiber in clusters are called _____ .

a. Ganglia b. fiber c. cells d. tissue

135- The larger nerves are _____ of the fibers .

a. bunch b. bundles c.clusters d.none

136- The fusion of segments of insects has been produced by hinder ____.

a.fiber b. cells c.Ganglia d.filaments

137- Bundle of nerve fiber is called _____ .

a. ganglia b. commissures c.numerous fibers d.fusion of fibers

138- In the head of insects largest ganglion of the body called _____ .

a. brain b.stomch c. neck d .none

139- In insects commissures connect to _____ .

a. antennae b. nerves c. ganglion d. none

140- The thoracic region may be more or less seprate or fused and may have fewer or more of the _____ ganglia.

a.intestinal b.abdominal c.several d.vertebral

141- A small _____ also present appears to concerned chiefly with the nerve supply of the alimentary canal tracheae.

a.nerve system b.sympathetic nerve system c.parasympathetic nerve system d.none

142- the wings ,leg ,muscles and other parts receive their _____ supply.

a.Nerve b. blood c. muscles d. both a and b

143- The larger nerves are really bundles of the fibers running side by side ……the wires of a telephone cable

a) Like
b) Unlike
c) Non

d) Both a and b

40- Sense Organ

144- Some cave inhabiting insects have no_____ .

a.ears b. eyes c.neck d. hair

145- Insects have other senses not possessed by ___ .

a.animals b .dog c.man d.none

146- Individuals occur incapble of _____ their sexual organs not having become fully developed , such inserts may be termed neuters.

a. reproduction b.digestion c. respiration d.asexual reproduction

147- All the most evident senses possesed by_____appear to be present in insects except possible insects .

a.men b. birds c.animals d.both a and b

148- In honey bees ,ants ,and termites they are known according to their ___ .

a.shape b.size c.duties d.both a and b

149- example of colonial insects is_____.

a. buterfly b.spider c.honeybees d.none

150- Conventional signs for the various forms of insects, as a convenience, are if male

a) ♂

b) ♀

c) Non

151- Conventional signs for the various forms of insects, as a convenience, are if female

a) ♂

b) ♀

c) Non

42, 43- Female Reproductive Tract

152- In the female the eggs are produced in a pair of ovaries located in the ….front part of the abdomen

a) Upper

b) Lower

c) Middle

d) All of the above

153- Each is a cluster of ovarian tubes whose walls are …

a) Neuters

b) Cells

c) Both

d) Non of the above

154- The vagina which lies b/t the alimentary canal and extend backward to its……..which is located

(a)outer closing (b)outer opening(c)inner opening(d)inner closing

155- A side pouch called seminal receptacle is connected with the vagina is for the storage of the sperms which fertilize the …..

a) Egg

b) Enzyme

c) Blood

d) Non

156- Female insect reproductive system include

a)vagina

b) ovary

c) accessory gland

d) all of the above

44- Male Reproductive Tract

157- A pair of spermaries or testes is present in the upper front part of the ……

a) Thorax

b) Abdomen

c) Head

d) Non

158- Each……. consisting of a rather closely coiled mass of tubes in which the sperms are produced.

a) Ovary

b) Tastes

c) Both

d) Non of the above

45- Development of Insect (Egg types)

159- Most insects lay eggs from which the young hatch after a…….time

a) long b) shorter c) both a and b d) no time

160- those which lay eggs hatching later are termed….

a) Oviparous

b) Viviparous

c) ovoviviparous

161- Those having eggs that remain in the body of the parent for a time after hatching are termed

a) Oviparous
b) Viviparous
c) ovoviviparous

162- A few insects that supply nourishment to the young before its birth are termed

a) Oviparous
b) Viviparous
c) Ovoviviparous

163- Insects legs are usually

a) Very small
b) Vary greatly in form
c) May be laid singly or in clusters
d) All of the above

46- Structure of Eggs

164- Eggs are covered by a _____ shell.

a) Chitinous
b) Chorion
c) Cuticula
d) Chitten

165- At one place on the surface is minute opening or group of opening through the shell called _____.

a) Macrophyl
b) Prophyl
c) Megaphly
d) Micropyle

166- The length of time spent in the egg differs in different insect from a _____ to many months.

a) One hour
b) Two hour
c) Three hour
d) Few hours

167- In _____ the shell breaks and out of it crawls the young insect.

a) Hatching
b) Catching
c) Cutting
d) Hooting

47- Metamorphosis

168- In some of the simpler insect, a few changes and ____ only are needed to make to make them mature.

a) Temperature
b) Food
c) Growth
d) Water

169- Those which on hatching generally show some resemblance to the adults and reach maturity by a series of gradual changes.

a) Hemimetabola
b) Holometabola
c) Ametabola
d) Ometabola

170- Those which on hatching are totally unlike the adults and become adults by a somewhat different process.

a) Hemimetabola
b) Holometabola
c) Ametabola
d) Ometabola

171- The amount of metamorphosis required for members of each group to become____.

a) Adults
b) Insect
c) Larva

d) Pupa

172- A member of the group _____ upon hatching will begin to feed and grow.

a) Hemimetabola
b) Holometabola
c) Ametabola

173- A spilt appears in the _____ usually along the back and the insect crawls out of its skin or motls.

a) Chorion
b) Chitinous
c) Cuticula
d) Chitten

48,49,50- Types of Metamorphosis

174- In a short time it hardens to become a new _____.

a) Cuticula
b) Cuti
c) Chorion
d) Chitinous

175- In theory there should be some _____ that do not molt.

a) Hypodermis
b) Ametabola
c) Hemitabola
d) Ometabola

176- The cuticula being so _____ it will stretch enough to permit growth to the adult.

a) Elastic
b) Plastic
c) Escape
d) Extent

177- In the hemimetabola the young insect on escaping from the egg, through _____ its parent to some extent.

a) Sembling
b) Resembling
c) Assembling
d) Adult

178- In the egg the energy for development has been provided by the _____.

a) Yolk
b) Food
c) Growth
d) Energy

179- These changes must be produced quickly, as the _____ cell of these parts.

a) Epidermal
b) Hypodermal
c) Ectodermal
d) Heterodermal

180- When the new shell has become _____ the insect resumes its feeding.

a) Softest
b) matured
c) hardened
d) provided

181- The young insect is again confronted with the same difficulties as before, and it meets them in the same way, by ____.

a) Molting
b) Volting
c) Making

d) Increase

182- The fluid poured out has time to harden the insect is able to _____.

a) Food
b) Grow
c) Tem.
d) water

51,52,53-Hemimetabola

183- The feeding periods between the molts (or ecdyses) are called…
a) Nymph
b) Larva
c) Instal`s
d) All of the above

184- The insect itself, from hatching until maturity, is generally called a
a) Nymph
b) Larva
c) Instal`s
d) All of the above

185- . Hemimetabola are known to occur in one species

(a) **forty five**

(b) thirty five

(c) fifty five

(d) twenty five

185- The term Hemimetabola was used for ……. to include all those orders in which the insects underwent incomplete metamorphosis in the course of their development
A) Many years
B) Two years
C) Six years
D) Non of the followings

186- In recent years this has led some entomologists to divide the Hemimetabola into ….. groups

A) Two
B) Three
C) Four
D) Eight

187- The young in the Hemimetabola thus limited are called …….; those in the Paurometabola, nymphs
a) Dryad
b) Naiads
c) Both

188- When a young holometabolous insect hatches, it in no way resembles its ….
a) Adult
b) Nymph
c) Larva
d) All

189- A caterpillar is totally …… in appearance from the butterfly it finally becomes the white grub in the earth
a) Same
b) Different
c) Bit different
d) Non

190- Caterpillar of butterfly is also called
a) May bug
b) July bug
c) June bug
d) March bug

54 to 58 – Development in Insects

191- A larva Transforming in Tunnels in wood where it has fed may make a ….. cocoon with more or less chewed wood fragments mixed in

a) Partial
b) Complete
c) Semipartial
d) All of the above

192- Accordingly, the full-grown larva usually, though ...leaves the place where it has been feeding and elsewhere prepares for its next change

(a) not always
(b) Always
© sometimes
(d) none of above

Answer (a)

193- Many larvae begin this by spinning around themselves a thread of silk, produced by …within the body and opening to the surface on the lower lip

(a) Hormones

(b)chemicals

(c) glands

(d) none of above

Answer ©

194- The completeness of the cocoon, however, varies greatly with ...insects

(a) Same

(b) different

(c) All

(d) None of above

Answer (b)

195- In some ....the larva shrinks within its larval skin and transforms, this skin, now called a puparium, functioning like a cocoon

(a) flies

(b) butterfly

© insects

(d) none of above

Answer (a)

196- When the insect escapes from this skin, however, a great change in it appearance is evident, and it is now called a

(a) Larva

(b) Pupa

(c) Adult

(d) None of above

Answer (b)

197- Which contribute largely to form the new surface of the body in which

(a) Head, Thorax, Abdomen are evident, Antennae, Legs, stubs of wings

(b) Head, Thorax, Abdomen are evident

(c)Antennae, Legs, stubs of wings

(d) none of above

Answer (a)

198- In some cases maturity of the... is not complete until a little later

(a) Excretory organ

(b) Respiratory organ

(c) Reproductive organ

(d) None of above

Answer ©

199- In the Hemimetabola the insect hatches from the egg in a form somewhat resembling the

(a) pupa

(b) larva

(c)adult

(d) none of above

Answer ©]

200- If any growth is possible and that the belief so common that

(a) big flies grow from little flies

(b) little flies grow from big flies

© both a and b is true

(d) none of above

Answer (a)

201- Larvae of butterflies and moths are commonly called caterpillars.Those of beetles are usually called

(a) maggots

(b) grubs

© both a and b are correct

(d) none of above

Answer (b)

202- In the Hemimetabola, then the stages of life are, Egg, Nymph, Adult. In the Holometabola they are

(a) Same
(b) Diffrent
(c) egg, larva, pupa, adult
(d) None of above

Answer ©

59-Development in Insects

203- If any growth is possible that the belief so common that……..is without any basis of fact

a) Little flies grow from big flies
b) Little fly don't grow from big flies
c) Big flies grow from little flies
d) Big flies don't grow from little flies

204- Larva of butterflies and moths are commonly called……..

a) Adult
b) Nymph
c) Caterpillar
d) All of the above

205- Larva found boring in wood, however, they will become moths , beetles or other insects, are uniformly called borers , the statement is

a) True
b) False

206- In hemimetabola the stages of life are

a) Egg, nymph , adult

b) Egg , larva , pupa ,adult

c) Egg, nymph , larva, adult

207- In holometabola the stages of life are

a) Egg,nymph, adult

b) Egg , larva, pupa, adult

c) Egg, nymph, larva, adult

60 To 64 – Economic Importance of Insects

208- An agent that is used to transport the microorganisms from one host to another is called:

a. Plasmid
b. Vector
c. Bacteria
d. Nucleus

Ans:B

209- A condition that impairs the normal functioning of an organism or body is called :

a. Disease
b. Fungi
c. Genes
d. Host cell

Ans:A

210- The study of disease in population of an organism.

a. Demograpghy
b. Spectroscopy
c. Epidemiology
d. Terminology

Ans:C

211- The most obvious loses are those caused by the :

a. Feeding of insects
b. Fungi
c. Parasites
d. Bacteria

Ans:A

212- The technical name of potato is

a. Ephilachna ocellata
b. Bemisia tabaci
c. Myzus persicae
d. Bemisia argentifolii

Ans:A

213- Many thousands of insects species known to human are:

a. Affect him and his property slightly
b. Beneficial
c. Injurious
d. All of the above

Ans:D

214- Generally the injury to fruit and truck crops is believed to be more than:

a. Half
b. One tenth
c. One third
d. One fourth

Ans:B

215- _____estimated in 1938 that the annual loss to agricultural crops by insects is over 1600 million dollars.

a. Hyslop
b. Jhon
c. Lamarck
d. Rousseau

Ans:A

216- It is general conclusion that the loss to all sorts of crops by insects damage in an average year is about ……..percent

a) 20
b) 10
c) 40
d) Zero

217- Generally the injury to fruit and truck crops is believed to be more than ….tenth

a) One
b) Two
c) Three
d) Zero

218- Blemishes in fruit caused by …….bites

a) Insects bite
b) Reptiles bites
c) Both

65 to 67 – Insect Damages

219- ……..the passing of a pathogen causing communicable disease from an infected host individual or group to a particular individual or group

a) Communication
b) Transmission

220- Specific insect and the specific viral pathogen have some kind of association or relationship between the two .Mostly Caused insects that have sucking mouthparts

a) Mechanical transmission
b) Chemical transmission
c) Biological transmission
d) All of the above

221- ……the pathogen is simply carried externally or internally by the insect .Mostly Caused insects that have biting/chewing mouthparts.

a) Mechanical transmission
b) Chemical transmission
c) Biological transmission
d) Non of the above

222- The……. may enter the plant through feeding injuries made by either the chewing or the sucking type of insect

a) Pathogens
b) Probiotics
c) Non pathogens

223- Particularly in the case of the filterable viruses, those little-known agents causing the so-called mosaics and related plant diseases .insects become carriers of the disease from….

a) Animals to plants
b) Plants to animals
c) Human to plants
d) Plants to plants

224- Insect born disease in organisms are

a) Malaria
b) Bubonic plague
c) Typhoid
d) All of the above

225- …… are frequently caused by exposure of susceptible persons to dried insect scales and hairs

a) Malaria
b) Typhoid
c) Allergy (hay fever, asthma, etc.)
d) Non of the above