

Professional Online Academy Vu Topper RM



CS607-P Artificial Intelligence Practical Update MCQ'S Final Term



Follow Us on YouTube:
[@vutopperrm](https://www.youtube.com/@vutopperrm)

For More Help Contact What's app Me!!!
Number's = # 0322-4021365, 0316-4980094

[Rizwan Manzoor](#)
[Vu Topper RM](#)

وَتَعَزَّ مَنْ تَشَاءُ وَتَذِلَّ مَنْ تَشَاءُ



Our Services

- Assignments
- Quiz & Gdb's
- LMS Handling
- Online Classes
- Lectures Views
- Project Handling
- Important Notes

Result
85% To 100%

پہلے ہمارے سٹوڈنٹس کے رزلٹ دیکھیں
پھر ہم سے سروسز لیں



www.youtube.com/@vutopperrm



Contact us

0322 4021365
0316 4980094

بري صحبت سے تہائی بہتر ہے اور تہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1

(Marks:1)

Vu-Topper RM

Fuzzy logic is a form of _____ .

- A. Crisp set logic
- B. Binary set logic
- C. Two-valued logic
- D. Many-valued logic**

Question No:2

(Marks:1)

Vu-Topper RM

MATLAB is a _____ .

- A. Mobile OS
- B. Programming Platform**
- C. Operating System
- D. First Computer

Question No:3

(Marks:1)

Vu-Topper RM

_____ symbol precedes all comments in MATLAB.

- A. *
- B. //
- C. %**
- D. Not in the list

Question No:4

(Marks:1)

Vu-Topper RM

Robot navigation is an example of _____ .

Fuzzy set
Theorem

Question No:5

(Marks:1)

Vu-Topper RM

Fuzzy logic is a form of _____ .

- A. Crisp set logic

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. Binary set logic
- C. Two-valued logic
- D. Many-valued logic**

Question No:6

(Marks:1)

Vu-Topper RM

_____ is a command for sparse matrix generated from the spones.

- A. Same as an Identity Matrix
- B. Same as a Sparse Matrix**
- C. Double as that of a Sparse Matrix
- D. Same as of an Original Matrix

Question No:7

(Marks:1)

Vu-Topper RM

_____ reasoning is based on deducing old information from logically related known information.

- A. Abductive
- B. Analogical
- C. Deductive**
- D. Inductive

Question No:8

(Marks:1)

Vu-Topper RM

Which function is used to read data from an Excel file in MATLAB?

- A. load_excel
- B. xlsread**
- C. read_excel
- D. importdata

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:9

(Marks:1)

Vu-Topper RM

The Conjunction rule is _____ .

- A. $\sim x$ is $\sim A$, $\sim x$ is $\sim B \Rightarrow \sim x$ is $\sim A * \sim B$
- B. $\sim x$ is $\sim A$, $\sim x$ is $\sim B \Rightarrow \sim x$ is $\sim A \sim B$
- C. $\sim x$ is $\sim A$, $\sim x$ is $\sim B \Rightarrow \sim x$ is $\sim A \pi \sim B$**
- D. $\sim x$ is $\sim A$, $\sim x$ is $\sim B \Rightarrow \sim x$ is $\sim A * \sim B$

Question No:10

(Marks:1)

Vu-Topper RM

_____ deals with degrees of truth and degrees of membership.

- A. Inference
- B. Attribution
- C. Fuzzy**
- D. Intellect

Question No:11

(Marks:1)

Vu-Topper RM

_____ compute output through true values.

- A. Rule Evaluation
- B. Fuzzification
- C. Defuzzification**
- D. Rule Base

Question No:12

(Marks:1)

Vu-Topper RM

_____ of the following command lists the current variable in Matlab.

- A. who**
- B. pwd
- C. which
- D. trype

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:13

(Marks:1)

Vu-Topper RM

In this mode of reasoning, the antecedents & consequents have fuzzy linguistic variables _____.

- A. Syllogistic Reasoning
- B. Categorical Reasoning
- C. Qualitative Reasoning**
- D. Dispositional Reasoning

Question No:14

(Marks:1)

Vu-Topper RM

Which command is used to create a 3D plot in MATLAB?

- A. plot3()
- B. mesh()**
- C. 3dplot()
- D. scatter3()

Question No:15

(Marks:1)

Vu-Topper RM

MATLAB.

- A. fint
- B. trapz
- C. nint
- D. int**

Question No:16

(Marks:1)

Vu-Topper RM

_____ is the extension of script files.

- A. .script
- B. .mat
- C. .m**
- D. There is nothing called script file

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:17

(Marks:1)

Vu-Topper RM

ANN stands for _____ .

A. Artificial Neural Network

B. Active Nation Network

C. Artificial Neutral Network

D. Alternate New Network

Question No:18

(Marks:1)

Vu-Topper RM

FCS stands for _____ .

A. First Control System

B. Final Count System

C. Fuel Control System

D. Fuzzy Control System

Question No:19

(Marks:1)

Vu-Topper RM

_____ Command is used to save command window text to file.

A. diary

B. texttofile

C. saveas

D. todiaary

Question No:20

(Marks:1)

Vu-Topper RM

FIS stands for _____ .

A. Flat Image System

B. Fuzzy Intelligent System

C. Fuzzy Inference System

D. Fuzzy Intellectual System

Page 157

بري صحبت سے تنهائي بهتر ہے اور تنهائي سے نيك صحبت بهتر ہے

For More Help Contact What's app 03224021365

Question No:21

(Marks:1)

Vu-Topper RM

Which of the following is not a pre-defined variable in matlab.

- A. i
- B. pi
- C. inf
- D. gravity**

Question No:22

(Marks:1)

Vu-Topper RM

There exists some other operators which are more linguistic in nature, called _____ that can be applied to fuzzy set theory.

- A. Fuzz Variable
- B. Hedges**
- C. Lingual Variable
- D. None of the Given

Question No:23

(Marks:1)

Vu-Topper RM

_____ types of Loops provided by MATLAB.

- A. While Loop
- B. Do While Loop
- C. All Loops**
- D. For Loop

Question No:24

(Marks:1)

Vu-Topper RM

Fuzzy logic uses _____ .

- A. Local variables
- B. Global variables
- C. Approximate variables
- D. Linguistic variables**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:25

(Marks:1)

Vu-Topper RM

DFS stands for _____ .

- A. Durable First Search
- B. Depth Forward Search
- C. Deep First Search
- D. Depth First Search**

Question No:26

(Marks:1)

Vu-Topper RM

_____ among the following is incorrect for DFS and BFS.

- A. DFS and BFS code have the same time complexity
- B. BFS is equivalent to level order traversal in trees
- C. BFS is implemented using Queue
- D. DFS is equivalent to post order traversal in trees**

Question No:27

(Marks:1)

Vu-Topper RM

The Depth-First Search algorithm is implemented in recursion with _____ data structure.

- A. LIFA
- B. FILA
- C. FIFO
- D. LIFO**

Question No:28

(Marks:1)

Vu-Topper RM

Which searching algorithm among the following takes less memory?

- A. Breadth First Search
- B. Optimal Search
- C. Depth First Search**
- D. Linear Search

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:29

(Marks:1)

Vu-Topper RM

What will be the time complexity of the iterative depth first search traversal code , where V = No. of Vertices, E = No. of Edges ?

- A. $O(V * E)$
- B. $O(V)$
- C. $O(V + E)$**
- D. $O(E)$

Question No:30

(Marks:1)

Vu-Topper RM

Depth First Search is equivalent to _____ of the traversal in the Binary Trees.

- A. Pre-order Traversal**
- B. Level-order Traversal
- C. In-order Traversal
- D. Post-order Traversal

Question No:31

(Marks:1)

Vu-Topper RM

_____ Data Structure is mostly used to implement BFS.

- A. Stack
- B. Priority
- C. Queues**
- D. Linked

Question No:32

(Marks:1)

Vu-Topper RM

_____ construct allows initial information to be specified as a collection of facts.

- A. Deffacts
- B. Deftemplate**
- C. Facts
- D. Fact index

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:33

(Marks:1)

Vu-Topper RM

_____ is used to put data in fact list.

- A. Deftemplate
- B. Slot name
- C. Assert**
- D. Add

Question No:34

(Marks:1)

Vu-Topper RM

When we add a fact in the fact list a unique integer index is assigned to it called as _____ .

- A. Factinteger
- B. Index
- C. Factindex**
- D. Factfloat

Question No:35

(Marks:1)

Vu-Topper RM

_____ command is used to modify the fact in the fact list.

- A. Modify**
- B. Edit
- C. Assert
- D. Retract

Question No:36

(Marks:1)

Vu-Topper RM

_____ is the correct command used to retract all the facts.

- A. CLIPS> (retract)
- B. CLIPS> retract***
- C. CLIPS> (retract*)
- D. CLIPS> (*retract)

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:37

(Marks:1)

Vu-Topper RM

To delete a specific fact from the fact list _____ command is used.

A. Fact-number

B. Fact-address

C. Fact-sequence

D. Fact-index

Question No:38

(Marks:1)

Vu-Topper RM

_____ is correct command to delete multiple facts from the fact list.

A. CLIPS> retract 1 2

B. CLIPS> (retract 1 3)

C. CLIPS> (1 3 retract)

D. CLIPS> (retract 1)

Question No:39

(Marks:1)

Vu-Topper RM

Removing all the facts from the fact list is called as _____ .

A. Deletion

B. Abstraction

C. Assertion

D. Retraction

Question No:40

(Marks:1)

Vu-Topper RM

In MATLAB _____ keyword immediately moves to the next iteration of the loop.

A. Continue

B. Break

C. Goto

D. Update

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:41

(Marks:1)

Vu-Topper RM

_____ command is used to modify the fact but it does not retract the original fact.

- A. Modify
- B. Duplicate
- C. Retract
- D. Edit**

Question No:42

(Marks:1)

Vu-Topper RM

Arguments to a function can be _____ .

- A. System defined data type
- B. Primitive data type
- C. Non primitive data type
- D. User defined data type**

Question No:43

(Marks:1)

Vu-Topper RM

_____ are the features of MATLAB.

- A. Ease of Use and Good Source of Help
- B. All the mentioned Capabilities**
- C. Platform Independent
- D. Full Graphics Capabilities

Question No:44

(Marks:1)

Vu-Topper RM

_____ is the return type of angles function in MATLAB.

- A. Degrees and Radians
- B. Degrees
- C. Radians**
- D. Depends on the Arguments

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:45

(Marks:1)

Vu-Topper RM

_____ command is used to see the facts in the fact list.

A. Facts

B. See

C. Fact

D. Fact list

Question No:46

(Marks:1)

Vu-Topper RM

_____ is the correct command to delete the fact number 3.

A. CLIPS> retract 3

B. CLIPS> (delete 3)

C. CLIPS> (retract 3)

D. CLIPS> (3 retract)

Question No:47

(Marks:1)

Vu-Topper RM

_____ will be the output of the following function (+ 3 (* 8 9) 4).

A. 80

B. 78

C. 90

D. 79

Question No:48

(Marks:1)

Vu-Topper RM

_____ the correct command to see the facts in the fact list.

A. CLIPS> (facts list)

B. CLIPS> facts

C. CLIPS> (fact)

D. CLIPS> (facts)

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:49

(Marks:1)

Vu-Topper RM

_____ of the following is not the extended math function in CLIPS.

- A. Tangent
- B. Addition**
- C. Hyperbolic
- D. Trig

Question No:50

(Marks:1)

Vu-Topper RM

_____ of the following is the extended math function in CLIPS.

- A. Multiplication
- B. Division
- C. Hyperbolic**
- D. Addition

Question No:51

(Marks:1)

Vu-Topper RM

f-0 represents _____ in the fact list.

- A. Ist-fact
- B. Zero-fact
- C. Last-facts
- D. Initial-fact**

Question No:52

(Marks:1)

Vu-Topper RM

Functions that have been defined externally by the CLIPS environment are called _____ .

- A. User defined function**
- B. Private domain function
- C. System defined functions
- D. Public domain function

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:53

(Marks:1)

Vu-Topper RM

In how many directions do queens attack each other?

- A. 2
- B. 3
- C. 4**
- D. 1

Question No:54

(Marks:1)

Vu-Topper RM

In n-queen problem, _____ number of n does not provide an optimal solution.

- A. 4
- B. 3
- C. 1
- D. 2**

Question No:55

(Marks:1)

Vu-Topper RM

Placing n-queen problem, so that no two queens will attack each other is known as _____.

- A. Subset sum problem
- B. Hamiltonian circuit problem
- C. 8-queen's problem
- D. n-queen's problem**

Question No:56

(Marks:1)

Vu-Topper RM

What is the domination number for 8-queen's problem?

- A. 7
- B. 8
- C. 5**
- D. 6

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:57

(Marks:1)

Vu-Topper RM

Time Complexity of 8-Queens Problem in back tracking algorithm is given as _____ .

- A. $O(\log n)$
- B. $O(n+1)$
- C. $O(1)$
- D. $O(n)$**

Question No:58

(Marks:1)

Vu-Topper RM

The n-queens problem is implemented in _____ .

- A. Ludo
- B. Cards
- C. Carom Board
- D. Chess**

Question No:59

(Marks:1)

Vu-Topper RM

_____ was the first solution to Eight Queen Puzzle published.

- A. 1847
- B. 1850
- C. 1849
- D. 1848**

Question No:60

(Marks:1)

Vu-Topper RM

_____ methods can be used to solve n-queen's problem.

- A. Backtracking**
- B. Greedy Algorithm
- C. Divide and Conquer
- D. Iterative Improvement

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Visit My YouTube Channel
For Subjective and More
Important Files
Channel Name = #VuTopperRM

برى صحت سے تھائی بہتر ہے اور تھائی سے نیک صحت بہتر ہے

For More Help Contact What's app 03224021365