



ALL PAID SERVICE

OUR CAPABILITIES :

- ✓ LMS Handling
- ✓ Quizes solution
- ✓ Assignments
- ✓ Mid and Final Term Notes
- ✓ Project CS 619
- ✓ GDB

INBOX NOW

CONTACT DETAILS:

0328-4090195
rts849@outlook.com

Talha Sajid



1.. In which class of aggregates Max function can be placed?

- a) Holistic
- b) Algebraic**
- c) Distributive
- d) Associative

2. Online Extraction is a kind of-----data extraction.

- a) Logical
- b) Dimensional
- c) Physical**
- d) Multi valued

3. In Extract, Load, Transformation (ELT) process, you don't need to purchase extra devices to achieve parallelism because:

- a) You already have parallel data warehouse servers**
- b) You have already performed transformation
- c) You have already performed Loading
- d) ELT does not support parallelism

4. The ----- saw the advent of disk storage, or DASD(direct Access Storage Device)

- a) 1960s
- b) 1970s**
- c) 1950s
- d) 1990s

5. Which is not a class of aggregation functions?

- a) Distributive
- b) Algebraic
- c) Associative
- d) Holistic**

6. In context of data warehouse, normally it becomes difficult to extract data from different sources because these sources are normally.

- a) Heterogeneous**
- b) Homogeneous
- c) Centralized
- d) Baseline

7. Depending on the data requirements of the warehouse, both summarization and aggregation can be deployed during_____.

- a) Data loading
- b) Data Cleansing
- c) Data extraction
- d) Data transformation**

8. Which of the following is not a task of Data Transformation?

- a) Conversion
- b) Summarization
- c) Enrichment
- d) Full Data Refresh**

9. In which class of aggregates AVERAGE function can be placed?

- a) Algebraic**
- b) Distributed
- c) Associative

d) Holistic

10. The most common use of range partitioning is on_____.

- a) Date
- b) Name
- c) Color
- d) PhoneNo

11. OLAP is:

- a) Physical database design
- b) None of the given options
- c) Framework
- d) Implementation technique

12. Which of the following is not an Orr's Law of Data Quality”?

- a) “Data that is not used cannot be corrected!”
- b) “Data quality is a function of its use, not its collection!”
- c) “Data will be no better than its most stringent use!”
- d) “Data duplication can be harmful for the organization! ”

13. The _____ technique is a discipline used to highlight the microscopic relationships among data elements or entities.

- a) DM Modeling
- b) ER modelling
- c) Relational Modeling
- d) Multi-dimensional Modeling

14. Relational modelling techniques are used to develop _____ systems.

- a) OLTP
- b) TCL

Contact us on WhatsApp



0328-4090195

15. Which of the following is NOT one of the advantages of changed data capture (CDC) technique?

- a) Flat files are not required
- b) Limited query interface is required for data extraction**
- c) No incremental on-line I/O required for log tape
- d) Extraction of changed data occurs immediately

16. De-normalization usually speeds up _____.

- a) Data retrieval**
- b) Data add

17. The most common range partitioning is on

- a) Color
- b) Date**
- c) Phone No
- d) Name

18. Which one among the following is not an advantage of horizontal splitting??

- a) Fast data retrieval**
- b) Enhance security
- c) Increase I/O Overhead
- d) Organize tables for different queries

19. A relation is said to be in first normal form(1NF), if it does not contain _____

- a) Single value column
- b) Multi-valued column**
- c) Derived column
- d) Composite column

20. _____ segregates data into separate partitions so that queries do not need to examine all data in the table.

- a) Pre-joining technique
- b) Vertical splitting technique
- c) Collapsing tables technique
- d) Horizontal splitting technique**

21. _____ is the application of intelligence and experience to get Time variant is a characteristic of data warehouse which means:

- a) Data cannot be loaded in data warehouse with respect to time
- b) Data loaded in data warehouse will be time stamped**

22. In a fully normalized database, too many _____ are required

- a) Values
- b) Joins**
- c) Queries
- d) Conditions

23. History is excellent predictor of the _____.

- a) Past
- b) Future**
- c) Current

24. In the data warehouse, data is collection from ----- sources:

- a) Homogeneous
- b) Heterogeneous**
- c) External
- d) Internal

25. Identify data warehouse query from the following:

a) Directly maps to a star schema.

b) Not Directly maps to a star schema

26. De-normalization is more like a “controlled crash” with the aim to ----- without loss of information:

a) Check

b) Balance

c) Decrease

d) Enhance

27. Which is of the most time-consuming tasks in the ETL process and, indeed, in the entire data warehousing process?

a) Data Extraction

b) Data binding

28. ----- is the application of intelligence and experience to get common goals.

a) Wisdom

b) Education

c) Power

d) Information

29. When building a fact table in dimension modeling, the most important step is to declare the _____ (aggregation level) of the fact table.

a) Grain

b) Fact

c) Dimensions

d) Cube



30. In the data transformation, ----- is the rearrangement and simplification of individual

- a) Aggregation
- b) Enrichment**
- c) Splitting joining
- d) Conversion

31. Pre-joining de-normalization technique is generally used when there is _____ relationship between two or more tables.

- a) One to many**
- b) Many to one
- c) One to one
- d) Many to many

32. Grain of a fact table means :

- a) The meaning of one fact table row**
- b) The meaning of one dimensional table row
- c) Summary of aggregates in all fact tables
- d) Summary of aggregates in all dimension tables

33. _____ is the lowest level of detail or the atomic level of data stored in the warehouse.

- a) Grain**
- b) Fact
- c) Dimensions
- d) Cube

34. _____ is a logical design technique that seeks to present the data in a standard, instinctive structure that supports highperformance and ease of understanding.

- a) DM**

- b) AM
- c) CM
- d) BM

35. Normalization ----- :

- a) Reduces redundancy**
- b) Increases redundancy
- c) Reduces joins
- d) Reduces tables

36. Relational modeling techniques are used to develop _____ systems.

- a) ROLAP
- b) OLAP
- c) MOLAP
- d) OLTP**

37. Which of the following is not an example of a typical grain :

- a) Individual transaction
- b) Daily aggregates
- c) Monthly aggregates
- d) Normalized attributes**

38. Online Extraction is a kind of _____ data extraction.

- a) Logical
- b) Dimensional
- c) Physical**
- d) Multi valued

39. Multi-dimensional databases(MDDs) typically use ----- formats to store pre-summarized cube structures:

- a) SQL
- b) Proprietary file**
- c) Object oriented
- d) Non-proprietary file

40. Which of the following is not a task of Data Transformation?

- a) Conversion
- b) Summarization
- c) Enrichment
- d) Full Data Refresh**

41. ----- provides a combination of “relational databases access” and “cube” data structures

within a single framework:

- a) HOLAP**
- b) DOLAP
- c) MOLAP
- d) ROLAP

42. Flat files are one of the prevalent structures used in _____ data extraction.

- a) Online
- b) Offline**
- c) Incremental
- d) Full

43. Data Warehouse provides the best support for analysis while OLAP carries out the ---- task:

- a) Mandatory
- b) Whole
- c) Analysis**

d) Prediction

44. The most common range partitioning is on

- a) Color
- b) Date**
- c) Phone No
- d) Name

45. ----- involves splitting a table by columns so that a group of columns is placed into

the new table and the remaining columns are placed in another new table:

- a) Vertical splitting**
- b) Horizontal splitting
- c) Adding redundant column
- d) None of the given option

46. A relation is said to be in first normal form(1NF), if it does not contain

- a) Single value column
- b) Multi-valued column**
- c) Derived column
- d) Composite column

47. In a fully normalized database, too many _____ are required.

- a) Values
- b) Joins**
- c) Queries
- d) Conditions

48. OLAP implementations are highly/completely ----- :

- a) Normalized
- b) Demoralized**
- c) Predictive
- d) Additive

49. De-normalization is more like a “controlled crash” with the aim to ——— without loss of information:

- a) Check
- b) Balance
- c) Decrease
- d) Enhance**

50. If each cell of Relation R contains a single value (no repeating values) then it is confirmed that :

- a) Relation R is in 1st Normal Form**
- b) Relation R is in 2nd Normal Form
- c) Relation R is in 3rd Normal Form
- d) Relation R is in 3rd Normal Form but not in 2nd Normal Form

51. ————— is making all efforts to increase effectiveness and efficiency in meeting and accepted customer expectation:

- a) Quality assurance
- b) Quality improvement**
- c) Quality maintenance
- d) Quality Establishment

52. Which kind of relationships is captured by Fact less fact table:

- a) Many- to- Many**
- b) One-to-many

- c) One-to-one
- d) None of the given option

53. _____ is the application of intelligence and experience to get common goals.

- a) Wisdom**
- b) Education
- c) Power
- d) Information

54. Which people criticize Dimensional Modeling (DM) as being a data mart oriented approach?

- a) Those that consider ER models as Data marts
- b) Those that consider Business processes as Data marts**
- c) Those that consider Data marts as Data warehouse
- d) Those that consider dimensional model
- e) Those that consider dimensional modeling as de-normalization approach

55. In the data transformation, _____ is the rearrangement and simplification of individual

- a) Aggregation
- b) Enrichment**
- c) 36 Splitting joining
- d) Conversion

56. Grain of a fact table means:

- a) The meaning of one fact table row**
- b) The meaning of one dimensional table row
- c) Summary of aggregates in all fact tables
- d) Summary of aggregates in all dimension tables

57. In a fully normalized form:

- a) **To many joins are required**
- b) Relationships lose their significance
- c) No joins are required
- d) Data integrity becomes an issue

58. Which of the following is an example of Non-Additive Facts:

- a) Quality sold
- b) Total sale in Rs.
- c) **Discount in percentage**
- d) Count of orders in a store

59. Normalization _____ :

- a) **Reduces redundancy**
- b) Increases redundancy
- c) Reduces joins
- d) Reduces tables

60. Which of the following is NOT an example of a typical grain?

- a) Individual transaction
- b) Daily aggregates
- c) Monthly aggregates
- d) **Normalized attributes**

61. Multi-dimensional databases (MDDs) typically use _____ formats to store pre-summarized cube structures.

- a) SQL
- b) **Proprietary file**

- c) Object oriented
- d) Non-proprietary file

62. _____ provides a combination of “relational database access” and “cube” data structures with in a single framework.

- a) HOLAP**
- b) DOLAP
- c) MOLAP
- d) ROLAP

63. Data Warehouse provides the best support for analysis while OLAP carries out the _____ task.

- a) Mandatory
- b) Whole
- c) Analysis**
- d) Prediction

64. OLAP implementations are highly/completely _____

- a) Normalized
- b) Demoralized**
- c) Predictive
- d) Additive

65. Which kind of relationships is captured by Fact less fact table?

- a) Many- to- Many**
- b) One-to-many
- c) One-to-one
- d) None of the given option

66. Which of the following is not an example of dimension?

- a) ATM card no
- b) Sales amount**
- c) ATM_Location
- d) Time/Date

67. There are often multiple ways to represent the same piece of information. “FAST”, “National University”, “FAST NU” and “Nat. Univ. of Computers “. This problem is known as_____.

- a) Non primary key problems**
- b) Primary key problems
- c) Simple key problem
- d) Composite key problem

68. Which people criticize Dimensional Modeling (DM) as being a data mart oriented approach?

- a) Those that consider Business processes as Data marts**
- b) Those that consider Data marts as Data warehouse
- c) Those that consider dimensional model
- d) Those that consider dimensional modelling as de-normalization approach

69. In a fully normalized form:

- a) To many joins are required**
- b) Relationships lose their significance
- c) No joins are required
- d) Data integrity becomes an issue

70. Which of the following is not a CUBE operation?

- a) ANSI SQL**
- b) Roll Up

- c) Drill Down
- d) Pivoting

71. _____ allows download of “cube” structures to a desktop platform without the need for shared relational or cube server.

- a) MPLAP
- b) ROLAP
- c) DOLAP**
- d) HOLAP

72. Taken jointly, the extract programs or naturally evolving systems formed a spider web, also known as

- a) Distributed Systems Architecture
- b) Legacy System Architecture**
- c) Online System Architecture
- d) Intranet System Architecture

73. The data has to be checked , cleaned and transformed into a _____ format to allow easy and fast access

- a) Unified**
- b) Predicated
- c) Qualified
- d) Proactive

74. In decision support system ease of use is achieved by:

- a) Normalization
- b) Denormalization**
- c) Drill up
- d) Drill down

75. In ETL process data transformation includes _____

- a) Data cleansing
- b) Data aggregation
- c) Behavior checking
- d) Pattern recognition

76. Non-uniform use of abbreviations, units, and values refers to:

- a) Syntactically dirty data
- b) Semantically dirty data
- c) Coverage anomaly
- d) Extraction issue

77. Suppose the size of the attribute “Computerized National Identity Card (CNIC) no” is changed in NADRA database. This transformation refers to:

- a) Format revision
- b) Field splitting
- c) Field decoding
- d) Calculation of derived value

78. The divide and conquer cube partitioning approach helps alleviate the _____ limitations of MOLAP implementation:

- a) Flexibility
- b) Maintainability
- c) Security
- d) Scalability

79. Identify the TRUE statement(s) regarding Dimensional Modeling (DM):

- a) DM is inherently dimensional in nature
- b) DM comprises of a single central fact table
- c) DM comprises of a set of dimensional tables

d) All of the given option

80. Which of the following is an example of derived attribute?

- a) Age**
- b) Size
- c) Color
- d) Length

81. ----- is usually deployed when expression can be used to group data together in such a way that access can be targeted to a small set of partitions:

- a) Expression elimination
- b) Expression partitioning**
- c) Expression indexing
- d) None of the given option

82. The data has to be checked , cleaned and transformed into a ----- format to allow easy and fast access

- a) Unified**
- b) Predicated
- c) Qualified
- d) Proactive

83. Non-uniform use of abbreviations, units, and values refers to:

- a) Syntactically dirty data**
- b) Semantically dirty data
- c) Coverage anomaly
- d) Extraction issue

84. Suppose the size of the attribute “Computerized National Card (CNIC) no. is changed in NADRA database. This transformation refers to:

Contact us on WhatsApp  0328-4090195

a) Format revision

- b) Field splitting
- c) Field decoding
- d) Calculation of derived value

85. Suppose the amount of data recorded in an organization is doubled in year. This increase in -----

- a) Linear
- b) Quadratic
- c) Exponential**
- d) Logarithmic

86. ----- technique requires a separate column to specify the time and date when the last modification was occurred:

- a) Checkmarks
- b) Timestamps**
- c) Just-in-Time
- d) Real Time extraction

87. Which of the following is not a Data Quality Validation Technique:

- a) Referential integrity
- b) Using Data Quality Rules
- c) Data Histograming
- d) Indexes**

88. History is excellent predictor of the -----:

- a) Past
- b) Present
- c) Future**
- d) History

89. Which of the following is not a technique of De-normalization?

- a) Pre-joining
- b) Splitting tables
- c) Adding redundant columns
- d) ER modeling**

90. The online high performance transaction processing was evolved in _____:

- a) 1980
- b) 1975**
- c) 1977
- d) 1965

91. Cube is a logical entity containing values of a certain fact at a certain aggregation level at an intersection of a combination of _____

- a) Facts
- b) Dimension**
- c) Summary tables
- d) Primary and foreign key

92. Which of the following is an example of Additive Facts?

- a) Sales Amount**
- b) Average
- c) Discount
- d) Ratios

93. _____ facilitates a mobile computing paradigm.

- a) HOLAP
- b) DOLAP**
- c) ROLAP

94. Robotic libraries are needed for -----:

- a) Cubes
- b) Data marts
- c) Data warehouse**
- d) Aggregates

95. The main reason(s) for the increase in cube size may be

- a) Increase in the number of dimensions
- b) Increase in the cardinality of the dimensions
- c) Increase in the amount of detail data
- d) All of the given options**

96. Normally ROLAP is implemented using -----

- a) Star schema**
- b) Hybrid schema
- c) Pre-defined aggregate
- d) All of the given options

97. Suppose the amount of data recorded in an organization is doubled in year. This increase in —

- a) Linear
- b) Quadratic
- c) Exponential**
- d) Logarithmic

98. In Extract, Load, Transform(ELT) process, data transformation -----:

- a) Takes place on the data warehouse server**
- b) Takes place on a separate transformation server
- c) Depends on the nature of the source database

d) Does not take place

99. The data in the data warehouse is ———— :

- a) Volatile
- b) Non-volatile**
- c) Static
- d) Non-structured

100. Node of a B-Tree is stored in memory block and traversing a B-Tree involves -----
----- page faults:

- a) $(n \log n)$
- b) $(\log n)$**
- c) $O(n)$
- d) $O(n^2)$

101. ____ models the macro relationships among data elements with an overall deterministic strategy.

- a) Dimensional model**
- b) Entity relationship model
- c) Object oriented model
- d) Structured model

102. As dimensions get less detailed (e.g. , year vs. day) cubes get -----

- a) Smaller**
- b) Larger
- c) Partitioned
- d) Merged

103. _____ technique requires a separate column to specify the time and date when the last modification was occurred.

- a) Checkmarks
- b) Timestamps**
- c) Just-in-Time
- d) Real Time extraction

104. Which of the following is not a technique of “ Changed Data Capture” in currently used Modren Source System?

- a) Timestamps
- b) Partitioning
- c) Triggers
- d) Dimensional Modeling**

105. Which of the de-normalization technique squeezes master table into detail?

- a) Pre-joining**
- b) Horizontal splitting
- c) Vertical splitting
- d) Adding redundant column

106. If actual data structure does not conform to documented formats then it is called:

- a) Syntactically dirty data**
- b) Semantically dirty data
- c) Coverage anomaly
- d) Extraction issue

107. De-normalization can help:

- a) Minimize joins
- b) Minimize foreign keys
- c) Resolve aggregates
- d) All of the given options**

108. The domain of a “gender” field in some database may be {‘F’, ‘M’} or as {“Female”, “Male”} or even as {1, 0}. This is:

- a) Primary key problem
- b) Non primary key problem**
- c) Normalization problem
- d) All of the given option

109. “Header size is reduced, allowing more rows per block, thus reducing I/O”. The above statement is TRUE with respect to:

- a) Vertical splitting**
- b) Horizontal splitting
- c) Adding redundant column
- d) None of the given options

110. Data cleansing requires involvement of domain expert because:

- a) Domain expert has deep knowledge of data aggregation
- b) Change Data captures requires involvement of domain expert
- c) Domain knowledge is required to correct anomalies**
- d) Domain expert has deep knowledge of data summarization

111. -----Breaks a table into multiple tables based upon common column values

- a) Horizontal splitting**
- b) Vertical splitting
- c) Adding redundant column

d) None of the given option

112. Relational databases allow you to navigate the data in _____ that is appropriate using the primary , foreign key structure with in the data model:

- a) Only One Direction
- b) Any Direction Page 19**
- c) Two Direction
- d) None of these

113. Which of the following is NOT an example of derived attribute?

- a) Age
- b) CGPA
- c) Area of rectangle
- d) Height**

114. History is excellent predictor of the _____:

- a) Past
- b) Present
- c) Future**
- d) History

115. MDX by Microsoft is an example of -----:

- a) HOLAP
- b) DOLAP
- c) ROLAP
- d) None of the given options**

116. _____ gives total view of an organization:

- a) OLAP

b) OLTP

c) Data Warehouse

d) Database

117. The growth of master files and magnetic tapes exploded around the mid- -----

a) 1950s

b) 1960s

c) 1970s

d) 1980s

118. Suppose in system A, the possible values of “Gender” attribute were “Male” & “Female”, however in data warehouse, the values stored were “M” for male and “F” for female. The above scenario is an example of:

a) One-to-one scalar transformation

b) One-to-many element transformation

c) Many-to-one element transformation

d) Many-to-many element transformation

119. If one or more records in a relational table do not satisfy one or more integrity constraint , then the data:

a) Is syntactically dirty

b) Is semantically dirty

c) Has Coverage anomaly

d) Has extraction issue

120. Enrichment is one of the basic tasks in data _____.

a) Extraction

b) Transformation

c) Loading

d) Summarization



121. OLAP is:

- a) **Analytical processing**
- b) Transaction processing
- c) Additive processing
- d) Active processing

122. Which of the following is an example of Additive Facts?

- a) **Sales Amount**
- b) Average
- c) Discount
- d) Ratios

123. One of the possible issues faced by web scrapping is that:

- a) **Web pages may contain junk data**
- b) Web pages do not contain multiple facts
- c) Web pages do not contain multiple dimensions
- d) Web pages does not support transformation

124. Robotic libraries are needed for _____

- a) Cubes
- b) Data marts
- c) **Data warehouse**
- d) Aggregates

125. Which of the following is\are example of dimension:

- a) **Product**
- b) Region
- c) Data
- d) None of the given

126. Normally ROLAP is implemented using _____

- a) **Star schema**
- b) Hybrid schema
- c) Pre-defined aggregate
- d) All of the given options

127. An OLTP system is always good at -----:

- a) **Evolving data**
- b) Keeping static data
- c) Tracking past data
- d) Maintaining historic data

128. As dimensions get less detailed (e.g. , year vs. day) cubes get —.

- a) **Smaller**
- b) Larger
- c) Partitioned
- d) Merged

129. Which of the following is not a technique of “ Changed Data Capture” in currently used Modern? Source System?

- a) Timestamps
- b) Partitioning
- c) Triggers
- d) **Dimensional Modelling**

130. In case of multiple sources for the same data element , we need to prioritize the source systems per element based, the process is called:

- a) **Ranking**
- b) Prioritization

- c) Element selection
- d) Measurement selection

131. If actual data structure does not conform to documented formats then it is called:

- a) Syntactically dirty data**
- b) Semantically dirty data
- c) Coverage anomaly
- d) Extraction issue

132. One feature of Change Data Capture (CDC) is that:

- a) It pre-calculates changed aggregates
- b) It loads the transformed data in real time
- c) It only processes the data has been changed
- d) It can automate the transformation of extracted data**

133. “Header size is reduced, allowing more rows per block, thus reducing I/O”. The above statement is TRUE with respect to:

- a) Vertical splitting**
- b) Horizontal splitting
- c) Adding redundant column
- d) None of the given options

134. Break a table into Multiple Tables based upon Common column values

- a) Horizontal Splitting**
- b) Vertical splitting
- c) Adding redundant column

d) None of the given option

135. Which of the following is NOT an example of derived attribute?

- a) Email address
- b) Age**
- c) GPA
- d) Annual Salary

136. In ----- SQL generation is vastly simplified for front-end tools when the data is highly structure:

- a) MOLAP
- b) Star Schema**
- c) Hybrid schema
- d) Object oriented schema

137. Dirty data means:

- a) Data cannot be aggregated
- b) Data contains non-additive facts
- c) Data does not fulfill dimensional modeling rules
- d) Data does not conform to proper domain definitions**

138. One of the possible issues faced by web scrapping is that:

- a) Web pages may contain junk data**
- b) Web pages do not contain multiple facts
- c) Web pages do not contain multiple dimensions
- d) Web pages does not support transformation



139. In Context of Change Data Capture (CDC) sometimes a ----- object can be used to store recently modified data:

- a) Buffer table
- b) Change table**
- c) Checkmark table
- d) Change control table

140. An OLTP system is always good at _____

- a) Evolving data**
- b) Keeping static data
- c) Tracking past data
- d) Maintaining historic data

141. "Sometimes during data collection complete entities are missed". This statement is an example of :

- a) Missing tuple**
- b) Missing attribute
- c) Missing aggregates
- d) Semantically dirty data

142. One feature of Change Data Capture (CDC) is that:

- a) It pre-calculates changed aggregates
- b) It loads the transformed data in real time
- c) It only processes the data has been changed
- d) It can automate the transformation of extracted data**

143. Which of the following is an example of dimension?

- a) Product
- b) Region
- c) Date

d) All of the given option

144. Table collapsing technique is applied in case of:

- a) One-by-one relation or many-to-many relation**
- b) One-to-many relation
- c) Many-to-many relation
- d) None of the given option

145. Data warehouse stores -----:

- a) Operational data
- b) Historical data**
- c) Meta data
- d) Log files data

146. Which of the following is an example of dimension?

- a) Product
- b) Region
- c) Date
- d) All of the given option**

147. Data warehouse stores -----:

- a) Operational data
- b) Historical data**
- c) Meta data
- d) Log files data

148. The business processes covered by ER diagram:

Contact us on WhatsApp  0328-4090195

a) Do not co-exist in time and space

- b) Co-exist in time and space
- c) Do not physically exist in real time context
- d) None of the given options

149. The main goal of normalization is to eliminate -----:

a) Data redundancy

- b) Data sharing
- c) Data security
- d) Data consistency

150. Serious --- involves decomposing and reassembling the data:

a) Data cleansing

- b) Data transformation
- c) Data loading
- d) Data extraction

151. For large record spaces and large number of records , the run time of the clustering algorithms:

a) Prohibitive

- b) Static
- c) Exponential
- d) Numerical

152. In the data warehouse environment the data is _____

a) Subject- oriented

- b) Time- oriented
- c) Both subject and time oriented
- d) Neither time-oriented nor subject- oriented

Contact us on WhatsApp



0328-4090195

153. ----- can result in costly errors, such as , False frequency distributions and incorrect aggregates due to double counting:

a) Data duplication

- b) Data reduction
- c) Data anomaly
- d) Data transformation

154. The degree to which values are present in the attributes that require them is known as —:

a) Completeness

- b) Uniqueness
- c) Accessibility
- d) Consistency

155. Time complexity of Key Creation process in basic Sorted Neighborhood (BSN) Method is:-

- a) $O(n \log n)$
- b) $O(\log n)$
- c) $O(n)$**
- d) $O(2n)$

156. Which of the following is an example of slowly changing dimensions?

a) Inheritance

- b) Aggregation
- c) Association
- d) Asset disposal

157. In OLAP, the typical write operation is _____.

- a) Bulk insertion**
- b) Single insertion
- c) Sequential insertion
- d) No insertion

158. The issue(s) of “Adding redundant column” include(s):

- a) Maintenance
- b) Increase in table size
- c) Loss of information
- d) All of the given option**

159. The hardware (CPU) utilization in data warehouse environment is full or ----- :

- a) Fixed
- b) Partial
- c) Not at all**
- d) Slow

160. Considered the following Employee table and identify the column which causes that the table is not in first normal form(1NF): (Emp_ ID, Emp_ Name ,Emp_ skills, Emp_ Designation)

- a) Emp_ ID
- b) Emp_ Name
- c) Emp_ skills**
- d) Emp_ Designation

161. Time variant is a characteristics of data warehouse which means:

- a) Data loaded in data warehouse will be time stamped
- b) Data can be loaded in data warehouse anytime
- c) Data can be loaded in data warehouse only at a particular time
- d) Data cannot be loaded in data warehouse with respect to time

162. _____should not be present in a relation, so that it would be in second normal form (2NF).

- a) Partial dependency
- b) Full functional dependency
- c) Multivalued dependency
- d) Transitive dependency

163. The application of data and information leads to -----

- a) Intelligence
- b) Experience
- c) Knowledge
- d) Power

164. Records referring to the same entity are represented in different formulas in the different data sets or are represented erroneously. Thus duplicate records will appear in the merged database. This problem is known as-----.

- a) Merge/purge problem
- b) Duplication problem
- c) Redundant duplication problem
- d) Redundant problem

165. The data perspective in OLTP system is operational, while that in data warehouse is:

- a) Fully normalized
- b) Fully de-normalized
- c) Fully summarized
- d) Historical and detailed**

166. ----- segregate data into separate partitions so that queries do not need to examine all data in a table when WHERE clause filters specify only a subset of the partitions.

- a) Pre-joining technique
- b) Collapsing table technique
- c) Horizontal splitting technique**
- d) Vertical splitting technique

167. Simple scalar transformation is a _____ mapping from one set of values to another set of values using straightforward rules.

- a) One-to-one**
- b) One-to-many
- c) Many-to-many
- d) Many-to-one

168. -----can be created in operational systems to keep tracks of recently updated records.

- a) Triggers**
- b) Timestamps
- c) Partitioning
- d) ELT

169. In a decision support environment, the decision maker is interested in—

- a) Only limited organizational data

b) Big picture of organizational data

- c) Only sale related data
- d) Only customer related data

170. In a decision support environment, the decision maker is interested in -----.

a) Only limited organizational data

b) Big picture of organizational data

- c) Only sale related data
- d) Only customer related data

171. Information can answer question like “what”, “who” and “when” while knowledge can answer question like-----.

- a) Why
- b) Where
- c) Which
- d) How**

172. OLTP implementations are fully-----.

- a) Normalized**
- b) Denormalized
- c) Predictive
- d) Additive

173. Consider the following Student table and identify the column which causes that the table is not in first normal form(1NF).

Student (Std_ ID, Std_ Name ,Std_ CGPA ,Std_ Hobbies)

Contact us on WhatsApp



0328-4090195

- a) Std_ ID
- b) Std_ Name
- c) Std_ CGPA
- d) Std_ Hobbies**

174. Analytical processing uses _____.

- a) Multi-level aggregates**
- b) Record level aggregates
- c) Table level aggregates
- d) All of the given options

175. Which is not a class of anomalies in following?

- a) Dirty anomalies**
- b) Syntactically dirty data
- c) Semantically dirty data
- d) Coverage anomalies

176. Two interesting examples of quality dimensions that can make use of min operator are _____

- a) Believability and appropriate amount of data**
- b) Believability and consistency
- c) Believability and Redundancy
- d) Reliability and appropriate amount of data

177. _____ in database or data warehouse has no actual value; it only has potential value.

- a) Data**

- b) Entity
- c) Flat tables
- d) Data marts

178. ----- is a system of activities that assures conformance of product to pre established requirements.

- a) Quality assurance**
- b) Quality improvement
- c) Quality Maintenance
- d) Quality Establishment

179. In OLTP environment the selectivity is ----- and ----- in data warehouse environment.

- a) High, Low**
- b) Low, High
- c) High, Fixed
- d) Fixed, Low

180. Which is not a/an characteristics of data quality?

- a) Reliability**
- b) Uniqueness
- c) Accessibility
- d) Consistency

181. If a product meets formally defined “requirement specifications”, yet fails to be a quality product from the customer’s perspective , this means the requirements were ———.

- a) Defective
- b) Unclear
- c) Unrefined
- d) Undefined

182. The relation R will be in 3rd Normal Form if:

- a) It is in 2NF each cell contains single value
- b) It is in 2NF and every non-key column is non-key transitively dependent upon its primary key.
- c) It is in 1NF and each non key attribute is dependent upon a single column of composite primary key.
- d) It is in 2NF and each non key attribute is dependent upon other .non-key attribute.

183. Decision support system queries deal with number of columns —.

- a) Having numeric values
- b) In a single table
- c) In a single view
- d) Spanning across multiple tables

184. The end user of data ware house are-----.

- a) Programmers
- b) Database developers
- c) Data entry operator
- d) Business executives

185. Which one are the characteristics of data warehouse queries?

- a) Use primary key
- b) High selectivity
- c) Use multiple tables**
- d) Very low performance

186. Normalization is used to reduce_____.

- a) Reduces redundancy**
- b) Increases redundancy
- c) Reduces joins
- d) Reduces tables

187. Assume a company with a multi- million row customer table i.e. n rows. Checking for Referential Integrity (RI) using a naive approach would take _____ time.

- a) $O(n)$**
- b) $O(1)$
- c) $O(\log n)$
- d) None of the given

188. Web scrapping is a process of applying ----- techniques to the web

- a) Screen scrapping**
- b) Data scrapping
- c) Text scrapping
- d) Meta scrapping

189. Which is not an issue of ROLAP in the following?

- a) Standard hierarchy of dimensions**

- b) Non-standard conventions
- c) Maintenance
- d) Aggregation

190. One of the fundamental purpose of de-normalization is to _____ a number of physical tables which ultimately reduce the number of joins to answer a query.

- a) Delete
- b) Reduce**
- c) Increase
- d) Decrease

191. _____ is not the characteristic of data warehouse.

- a) Time variant
- b) Subject-oriented
- c) Integrated
- d) Volatile**

192. Which is not a/an step of data cleansing procedure?

- a) Aggregation**
- b) Elementizing
- c) Standardizing
- d) Verifying

193. Instance matching between different sources is then achieved by a standard -----
- on identifying attribute(s), if you are very, very, very lucky.

a) Equi-join

- b) Inner join
- c) Outer join
- d) Fuller join

194. Ad-hoc access of data warehouse means:

- a) That have predefined database access pattern
- b) That does not have predefined database access pattern**
- c) That could be accessed by any user
- d) That could not be accessed by any user

195. In OLTP environment, the size of tables is relatively_____

- a) Large
- b) Fixed
- c) Moderate
- d) Small**

196. Ad-hoc access of data warehouse means:

- a) That have predefined database access pattern
- b) That does not have predefined database access pattern**
- c) That could be accessed by any user
- d) That could not be accessed by any user

197. ----- is a/an measure of how current or up to date the data is:

- a) Timeliness**
- b) Completeness

- c) Accessibility
- d) Consistency

198. The process of converting entity relationship model in to dimensional model of -----
- steps:

- a) Two
- b) Three
- c) Four**
- d) Five

199. ----- is known as state of being only one of its kind or being without an equal or parallel.

- a) Completeness
- b) Uniqueness**
- c) Accessibility
- d) Consistency

200. Which of the following is not an example of fact?

- a) Account no**
- b) Sales quantity
- c) Per unit sales amount
- d) Sales amount

201. ----- is the degree to which data is accurately reflects the real world object that the data represents.

- a) Intrinsic data quality**
- b) Realistic data quality
- c) Strong data quality
- d) Weak data quality

202. _____ is the degree to which data accurately reflects the real world object that the data represents.

a) Intrinsic data quality

- b) Realistic data quality
- c) Strong data quality
- d) Weak data quality

203. Taken jointly, the extract programs or naturally evolving systems formed a spider web, also known as

- a) Distributed Systems Architecture
- b) Legacy Systems Architecture**
- c) Online Systems Architecture
- d) Intranet Systems Architecture

204. Data Warehouse is about taking / collecting data from different _____ sources.

- a) Harmonized
- b) Identical
- c) Homogeneous
- d) Heterogeneous**

205. The users of data warehouse are knowledge workers in other words they are _____ in the organization.

- a) DWH Analyst
- b) Decision maker**
- c) Database Administrator
- d) Manager



206. Relational databases allow you to navigate the data in _____ that is appropriate using the primary, foreign key structure within the data model

- a) Only One Direction
- b) Any Direction**
- c) Two Direction
- d) None of these

Best of Luck

For Free help, more Mid/Final term Files and for Exam Preparation : [You Can Join:](#)

Contact us on WhatsApp  0328-4090195