

Professional Online Academy Vu Topper RM



MTH302- Business Mathematics & Statistics Update MCQ'S Final Term



Follow Us on YouTube:
[@vutopperrm](https://www.youtube.com/@vutopperrm)

For More Help Contact What's app Me!!!
Number's = # 0322-4021365, 0316-4980094

[Rizwan Manzoor](#)
[Vu Topper RM](#)

وَتَعَزَّ مَنْ تَشَاءُ وَتَذِلَّ مَنْ تَشَاءُ



Our Services

- Assignments
- Quiz & Gdb's
- LMS Handling
- Online Classes
- Lectures Views
- Project Handling
- Important Notes

Result
85% To
100%

پہلے ہمارے سٹوڈنٹس کے رزلٹ دیکھیں
پھر ہم سے سروسز لیں



www.youtube.com/@vutopperrm



Contact us

0322 4021365
0316 4980094

بري صحبت سے تہائی بہتر ہے اور تہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1

(Marks:1)

Vu-Topper RM

In binomial distribution, what is the sum of possibilities of all possible outcome?

- A. 0%
- B. 50%
- C. 100%**
- D. Infinite

Question No:2

(Marks:1)

Vu-Topper RM

In negative binomial distribution, the probability of success, p

- A. Change on every trial
- B. None of these
- C. Remains constant for different outcomes
- D. Remains the same on every trial**

Question No:3

(Marks:1)

Vu-Topper RM

A die can be thrown in _____ different ways.

- A. 2
- B. 4
- C. 5
- D. 6**

Question No:4

(Marks:1)

Vu-Topper RM

What is not a characteristic of poisson distribution.

- A. None of these.
- B. p , chance unknown and large
- C. Either/or situation.**
- D. mean number of successes per unit, m , known and fixed.

Question No:5

(Marks:1)

Vu-Topper RM

In how many ways can a cricket eleven be chosen out of a batch of seventeen players?

- A. ${}^{17}C_{11}$

بري صحبت سے تہائی بہتر ہے اور تہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. 17C11

C. 17C4

D. 11C17

Question No:6

(Marks:1)

Vu-Topper RM

When any of the argument is non-numeric, the "CRITBINOM" function will return _____ error?

A. #NUM

B. #VALUE

C. #REF!

D. #N/A

Question No:7

(Marks:1)

Vu-Topper RM

If a dice is thrown then the probability of getting an odd number or an even number is

A. $\frac{1}{3}$

B. $\frac{1}{2}$

C. none

D. 1

Question No:8

(Marks:1)

Vu-Topper RM

How many words can be formed by using all letters of the word 'LAHORE'?

A. 720

B. 120

C. 320

D. 520

Question No:9

(Marks:1)

Vu-Topper RM

The probability of success in a binomial experiment is denoted by:

A. P

B. Q

C. S

بري صحبت سے تہائی بہتر ہے اور تہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. R

Question No:10

(Marks:1)

Vu-Topper RM

Evaluate $30! / 28!$. (! means factorial)

A. 870

B. 570

C. 652

D. V850

Question No:11

(Marks:1)

Vu-Topper RM

Probability of sure event is -----

A. 1

B. 2

C. 3

D. 4

Question No:12

(Marks:1)

Vu-Topper RM

In how many ways a team of 4 players be chosen from a total 10 persons?

A. 210

B. 211

C. 452

D. 651

Question No:13

(Marks:1)

Vu-Topper RM

The sum of the probabilities of all mutually exclusive and collectively exhaustive events is always equal to

A. 1

B. 2

C. 3

D. 4

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:14

(Marks:1)

Vu-Topper RM

A pair of dice is thrown, the probability of getting a total of 5 or 11 is

A. 1/6

B. 1/8

C. 1/7

D. 5/8

Question No:15

(Marks:1)

Vu-Topper RM

What is the range of probability of any event?

A. 0 and 1

B. 1 and 0

C. 0 and 0

D. 1 and 1

Question No:16

(Marks:1)

Vu-Topper RM

A number from 1 to 11 is chosen at random. What is the probability of choosing an odd number?

A. 6/11

B. 7/11

C. 8/11

D. 7/11

Question No:17

(Marks:1)

Vu-Topper RM

Mean deviation of the set 2,4,6 is

A. 2.8

B. 1.33

C. 01

D. 4

Question No:18

(Marks:1)

Vu-Topper RM

XY36587119141116 =INTERCEPT(D7:D11,C7:C11) = 1.9The

Intercept function gives the value of y-intercept which is 1.9 in the

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

above question. Keeping in view the definition of intercept, what will be value of x when $y = 1.9$?

- A. $x = 2$
- B. $x = 0$**
- C. $x = 1.3$
- D. $x = 1$

Question No:19

(Marks:1)

Vu-Topper RM

If $a = 2$, $b = 1$, independent variable = 4 then dependent variable for an estimating regression line is

- A. none of the given choices
- B. 2
- C. 4**
- D. 6

Question No:20

(Marks:1)

Vu-Topper RM

For $Y = a - bX$ we say that relationship between Y and X is

- A. direct & curvilinear
- B. indirect & linear**
- C. direct & linear
- D. indirect & curvilinear

Question No:21

(Marks:1)

Vu-Topper RM

Which of the following are the components of time series?

- A. All of these.**
- B. Seasonal variation
- C. Irregular variation
- D. Trend

Question No:22

(Marks:1)

Vu-Topper RM

For the least squares regression line $y = 0.9 + 1.7x$, ____ and ____ are slope and intercept respectively.

- A. 0.9 and 1.7

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. 1.7 and 0.9

C. 0 and 1

D. 2.6 and 0

Question No:23

(Marks:1)

Vu-Topper RM

If $a = 5$, $b = 1$, then an estimating regression line is

A. $Y = 5 + X$.

B. $X = 5 + 5Y$.

C. $Y = 1 + 5X$.

D. $X = 5 - Y$.

Question No:24

(Marks:1)

Vu-Topper RM

The standard deviation is.....

A. twice the standard error

B. a measure of central tendency

C. the square root of the variance

D. in the same units as the observations

Question No:25

(Marks:1)

Vu-Topper RM

The repetitive movement around a trend line in a 4- month period is best described by

A. Secular trend

B. Irregular variation

C. Cyclical fluctuation

D. Seasonal variation

Question No:26

(Marks:1)

Vu-Topper RM

The assumptions of the simple linear regression model include:

A. the errors are normally distributed

B. the error terms have a constant variance

C. the errors have a mean of zero

D. All the given options are true.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:27

(Marks:1)

Vu-Topper RM

How can a company use trend analysis to make informed decisions about inventory management?

- A. By relying on seasonable variations only
- B. By identifying long-term patterns in sales data**
- C. By ignoring historical data
- D. By focusing solely on short-term fluctuations

Question No:28

(Marks:1)

Vu-Topper RM

Assess the impact of inaccurate historical sales data on the reliability of forecasting apple pile sales.

- A. Inaccuracies have no impact on forecasting models
- B. Inaccuracies may lead to unreliable predictions**
- C. Inaccuracies only affect short-term forecasting
- D. Inaccuracies improve the performance of forecasting models

Question No:29

(Marks:1)

Vu-Topper RM

The slope of the regression line may be

- A. Positive
- B. All of these**
- C. Zero
- D. Negative

Question No:30

(Marks:1)

Vu-Topper RM

In EXCEL,.....function is used to calculate correlation.

- A. COREL
- B. CORRELATION
- C. CORRELE
- D. CORREL**

Question No:31

(Marks:1)

Vu-Topper RM

The estimated regression line of Y on X is

- A. $Y' = a - bX$

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. $X' = a + bY$

C. $Y' = a + bX$

D. iv. None of above

Question No:32

(Marks:1)

Vu-Topper RM

As the regression line equation is $y = ax + b$, where b is

A. None of these

B. The x-intercept

C. The y-intercept

D. The slope

Question No:33

(Marks:1)

Vu-Topper RM

What do you mean of Measure of dispersion?

A. a) Distances of every two distinct values

B. b) Distances of mean from the values

C. d) None of these

D. c) Both (a) & (b)

Question No:34

(Marks:1)

Vu-Topper RM

In the calculation of range from group data which of the following play important role?

A. cumulative frequency

B. only largest value

C. both smallest & largest value

D. frequency

Question No:35

(Marks:1)

Vu-Topper RM

The coefficient of variation for a set of annual incomes is 18%; the coefficient of variation for the length of service with the company is 29%. What does this indicate?

A. More dispersion in the distribution of the incomes compared with the dispersion of their length of service

B. More dispersion in the lengths of service compared with income

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. Dispersions are equal

D. Dispersion in the two distributions (income and service) cannot be compared using percents

Question No:36

(Marks:1)

Vu-Topper RM

What does it mean if the correlation coefficient is close to zero?

A. Strong positive correlation

B. Perfect positive correlation

C. No relationship between variables

D. Perfect negative correlation

Question No:37

(Marks:1)

Vu-Topper RM

For the regression line passing through origin and a point (4,2), the slope is

A. 2

B. -2

C. 1/2

D. -(1/2)

Question No:38

(Marks:1)

Vu-Topper RM

If the dependent variable increases with the independent variable then the coefficient of correlation is

A. 0 to 1

B. 0 to -1

C. 0 to -2

D. 0 to - 0.5

Question No:39

(Marks:1)

Vu-Topper RM

How would you apply trend analysis to adjust for long-term patterns in sales data when using a forecasting model?

A. By eliminating the influence of seasonable variations

B. By ignoring historical data

C. By focusing solely on short-term fluctuations

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. By identifying and incorporating the overall direction in the data

Question No:40

(Marks:1)

Vu-Topper RM

The relation between standard deviation and variance is

A. $\text{var}=\sigma^2$

B. $\text{var}=\sigma-\sqrt{\quad}$

C. $\text{var}=2\sigma$

D. $2\text{var}=\sigma$

Question No:41

(Marks:1)

Vu-Topper RM

Time series analysis helps to _____ .

A. Make prediction

B. Know the behavior of business

C. All of these.

D. Compare two or more series

Question No:42

(Marks:1)

Vu-Topper RM

If r is negative, then it indicates

A. None of these

B. (ii) Indirect relationship between X & Y.

C. (i) Direct relationship between X & Y.

D. Both (i) & (ii).

Question No:43

(Marks:1)

Vu-Topper RM

In formula $\text{RSQ}(\text{known_y's}, \text{known_x's})$, the arguments must be either

A. arrays

B. all options are valid.

C. references that contain numbers..

D. numbers or names.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:44

(Marks:1)

Vu-Topper RM

If actual value =152 and trend=187 then the seasonal variation will be equal to _____.

A. 339

B. -35

C. 35

D. 187

Question No:45

(Marks:1)

Vu-Topper RM

Seasonal Variation is calculated as

A. none of these

B. calculate actual + trend for each period

C. Trend for each period - calculate actual

D. calculate actual - trend for each period

Question No:46

(Marks:1)

Vu-Topper RM

In Positively Skewed Distribution, which of the following is true

A. Mean > median > mode

B. None of these

C. Mean > mode > median

D. Mode > median > mean

Question No:47

(Marks:1)

Vu-Topper RM

The statement "Median does not get affected by extreme values or outliers in the data" is . . .

True

False

Question No:48

(Marks:1)

Vu-Topper RM

The mode of the data 6, 6, 9, 9, 9, 10, 11, 11, 15, 18 is

A. 11

B. 6

C. There is no mode for this data

بري صحبت سے تہائی بہتر ہے اور تہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

D.9

Question No:49

(Marks:1)

Vu-Topper RM

The formula for Class Midpoint =

- A. Both above
- B. $(\text{Lower limit} + \text{Upper limit})/2$**
- C. $(\text{Lower limit} - \text{Upper limit})/2$
- D. none of these

Question No:50

(Marks:1)

Vu-Topper RM

A full circle hasdegrees.

- A. 460
- B. 560
- C. 360**
- D. 260

Question No:51

(Marks:1)

Vu-Topper RM

Which of the following is true?

- A. $A.M = G.M = H.M$**
- B. $A.M < G.M < H.M$
- C. None of these.
- D. $A.M > G.M > H.M$

Question No:52

(Marks:1)

Vu-Topper RM

A histogram is a special kind of

- A. Line graph
- B. Picture graph
- C. Sector graph
- D. Bar graph**

Question No:53

(Marks:1)

Vu-Topper RM

The formula for mean is

- A. The sum of values/total no of values**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. The sum of values /2
- C. The sum of value
- D. none of these

Question No:54

(Marks:1)

Vu-Topper RM

Range of data: 4,3,2,1,0,-1,-2,-3,-4 is

- A. 8**
- B. -4
- C. 4
- D. -8

Question No:55

(Marks:1)

Vu-Topper RM

The most common measure of central tendency which affected by extreme values is called.....

- A. Mean
- B. Range
- C. Mode
- D. Median**

Question No:56

(Marks:1)

Vu-Topper RM

Another name of mean in statistics is

- A. Median
- B. None of these
- C. Mode
- D. Expected value**

Question No:57

(Marks:1)

Vu-Topper RM

For the class 165 – 184 the mid point will be

- A. 172.5
- B. 176.5
- C. To find mid point at least two classes are required.
- D. 174.5**

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:58

(Marks:1)

Vu-Topper RM

A full..... has 360 degrees.

- A. Sphere
- B. Parabola
- C. Circle**
- D. Cone

Question No:59

(Marks:1)

Vu-Topper RM

Frequency Function calculates how often values occur within a range of values.

True

False

Question No:60

(Marks:1)

Vu-Topper RM

A data in which we study about provinces is called

- A. Chronological
- B. Quantitative
- C. Geographical**
- D. Qualitative

Question No:61

(Marks:1)

Vu-Topper RM

For some data you are given Maximum value = 96 , Minimum Value = 23 , Range = 73, number of classes selected between 5 and 15 Then class width will be

- A. 13
- B. 5
- C. All options 1,2 ,3 are possible.**
- D. 8

Question No:62

(Marks:1)

Vu-Topper RM

IRR has two parameters i.e. IRR(values,guess). If guess is omitted, then Excel takes the value ----- as the guess

- A. 0

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. 0.1

C. 0.01

D. 0.001

Question No:63

(Marks:1)

Vu-Topper RM

A system of linear equation containing two equations in x and y can have a solution containing

A. Unique point

B. No point

C. Infinite points

D. None of these

Question No:64

(Marks:1)

Vu-Topper RM

If fixed cost is 8550 and contribution margin is 25 then break even point in unit will be

A. 8575

B. 342

C. 213750

D. 8525

Question No:65

(Marks:1)

Vu-Topper RM

Complete the syntax of: AMORDEGRC (...., date_purchased, first_period, salvage, period, rate, basis)

A. Cost

B. Purchase

C. Profit

D. Loss

Question No:66

(Marks:1)

Vu-Topper RM

Which function calculates depreciation at the same amount each year over an asset's useful life?

A. DB

B. DDB

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. SLN
- D. AMORLINC

Question No:67 (Marks:1) **Vu-Topper RM**

If FC is Rs 4500 and Contribution Margin is Rs 50, then the BEP in units is

- A. 70
- B. 80
- C. 90**
- D. 95

Question No:68 (Marks:1) **Vu-Topper RM**

Break even point (BEP) in rupees is calculated as

- A. (Contribution Margin (CM)/Fixed cost (FC)) * S
- B. (Contribution Margin (CM) - Fixed cost (FC))*S
- C. (Contribution Margin (CM)+Fixed cost (FC))* S
- D. (Fixed cost (FC) / Contribution Margin (CM))*S**

Question No:69 (Marks:1) **Vu-Topper RM**

Returns the straight-line depreciation of an asset for one period is

- A. SLN**
- B. SYD
- C. VDB
- D. DB

Question No:70 (Marks:1) **Vu-Topper RM**

Complete the syntax of AMORLINC (cost, date_purchased, first_period,, period, rate,basis)

- A. Loss
- B. Salvage**
- C. Purchase
- D. Depreciate

بري صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:71

(Marks:1)

Vu-Topper RM

If the sale from an investment in a company is 2300 and its variable cost is 1500 then contribution margin will be

A. 800

B. 3800

C. 1533

D. 34500

Question No:72

(Marks:1)

Vu-Topper RM

Truncated mean is also called

A. Trimmed mean

B. None of these

C. Harmonic Mean

D. Arithmetic mean

Question No:73

(Marks:1)

Vu-Topper RM

The Harmonic Mean of the data 8, 5, 3 is

A. None of these

B. 4.55

C. 3.44

D. 5.44

Question No:74

(Marks:1)

Vu-Topper RM

..... graph is drawn by plotting cumulative frequency against the upper class boundary with the points joined by line segments.

A. line

B. cumulative polygon

C. conversion

D. sector

Question No:75

(Marks:1)

Vu-Topper RM

Median is the middle value of an arranged data then median of data having odd cardinality is

بري صحت سے تنہائی بہتر ہے اور تنہائی سے نيك صحت بہتر ہے

For More Help Contact What's app 03224021365

A. the value at $(n+1)/2$ th value

B. None of these

C. average of $(n-1)/2$ th and $(n+1)/2$ th value

D. the value at $(n-1)/2$ th value

Question No:76

(Marks:1)

Vu-Topper RM

If the number of terms in the data are even then the median of the data is

A. The average of smallest and largest

B. The average of 1st and 2nd quartiles

C. The average of two middle terms

D. The average of 1st and 3rd quartiles

Question No:77

(Marks:1)

Vu-Topper RM

A line graph shows plotted on a graph.

A. Points

B. Pictures

C. Lines

D. Sectors

Question No:78

(Marks:1)

Vu-Topper RM

In Quantitative data we study about the

A. sex

B. Income

C. All above

D. Religion

Question No:79

(Marks:1)

Vu-Topper RM

A data in which we study about income is called

A. Quantitative

B. Geographical

C. Chronological

D. Qualitative

بري صحبت سے تہائی بہتر ہے اور تہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1

(Marks:1)

Vu-Topper RM

The regression equation should only used

When there is significant linear correlation

When there is significant multicorrelation

When there is significant quadratic correlation

When there is significant simple correlation

Question No:80

(Marks:1)

Vu-Topper RM

In the central tendency Mean, Median and Mode

Mean is better than Median

Median is better than Mode

Mean is better than Mode

All of these are true

Question No:81

(Marks:1)

Vu-Topper RM

The degree to which numerical data tend to spread about an average is called

The dispersion

Standard deviation

Correlation

None of these

Question No:82

(Marks:1)

Vu-Topper RM

If the values of variables are increasing or decreasing in the same direction then such kind of correlation is referred as

Zero Correlation

Perfect Correlation

Positive Correlation

Negative Correlation

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:83

(Marks:1)

Vu-Topper RM

In the scatter diagram, clustering of points around a straight line indicates

linear regression

non-linear regression

curvilinear regression

none of these

Question No:84

(Marks:1)

Vu-Topper RM

Ms. Christian calculated a correlation coefficient of .75. Which of the following reflects the best interpretation of this?

Weak negative.

Strong negative.

Weak positive.

Strong positive

Question No:85

(Marks:1)

Vu-Topper RM

In regression analysis, when we plot the values of dependent and independent variables, the resulting set of points is called

Scatter Diagram

Venn diagram

Histogram

Pie Graph

Question No:86

(Marks:1)

Vu-Topper RM

If all the points in the scatter diagram seem to lie near a line, the correlation is said to be

Quadratic

Linear

Positive

Negative

بري صحبت سے تنہائي بہتر ہے اور تنہائي سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:87

(Marks:1)

Vu-Topper RM

Equation of line having slope 0 and passing through the point A (0, 1) is

$Y = 1$

$Y - 1 = X$

$X = 1$

$X - 1 = 2(Y + 1)$

Question No:88

(Marks:1)

Vu-Topper RM

If the price of an English novel decreases from Rs 255.50 to Rs 230.25.

What is the percentage decrease?

8.9 %

9.9 %

10.9%

11.9 %

Percentage change = (change/initial value)*100%

Percentage change = (25.25/255.50)*100 = 9.88%

Question No:89

(Marks:1)

Vu-Topper RM

A statistical measure of the variability of a distribution around its mean is referred to as

A probability distribution

The standard deviation

The expected return

Coefficient of variation

Question No:90

(Marks:1)

Vu-Topper RM

The measure of how well the regression line fits the data is the:

coefficient of determinatio

slope of the regression line

mean square error

standard error of the regression coefficient

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:91

(Marks:1)

Vu-Topper RM

Evaluate $^5 p_3$

60

30

40

50

Question No:92

(Marks:1)

Vu-Topper RM

Three fair dice are thrown. The probability of a total score of 6 is

0.032

0.014

0.046

0.005

Question No:93

(Marks:1)

Vu-Topper RM

The method of moving averages is used for what purposes?

It is used to plot a series.

It is used to exponentiate a series.

It is used to smooth a series.

It is used in regression analysis.

Question No:94

(Marks:1)

Vu-Topper RM

Aalia received 2 A's and 2 B's in her college courses. What is her grade point average? Assume each course is 3 credits. A = 4, B = 3, C = 2, D = 1

3.0

3.2

3.3

3.5

Question No:95

(Marks:1)

Vu-Topper RM

Under which of the following conditions would the standard deviation assume of negative value.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

When all the data values were negative
When more than half of the data values were negative.
If all the data values were the same.

The standard deviation cannot be negative.

Question No:96

(Marks:1)

Vu-Topper RM

If sign of r is negative then it indicates

Direct relationship between X & Y

Indirect relationship between X & Y

X & Y equal

X & Y are square

Question No:97

(Marks:1)

Vu-Topper RM

Evaluate $(x-y)^4$

$-x^4 + 4x^3 y - 6x^2 y^2 + 4x^1 y^3 - y^4$

$x^4 - 4x^3 y + 6x^2 y^2 - 4x^1 y^3 + y^4$

$x^4 - 4x^3 y + 6x^2 y^2 - 4x^1 y^3 + y^5 + y^4$

$x^4 - 4x^3 y + 6x^2 y^2 - 4x^1 y^3 + y^4$

Question No:98

(Marks:1)

Vu-Topper RM

The moving averages represent -----

Time series variations

Co-efficient of variations

Statistical Dispersion

Absolute deviation

Question No:99

(Marks:1)

Vu-Topper RM

Twelve randomly-chosen students were asked how many times they had missed class during a certain semester, with this result: 2, 1, 5, 1, 1, 3, 4, 3, 1, 1, 5, 18. For this sample, the geometric mean is

2.376

2.158

1.545

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Impossible to calculate

Question No:100

(Marks:1)

Vu-Topper RM

The median of the following data:

2, 3, 5 6, 7, 3, 7 is -----

3

5

6

7

Question No:101

(Marks:1)

Vu-Topper RM

If the standard deviation of a population is 9, the population variance is:

3

9

21.35

81

Question No:102

(Marks:1)

Vu-Topper RM

The ----- is a statistical term that represents the central or midpoint of a series of numbers.

mean

mode

range

median

Question No:103

(Marks:1)

Vu-Topper RM

The moving averages of the Prices 50,60,70,80 are

50,60

60,70

70,80

65,65

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:104**(Marks:1)****Vu-Topper RM**

In the equation the formula to calculate b is

$$b = \frac{n\sum xy - \sum x \sum y}{n\sum x^2 - (\sum x)^2}$$

$$b = \frac{n\sum xy - \sum x \sum y}{\sum x^2 - (\sum x)^2}$$

$$b = \frac{n\sum xy - \sum x \sum y}{n\sum x^2 - (\sum x)^2}$$

$$b = \frac{\sum xy - \sum x \sum y / n}{\sum x^2 - (\sum x)^2 / n}$$

Question No:105**(Marks:1)****Vu-Topper RM**

If Original Price = Rs. 3120 and Markdown Rate = 6.3 % then the Sale Price is equal to

2933.44

3033.2

2910.4

3316.56

Question No:106**(Marks:1)****Vu-Topper RM**

Net price =

List price + trade discount

List price - trade discount

List price / trade discount

List price * trade discount

Question No:107**(Marks:1)****Vu-Topper RM**

If I is an identity matrix then it must also be a rectangular matrix

row matrix

column matrix

scalar matrix

Question No:108**(Marks:1)****Vu-Topper RM**

To find average of numbers given in figure ,one can apply the excel formula

=AVERAGE(E12:E13)

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

=AVERAGE(E5:E12)

=SUMIF(E5:E12)

=DSUM(E5:E12)

Question No:109

(Marks:1)

Vu-Topper RM

For graphing univariate data we use

Pie charts, Bar charts .

Pareto diagrams.

Side by side chart .

Both (1) & (2)

Question No:110

(Marks:1)

Vu-Topper RM

The ratio of the standard deviation of a distribution to the mean of that distribution is referred to as

a probability distribution.

the expected return.

the standard deviation.

coefficient of variation.

Question No:111

(Marks:1)

Vu-Topper RM

Seasonal variation =

Actual – trend

Actual + trend

Actual * trend

Actual / trend

Question No:112

(Marks:1)

Vu-Topper RM

An estimated regression line of Y on X is

$\hat{y} = a - b X$

$\hat{y} = a + b / X$

$\hat{y} = a + b X$

$\hat{y} = a + X/b$

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:113

(Marks:1)

Vu-Topper RM

A regression equation was computed to be $Y = 35 + 6X$, the value of 35 indicates that

An increase in one unit of X will result in an decrease of 35 in

The coefficient of correlation is 35

The coefficient of determination is 35

The regression line crosses the Y-axis at 35

Question No:114

(Marks:1)

Vu-Topper RM

How many types of measure of dispersion

2

3

4

5

Question No:115

(Marks:1)

Vu-Topper RM

The possible range of values for Karl Pearson's correlation coefficient r is

0 to 1

-1 to 0

– infinity to infinity

-1 to 1

Question No:116

(Marks:1)

Vu-Topper RM

Badri has 9 pairs of dark Blue socks and 9 pairs of Black socks. He keeps them all in a same bag. If he picks out three socks at random what is the probability he will get a matching pair?

$(2 \cdot {}^9C_2 \cdot {}^9C_1) / {}^{18}C_3$

$({}^9C_2 \cdot {}^9C_1) / {}^{18}C_3$

1

0

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:117

(Marks:1)

Vu-Topper RM

If $A = \begin{bmatrix} 1 & 2 & 3 & 4 \end{bmatrix}$ then to find the product AB , the number of rows of the matrix B should be.....

atleast 4

atmost 4

exactly 4

one

Question No:118

(Marks:1)

Vu-Topper RM

When a straight line is fitted to time series data, it is called

Linear equation

Linear regression

Linear trend

Non-Linear equation

Question No:119

(Marks:1)

Vu-Topper RM

.....is a deduction from the list price of goods provided by a business in return for payment within a specified time.

trade discount

cash discount

credit discount

none of these

Question No:120

(Marks:1)

Vu-Topper RM

Net cash flow is defined as the difference between

Revenue and cost price

Revenue and list price

Revenue and sale price

None of these

Question No:121

(Marks:1)

Vu-Topper RM

Which method of trend analysis is useful for data not having a pronounced trend or seasonality?

بري صحبت سے تہائی بہتر ہے اور تہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

multiplicative model

decomposition model

ratio-to-moving average method

exponential smoothing method

Question No:122

(Marks:1)

Vu-Topper RM

The minimum number of points required to calculate the intercept of a straight line is/are

two points

Question No:123

(Marks:1)

Vu-Topper RM

How many words of 4 consonants and 3 vowels can be made from 12 consonants and 4 vowels, if all the letters are different?

$16C7 * 7!$

$12C4 * 4C3 * 7!$

$12C3 * 4C4$

$12C4 * 4C3$

Question No:124

(Marks:1)

Vu-Topper RM

If the probability of an event happening is then the probability of it not happening is

$4/3$

$3/4$

$2/3$

$1/3$

Question No:125

(Marks:1)

Vu-Topper RM

To avoid distortion of extreme values, a good indicator would be the

Mean

Median

Weight-Mean

Mode

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:126

(Marks:1)

Vu-Topper RM

How many ways can 10 letters be posted in 5 post boxes, if each of the post boxes can take more than 10 letters?

5^{10}

10^5

10P5

$10C5$

Question No:127

(Marks:1)

Vu-Topper RM

Theis a relationship that describes the dependence of the expected value of the dependent random variable for a given value of the independent non random variable.

Correlation

Regression

Positive correlation

Hypothesis

Question No:128

(Marks:1)

Vu-Topper RM

Twelve randomly-chosen students were asked how many times they had missed class during a certain semester, with this result: 2, 1, 5, 1, 1, 3, 4, 3, 1, 1, 5, 18. For this sample, which measure of central tendency is least representative of the "typical" student?

Mean

Median

Mode

Midrange

Question No:129

(Marks:1)

Vu-Topper RM

What is 1st quartile of the following numbers?

39, 29.4, 17, 23

20.5

21.5

22.5

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

23.5

Question No:130

(Marks:1)

Vu-Topper RM

If high or low numbers have a significant effect on a list of numbers, the ----- may be better than the mean.

mode

median

range

quartile

Question No:131

(Marks:1)

Vu-Topper RM

The correlation coefficient provides:

a measure of the extent to which changes in one variable cause changes in another variable.

a measure of the strength of the linear association between two categorical variables.

a measure of the strength of the association (not necessarily linear) between two categorical variables.

a measure of the strength of the linear association between two quantitative variables.

a measure of the strength of the linear association between a quantitative variable and a categorical variable.

Question No:132

(Marks:1)

Vu-Topper RM

The RSQ of any data is

Square root of correlation coefficient.

Square of correlation coefficient.

Correlation coefficient.

Slope of the data.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:133

(Marks:1)

Vu-Topper RM

Prices are 100,110,120,130 and Moving averages are 110,120

Now Actual- Trend are

110, 120

0, 0

10, 20

-10, 10

Question No:134

(Marks:1)

Vu-Topper RM

There are 6 flags to give signal, now use 3 flags and guess the no. of arrangements

562

456

235

120

Question No:135

(Marks:1)

Vu-Topper RM

The measure of the degree to which any two variables vary together is called

Variance

Correlation

Mean Deviation

Positive Variance

Question No:136

(Marks:1)

Vu-Topper RM

To add numbers based on criteria stored in a separate range we use

IF and SUM functions.

DSUM function.

AVERAGE function.

all functions in above given choices.

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:137

(Marks:1)

Vu-Topper RM

If the basic salary of an employee is 8, 000 Rs. allowances are 6000 Rs. and total cost of leaves per year is equal to 28280 Rs. then the cost of leaves as percent of gross salary is

29.46%

16.83%

22.23%

28.28%

Question No:138

(Marks:1)

Vu-Topper RM

If C is the cost and S is the selling price of a certain item then the formula for its markup is given by

$(S-C)/S * 100\%$

$(S-C)/C * 100\%$

$(C-S)/S * 100\%$

$(C-S)/C * 100\%$

Question No:139

(Marks:1)

Vu-Topper RM

Given FC = Rs.5000 ,CM= Rs. 30 ,VC= Rs. 150 , Capacity = 320units then BEP in units =

4500 units

167 units

33 units

16 units

Question No:140

(Marks:1)

Vu-Topper RM

What do you deduce from the diagram of the Normal Distribution?

Mean is greater than Standard deviation.

Mean is lesser than Standard deviation.

Mean is equal to Standard deviation.

No result can be drawn.

بري صحبت سے تہائی بہتر ہے اور تہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:141

(Marks:1)

Vu-Topper RM

The value of c_2 is always -----

Positive

Negative

0

None of these

Question No:142

(Marks:1)

Vu-Topper RM

Which of the following is a continuous distribution?

Binomial Distribution

Poisson Distribution

Normal Distribution

Hypergeometric Distribution

Question No:143

(Marks:1)

Vu-Topper RM

which of the given function returns the normal distribution for the specified mean and standard deviation.

NORMSDIST

NORMDIST

NORMSINV

NORMINV

Question No:144

(Marks:1)

Vu-Topper RM

A hypothesis specifying the population distribution is called

composite hypothesis

test statistic

alternative hypothesis

simple hypothesis

Question No:145

(Marks:1)

Vu-Topper RM

The world is getting warmer — and U.S. scientists now know precisely how much warmer. They calculated the average percentage rise of 0.015% at the end of the century. If the current average temperature of

بري صحت سے تھائی بہتر ہے اور تھائی سے نيك صحت بہتر ہے

For More Help Contact What's app 03224021365

the planet is X , what would be the average temperature of the earth at the end of 4008 AD?

$$X(1+0.015)^2$$

$$X(1+0.015\%)^2$$

$$2(1+)^{0.015}$$

$$X(1+X)^{0.015}$$

Question No:146

(Marks:1)

Vu-Topper RM

What will be the simple interest earned on an amount of Rs. 16,800 in 9 months at the rate of % p.a?

Rs. 787.50

Rs. 812.50

Rs 860

Rs. 887.50

Question No:147

(Marks:1)

Vu-Topper RM

If there is a change of -30% in the price of an item, what does the negative sign show?

The price is decreasing.

The price has low rate of change.

None of the above.

The price is increasing.

Question No:148

(Marks:1)

Vu-Topper RM

A ----- shows by table, the number of times event(s) occurs.

normal distribution

poisson distribution

frequency distribution

binomial distribution

Question No:149

(Marks:1)

Vu-Topper RM

A rule or formula that provides a basis for testing a null hypothesis is called

بري صحبت سے تنہائی بہتر ہے اور تنہائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

population statistic
confidence coefficient
size of the test
test statistic

Question No:150

(Marks:1)

Vu-Topper RM

Which of the following describe the middle part of a group of numbers?

The Measure of Central Tendency

Visit My YouTube Channel
For Subjective and More
Important Files
Channel Name = #VuTopperRM

برى صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365