STA301 Statistics & Probability
Update MCQS For Final Term
Solve By Vu Topper RM

80 To 100% Marks

وَتُعِزُّ مَن تَشَاء وَتُذِلُّ مَن تَشَاء

PROFESSIONAL ONLINE ACADEMY

VU-TOPPER RM

We Offers

- LMS Handling
- Important Notes
- Online Classes
- Assignments
- Quiz & GDB's
- Projects


NOTHING Is IMPOSSIBLE

Join Us Now

For More Info Contact us at:

Rizwan Manzoor

0322-4021365



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1 **(Marks:1)** **Vu-Topper RM**

Uniform distribution is a:

Mixed

None of these

Question No:2 **(Marks:1)** **Vu-Topper RM**

A confidence interval has a specified probability_____ of containing the true value of the parameter.

A. α

B. 1- α

C. 1+ α

D. α/2

Question No:3 **(Marks:1)** **Vu-Topper RM**

When the event occur randomly over a specified interval of time, space or length; the distribution is known as:

A. Poisson Process **Page 217**

B. None of the above

C. Poisson Distribution

D. Hyper geometric distribution

Question No:4 **(Marks:1)** **Vu-Topper RM**

Which of the following is true for the Poisson distribution:

A. mean > variance

B. mean < variance

C. mean = variance **Page 233**

D. mean = standard deviation

Question No:5 **(Marks:1)** **Vu-Topper RM**

Poisson distribution is the limiting form of binomial distribution when n, the number of trials is large and p, the probability of success is

A. very Small **Google**

B. Very large

C. Moderately small

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

D. Moderately large

Question No:6 **(Marks:1)** **Vu-Topper RM**

The standard normal distribution has it mean and variance equal to:

A. 0 and 0 respectively
B. 1 and 1 respectively
C. 0 and 1 respectively **Google**
D. 1 and 0 respectively

Question No:7 **(Marks:1)** **Vu-Topper RM**

When an interval is constructed, what is the probability of occurrence of parameter in it?

A. 1
B. 0
C. 50
D. Either 1 or 0 **Page 263**

Question No:8 **(Marks:1)** **Vu-Topper RM**

When we draw the sample with replacement, the probability distribution to be used is:

A. Poisson
B. Binomial
C. Hypergeometric
D. Binomial & hypergeometric

Question No:9 **(Marks:1)** **Vu-Topper RM**

For the Poisson distribution P(X = 1) = e−0.1350.13511! the mean value is:

A. 1
B. 0.135 **Page 222**
C. -0.135
D. e−0.135

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:10 **(Marks:1)** **Vu-Topper RM**

A quantity obtained by applying certain rule or formula is known as

A. Estimate **Page 264**

B. Estimator

C. Parameter

D. Proportion

Question No:11 **(Marks:1)** **Vu-Topper RM**

A random sample of n = 6 has the elements 6, 10,13,14,18 and 20. What is the point estimate of the population mean?

A. 11

B. 12

C. 11.5

D. 13.5

Question No:12 **(Marks:1)** **Vu-Topper RM**

An urn contains 4 red balls and 6 green balls. A sample of 4 balls is selected from the urn without replacement. It is the example of:

A. Binomial distribution

B. Hypergeometric distribution **Page 219**

C. Poisson distribution

D. Exponential distribution

Question No:13 **(Marks:1)** **Vu-Topper RM**

A statistic whose standard error decreases with an increase in the sample size will be .....

A. None

B. Efficient

C. Unbiased

D. Consistent

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:14 **(Marks:1)** **Vu-Topper RM**

The larger the standard error, the ..... the confidence interval.

A. Wider
B. Accurate
C. Inaccurate
D. Narrower

Question No:15 **(Marks:1)** **Vu-Topper RM**

The mean deviation of the normal distribution is approximately:

A. 7/8 of the S.D
B. 4/5 of the S.D
C. 3/4 of the S.D
D. 1/2 of the S.D

Question No:16 **(Marks:1)** **Vu-Topper RM**

Mean and variance of a Poisson Distribution are:

A. Equal **Google**
B. Not equal
C. Mean is greater than variance
D. Variance is greater than mean

Question No:17 **(Marks:1)** **Vu-Topper RM**

If the first moment ratio is greater than 0, then the distribution will be:

Moment Ratios **Page 222**

Question No:18 **(Marks:1)** **Vu-Topper RM**

A statistic whose standard deviation decreases with an increase in sample size will be called:

A. None
B. Efficient
C. Unbiased
D. Consistent

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:19 **(Marks:1)** **Vu-Topper RM**

If we have two normally distributed populations then sampling distribution of the difference of sample means will be:

Normal distribution

Question No:20 **(Marks:1)** **Vu-Topper RM**

Sample Proportion is a /an_____ estimator of population mean.

A. Unbiased
B. Consistent
C. None of these
D. Unbiased and Consistent estimator

Question No:21 **(Marks:1)** **Vu-Topper RM**

The range of the binomial distribution is:

A. 1,2, …….n
B. 0, 1, 2, …… n
C. 0, 1, 2, …… x
D. 0, 1, 2, …… 100

Question No:22 **(Marks:1)** **Vu-Topper RM**

In Binomial distribution the sample size is considered to be sufficiently large, if both np and nq are greater than or equal to:

A. 3
B. 5 **Google**
C. 10
D. 15

Question No:23 **(Marks:1)** **Vu-Topper RM**

The probability distribution of the proportion of successes in all possible samples is called the:

A. Sampling distribution **Page 237**
B. Sampling probability distribution
C. Sampling distribution of sample proportions
D. Sampling distribution of Population proportions

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

Question No:24 **(Marks:1)** **Vu-Topper RM**

Consider a large population with a mean of 160 and a standard deviation of 20. A random sample of size 64 is taken from this population. What is the standard deviation of the sample mean?

A. 1.654
B. 2.500
C. 3.125
D. 3.568

Question No:25 **(Marks:1)** **Vu-Topper RM**

providing as an estimate a single value calculated from the sample that is likely to be close in magnitude to the unknown parameter is known as

A. Estimation
B. Point Estimation **Google**
C. Interval Estimation
D. None of the above

Question No:26 **(Marks:1)** **Vu-Topper RM**

The width of the confidence interval is called_____ of the estimate.

A. Biased
B. Accuracy
C. Precision **Google**
D. Unbiasedness

Question No:27 **(Marks:1)** **Vu-Topper RM**

To determine a sample size which test we use …….

A. F
B. Z
C. T
D. None of these

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:28 **(Marks:1)** **Vu-Topper RM**

The central limit theorem states that the mean of the sampling distribution of the means is equal to the population:

A. Mean
B. Random Error
C. Standard error
D. Standard deviation

Question No:29 **(Marks:1)** **Vu-Topper RM**

In a Geometric distribution, Maximum Likelihood Estimator (MLE) for proportion (P) is equal to:

A. Sample mean
B. Sample variance
C. Reciprocal of the mean
D. Reciprocal of the sample variance

Question No:30 **(Marks:1)** **Vu-Topper RM**

Sampling distributions are:

A. None oof the given
B. Refers to the margine of error
C. The probability distribution of sample statistic **Google**
D. The probability distribution that is assigned to population parameters.

Question No:31 **(Marks:1)** **Vu-Topper RM**

In binomial distribution, formula of calculating mean is:

A. U=np
B. U=pq
C. U=qn
D. U=p+q

Question No:32 **(Marks:1)** **Vu-Topper RM**

Ideally, the width of confidence interval should be

A. 0

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

Vu Topper RM

For More Help Contact What's app 03224021365

B. 1
C. 98
D. 100

Question No:33 **(Marks:1)** **Vu-Topper RM**
The binomial distribution is negatively skewed when:
A. p>q **Page 215**
B. p=q
C. p<q
D. p=q=1/2

Question No:34 **(Marks:1)** **Vu-Topper RM**
Interval estimation and confidence interval are:
A. Same
B. Opposite
C. Different
D. Independent

Question No:35 **(Marks:1)** **Vu-Topper RM**
When N becomes indefinitely large (N tends to infinity) hyper geometric distribution follows:
Normal distribution **Page 288**

Topper RM

Visit My YouTube Channel
For More Important Files
Channel Name = #VuTopperRM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365