

CS101

INTRODUCTION TO COMPUTING

LECTURE WISE MCQs SERIES

MODULE 109

EARLY GENERATIONS I



1. Modern computers consist of sequences of instructions that are encoded as numeric digits such an encoding system is known as **Machine Language**

a. True

b. False

2. Writing programs in a machine language tedious task that often leads to errors that must be located and corrected a process is known as **Debugging**

a. True

_(past)

3. In the ---- researcher simplified the programing process by developing notational systems

a. 1930s

b. 1940s **_(Instructions represent in mnemonic)**

c. 1950s

d. 1960s

4. In machine language we used LD, ADDI, ST and HLT to represent **load, add, store and halt**

a. True

b. False

5. The descriptive names price, shipping Charge, and total cost to refer to the memory cells at location 6C, 6D, 6E such descriptive names are called **program variable or identifying**

a. True

b. False

MODULE 110
EARLY GENERATION II

1. To convert mnemonic expressions into machine language instructions is known as
 - a. An Assembly language
 - b. An Assemblers**
 - c. Second generation language
 - d. All

2. A mnemonic system for representing programs is collectively called an

- a. **An Assembly language**
- b. An Assemblers
- c. Second generation language
- d. All

3. For better programming techniques ----- languages were **first** developed they represented a giant **step forward** in the research

- a. **An Assembly**
- b. An Assemblers
- c. Second generation language
- d. All

4. **Assembly languages** also known as second generation language and **machine language** is the first languages

- a. **Yes**
- b. No

5. The **primitives (Qadim)** used in an assembly language are essentially the same as those found in the corresponding **machine language**

- a. **True**
- b. False

6. A program written in an assembly language is **inherently**

- a. **Yes**
- b. No

7. A program written in ---- language cannot be easily transported to another computer design

b. **Assembly**

c. Both a and b

d. None

8. ----- Language not required to code instructions in numeric form

a. **Assembly**

b. Machine

9. FORTRAN is the combination of Formula and Translator which was developed for **scientific and engineering applications**

a. **Yes**

b. No

10. COBOL is the abbreviation of **Common Business Oriented Language** which was developed by the U.S Navy for business applications

a. **True**

b. False

11. A collection of high level primitives in which software could be developed is the –

- a. First generation language
- b. Second generation language
- c. **Third generation language**
- d. All

12. **Assign Total Cost the value price + Shipping Charge** expresses a high-level activity without reference to how a particular machine should perform the task

Yes

13. ----- is a potential high- level primitive

- a. Identifier > expression
- b. Identifier = expression**
- c. Identifier < expression
- d. Identifier / expression

14. A program that converts high level primitives/source code in to machine code is known as

- a. Interpreter
- b. Assembler
- c. Translator** (similar to the assembler)
- d. None

15. A special program that translates a programming language's source code into machine code, bytecode or another programming language.

OR

----- read the whole program and translate it into machine language completely

I

- a. Translator
- b. **Compiler**
- c. Assembler
- d. Interpreter

16. An alternative to translators, called **Interpreters**

- a. **True**
- b. False

17. A computer program that is used to directly execute program instructions written using one of the many high-level programming languages
OR

----- translates the program line by line meaning it, reads one line of program and translate it reads second line, translate it and so on

- a. Translator
- b. Compiler
- c. Assembler
- d. **Interpreters**

18. **Grace Hopper** was the developer of the **first Compiler**

- a. **Yes**
- b. No

SOME MCQs FROM PAST QUIZES

1. ----- were developed to convert mnemonic expression into machine language instruction
 - a. Translator
 - b. Compiler
 - c. Interpreter
 - d. **Assembler**

FOR MORE VIDEOS SUBSCRIBE MY CHANNEL

2. ----- is program that read the whole program and translates it into machine language completely

- a. Translator
- b. Compiler**
- c. Interpreter
- d. Assembler

3. Which of the following is not kind of Translator?

- a. Both B and C**
- b. Compiler
- c. Interpreters
- d. Assembler

4. The process which leads us to the exact location of defects in a program is termed as ----

- a. Testing
- b. Debugging**
- c. Defect killing

5. Third generation language attributes did not refer to any

- a. None of these
- b. For all machine
- c. For only required machine
- d. Particular machine**

6. A translator which takes assembly language program as input and produce machine language code as output is known as

- a. An Interpreter
-

-
- b. An Assembler
 - c. Debugger
 - d. Compiler

7. In which of the following might be used to convert high level language instruction into machine instruction

- a. Framework
- b. Application software
- c. Operating environment
- d. An Interpreter**



LECTURE WISE MCQs SERIES

MODULE 111

IMPORTANT MODULES

EARLY GENERATIONS I



1. The statement in a **third-generation language** did not refer to the **attributes** of any particular machine
 - a. **True**
 - b. False
2. A program written in ---- language could **theoretically** be used on any machine simply by applying the appropriate compiler
 - a. First
 - b. Second
 - c. **Third**

3. When a ---- is designed, particular characteristics of the underlying machine are sometimes reflected as condition on the language being translated

- a. Interpreter
- b. Compiler**
- c. Translator
- d. None

4. To move a program from one machine to another, needs minor **Modifications**

- a. Yes**
- b. No

5. **American National Standard** and the **International Organization for standardization** have adopted and published standards for many of the popular languages

a. **True**

b. False

6. Compiler designers provide features called ----- that are not part of standard language

a. Machine language

b. **Language Extensions**

c. Coding

d. All

MODULE 112

IMPERATIVE PARADIGMS

1. Different ways or styles in which a given program or programming language can be organized
 - a. **Programming paradigms**
2. The term **programming paradigm** is a misnomer

3. The **Imperative paradigm** also known as the ----- represents the **traditional approach** to the programming process
- a. Declarative Paradigms
 - b. Functional paradigms
 - c. **Procedural paradigms**
 - d. All
4. The programming process to the development of a sequence of commands that when followed manipulate data to produce the desired result.
- a. Declarative Paradigms
 - b. Functional paradigms
 - c. **Imperative paradigms** (traditional approach)
 - d. All

5. The ----- start with finding an algorithm to solve the problem and then express that algorithm as sequence of commands
- a. Declarative Paradigms
 - b. Functional paradigms
 - c. Imperative paradigms**
 - d. All
-

6. Which of the following language is related to functional paradigm?

- a. LISP (ML scheme language) related to Functional paradigm)
- b. Smalltalk, C++, JAVA and C# language are related to **Object-Oriented**)
- c. Python, Ada, FORTRAN, APL, COBOL, ALGOL, Pascal, languages are related to **Imperative**
- d. GPSS, Prolog, SQL language are related to **Declarative**

MODULE 113

DICLARATIVE PARADIGM

1. The imperative paradigm is the **declarative paradigm** which asks a programmer to describe the problem to be solved rather than an algorithm to be followed

a. Yes (past)

b. No

2. A ----- paradigm system applies a pre-established general-purpose problem-solving algorithm to solve problems presented to it

a. Declarative

b. Functional

c. Imperative

MODULE 114
FUNCTIONAL PARADIGM

1. Under ----- paradigm a program is viewed as an entity that accepts inputs and produces output
 - a. Declarative
 - b. Functional**
 - c. Imperative
 - d. Procedural
2. ----- is a paradigm of building computer programs using expressions and functions without mutating state and data

- a. Declarative
- b. Functional**
- c. Imperative
- d. Procedural

3. Under ----- paradigm program is constructed by connecting smaller predefined program units (predefined function) so that each unit's output is used as another unit's input

- a. Declarative
- b. Functional (past)**
- c. Imperative
- d. Procedural

4. A function for balancing your checkbook can be constructed from **two** simple function called **Find- sum**, **accept value as its input and produces the sum of those values as its output**

Other called **Find- diff** **accepts two input values and computes their difference**

- a. **True**
- b. False

SOME MCQs FROM PAST QUIZZES

7. **Declarative** Paradigm system is designed for ----

- a. **General- purpose** **(Mod. 113)**

8. Third generation language did not refer to the attributes of ----

- a. None of them
- b. Particular machine** (Mod. 111)
- c. For all machine
- d. For only required machine

9. Which of the following language is related to Object Oriented Paradigm

- a. Prolog
- b. Smalltalk** (page 196: Figure 92) (112)
- c. LISP
- d. Python

10. In ---- paradigm, task of programmer is to develop a precise problem statement rather than designing an algorithm or solving a problem

- a. Declarative** (113)
- b. Functional

a. Declarative (113)

b. Functional

c. Imperative

d. Procedural

11. In the case of highly standardized languages, compiler designers often provide features called sometimes called

a. Language symbol

b. Language translator

c. Language code

d. Language extension (Mod. 111)

12. ----- is not an object-oriented programming language?

a. JAVA

b. C#

Html

MODULE 115

EARLY GENERATIONS I



1. Another programming paradigm ----- is most prominent one in today's software development
 - a. Functional paradigm
 - b. Declarative paradigm
 - c. Object Oriented Paradigm**
 - d. Imperative Paradigm

2. Object Oriented associated with programming process called **Object Oriented Programming**
 - a. True**
 - b. False

3. A software system is viewed as a collection of units called Objects; each object is capable of performing the actions that are immediately related to itself

a. True

b. False

4. In object Oriented paradigm, each object will have its own collection of functions called

a. Series

b. Methods (past)

c. Object

d. Classes

5. The Description of the object's properties is called ---

a. Instance

b. Function

c. Class (past)

d. Object

6. An Object that is based on a particular class is said to be an **Instance** of class

a. **True**

b. False

MODULE 116
VARIABLE AND DATA TYPES



1. High level programming languages allow locations in main memory to be referenced by **descriptive names** rather than by numeric addresses is known as
 - a. Constant
 - b. Variable**
 - c. Data type
 - d. All

2. ---- paradigm also require that the programmer describe the type of data that will be stored at the memory location associated with the variable,
 - a. Functional
 - b. Declarative**
 - c. Imperative
 - d. All

3. Encompasses both the manner in which the data item is encoded and the operations that can be performed on that data is known as

- a. Float
- b. Integer
- c. Data type**
- d. All

4. Kinds of Data type:

- a. Float
- b. Integer
- c. Boolean
- d. Primitive
- e. All**

5. Numeric data consisting of **whole numbers**, probably stored using **two's complement notation**

a. **Integer**

b. Float

c. Limit

d. None

I

6. Operation that can be performed on **integer data** include the **traditional arithmetic operations** and comparison of relative size

a. **True**

b. False

7. Numeric data that might contain values **other than whole numbers**, probably stored in **floating point** notation

a. Integer

b. **Float** (sometimes called real)

c. Limit

d. None

8. Data consisting of symbols, probably, stored using **ASCII or Unicode** is known as ----. Operation performed on such data include **comparisons**
- a. Float
 - b. Boolean
 - c. **Character**
 - d. Primitive
-

9. **Char Letter, Digits** could be used in the languages **C, C++, C# and JAVA** to declare the **variables**

- a. **True**
- b. False

10. Letter and Digit to be a type of **character**

- a. **Yes**
- b. No

11. **Data item that can take on only the values true or false** are called ----
Operation on that data of type include **Inquiries**

- a. Primitive
- b. Float
- c. Integer
- d. **Boolean** (past)

12. The data type that are included as primitives in a programming language, such as int for integer and char for character are called **primitive data** types

a. **Yes**

b. No

13. The data type such as integer, float, character and Boolean are common primitives

a. **True**

b. False

SOME MCQs FROM PAST QUIZZES

1. A paradigm works on object called
 - a. Declarative
 - b. Imperative
 - c. Object oriented**
 - d. Functional

2. Which one is not valid data type?
 - a. Char
 - b. Float
 - c. HTML**
 - d. Int

3. Which of the following data type will be used for a variable having string of symbols and alphabets
 - a. Character**
 - b. Boolean
 - c. Float
 - d. Integer

LECTURE WISE MCQs SERIES

MODULE 117

DATA STRUCTURE



1. The conceptual shape or arrangement of data is known as----
 - a. Integer
 - b. Data analysis
 - c. Programming
 - d. Data structure** (past)

2. Text is normally viewed as a long string of characters, whereas the sales records might be envisioned as a rectangular table of numeric values
 - a. True**
 - b. False

3. A **block of elements of the same type** such as a one- dimensional list, a two- dimensional table with rows and columns, or table with higher dimensions

a. Array

4. An individual element can be identified by means of integer values called **Indices** that specify row and columns and so on.
5. In **C** and its derivatives C++, JAVA and C#) indices start at ---

a. 0

b. 1

6. In FORTRAN indices start at---

a. 0

b. 1

7. An array in which all data items are the same type, **an aggregate** type also called ----

- a. **Structure**
- b. Record
- c. All
- d. Heterogeneous array



8. A ---- or sometimes a ----- array is a block of data in which different elements can have different types.

- a. Structure
- b. Record
- c. Both b and d**
- d. Heterogeneous array

MODULE 118
ASSIGNMENT STATEMENT

1. The most basic imperative statement is the **Assignment statement**

a. **Yes**

b. No

2. A value be assigned to a variable (or more precisely, stored in the memory area identified by the variable)

a. **Assignment statement**

3. The statement

$Z = X + Y;$

In C, C++, C# and JAVA request that **the sum of X and Y be assigned to the Variable Z.**

a. True

b. False

4. The statement

$Z = X + Y;$

The semicolon at end of the line, which is used to **separate statements** in many imperative languages

5. The statement

$Z = X + Y;$

In some other languages (such as ADA) the equivalent statement would appear as:

a. $Z = X + Y$

b. $Z := X + Y;$

c. $Z ;= X + Y;$

d. $Z . = X + Y;$

CONTROL STRUCTURES

1. A ---- alters the execution sequence of the program is known as

a. Assignment statement

b. Control statement

If (condition)

StatementA

else

Statement B

No MCQs

SOME MCQs FROM PAST QUIZES

1. Which of the following symbol is used at the end of the line to separate statements in many imperative languages
 - a. '
 - b. :
 - c. ; (semicolon)
 - d. =

2. The $z = x + y$ shows
 - a. the sum of X and Y be assigned to the Variable Z.

3. how many choices are possible when using a single if-else statement?

- a. 1
- b. 2**
- c. 3
- d. 4

4. Which of the following symbol is used as assignment operator in **Ada**

a. =

b. :

c. ;

d. :=

5. An array is a "----" block of data whose entries are the same type

a. Square

b. Triangle

c. Oval

d. Rectangle

6. Which of the is the correct syntax for conditional statement?

a. If (condition) Statement A Else Statement B

MODULE 121

CONTROL STRUCTURE (LOOPS)

1. A set of instructions based on the provided condition is known as

a. **Loop** (another type of control structure)

Page no 208: must watch

MODULE 122

PROGRAMMING CONCURRENT ACTIVITIES

1. Simultaneous Execution of multiple activations is called ---

- a. Parallel processing
- b. Concurrent processing
- c. **Both a and b**

d. None

2. **True parallel processing** requires ---- CPU cores one to execute each activation

a. One

b. Two

c. **Multiple**

d. 3

3. Different terminology we have informally referred to as an **Activation** is called a **task in the Ada** vernacular and a **thread in Java**

4. A more complex issue associated with parallel processing involves handling communication between **thread**

FOR MORE VIDEOS SUBSCRIBE MY CHANNEL

MODULE # 123

ARITHMETIC OPERATORS EXAMPLE

1. Arithmetic operators in C language.

- a. +
- b. -
- c. *
- d. /
- e. % Modulus (total 5)

f. All

2. Symbol of Modulus operator:

- a. -
- b. *
- c. % (also known as remainder operator or Mod operator)**
- d. /

3. The / has a difference. If one of the operands is a decimal number, then it results in the same way as in mathematics.

For example,

5.0/2.0 would result into 2.5,

When both operands are integers, 5/2 result into 2,

I

**I'M ALSO PROVIDING SOC101, ENG101, PAK301, ISL201/202, PHY101
LECTURE WISE MCQs SERIES**

MODULE # 124

RELATIONAL OPERATORS EXAMPLE

ain.cpp



Run

Output

```
// Online C++ compiler to run C++ program online
```

```
#include <iostream>
```

```
using namespace std;
```

```
int main()
```

```
{
```

```
    int a=5;
```

```
    int b=2;
```

```
    cout<<a+b;
```

```
    return 0;
```

```
}
```

```
/tmp/2zxQdABFbu.o
```

```
7
```


MODULE # 124
RELATIONAL OPERATORS EXAMPLE

1. In which of the following are relational operators C++?
 - a. <
 - b. <= (total 6)
 - c. >
 - d. >=
 - e. ==
 - f. != (Not equal to)
 - g. All
2. In C++ ---- operators are used to compare values of two **variables**.
 - a. Arithmetic
 - b. Relational
 - c. Both
 - d. None

3. If the result after comparison of two variables is **True**, then "if" statement returns value --- 1

a. 1

b. 0

4. If the result after comparison of two variables is **False**, then "if" statement returns value ---

a. 1

b. 0

MODULE # 125
LOGICAL OPERATORS EXAMPLE

1. C language ---- operators are used if we want to compare more than one condition

a. Arithmetic

b. Logical

(total 3)

c. Relational

d. All

2.

Operators	Name of operator	Type
&&	AND	Binary
	OR	Binary
!	NOT	Unary

3.



Operator	Output
AND	Output is 1 only when conditions on both sides of operator become True
OR	Output is Zero only when conditions on both sides of operator become False
NOT	It gives inverted output

4.

TRUTH TABLE

Operator	First condition	2 nd condition	output
AND	True	True	True
	True	False	False
	False	True	False
	False	False	False
OR	True	True	True
	True	false	True
	False	True	True
	False	false	False
NOT	True		False
	False		True

SOME MCQS FROM PAST QUIZZES

1. Which of the following symbol is used to represent Boolean operator for logical AND?
 - a. ||
 - b. &&**
 - c. !&
 - d. &!
2. Which of the following is not a relational operator in C++?
 - a. %=**
 - b. !=
 - c. >=
 - d. ==

3. How many relational operators are offered by C++?

- a. 7
- b. 8
- c. 6
- d. 5

4. In C++ symbol representation for 'Equal to' relational operator is---

- a. !=
- b. =
- c. ==
- d. &

5. The sign of modulus is –

- a. %

LECTURE WISE MCQs SERIES

MODULE 187 – 200

PART 1

MEGA FILE

WORD PROCESSING: MS WORD



1. One of the most important application software are the **word processors**
 - a. **Yes**
 - b. No
2. One of the famous word processing software is MS Word which included in the Microsoft Office
 - a. **True**
 - b. False
3. The colorful icon in the top left-hand corner of the Word windows is the ---

- a. Tabs
- b. Groups
- c. **Office button**
- d. None

4. When you point to the office button with the mouse pointer it will turn ---

- a. Red
- b. **Orange**
- c. Black
- d. Green

5. When you click the left mouse button while pointing to the office button a -
---- will open

- a. Dialog
- b. **Menu**
- c. Table
- d. None

- a. Dialog
- b. Menu**
- c. Table
- d. None

6. **Recent documents** are listed in the Recent documents pane on the --- side of the menu

- a. Right**
- b. Left

7. The ribbon is divided into ----

- a. Tabs
- b. Commands
- c. Groups
- d. All**

8. Each tab opens a same ribbon

a. **False**

b. True

9. The main ribbon is the **Home Tab/Ribbon**

10. The home Tab/ Ribbon in Excel and PowerPoint are ---

a. **Similar**

b. Different

Functions

1. In the lower right- hand corner of some groups is a small down pointing arrow are referred to as

a. Dialog Expanders

b. Launcher

c. **Both a and b**

d. None

(Clicking on the arrow will open a Dialog window or a Command pane)

2. The ---- may provide additional options that may not be contained on the active tab

a. Dialog box

3. The ribbon has --- types of commands

a. 5

b. 4

c. 3

- 4. Ribbon has commands
 - a. Simple button
 - b. Drop-down menus Buttons
 - c. Launchers (or dialog Expanders) Buttons

d. All

- 5. **Simple Buttons** work as **Toggles** or on/off switches

(When the command is off it will be surrounded by Blue and when Button is on it will be surrounded by orange)

- 6. **Bold** is an example of a **simple button**

- 7. — will have a down arrow to the right of the command

- a. Simple button
- b. Drop-down menus Buttons**
- c. Launchers (or dialog Expanders) Buttons
- d. All

7. ---- will have a down arrow to the right of the command

- a. Simple button
- b. Drop-down menus Buttons**
- c. Launchers (or dialog Expanders) Buttons
- d. All

8. Change case control is an example of a ----

- a. Simple button
- b. Drop-down menus Buttons**
- c. Launchers (or dialog Expanders) Buttons
- d. All

9. Some commands are a combination of a **simple button** and a **drop-down menu button** (**Underline** is an Example of a combination command)

True

b. False

10. ---- button will open up a series of options either in a task pane (such as **Clipboard**) or dialog window such as **Font Group**

a. Simple button

b. Drop-down menus Buttons

c. **Launchers (or dialog Expanders)**

d. All

11. The Mini Toolbar appears automatically whenever you select text and contains common text formatting commands

a. **True**

b. False

MODULE 188

MS WORD (QUICK ACCESS BAR)

1. The **Save, Undo, Redo/Repeat** and **Quick print buttons** appear on the Quick **Access** Toolbar by default
2. You can quickly reverse most commands you execute by using---
 - a. Redo __ (Use For reapply)
 - b. **Undo**
3. Click the **Redo** button on the Quick Access menu. The typing ---
 - a. **Reappears**
 - b. Disappears __ (Use Undo)
4. Press **Ctrl + b** to Bold
5. Press **Ctrl + i** to word italicizes
6. Press **Ctrl + u** word underlines text

7. **Undo** and **Redo** by using Keys

- a. Press **Ctrl +z** typing **disappears (undo)**
- b. Press **Ctrl + y**, typing **reappears (Redo)**

MODULE 189
MS WORD (HOME RIBBON)

1. The **Home Ribbon** is one of the most important ribbon available in the MS word
- a. **True**
 - b. False

MODULE 189
MS WORD (HOME RIBBON)

1. The **Home Ribbon** is one of the most important ribbon available in the MS word

a. **True**

b. False

2. Home Ribbon contain:

a. Clipboard

b. Font

c. Paragraph

d. **All**

e. Styles

f. Editing

MODULE 190
MS WORD (CLIPBOARD GROUP)

1. The **first group** on the Home Ribbon is the ---

-
- a. Clipboard**
 - b. Font
 - c. Paragraph
 - d. Styles

2. **Copy, Cut, Paste and Format Paste** are the commands within the ---

- a. **Clipboard group**
- b. Font
- c. Paragraph
- d. All

3. The Clipboard command are on the home ribbon of Word

- a. **Yes**
- b. No

4. The dialog expander arrow of the Clipboard group will open up the ---
pane

- a. **Clipboard**
- b. Font
- c. Paragraph
- d. All

5. To remove text from a document we use Word's feature---

a. Paste

b. Cut (page 310)

c. Undo

d. Redo

6. ---- feature is used to place the information we Cut anywhere in the same or another document

- a. **Paste**
- b. Cut **_(page 310)**
- c. Undo
- d. Redo

7. We can move information from one place in a document to another place in the same or different document by using the ---- features

a. Cut and Paste

8. When you Cut, Word stores the data you Cut on the **Clipboard**

9. You can **paste** the information that is stored on the **Clipboard**

10. **Ctrl + x** key is used for **Cut** feature

11. **Ctrl + v** key is used for **Paste** feature

MODULE 191
MS WORD (FONT GROUP)

1. The second group of commands on the Home Ribbon is the---
 - a. Clipboard group
 - b. Font group**
 - c. Paragraph
 - d. All

2. ---- commands contain **Font Typefaces, Font Size, Font Effects**, (bold, Italic, underline Etc.) colors and more
 - a. Clipboard group
 - b. Font group**
 - c. Paragraph

3. You can preview how the new Font will look by Highlighting the text

a. Yes

b. No

I'M ALSO PROVIDING SOC101, ENG101, PAK301, ISL201/202 LECTURE
WISE MCQs SERIES

MODULE 192

MS WORD (PARAGRAPH GROUP)

1. The third group on the Home Ribbon is the ----

a. Clipboard group

b. Font group

c. Paragraph group

d. All

2. The ---- allows you to change **Paragraph Alignment** (left, right, centered, or justified), adjust **Line Spacing** within a paragraph.

- a. Clipboard group
- b. Font group
- c. **Paragraph group**
- d. All

3. ---- is the area where you can add Bullet lists, Number List, or Outlines form to a document is -----

- a. Clipboard group

- b. Font group
 - c. Paragraph group**
 - d. All
4. The Dialog expander arrow will open the **paragraph dialog window**

MODULE 193
MS WORD (PARAGRAPH GROUP II)

1. You can create your own bullet library
2. You move your cursor over the various number styles word displays the number style onscreen

MODULE 194
MS WORD (STYLE GROUP)

1. The **fourth** group on the Home Ribbon is the **style group**
 - a. **Yes**
 - b. No
2. A collection of formatting options/characteristics that you can apply to text is known as
 - a. Font

b. Styles

3. When you use ---- to format your document, you can quickly and easily apply a set of formatting choices

a. Font

b. Styles

4. Styles contain, **Font name, Size, color, paragraph alignment and spacing, borders and shadings**

MODULE 195
MS WORD (EDITING GROUP)



1. The fifth and final group on the home ribbon is the ---

- a. Clipboard group
- b. Font group
- c. Paragraph group
- d. Editing group**

2. The commands in the Editing group are ----

- a. Find
- b. All**
- c. Select
- d. Replace

3. When you create a document in Microsoft Word you may decide to change a certain word or phrase that is repeated throughout the document

- a. True
- b. False

4. Under ---- command there is the Go-To command

1

- a. Find
- b. All
- c. Select
- d. Replace

5. ---- command can be used to immediately go to a page a section or any marked location within your document

- a. Go to

MODULE 196
MS WORD (INSERT FUNCTIONALITIES)

MODULE 196
MS WORD (INSERT FUNCTIONALITIES)

1. If you want to add to graphics or link your document with another document we use ----

a. Insert Tab

2. In the Insert Tab following groups are available
 - a. Page group
 - b. Tables groups
 - c. Illustration groups
 - d. Media
 - e. Comments
 - f. Links
 - g. Header and footer

MODULE 197
MS WORD (PAGE GROUP)

1. Pages group is in the far left of the ---- tab
 - a. **Insert**
 - b. Draw
 - c. Layout
 - d. Review

2. You can insert from the three categories for pages which are
 - a. Cover page
 - b. Blank page
 - c. **All**
 - d. Page break

3. For creating a professional or long document the useful feature (s) are

- a. Cover page
- b. Blank page
- c. All
- d. Page break

I

4. **Cover page** is the **title** of the document

-
5. Word inserts a Blank page automatically while you are typing
 6. Blank page in ---

Insert tab

PLEASE LIKE, SUBSCRIBE AND SHARE

7. Page break button will force a page break anywhere you select in your document
- a. True
 - b. False

MODULE 198
MS WORD (TABLE GROUP)

1. Word provides ---- option for placing data in a more formal way
- a. Insert
 - b. Table
 - c. Pages
 - d. Links

MODULE 199
MS WORD (ILLUSTRATION GROUP)



1. In MS word if we want to add pictures of all types and styles to your document we use ---

- a. Pages
- b. Tables
- c. **Illustration**
- d. Add- in

2. The first selection in **Illustrations is Insert a picture** from a file

3. To illustrate a specific concept, you can Insert Clip Art in your document (including media file like sound and video)

- a. **True**
- b. False

4. Each shape belongs to one of the following subcategories i.e.

- a. Lines
- b. Basic shapes
- c. Block arrows
- d. Flow
- e. Charts
- f. Callouts
- g. Stars
- h. Banners
- i. All

5. Using ----- you can communicate your ideas visually

- a. Smart Art

1. Links toolbox in Insert Tab helps link other documents in your current document and also help you keep track of reading by providing Bookmark facility

a. **True**

b. False

2. ----- is used to add link of other documents or web pages in your Document

a. Link toolbox

b. **Hyperlink**

c. Bookmark

d. All

3. ----- are a way to keep track of reading.

a. Link toolbox

b. Hyperlink

c. **Bookmark**

d. All


While allocating budget for advertisement; organizations focus on

Select the correct option

☒	All of the given options
☐	Percentage of expected sales
☐	Considering the competitors
☐	Considering targets/objectives

The process of locating and correcting an error in a programming language is called _____.

Select the correct option



☒	debugging
☐	executing
☐	editing
☐	correcting

Click to Save Answer & Move

COBOL Stands for _____.

Select the correct option

☐	Comprehensive business oriented language
☐	Common business object language
☐	Comprehensive business object language
☒	Common business oriented language

Click to Save Answer

_____ language is precisely defined by rules and grammar.

Select the correct option



☒	Formal
☐	English
☐	Programming
☐	Natural

Click to Save Answer & Move

Descriptive names used to represent mnemonic expressions are called as _____?

Select the correct option

☐	program variables
☒	both a and b
☐	identifiers
☐	constants

Click to Save Answer & M

IR stands for.

Select the correct option

☐	Input register
☒	Instruction register
☐	Input resource
☐	Instruction resource

Click to Save A

In the first step of program execution, the instructions are fetched from the main memory to _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|------------------|
| ☐ | Boot sector |
| ☒ | CPU |
| ☐ | Secondary memory |
| ☐ | ROM |

Click to Save Answer & Move to Next Question

Identifiers are also known as _____.

Select the correct option

 Reload Ma

☒	variables
☐	names
☐	values
☐	constants

Click to Save Answer & Move to Next Q

By definition, _____ is if code does not run on a variety of computer systems.

Select the correct option

 Reload

☒	machine independence
☐	machine dependence
☐	machine optimization
☐	machine compiler

Click to Save Answer & Move to Ne

If a program is installed on two different machines and by making small changes it can be used on both. This is known as -----.

Select the correct option

 Reload Math Equations

☒	goal of machine independence
☐	disadvantage of machine independence
☐	disadvantage of machine dependence
☐	goal of machine dependence

Click to Save Answer & Move to Next Question

The extended part of the compiler ,which is not the actual part of the standard language, is called _____.

Select the correct option

 Reload Math Equations

☐	compiler extension
☐	machine independence
☐	machine dependence.
☒	language extension

Click to Save Answer & Move to Next Question

A compiler translates _____ code to machine language at a time.

Select the correct option

 Reload Math Equati

☐	one by one each instruction
☐	function by function
☒	complete
☐	module by module.

Click to Save Answer & Move to Next Question

A program written in a third-generation language could be used on any machine simply by applying the appropriate compiler is called _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|----------------------|
| ☐ | machine optimization |
| ☐ | machine compiler |
| ☐ | machine dependence |
| ☒ | machine independence |

Click to Save Answer & Move to Next Question

A complete mnemonic system used for representing is collectively known as _____.

Select the correct option

☐	natural language
☒	assembly language
☐	programming language
☐	machine language

Click to Save Answer

Machine language consists of _____ digit system.

Select the correct option

☒	binary
☐	decimal
☐	octal
☐	hexadecimal

Click to Save

_____ languages lies under imperative paradigm.

Select the correct option

☐	C and C++
☐	C++ and JAVA
☐	C++ and Python
☒	FORTTRAN and COBOL

Machine languages, BASIC , Ada,
Python, Pascal, APL, ALGOL , C,

Click to Save Answer

The procedural paradigm is also known as _____.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|--------------------------|
| ☐ | declarative paradigm |
| ☐ | object oriented paradigm |
| ☐ | functional paradigm |
| ☒ | imperative paradigm |

Click to Save Answer & Move to Next Question

Start finding an algorithm and then express that algorithm in sequence of commands. This approach is known as

-----.

Select the correct option



Reload Math Equation



functional paradigm



declarative paradigm



object oriented paradigm



imperative paradigm

Click to Save Answer & Move to Next Question

Programming paradigms are known as _____ approaches to the programming process.

Select the correct option

 Reload Math Equation



similar



identical



alternate



coinciding

Click to Save Answer & Move to Next Question

Programming languages are evolved in _____ no of paradigms

Select the correct option

 Reload Math Equations

☒	4
☐	3
☐	1
☐	2

Click to Save Answer & Move to Next Question

Weather forecasting is an example of _____ programming paradigm.

Select the correct option

 Reload Math

☐	functional
☒	declarative
☐	object oriented
☐	imperative

Click to Save Answer & Move to Next Qu

GPSS and Prolog are examples of _____ programming paradigm?

Select the correct option



Reload Math Equ



object oriented paradigm



imperative paradigm



functional paradigm



declarative paradigm

Click to Save Answer & Move to Next Quest

Dear student,

In the context of programming languages, the term "paradigm" refers to a fundamental style or approach to programming. It encompasses a set of principles, concepts, and practices that dictate how programs are structured, designed, and executed. Programming paradigms influence the overall organization of code, the way data is manipulated, and the flow of control in a program. Different programming languages are often associated with specific paradigms, and a single language can support multiple paradigms.

Some common programming paradigms include:

Imperative Programming Paradigm:

Focuses on describing a sequence of steps or commands for the computer to follow.

Examples: C, C++, and Java.

Object-Oriented Programming (OOP) Paradigm:

Organizes code into objects, which encapsulate data and behavior.

Emphasizes concepts like encapsulation, inheritance, and polymorphism.

Examples: Java, C++, Python.

Functional Programming Paradigm:

Treats computation as the evaluation of mathematical functions.

Avoids changing state and mutable data.

Examples: Haskell, Lisp, and Scala.

Procedural Programming Paradigm:

Organizes code into procedures or functions.

Emphasizes modularity and reusability.

Examples: C, Pascal.

Declarative Programming Paradigm:

Describes what the program should accomplish without specifying how to achieve it.

Examples: SQL (for database queries), HTML, CSS.

Understanding programming paradigms is crucial for programmers to choose the right language for a particular task and to adopt effective and maintainable coding practices. Many modern programming languages incorporate features from multiple paradigms, allowing developers to choose the approach that best fits the requirements of their projects.

Collection of functions associated with objects are known as _____.

Select the correct option

 Reloading

☐	methods
☐	module
☐	class
☐	function of objects

Click to Save Answer & Move to Next Question

C#, Java are examples of _____ paradigm?

Select the correct option

 Reload

☐	declarative paradigm
☐	imperative paradigm
☒	object oriented paradigm
☐	functional paradigm

Click to Save Answer & Move to

An object is a part of a particular class is also known as a/an _____ of that class.

Select the correct option

 Reload

☒	instance
☐	case
☐	part
☐	type

Integer data type can only store _____ numbers.

Select the correct option

 Reload Math Equations



decimal



real



whole



fractions

Click to Save Answer & Move to Next Question

A variable is required to store the number 100.001. Select the correct data type for this variable from the given options.

Select the correct option

 Reload Math Equations

☐	int
☐	string
☒	float
☐	char

Click to Save Answer & Move to Next Question

Which of the following is the correct way to declare a variable named grade which will store the grade of a student.

Select the correct option

 Reload Math Equations



char grade;



float grade;



boolean grade;



int grade;

Click to Save Answer & Move to Next Question

Select the correct output for this program if student marks are 30.

```
if (marks>=50)
```

```
cout<<"You have passed the examination ";
```

```
Else
```

```
cout<<"You have failed the examination";
```

Select the correct option

 Reload Math Equations

☐	Error
☐	You have passed the examination and You have failed the examination
☒	You have failed the examination
☐	You have passed the examination

Click to Save Answer & Move to Next Question

In C++, the student pass if _____.

if (scores >= 50)

cout << " Congratulation you have passed" ;

Select the correct option

 Reload Math Equations

☐

Scores 40

☒

Scores 50

☐

Scores 49

☐

Scores 30

_____ alters the execution sequence of the program.

Select the correct option

 Reload Math Equations

☒	Control structures
☐	Non-linear structures
☐	Uncontrolled structures
☐	Linear structures

Click to Save Answer & Move to Next Question

Choose the correct type of array to store the data given below.

50.5	60	70	70.8	80
------	----	----	------	----

Select the correct option

 Reload Math Equat

- | | |
|----------------------------------|-----------------|
| ☒ | float number[5] |
| ☐ | float number[6] |
| ☐ | int number[6] |
| ☐ | int number[5] |

Click to Save Answer & Move to Next Question

In programming language, '=' operator is used to represent _____ operation.

Select the correct option

 Reload Math

☒	assignment
☐	inequivalent
☐	comparison
☐	equal to

Click to Save Answer & Move to Next Q

Which two symbols are used for assignment statements in different programming languages.

Select the correct option

 Reload Math



=, :=



=, ;=



=, <=>



=, ==

Click to Save Answer & Move to Next Q

Question	Re
The correct way to declare numeric value 8 in c++ is?	✓ C
Assignment statement is _____ type of statement.	✓ C
Which two symbols are used for assignment statements in different programming languages.	✓ C

Retake Quiz

1. `int a = 8;`

2. Imperative

3. `=`, `:=`

The correct way to declare numeric value 8 in c++ is?

Select the correct option



☒	<code>int a=8;</code>
☐	<code>int 8;</code>
☐	<code>integer 8;</code>
☐	<code>Integer a=8;</code>

Click to Save Answer & Move

"cout" statement is used to _____?

Select the correct option

 Reload Math Equations

☐	save the data
☐	take the input
☒	print the output
☐	edit the data

Click to Save Answer & Move to Next Question

How many locations are required to store "Ali haider" name in char array?

Select the correct option



Reload Math Equat



char name[11]



char name[10]



char name [9]



char name [8]

Click to Save Answer & Move to Next Question

A two-dimensional array of integers named Scores having two rows and nine columns will be declared as:

Select the correct option

 Reload Math Equat

☒	<code>int Scores[2][9];</code>
☐	<code>int Scores[9][2];</code>
☐	<code>int Scores[2]/[9];</code>
☐	<code>int Scores[9]/[2];</code>

Click to Save Answer & Move to Next Question

What is sequential execution?

Select the correct option

 Reload Math Equo

- | | |
|----------------------------------|--|
| ☒ | Execution of statements one after other. |
| ☐ | Execution of statements on priority. |
| ☐ | Statements are distributed for execution. |
| ☐ | Execution of multiple statements at a single time. |

Click to Save Answer & Move to Next Question

Choose the correct loop syntax in C++.

Select the correct option

 Reload Math

☐	for(declaration; condition; increment operation);
☒	for(initialization; condition; inc/dec);
☐	Both b and c
☐	for(declaration; increment operation; condition);

Click to Save Answer & Move to Next Question

Active, Ready, waiting states are normally used in _____ systems.

Select the correct option

☒	Time sharing
☐	Interactive
☐	Coordination with user
☐	Real-time Processing

Click to Save An

Interrupt handler is a part of the _____.

Select the correct option

☐	Interrupt
☐	Scheduler
☒	Dispatcher
☐	Process table

A loop structure consists of:

Select the correct option



Reload Math



Loop control variable.



Body of Loop.



Condition .



All of above.

Click to Save Answer & Move to Next Question

```
int i=1;  
while(i<=6)  
{  
    cout<<"Value of variable i is: "<<i    ; i--;  
}
```

How many times loop will execute?

Select the correct option

 Reload Math

☐

7

☒

Infinite

☐

6

☐

1

Click to Save Answer & Move to Next Qu

While (_____): What will be written in the blank space?

Select the correct option

 Reload Math Equatio

☐	Total Number of code lines
☐	Function definition
☒	Condition
☐	Body

Click to Save Answer & Move to Next Question

The pseudo-code to find a factorial of a number n is:

```
def FindFactorial():
```

```
f = 1
```

```
i=1;
```

```
While (i<=n)
```

```
f=f*i;
```

```
i=i+1;
```

Initially "f" and "i" both will have a value of one. What would be the value of "f" after the 4th iteration?

Select the correct option

 Reload Math Equation

☒	24
☐	48
☐	12
☐	6

Click to Save Answer & Move to Next Question

What should be printed on screen? `if(-1 == -1) cout<<"LOVE PAKISTAN"; else cout<<"I";`

Select the correct option

☐	I LOVE PAKISTAN
☐	Compilation Error.
☒	LOVE PAKISTAN
☐	I

Click to Save Answer

How to declare an integer variable in C ++?

Select the correct option

☒	<code>int x;</code>
☐	<code>int=x;</code>
☐	<code>declare int x;</code>
☐	<code>x int;</code>

The statement `i++;` is equivalent to

Select the correct option

☐	<code>i--;</code>
☐	<code>i = i + i;</code>
☐	<code>i = i - 1;</code>
☒	<code>i = i + 1;</code>

Execution of multiple activities at same time is called.

Select the correct option

☐	Multitasking.
☒	Parallel processing.
☐	All of above.
☐	Multiprocessing.

----- ensure that only one process at a time may be granted to resources.

Select the correct option

☒	Mutual exclusive.
☐	Mutual inclusive.
☐	Mutual cooperation.
☐	Deadlock .

_____ increase the system's productivity.

Select the correct option

☒	Multiprogramming
☐	Single-programming
☐	Multitasking
☐	Multiprocessing

Click to Save An

Parallelism leads to what -----.

Select the correct option

☒	Concurrency .
☐	Non-simultaneous.
☐	Distribution
☐	Decentralization.

Click

Instructions that handle the input and output of a machine are called _____.

Select the correct option

 Reload M

☐	Logical Instructions
☒	I/O instructions
☐	Control instructions
☐	Activity instructions

Click to Save Answer & Move to Next

ALU performs _____.

Select the correct option

 Reload M

☐	Relational operations
☒	Arithmetic and logical operations
☐	Control operations
☐	Unary operations

Click to Save Answer & Move to Next

 During the implementation phase of software engineering, what task is typically performed?



Select the correct option



Reload Math Equations

☐	Creating modular design
☐	System analysis
☐	Requirements gathering
☒	Writing programs

Show Answer

What is correct benefit of decorator pattern during software development?

Select the correct option

☐	It designs the hardware of the system
☐	Work and combine the modules
☐	Increase software complexity
☒	It offers standardized way of implementation system

The problem known as the _____ can arise if one transaction is in the middle of transferring funds from one account to another when bank.



Select the correct option



incorrect summary problem



lost update problem



potential problem



time sharing

FORTRAN stands for _____.

Select the correct option



- | | |
|----------------------------------|---------------------|
| ☐ | Formula transition |
| ☐ | Formula transfer |
| ☒ | Formula translator |
| ☐ | Formula transporter |

Click to Save Answer & Move

Question # 9 of 10 (**Start time: 09:12:08 PM, 24 January 2024**)

What is a major component of system documentation?

Select the correct option

☐	Source version of all programs in the system
☐	Product manual
☒	Operating manual
☐	Installation manual

How is a programmer's role distinct from that of a software analyst in the implementation stage?

Select the correct option

☐

Programmers focus on requirements analysis and design.

☐

Programmers only work on database development.

☐

Programmers are responsible for the entire development process.

☒

Programmers are primarily involved in the implementation step.

What is testing primarily associated with the traditional development phase?

Select the correct option

☒	Confirming software product with the software requirements specification.
☐	Requirements analysis
☐	System design
☐	Software implementation

If a transaction requests exclusive access to an item that is already locked with an exclusive lock, _____

Select the correct option



Reload Math Equations

☒	The additional access is denied
☐	The lock is shared with the requesting transaction
☐	The transaction is rolled back
☐	The request is granted immediately

Show Answer

Subschemas are crucial in providing _____ to different users within a database.

Select the correct option

 Reload Math Equations

- | | |
|----------------------------------|-----------------------|
| ☐ | similar access |
| ☒ | restricted access |
| ☐ | identical information |
| ☐ | universal access |

Show Answer

The point at which all the steps in a transaction have been recorded in the log is called the _____.

Select the correct option

☐

roll back

☒

commit point

☐

schema

☐

snapshot

What is the primary focus of the maintenance phase in software engineering?

Select the correct option



Reload Math Equations



Redesigning the entire system



Repairing software defects



Studying the program



Identifying the bugs in the software

Show Answer

Which intermodule coupling occurs when a module passes control of execution to another, as in a function call?

Select the correct option



Reload Math Equations

☐	Logical coupling
☐	None of given
☐	Data coupling
☒	Control coupling

Show Answer

_____ is the field of engineering that deals with designing system's interfaces by considering the humans mental abilities.



Select the correct option



Reload Math Equations

☐	Genetics
☒	Cognetics
☐	Thermodynamics
☐	Ergonomics

Show Answer



What is the purpose of system documentation?

Select the correct option



Reload Math Equations



Explain how to use the software features.



Describe the software's internal composition for maintenance.



Serve as a marketing tool.



Provide information for system installation.

Show Answer

Which phase provides a road map for the developers during project planing?



Select the correct option



Reload Math Equations

☐	Coding
☐	Software Design
☐	Testing
☒	System Analysis

Show Answer

Interior feature of the system can be ignored by the programmer/user, this abstraction technique is also called:

Select the correct option



Reload Math Equations

☐	Cohesion
☐	Coupling
☐	Assembling
☒	Black Box

Show Answer

Operations that are only partially completed in commercial systems might lead to _____ information in the database.

Select the correct option



Reload Math Equations

☒	Incomplete
☐	Verified
☐	Accurate
☐	Valid

Show Answer

In a queue, where are entries inserted?



Select the correct option

 Reload Math Equations

☐	At the base
☒	At the tail
☐	At the top
☐	At the head

Show Answer

A module should be designed so that other modules do not need access to its internal information, this is called:

Select the correct option



Reload Math Equations

☐	Information access
☐	Cohesion
☒	Information hiding
☐	Coupling

Show Answer

What is an aggregate type in programming?



Select the correct option

 Reload Math Equations

Show Answer

☐

2-dimensional array

☒

Block of data items with different data types

☐

Rectangular array of numbers

☐

An integer variable

How is the depth of a tree defined?

Select the correct option



Reload Math Equations



The number of only first horizontal layer within the tree



The number of top nodes in the tree



The number of nodes from root to leaf in the tree



The number of only leaf nodes in the tree

Which of the following is correct option about information hiding in software development.

Select the correct option



Reload Math Equations

- | | |
|----------------------------------|--|
| ☒ | It hides all data of program module |
| ☐ | It prevents unnecessary dependency between modules |
| ☐ | It only depends on internal compositional structure of modules |
| ☐ | Validity of module may not be compromised |

Show Answer

What was the initial focus in the early years of computing regarding software quality?

Select the correct option

☐

Certification programs

☐

Software engineering procedures

☒

Debugging process

☐

Software Analysis

What is the significance of Computer-Aided Software Engineering (CASE) tools in the software development process?



Select the correct option

☐

They focus solely on theoretical research.

☐

They hinder progress tracking.

☒

They streamline and simplify various aspects of development.

☐

They discourage collaboration among teams.

Database technology, combined with data mining techniques, is an important _____ tool.

Select the correct option

☐	Communication
☒	Data storage
☐	Financial
☐	Decision-making

What is a design pattern in the context of software engineering?

Select the correct option

- | | |
|----------------------------------|--|
| ☐ | An overview of the software problem |
| ☒ | A pre-developed model for solving recurring software problem |
| ☐ | A recurring problem in software development |
| ☐ | A specific coding language syntax |

Which phase provides a road map for the developers during project planning?

 **Select the correct option**

☐

System Analysis

☐

Testing

☐

Coding

☐

Software Design



A major role of the DBMS in commercial systems is to maintain the database's integrity by guarding against -----

Select the correct option

☐	Complete operations
☐	Intentional deletions
☐	Small errors
☒	Unintentional interactions

What does the ISO 9000 series of standards address?

Select the correct option

☐

Hardware engineering only

☐

Software development only

☒

Design, production, installation, and servicing

☐

Networking protocols



Accuracy can be achieved with the help of testing the result of _____ in the entire development process.



Select the correct option

☒	Each intermediate step
☐	Every line of code
☐	Last step
☐	Few steps

In a two-dimensional array, how are positions identified?

Select the correct option

☐	Numerical index numbers
☐	same sizes of entries
☐	Field names
☒	Pairs of indices

The SELECT operation extracts _____ from a relation.



Select the correct option

☐

a cell

☒

rows

☐

columns

☐

table

What is cited as a beneficiary of research in human-machine interface design?



Select the correct option

☐	Database management systems
☐	Networking protocols
☐	Source code repositories
☒	Smartphone interface

A transaction requiring exclusive access will _____

 **Select the correct option**

<input data-bbox="249 568 318 621" type="radio"/>	Share the access with other transactions
<input data-bbox="249 761 318 813" type="radio"/>	Grant shared access to other transactions
<input data-bbox="249 953 318 1006" type="radio"/>	Automatically gain access without checks
<input data-bbox="249 1146 318 1199" type="radio"/>	Be forced to wait if the item is already exclusively locked



Pre-developed model of solving recurring problems in software is called



Select the correct option

☐	GUI
☐	Specific Code
☒	Design pattern
☐	Modules

_____ are the sophisticated software packages that are primarily designed for the software engineering environment.

Select the correct option

☐	IDS's
☐	EDS's
☐	EDI's
☒	IDE's

DBMS stands for _____?

Select the correct option



Database management system



Database management Sound



Database maintaince and storage



Database maintaince system

Why was the waterfall model considered rigid in its approach to software development?

Select the correct option

☐	It encouraged creative problem solving
☐	It allowed variations in the development process
☐	It embraced a free-wheeling trial-and-error process
☒	It insisted on a sequential completion of all phases

----- Model allows the development process only in one direction.

Select the correct option

☐	Spiral
☐	Incremental
☒	Waterfall
☐	RAD

From a lay- person's perspective, design is often equated with

Select the correct option

☐

Where

☐

Why

☒

How

☐

What

What is the origin of design patterns in software engineering?

Select the correct option

☐	Computer science research
☐	Mathematics
☒	Traditional architecture
☐	Artificial intelligence

What does a tree structure's hierarchical organization resemble?



Select the correct option

☐	Graph
☐	Stack
☒	Organization chart
☐	Array

Which of the following is not the reason due to which a Software is moved to maintenance stage.

 Select the correct option

☐

Errors are discovered.

☐

Changes done in previous modification introduce the errors.

☐

Repair process

☐

Changes in software application occurs.



How do software engineers often describe the relationship between requirements analysis and design?



Select the correct option

☒	Requirements analysis is about what, and design is about how.
☐	Both are focused on what.
☐	Requirements analysis is about how, and design is about what.
☐	Both are focused on how.

The Development cycle in XP involve?

Select the correct option

☐	Formal documentation
☐	Repeated cycles of analysis, design, implementation, and testing 
☐	Sequential testing
☐	Monthly releases of the software

When using PROJECT, if multiple columns are required, they are specified _____.



Select the correct option

☒	Using a comma
☐	Using quotation marks
☐	Using brackets
☐	Separately

What does a primitive data type in programming languages allow for?

▶ **Select the correct option**

☐	Initializing objects for a class
☐	Declaration, allocation, and manipulation of data
☐	Deallocating memory cells for new data
☐	Storing aggregate data

The protocol that ensures older transactions are given priority when accessing locked items is called the _____



Select the correct option

☐	Priority inversion
☐	Deadlock avoidance
☒	Wound wait
☐	Young-Old transaction

Persistent objects in a database are distinct from transient objects because they are -----.



▶ **Select the correct option**

☐	saved after program termination
☐	created during program execution
☐	linked to other objects
☐	discarded after program termination

What is the primary focus of the implementation phase in software engineering?

Select the correct option

☐	Requirements Analysis
☒	Writing programs and creating data files
☐	Testing
☐	Design

If information hiding is not properly implemented, what will be the main effect on software program:

Select the correct option

☐	It hides all data so important information cannot retrieve.
☐	Internal compositional structure of modules can damage
☒	Errors occur during module development
☐	It can compromise validity of program modules.

Why do many software engineers argue for the incorporation of testing into various development steps?

▶ **Select the correct option**

- | | |
|-----------------------|---------------------------------------|
| ☐ | To eliminate the need for testing ✓ |
| ☐ | To make testing an optional phase |
| ☐ | To streamline the development process |
| ☐ | To isolate testing as a separate step |

During the implementation phase of software engineering, what task is typically performed?

Select the correct option

☐	Requirements gathering
☐	Creating modular design
☒	Writing programs
☐	System analysis

A Car making factory makes car for their client. In Factory design pattern, Factory is considered as:

Select the correct option

☐	Character
☐	Class
☐	Abstraction
☐	Instance

What is the significance of Computer-Aided Software Engineering (CASE) tools in the software development process?

Select the correct option

☒	They streamline and simplify various aspects of development.
☐	They focus solely on theoretical research.
☐	They discourage collaboration among teams.
☐	They hinder progress tracking.

ISO makes software _____ for software companies to guarantee quality control.



Select the correct option

☒	Standards
☐	Queries
☐	Hardware
☐	Software

To control access to information within a database, database systems often rely on _____ and _____.

Select the correct option

☐	keys, indexes
☒	schemas, subschemas
☐	records, tables
☐	queries, reports

What does the term "waterfall" in the waterfall model analogy represent?



Select the correct option

☐	The flexibility in the development process
☒	The strict, one-directional flow of the development process
☐	The trial-and-error nature of software development
☐	The iterative approach to software development

How are fields in an aggregate type usually accessed?

Select the correct option



Field names



Numerical index numbers



Pairs of indices



Row and column numbers

What is another name for a program counter in the context of CPUs?



Select the correct option

☐	Numeric register
☐	Index counter
☒	Instruction pointer
☐	Code counter

A _____ is a storage area that contains such an encoded address.

Select the correct option



pointer



graph



array



tree

Open-source development of the Linux operating system is lead by -----?

Select the correct option

☐	Steve Jobs
☐	Mark Zuckerberg
☐	Bill Gates
☒	Linus Torvalds

What could best describe the application of a one-dimensional array with 26 elements?

Select the correct option

☐	Storing student data
☐	Representing monthly sales and profit
☒	Tracking alphabet letter occurrences
☐	Managing skill ratings and reviews of employee data

A _____ is a collection whose entries have a hierarchical organization similar to that of an organization chart of a typical company.



Select the correct option

☐

graph

☐

queue

☒

tree

☐

stack

A process which is used by the software industry to design, develop and test high quality software is known as:

Select the correct option

☐

Development manual

☐

Software

☒

Software life cycle

☐

Testing process

Database systems emerged as a means of _____ the information stored in organizations.



Select the correct option

☐	Separating
☐	Duplicating
☐	Restricting
☒	Integrating

What is the main characteristic of a one-dimensional array?



Select the correct option

☐	Different types of entries
☒	Single row of elements
☐	Varied sizes of entries
☐	Multiple rows and columns

What is the primary focus of the design phase in software engineering?

Select the correct option

☐	Creating a budgeting plan
☒	Identifying problems
☐	Constructing the software system
☐	Establishing requirements

How do we refer to nodes that have the same parent in a tree?

Select the correct option

☒	Siblings
☐	Descendants
☐	Ancestors
☐	Children

In the traditional waterfall model, what is the task of the SQA group before the design stage begins?

Select the correct option

☐	Overseeing the implementation
☐	Approving the design
☐	Certifying the conceptual final product
☒	Approving software requirements specification

What can achieve through information hiding in software development.

Select the correct option

☐	Weakened encryption
☐	Increased vulnerability
☐	Open access to sensitive data
☒	Maintain validity and integrity of system

Which Template C++ Language offers to programmer so he/she can easily implement objects for performing actual

Select the correct option

☒	Standard Template Library
☐	NumPay
☐	Application Programming Interface
☐	.Net Framework Class Library

A module should be designed so that other modules do not need access to its internal information, this is called:



Select the correct option

☒	Information hiding
☐	Cohesion
☐	Information access
☐	Coupling

One of the advantages of separating application software from the DBMS is to achieve _____, allowing change application software.

Select the correct option


☐	data security
☐	networking
☒	data independence
☐	user access control

A Car making factory makes car for their client. In Factory design pattern, Car is referred as:

Select the correct option

☒	Class
☐	Instance
☐	Abstraction
☐	Character

What is depicted in the following figure?



Select the correct option

- | | |
|----------------------------------|----------------------------------|
| ☐ | Stages of debugging |
| ☐ | Software development methodology |
| ☒ | Software life cycle |
| ☐ | Software design cycle |

What field of mathematics is used in basis path testing to identify sets of test data?

Select the correct option

☐

Probability theory

☐

Geometry

☒

Graph theory

☐

Number theory

What is the purpose of prototyping in incremental and iterative models?

Select the correct option

☐	To incorporate the Waterfall model in the software development
☐	To build a complete (final) system
☒	To evaluate the incomplete versions of the proposed system
☐	Prototyping is not involved in the incremental and iterative models

Which company created the Rational Unified Process (RUP)?

▶ Select the correct option

☐

Microsoft

☐

Google

☒

IBM

☐

Apple

Retrieving a list of job titles in a specific department involves selecting tuples based on the _____ attribute.

▶ Select the correct option

☐	Job title
☐	Employee ID
☒	Relation
☐	Department

What can happen if modifications are made to software without understanding the underlying program?

Select the correct option

☐

Reduced maintenance efforts

☐

Improved system performance

☐

Enhanced software security

☐

Introduction of more problems



In Structure Chart functions are represented by_____.

Select the correct option



Rectangles



Arrows



Triangles



Circles

What is the primary focus of the maintenance phase in software engineering?

Select the correct option

☐

Redesigning the entire system

☒

Repairing software defects

☐

Studying the program

☐

Identifying the bugs in the software

..... is exemplified by two transactions, each of which makes a deduction from the same account.



Select the correct option

☒	Lost update problem
☐	Incorrect summary problem
☐	Potential problem
☐	Time sharing

How is the depth of a tree defined?

Select the correct option

☐

The number of only first horizontal layer within the tree

☐

The number of top nodes in the tree

☒

The number of nodes from root to leaf in the tree

☐

The number of only leaf nodes in the tree

What is the layperson's perception of requirements analysis?

Select the correct option



☐	Deciding how the software system will do it
☐	Determining the software performance
☒	Deciding what the software system is to do
☐	Determining the software accuracy

The format in which information is displayed by spreadsheet programs is similar to the format used in the _____.

Select the correct option

☒	Relational model
☐	Network model
☐	Object-oriented model
☐	Hierarchical model

One operation we might want to perform on a relation is to select _____ possessing certain characteristics and to place these selected _____



Select the correct option

☐

tuple, attribute

☐

attribute, attribute

☒

tuple, tuple

☐

table, tuple

What, according to most practitioners in the software engineering field, is the major cause of cost overruns and late p

Select the correct option

☐

Well-defined requirements

☒

Poor communication and changing requirements

☐

Limited stakeholder involvement

☐

Early completion of requirements

A typical database application involves two major layers: the application layer and the _____ management la

Select the correct option

☐

schema

☒

database

☐

user

☐

data

What is the purpose of ergonomics in human-machine interface design?



Select the correct option

☐

Designing systems that harmonize with the physical abilities of machines.

☐

Designing systems that harmonize with the mental abilities of humans.

☒

Designing systems that harmonize with the physical abilities of humans.

☐

Designing systems that harmonize with the mental abilities of machines.

Stronger form of cohesion called _____?

Select the correct option



Functional cohesion



Intermodule coupling



Intramodule cohesion



Logical cohesion

In a tree structure, what is the top node called?

Select the correct option

☐

Terminal node

☐

Leaf node

☐

Parent node

☒

Root node

The Manufactured Product moves into Maintenance phase for

Select the correct option

☐

Error removal

☐

Error detection

☐

Repair process

☒

Error correction

What does the term "manageable pieces" refer to in software engineering?

Select the correct option

☐	Code documentation
☒	Breaking down a project into smaller components
☐	Software Development Life Cycle phases
☐	Debugging techniques

What is the colloquial term for the head of a stack?

Select the correct option

☐

Base

☐

End

☐

Bottom

☒

Top

In the case of _____ that are subject to heavy transaction loads, it is highly likely that a random snapshot will find the database in the middle

Select the correct option

☐

small database

☐

web development

☐

object oriented programming

☒

large databases

In an array, what does the first index in a pair identify?



Select the correct option

☐	Field name
☐	Column associated with the position
☐	Numerical index number
☒	Row associated with the position

Why do software engineers support the use of well-designed, high-level programming languages?

Select the correct option



To simplify the software maintenance process.



To blur the distinction between technical and user documentation.



To increase software sales.



To make system documentation unreadable.

The links between _____ in an object-oriented database are normally maintained by the DBMS.



Select the correct option

☒

objects

☐

forms

☐

local data

☐

functions

----- Provides a means of refining prefabricated object definition in order to customize definitions to conform to t

Select the correct option

☐	Parsing
☐	Cohesion
☒	Inheritance
☐	Coupling

Why is it important for an interface to present all relevant information when a decision is required?



Select the correct option



To facilitate the user.



To confuse the user.



To test the user's memory.



To rely on the user's memory.

Why is a stack considered a LIFO structure?

Select the correct option

☐

Entries are removed from the middle

☐

Entries are removed in the order they were stored

☒

Entries are removed in the reverse order of storage

☐

Entries are removed from the base

Question # 6 of 10 (Start time: 09:09:21 PM, 24 January 2024)

Which of the following relates to Intellectual property laws?

Select the correct option

☐	System law
☒	Patent law
☐	Islamic law
☐	Liability law

Which of the following is correct option about information hiding in software development.

Select the correct option

☐	It hides all data of program module
☒	It prevents unnecessary dependency between modules
☐	It only depends on internal compositional structure of modules
☐	Validity of module may not be compromised

Question # 4 of 10 (Start time: 09:07:27 PM, 24 January 2024)

Object-oriented databases allow the entire software system to be designed in the _____ paradigm.

Select the correct option

- | | |
|----------------------------------|-----------------|
| ☐ | procedural |
| ☐ | imperative |
| ☐ | relational |
| ☒ | object-oriented |

Question # 5 of 10 (**Start time: 09:08:22 PM, 24 January 2024**)

----- patterns are generally used for the creation of loosely coupled systems.

Select the correct option

☐	Database
☐	Implementation
☐	Requirement
☒	Factory Design

Restriction of information to a specific portion of a software system is referred to:

Select the correct option

☒	Information hiding
☐	Cohesion
☐	Information assembler
☐	Component assembler

In an array, what does the first index in a pair identify?

Select the correct option

☐	Column associated with the position
☒	Row associated with the position
☐	Numerical index number
☐	Field name

Question # 1 of 10 (Start time: 09:04:19 PM, 24 January 2024)

A major role of the DBMS in commercial systems is to maintain the database's integrity by guarding against _____.

Select the correct option

 Reload

- | | |
|----------------------------------|----------------------------|
| ☐ | Complete operations |
| ☐ | Small errors |
| ☒ | Unintentional interactions |
| ☐ | Intentional deletions |

Click to Save Answer & Move to

Question # 7 of 10 (Start time: 09:10:15 PM, 24 January 2024)

The term cohesion refers to this _____.

Select the correct option

☒	internal binding
☐	control coupling
☐	data coupling
☐	external binding

POP3 helps to store messages on _____.

Select the correct option

☒	Local machine
☐	Server machine
☐	Secure machine
☐	None of the given

Click to S

If we seek the JobTitle column within a relation named NEW1, the expression would be:

SELECT _____ FROM NEW1;

Select the correct option

☐	Salary
☒	JobTitle
☐	EmployeeID
☐	Department

OS designed to service multiple users at the same time called _____.

Select the correct option

☐	Interactive system
☒	Time sharing
☐	Real-time processing
☐	Coordination with user

Consider the given below structure and select the correct method to access its field named age.

```
struct
```

```
{char Name[25];
```

```
int Age;
```

```
float SkillRating;}Employee;
```

Select the correct option

 Reload Math Equations

☐	Employee{age}
☐	Employee(age)
☒	Employee.age
☐	Employee[age]

Click to Save Answer & Move to Next Question

_____ programming is emerged as a result of the declarative paradigm.

Select the correct option

 Reload Math Equ

☒	Functional
☐	Procedural
☐	Object oriented
☐	Logic

Click to Save Answer & Move to Next Quest

The programmer develops a precise statement of the described problem to be solved rather than describing an algorithm. This approach is known as _____.

Select the correct option

 Reload Math Equ

☐	object oriented paradigm
☐	imperative paradigm
☐	functional paradigm
☒	declarative paradigm

Click to Save Answer & Move to Next Question

In OOP, each object is consist of collection of _____.

Select the correct option

 Reload

☐	classes
☐	units
☐	elements
☒	methods

Click to Save Answer & Move to

When code is converted to machine language then it is _____ to see the output.

Select the correct option

☒	executed
☐	translated
☐	assembled
☐	compiled

Click to Save Answer

_____ translates one instruction to machine language at a time.

Select the correct option

☐	translator
☐	compiler
☒	interpreter
☐	both a,b

A _____ is a computer language programmers use to develop software programs, scripts, or other sets of instructions for computers to execute.

Select the correct option

 Reload Math Equations

☒	programming language
☐	C++ language
☐	Java Language
☐	natural language

Click to Save Answer & Move to Next Question

Zain Thresher house should target the following class of customers?

Select the correct option



Business class



Rural class



Educated class



Urban class

_____ is a personal selling situation in which products are sold for buyers' personal or household use.

Select the correct option

☒	Retail selling
☐	Industrial selling
☐	Non of the given options
☐	Pharmaceutical product selling

Question # 9 of 10 (Start time: 11:32:20 PM, 17 January 2024)

All of the following are forms of advertising except:

Select the correct option

☒	Direct mail
☐	Publicity
☐	Online banner ads
☐	Transportation ads

----- may be used to analyze how well a company is managing its assets.

Select the correct option

☒	Activity Ratio
☐	Debt Ratio
☐	Profitability Ratio
☐	Liquidity Ratio

Customers will raise questions regarding said functions of product when sales person gives the presentation about product it is called

Select the correct option

- ☐ Closing stage
- ☐ Interest stage
- ☒ Objection stage
- ☐ Follow up stage

Getting material without any delay and when required is called?

Select the correct option

☐	Time scheduling
☐	Inventory forecasting
☒	Just In Time
☐	Production management

-----phase of the Software Life Cycle tends to provide solution for the problem.

Select the correct option

☐	Analysis
☐	Testing
☐	Implementation
☒	Design

In an organization chart-like tree, what does each node represent?

Select the correct option

☐	Department
☒	Position
☐	Manager
☐	Employee

Subtraction can be simulated by _____ and _____.

Select the correct option

 Reload

☒	addition and negation
☐	negation and subtraction
☐	multiplication and negation
☐	addition and multiplication

Click to Save Answer & Move to

Why do many major software contractors require organizations to meet standards?

Select the correct option

☒ To decrease efficiency

☐ To increase cost

☐ To promote competition

☐ To ensure quality

In the context of data structures, what is the primary use of pointers?

Select the correct option

- | | |
|----------------------------------|--------------------------------------|
| ☐ | To serve as a counter in loops |
| ☐ | To delete instructions |
| ☐ | To store string data type |
| ☒ | To record the location of data items |

Why do many major software contractors require organizations to meet standards?

Select the correct option

☐

To decrease efficiency

☐

To increase cost

☐

To promote competition

☒

To ensure quality

Accuracy can be achieved with the help of testing the result of _____ in the entire development process.

Select the correct option

☐	Every line of code
☒	Each intermediate step
☐	Few steps
☐	Last step

In a stack, what is the term for inserting a new entry at the top?

Select the correct option

☐	Dequeuing
☒	Pushing
☐	Popping
☐	Removing

_____ converts mnemonic expressions into machine language instructions.

Select the correct option

☐	translator
☐	convertor
☐	compiler
☒	assembler

The last step involved in designing an advertising campaign is _____

Select the correct option

☐	Advertising Objectives
☐	Message Creation
☒	Advertising Evaluation
☐	Allocation of Budget

The _____ operator inverts the output.

Select the correct option

☒	NOT
☐	NAND
☐	OR
☐	AND

Each time the dispatcher awards a time slice to a process, it initiates a timer circuit that will indicate the end of the slice by generating a signal called_____.

Select the correct option

 Reload Math Equations

☐	Interrupt 
☐	Flag
☐	Update
☐	Information

Click to Save Answer & Move to Next Question

Concerning the waterfall model, each phase must be completed before the _____ can begin and there is no overlapping in the phases.

Select the correct option

 Reload Math Equations

☒	Next phase.
☐	Previous phase.
☐	None of the above.
☐	Both A and B.

The_____ includes identifies the needs of the software users.

Select the correct option

 Reload Math Equations

☒	Requirement analysis.
☐	Testing.
☐	Maintenance.
☐	Developing.

Early stage computers were _____.

Select the correct option

☐	Efficient
☐	Expensive 
☐	Small in size
☐	Powerful

Select the correct output for this program.

```
cout<<"Hello to ITP";
```

```
cout<<"BYE BYE ";
```

Select the correct option

 Reload M

☐	Error
☐	Hello to ITP
☒	Hello to ITP BYE BYE
☐	BYE BYE

Click to Save Answer & Move to Next

What would be the output of the following code ?

```
int score=12;
```

```
int target=13;
```

```
if(score!=target)
```

```
cout<<"You failed";
```

```
else
```

```
cout<<"You passed";
```

Select the correct option

☐	You passed
☐	13
☒	You failed
☐	Logical error.

The symbolic representation of AND operator is:

Select the correct option

☒	&&
☐	Both A and B
☐	=!
☐	&

In _____ operator output is 1 only when both conditions are True.

Select the correct option

☒	AND
☐	OR
☐	NAND
☐	NOT

CASE tools help in the cost estimation of the products.

Select the correct option



True .



False.

Click to Save

Eclipse and Visual studio are examples of:

Select the correct option

 Reload Math

☒	IDEs
☐	CASA
☐	None of these
☐	DBL

Click to Save Answer & Move to Next Question

A _____ is the domain of software tools used to design and implement the application.

Select the correct option



☐	CASS
☒	CASE
☐	CASA
☐	None of these.

In the maintenance phase in the software life cycle, we are more focused on removing bugs.

Select the correct option



☐	False .
☒	True.

In the _____ phase of the software development cycle, the internal structure of the software system is established.

Select the correct option

 Reload Math Equations

☐	Testing.
☐	Maintenance.
☒	Design.
☐	Requirement analysis.

Click to Save Answer & Move to Next Question

The writing of programs, creation of data files and development of databases are the part of _____

Select the correct option

 Reload

☐	Maintenance.
☒	Implementation.
☐	Design.
☐	Developing.

In_____ phase we find solution of requirements .

Select the correct option

 Reload Math Equations



Requirement analysis.



Maintenance.



Design.



Developing.

Click to Save Answer & Move to Next Question

In the maintenance phase in the software life cycle, we are more focused on removing bugs.

Select the correct option



Reload Math Equation



True.



False .

A _____ is a well-defined, structured sequence of stages in software engineering to develop the intended software product.

Select the correct option

 Reload Math Equation

☐	Software.
☐	Testing.
☒	Software life cycle.
☐	Developed manual.

The _____ is a person who involved primarily in the implementation step in the software development cycle.

Select the correct option

 Reload Math Equation

☒	Programmer .
☐	Stake holder
☐	System analyst.
☐	Software designer.

Which of the following has more input in the Requirement Analysis phase?

Select the correct option

 Reload

☐	Stakeholder.	✓
☐	Design .	
☒	Programmer	✗
☐	Performance.	

The process of debugging is involved in which phase?

Select the correct option



☐	Maintenance.
☐	Developing.
☒	Testing.
☐	Requirement analysis.

Click to Save Answer & M

_____ is the extension of the waterfall model.

Select the correct option

☐	Iterative model.	✓
☒	Incremental model.	✗
☐	Spinal model.	
☐	Requirement model.	

Click to Save Answer &

_____ is a significant example of iterative techniques.

Select the correct option

☐	Free-wheeling.
☐	Requirement unified process.
☒	Rational unified process.
☐	Ratio unified process.

Click to Save Answer &

What is the output of the following program:

```
int a=2 b=3;
```

```
if (a> b)
```

```
{
```

```
  d= a+b;
```

```
  cout<< d;
```

```
}
```

```
else cout<< a;
```

Select the correct option

☒	a
☐	2
☐	5
☐	a+b

Click to Save Answer &

CASE stands for _____.

Select the correct option



☐	Computer-aided semantic engineering.
☒	Computer-aided software engineering.
☐	Computer-acted software engineering.
☐	Computer-aimed software engineering.

Click to Save Answer & Move

Wrong estimations of product lead to -----.

Select the correct option

 Reload Math

☐	Dissatisfied customer.
☒	All of above.
☐	Late delivery.
☐	Cost overruns.

Click to Save Answer & Move to Next Que

The requirement analysis is a process of compiling the needs of the users and discussing the cost of the software.

Select the correct option

 Reload Math Equations

True



False



[Click here to Reload Math Equations](#)

The Requirements analysis identifies problems.

Select the correct option

 Reload Mo

☒	True
☐	False

Which of the following are the major reasons for the failure in developing software.

Select the correct option

 Reload



Poor communication.



Lack of deep knowledge about the system.



Changing requirements .



Both A and B.

Click to Save Answer & Move to Next

The Requirements analysis identifies problems.

Select the correct option

 Reload Math Equations

True



False



The results obtained from the design phase are converted to programs.

Select the correct option



☐	False.
☒	True.

RUP stands for _____.

Select the correct option

☐	Requirement Unified Program.
☐	Requirement Unified Process.
☐	Rational Unity Process.
☒	Rational Unified Process.

Click to Save A

IDE stands for _____.

Select the correct option

☐	Integrated design environments.
☐	Inverted development environments.
☒	Integrated development environments.
☐	None of these.

If a process needs to print its results, it must request _____ to give it access to the printer's device driver.

Select the correct option

 Reload Math Equations

☒	Operating system
☐	System Driver
☐	Main Memory
☐	Secondary Memory

Which of the following are not the process model in Software Development Life Cycle.

Select the correct option

☐	Incremental model.
☐	Waterfall model.
☒	Requirement model.
☐	Iterative model.

In the waterfall model, the output of one phase is input to the next phase.

Select the correct option

☐	False
☒	True

The _____ phase involves creating a plan for the construction of the proposed system.

Select the correct option

 Reload

☒	Design.
☐	Testing.
☐	Developing.
☐	Maintenance.

Click to Save Answer & Move to Next

The software life cycle begins with _____.

Select the correct option

 Reload Math Equations



Testing.



Maintenance.



Requirement analysis.



Developing.

A _____ is a measure of software characteristics that are quantifiable.

Select the correct option

 Reload Mo

☐	Index.
☒	Metrics .
☐	None of these.
☐	Scale.

Click to Save Answer & Move to Next

The Requirements analysis identifies problems.

Select the correct option

 Reload Math B

☒	False	
☐	True	

A _____ is a measure of software characteristics that are quantifiable.

Select the correct option

 Reload

☐	None of these.
☐	Scale.
☐	Index.
☒	Metrics .