Virtual University Of Pakistan

Semester Fall 2023

LECTURE WISE NOTES:
Short Questions File & MCQ's File
0312-6968553

COURSE: CS101

Short Questions File For Midterm

LECTURE # 01

What is computer hardware?
Computer hardware is the physical components of a computer system that can be touched, including the computer case, monitor, keyboard, mouse, and internal parts like the hard disk drive, motherboard, and video card.

What is computer software?
Computer software, also known as software, is a set of instructions and documentation that tells a computer what to do or how to perform tasks. It includes applications and the operating system.

What is computer programming?
Computer programming is the process of designing and building executable computer programs to accomplish specific computing tasks.

What is a computer network?
A computer network is a collection of connected computers used for sharing resources, such as internet connectivity, printers, or file servers.

What is computer graphics?
Computer graphics is the discipline of generating images using computers. It is widely used in digital photography, film, video games, displays, and specialized applications.

What is a robot?
A robot is a machine, often programmable by a computer, capable of carrying out complex actions automatically. It can be guided by an external control device or have embedded control.

What is a database?
A database is a structured collection of data or information that is organized for efficient storage, retrieval, modification, and deletion. It can be quickly searched and processed by a computer.

What is computer security?
Computer security refers to the controls and measures put in place to ensure confidentiality, integrity, and availability of data, software, hardware, and firmware within computer systems.

What is an algorithm?
An algorithm is a set of instructions designed to perform a specific task.

What is information processing?
Information processing is the manipulation of digitized information by computers and other digital electronic equipment. It includes business software, operating systems, computers, networks, and mainframes.

What are some applications of computer science?
Computer science has applications in various domains such as telecom, banking, healthcare, software development, service industry, military, freelancing, and many others.

What is the local job market like for computer science?
According to a famous job market website in Pakistan, the job opportunities in computer science are higher compared to other fields.

What is the international job market like for computer science?
Internationally, jobs related to computer science are highly ranked. Forbes magazine, for example, has listed software developer as the number one job in the US. Other areas include artificial intelligence, machine learning, data science, virtual reality, and more.

Is studying computer science beneficial for non-CS students?
Yes, studying computer science basics can be helpful for students in various fields of study, including business, engineering, and sciences. This course covers fundamental concepts applicable to different areas of study.

LECTURE # 02

What is the learning strategy called when a basic introduction to almost all courses of Computer Science is given?
Answer: Breadth First Learning

What is the alternative learning strategy to Breadth First Learning?
Answer: Depth First Learning

What does Breadth First Learning help students know?
Answer: What they will be learning in the whole degree program

What will be covered in the course related to Search Engine Usage Techniques?
Answer: Searching techniques and effective internet search using popular search engines

What will be covered in the course related to History of Computing?
Answer: The evolution of computers from basic ideas

What will be covered in the course related to Data Storage?
Answer: Storage science and how data is stored in computer hardware

What will be studied in the course related to Data Manipulation?
Answer: Basic arithmetic operations and advanced operators in computer data manipulation

What will be studied in the course related to Operating System?
Answer: The overall in-charge of the computer system

What will be studied in the course related to Networking and the Internet?
Answer: How different computers communicate over the internet

How is an algorithm defined in Computer Science?
Answer: "Set of Steps in a sequence to perform a certain task"

What will be studied in the course related to Programming Languages?
Answer: Programming tools and writing algorithms in C++

What will be covered in the course related to Software Engineering?
Answer: Complete software development process from requirement gathering to implementation and testing

What will be discussed in the course related to Data Abstraction?
Answer: Data abstraction techniques like Arrays, Stack, Queue, and trees

What will be discussed in the course related to Database Systems?
Answer: Database design and functionalities of Database Management Systems (DBMS)

What is Artificial Intelligence (AI) in Computer Science?
Answer: Building Computer Systems that can act intelligently.

Or

Artificial Intelligence (AI) in Computer Science refers to the development of computer systems and algorithms that can perform tasks requiring human-like intelligence. It involves creating intelligent machines capable of learning, reasoning, problem-solving, and making decisions. AI aims to simulate human cognitive abilities and enable machines to understand, interpret, and interact with the world in an intelligent manner.

What will be learned in the course about the impact of Computer Science on society?
Answer: The impact of Computer Science on society, social setups, and humans

What topics will be covered in the course related to Content Filtering, Spam, International laws?
Answer: Content filtering, dealing with spam, and international laws related to data and privacy

What will be covered in the course related to Word Processing?
Answer: Major functionalities of Microsoft Word and building editable word documents

What will be covered in the course related to Presentations Development?
Answer: Microsoft PowerPoint tool to design and animate presentation slides

What will be covered in the course related to Spreadsheet?
Answer: Microsoft Excel and performing calculations on data using spreadsheet software

LECTURE # 03

What is the purpose of search engines like Google?
Answer: Search engines help retrieve relevant web pages based on user queries.

Why is Google the focus in this module?
Answer: Google is the most widely used search engine and has the majority market share.

What is a query in the context of search engines?
Answer: A query is the set of words provided to the search engine for searching.

How does Google find relevant pages when a query is entered?
Answer: Google finds pages that contain all the terms given in the query.

What is the purpose of the microphone option in Google's search interface?
Answer: The microphone option allows users to search by speaking instead of typing.

How can Google be used to flip a coin?
Answer: By typing "Flip a Coin" in Google, it can simulate flipping a coin.

What should be considered when formulating a query for better search results?
Answer: Consider using the right terminology or specific terms related to the search topic.

Does Google differentiate between capital letters and small letters in searches?

Answer: No, Google does not distinguish between capital letters and small letters (case-insensitive).

LECTURE # 04

How can you check the weather for a specific location using Google?
Answer: By adding the location with the word "Weather" in the query.

What query would you use to multiply 12 by 391 on Google?
Answer: Type "12*391" in the search box.

How can you perform currency conversion using Google?
Answer: Simply enter the currency conversion query, such as "100 Euros to Pakistani rupees."

What query would you use to convert kilometers per hour to miles per hour?
Answer: Type "Kph in Mph" in the search box.

What can you do to find information about the Pakistan Cricket team on Google?
Answer: Enter "Pakistan Cricket team" as the query.

Which module focuses on search operators?
Answer: Module 5.

LECTURE # 05

How can you search for a specific query on a particular social media platform using Google?
Answer: By adding the "@" symbol followed by the name of the social media platform.

What should you put in front of a number to search for a specific price on Google?
Answer: "pkr" (for Pakistani rupees).

How can you search for pages using a specific hashtag on social media?
Answer: By using the "#" symbol followed by the hashtag you want to search for.

How can you exclude certain words from your search query on Google?
Answer: By using the minus ("-") symbol followed by the word you want to exclude.

How can you search for an exact phrase on Google?
Answer: Enclose the exact phrase in double quotes.

How can you search for a phrase when you don't know what word will be at a specific location?
Answer: By using the asterisk ("*") as a wildcard.

LECTURE # 06

How can you search within a specific range of numbers on Google?
Answer: By using two dots (..) between the numbers.

Which Boolean operator can be used to find pages that contain both specified words?
Answer: "And"

How can you search for a specific query on a particular website?
Answer: By using the "site:" operator followed by the website's domain.

How can you find websites related to a specific website on Google?
Answer: By using the "related:" operator followed by the website's domain.

How can you search for a cached version of a website on Google?
Answer: By using the "cache:" operator followed by the website's URL.

How can you search for a specific file type on Google?
Answer: By using the "filetype:" or "ext:" operator followed by the desired file type.

What is the purpose of the Boolean operator "Or" in a search query?
Answer: It retrieves pages that contain either of the specified terms.

How can you search for pages within the price range of PKR 25,000 to PKR 35,000?
Answer: By using the range operator (two dots) between the price values.

How can you search for pages about the Virtual University within the YouTube website?
Answer: By using the "site:" operator followed by "youtube.com" and the desired query.

How can you search for the information about the YouTube website itself?
Answer: By using the "info:" operator followed by "youtube.com".

LECTURE # 07

03129085353

How can you find the stock market trend for a specific company like Apple?
Answer: By using the "stocks:" operator followed by the company's stock symbol (e.g., "stocks:aapl").

How can you see a map of a particular location?
Answer: By using the "map:" operator followed by the location name (e.g., "map:Lahore").

How can you find information about a specific movie?
Answer: By using the "movie:" operator followed by the movie's title (e.g., "movie:steve jobs").

Where can you compare the nutrient values of different foods?
Answer: You can visit the website "https://www.myfooddata.com/" to compare food nutrient values.

How can you find the definition of a specific term?
Answer: By using the "Define:" operator followed by the term (e.g., "Define:Computer").

Where can you perform an image search or find similar images to a queried image?
Answer: You can use the dedicated web link "https://images.google.com/" for image searches.

What interesting option is available on Google that allows you to perform funny tricks with the screen?
Answer: The "Tilt" option allows you to perform various tricks with the Google screen.

How can you rotate the Google screen to 360 degrees?
Answer: By searching for "Tilt" and selecting the appropriate link like "https://elgoog.im/tilt/".

What operator can you use to search for the trend of a company's stock market?
Answer: The "stocks:" operator.

How can you search for the map of a specific location?
Answer: By using the "map:" operator followed by the location name.

Where can you find information about a particular movie?
Answer: By using the "movie:" operator followed by the movie's title.

How can you compare the nutrient values of different foods?
Answer: By visiting the website "https://www.myfooddata.com/".

How can you search for the definition of a specific term?

Answer: By using the "Define:" operator followed by the term.

What is the dedicated web link for image searches on Google?
Answer: "https://images.google.com/".

How can you perform interesting tricks with the Google screen?
Answer: By searching for "Tilt" and selecting the appropriate link like "https://elgoog.im/tilt/".

LECTURE # 08

What does the "Intitle" operator do?
Answer: It gives web pages where the searched term appears in the title of the pages.

How can you search for web pages with the phrase "iPhone vs. android" in the title?
Answer: By using the "Intitle:" operator followed by the phrase (e.g., "Intitle:“iPhone vs. android”").

What does the "Allintitle" operator do?
Answer: It finds web pages where any of the words "IPhone" or "android" appear in the title.

How can you find web pages with either "iPhone" or "android" in the title?
Answer: By using the "allintitle:" operator followed by the terms (e.g., "allintitle:iphone vs. android").

What does the "Inurl" operator do?
Answer: It finds web pages that contain the searched query in the URL of the pages.

How can you find web pages with the term "2018" and the phrase "virtual university" in the URL?
Answer: By using the "inurl:" operator followed by the terms (e.g., "inurl:2018 “virtual university”").

What does the "Allinurl" operator do?
Answer: It finds web pages where any of the mentioned terms appear in the URL.

How can you search for the phrase "virtual university admissions 2018" in the body of the document?
Answer: By using the "intext:" operator followed by the phrase (e.g., "intext:“virtual university admissions 2018”").

How can you search for pages that contain any of the terms "virtual university," "admissions," or "2018" in the body?

03126968553

Answer: By using the "allintext:" operator followed by the terms (e.g., "allintext:virtual university admissions 2018").

What does the "Proximity Search" operator do?
Answer: It searches for two words that appear within a certain margin of words from each other.

How can you search for the words "education" and "virtual university" with a maximum margin of three words between them?
Answer: By using the "AROUND" operator (e.g., "education AROUND(3) "virtual university"").

What complex query can be solved using the operators?
Answer: "We are interested to see how many of the pages of a website are not secured?"

How can you find the number of pages of the website "youtube.com" that are not secured?
Answer: By using the "site:" and "-inurl:" operators (e.g., "site:youtube.com –inurl:https").

What operator can be used to search for terms in the title of web pages?
Answer: The "Intitle" operator.

How can you search for the phrase "iPhone vs. android" in the title of web pages?
Answer: By using the "Intitle:" operator followed by the phrase.

LECTURE # 09

Why should we be cautious about what we search on Google?
Answer: There are three main reasons: advertisements, security agencies, and potential harm from malicious websites.

What can Google show us based on our search queries, history, and location?
Answer: Advertisements targeted to our interests and demographics.

What risk might we face if law enforcement agencies see sensitive search terms repeatedly?
Answer: They might inquire about our activities or even visit our location.

What danger can searching for "free music" pose to our computer?
Answer: It can lead to downloading viruses or malware that can harm our computer.

How can we avoid unnecessary ads when searching online?
Answer: By avoiding searching for personal information, medical issues, location, and favorite things.

What kind of searches can alert law enforcement agencies or security organizations?
Answer: Searches related to terrorism, such as "pressure cooker bomb story," "attacks," or "suicide bomb."

What topics should we avoid searching to prevent alarming security agencies?
Answer: "Killers/Underworld," "terrifying insects," "killing animals," "poisons," "murder," "medical symptoms," "how to make a computer virus," "hacking," "about religion," and "about politics."

Why should we avoid searching for "free music"?
Answer: Such websites often contain viruses or malware that can compromise our computer's security.

What kind of search results might be unpleasant or depressing?
Answer: Searches related to "smokers' lungs" or "skin conditions."

What are some sensitive topics we should refrain from searching?
Answer: Topics related to illegal activities, violence, harmful substances, and graphic medical conditions.

What precautions should we take when conducting online searches?
Answer: Avoid searching for personal information, sensitive topics, or clicking on suspicious websites.

How can searching for personal information lead to unwanted ads?
Answer: Advertisers use our search history and personal details to tailor ads to our interests.

Why might law enforcement agencies monitor sensitive search terms?
Answer: They monitor for potential threats to national security or criminal activities.

What are some potential risks of searching for medical symptoms online?
Answer: It can lead to inaccurate self-diagnosis or unnecessary anxiety.

Why should we avoid searching for "how to make a computer virus"?
Answer: It is illegal and promotes harmful activities that can compromise computer systems.

LECTURE # 10

What is one of the earlier computing devices mentioned in the paragraph?
Answer: The abacus.

Who were some inventors experimenting with gear technology for computing machines?
Answer: Blaise Pascal, Gottfried Wilhelm Leibniz, and Charles Babbage.

How did Pascal's and Leibniz's machines represent data?
Answer: Through gear positioning.

What did Charles Babbage envision for his machines?
Answer: Machines that would print results of computations on paper.

Who applied the concept of representing information as holes in paper cards?
Answer: Herman Hollerith.

What were punched cards used for in communicating with computers?
Answer: Representing and inputting data.

What barrier was overcome with the advances in electronics?
Answer: The cost-effectiveness of producing complex gear-driven machines.

What were some examples of early electronic machines?
Answer: George Stibitz's electromechanical machine and the Mark I developed by Howard Aiken.

What was the ENIAC and who developed it?
Answer: The ENIAC was an electronic numerical integrator and calculator developed by John Mauchly and J. Presper Eckert.

What were some facts about the ENIAC?
Answer: It occupied 1800 square feet, had 20,000 vacuum tubes, 1500 relays, 10,000 capacitors, and weighed 30 tons.

What were some milestones in computing advancement after the ENIAC?
Answer: The transistor, integrated circuits, size reduction, doubling of processing power in 2 years, the development of desktop computers, and the launch of the IBM PC.

Who introduced the first desktop computer?
Answer: Steve Jobs and Stephen Wozniak.

When did IBM launch the PC?
Answer: In 1981.

What technological development enabled the creation of the web?
Answer: The invention of the World Wide Web.

What are some notable advancements in computing?

Answer: Transistors, integrated circuits, size reduction, increased processing power, the development of desktop computers, and the advent of web and smartphones.

LECTURE # 11

What is the basic unit of storage in a computer?
Answer: The bit.

How is information coded in bits?
Answer: As patterns of 0s and 1s.

How many values can a single bit contain?
Answer: One value, either 0 or 1.

What can bits represent in a computer?
Answer: Numbers, text, audio, video, images, and electric charge in chips.

How many bits are in a byte?
Answer: 8 bits.

What is the equivalent of 1 kilobyte (KB) in bytes?
Answer: 1024 bytes.

How many patterns can be represented by 2 bits?
Answer: Four patterns.

How many patterns can be represented by 8 bits?
Answer: 256 patterns.

How can the decimal number 65 be represented in binary?
Answer: The bit pattern for 65 is 01000001.

What method can be used to convert a decimal number to binary?
Answer: Represent each power of 2 and place a 1 in the respective bit if it is needed to form the decimal number.

How would the decimal number 2 be represented in binary?
Answer: The binary representation of 2 is 00000010.

What is the binary representation of the decimal number 8?
Answer: The binary representation of 8 is 00001000.

What is the binary representation of the decimal number 65?
Answer: The binary representation of 65 is 01000001.

03129968553

LECTURE # 12

What do bits represent?
Bits represent information and are the basic units of storage in a computer.

Who is George Boole?
George Boole was a mathematician who pioneered the field of logic and is honored for his contributions to Boolean operations.

What are three basic Boolean operations?
The three basic Boolean operations are AND, OR, and XOR (exclusive or).

What does the AND operation do?
The AND operation produces an output of 1 only when both inputs are 1.

What does the OR operation do?
The OR operation produces an output of 1 when any of the inputs are 1.

What does the XOR operation do?
The XOR operation produces an output of 1 when both inputs are different.

What does the NOT operation do?
The NOT operation takes one input and produces 1 when the input is 0, and vice versa.

What is the purpose of hexadecimal notation?
Hexadecimal notation is used to represent patterns of bits in a more concise and human-readable form.

Why are streams of bits difficult for the human mind to comprehend?
Streams of bits can be long and complex, making them difficult for humans to interpret and understand.

LECTURE # 13

Why do we need hexadecimal notation?
To simplify the representation of bit patterns that can be long and difficult for humans to comprehend.

What is another term for a long string of bits?

Stream.

What notation takes advantage of the fact that bit patterns within a machine tend to have lengths in multiples of four?
Hexadecimal notation.

What does hexadecimal notation use to represent a pattern of four bits?
A single symbol.

How can a string of twelve bits be represented in hexadecimal notation?
By using three hexadecimal symbols.

What does Table 7 present?
Hexadecimal notation.

Where can we find an example in the book to represent a bit pattern in hexadecimal?
On page 38, Q#5 (b).

What is the strategy used to divide the bit pattern in the example?
Dividing it into four-bit patterns.

What is the hexadecimal notation for the given bit pattern?
E85517.

LECTURE # 14

What is the purpose of a computer's main memory?
Storing data.

What is the term used to describe the collection of circuits capable of storing a single bit?
Machine's main memory.

How many bits are typically stored in a manageable unit called cells?
8 bits.

How many cells do household devices typically have?
Few hundreds of cells.

How many cells can a large computer have?
Billions of cells.

How are the most significant bits and least significant bits represented in byte organization?

Most significant bits are represented on the left side, while the least significant bits are represented on the right side.

What is assigned to individual cells in a computer's main memory?
A unique "name" called its address.

What is the term used to describe a computer's main memory that allows access to cells in any order?
Random access memory (RAM).

What technique does Synchronous DRAM (SDRAM) apply to decrease retrieval time?
Additional techniques.

LECTURE # 15

What are mass storage systems also known as?
Secondary storage systems.

What are the advantages of mass storage systems over main memory?
Less volatility, large storage capacities, low cost, and the ability to remove the storage medium for archival purposes.

What is the main component of a typical magnetic storage device?
Thin spinning disk with a magnetic coating.

Where are the read/write heads placed in relation to the disk?
Above or below the disk.

What is a track in the context of a disk storage system?
A circular path that the read/write heads traverse.

How are sectors typically divided within a track?
Equally.

What is the term used to describe adjacent tracks that form zones?
Zoned-bit recording.

How many zones does a typical disk contain?
10 zones.

What does access time refer to?
The sum of seek time and rotation delay.

What does transfer rate measure in the context of a disk?

The rate at which data can be transferred to or from the disk.

LECTURE # 16

What are examples of optical systems?
Compact disks (CDs), Digital Versatile Disks (DVDs), and Blu-ray Disks (BDs).

What are the characteristics of a compact disk (CD)?
It is 12 centimeters in diameter, consists of reflective material, and has information recorded on variations in its reflective surfaces.

How is data stored on a CD?
Data is stored on a single-track spiral from the inside to the outside. Each track is divided into sectors, with a capacity of 2KB of data or 1/75 of a second audio music.

How is data retrieved from a CD?
Data retrieval is done using a laser that detects irregularities on the reflective surface of the CD as it spins.

What is the initial format used for audio recording on CDs?
CD-DA (compact disk-digital audio).

What is the advantage of magnetic systems over optical systems in terms of data retrieval?
Magnetic systems have faster data retrieval because all sectors are individually accessible, unlike optical systems with only one track.

What is the capacity difference between CDs and DVDs?
CDs have a capacity of 600 to 700 MB, while DVDs have space in GBs.

How does Blu-ray (BD) technology differ from CDs and DVDs?
BDs use a blue-violet spectrum of light instead of red and can focus its laser beam with very fine precision. They provide five times the capacity of DVDs.

LECTURE # 17 & 18

What are the issues in magnetic and optical systems?
The issues include physical motion, moving read/write heads, and aiming laser beams, which take more time compared to electronic circuitry.

How are bits stored in flash drives?
Bits are stored by sending electronic signals directly to the storage medium, where they trap electrons in tiny chambers of silicon dioxide.

What are SSDs?
SSDs are larger flash memory devices designed to replace magnetic disks. They offer quiet operations and low access time but are more expensive than magnetic systems.

What are SDs?
SDs are Secure Digital memory cards that provide storage. They are available in smaller, mini, and micro sizes. SDHC can provide up to 32 GBs, while SDXC can exceed TB capacities. They are compact and suitable for car navigation, cameras, etc.

How is text represented as code?
Each textual symbol is represented with a unique bit pattern, typically using 8 bits for each character.

What are ASCII codes?
ASCII codes use 7 bits for information, with the most significant bit being zero. They offer 128 combinations to represent uppercase and lowercase letters, punctuation marks, digits 0 to 9, line feed, carriage returns, and tabs.

Can you provide an example of ASCII code representation?
An example is the word "Hello," which can be represented using ASCII codes.

What is a limitation of ASCII codes?
ASCII codes can represent only 128 characters. To overcome this limitation, the International Organization for Standardization (ISO) introduced extensions to ASCII, including support for Western language symbols.

What are the limitations of ASCII extensions?
Even with extensions, 256 characters are still insufficient to represent all language symbols. Documents with multiple languages cannot be properly read unless they adhere to a single standard.

What is Unicode?
Unicode is the internationalization of codes adopted by hardware and software manufacturers. It uses unique patterns of 21 bits and is compliant with ASCII. Unicode supports thousands of character sets, including Chinese, Hebrew, and Japanese.

What is UTF-8?
UTF-8 is a character encoding scheme that uses 24 to 32 bits, providing a large number of unique symbols. It allows for the expansion of 16,777,216 symbols (2^24) and is commonly used for encoding files with long symbols. Such files are referred to as text files.

LECTURE # 19 & 20

What is the issue with storing numeric values as Unicode?
Storing numeric values as Unicode is inefficient because it requires more bits to represent numbers.

How is binary notation used to represent numeric values?
Binary notation represents numeric values using only 0 and 1 digits. By increasing the number of bits, more values can be represented.

What are the two variations of binary notation?
The two variations of binary notation are two's complement for storing whole numbers and floating-point notation for fractional numbers.

What is a pixel?
A pixel is a picture element, a collection of dots that make up an image.

How are black and white images encoded?
In black and white images, each pixel is represented as one bit, with 0 for black and 1 for white.

How are shades of grayness handled in image encoding?
Shades of grayness are represented using 8 bits instead of 1 bit per pixel.

What is RGB encoding used for?
RGB encoding is used for colorful images. It represents each pixel using one byte for red, one byte for green, and one byte for blue.

What are brightness chrominance components?
Brightness chrominance components include pixel luminance (sum of red, green, and blue) and the amounts of blue or red, which represent the difference in luminance.

What happens when an image is scaled to a larger size?
Scaling an image to a larger size requires more pixels to maintain image quality. This process is often referred to as digital zoom.

What are geometric structures used for in image scaling?
Geometric structures, such as lines and curves, are used to represent images when scaling. Analytical Geometry techniques determine how these structures should be displayed instead of pixel reproduction.

What are examples of scalable fonts?
TrueType by Microsoft and Apple, as well as PostScript by Adobe, are examples of scalable fonts. They are also commonly used in Computer Aided Design (CAD).

LECTURE # 21, 22 & 23

What does sound amplitude represent?
Sound amplitude represents the extent to which air particles are displaced, and it determines the loudness of sound.
21.2. How is sound encoded?
Sound is encoded by sampling its amplitude at regular intervals and recording the values. For long-distance telephone communication, 8000 samples per second are taken.
21.3. How does sound data communication take place?
Amplitude numeric values for each 8000th of a second are stored at one end, transmitted over the network, and then received at the other end to produce the sound using the amplitude information.
21.4. How often should samples be taken for accurate sound recordings?
The sample interval depends on the desired accuracy and high-definition of sound recordings. For example, today's CDs record 44,100 samples per second, and each sample is recorded in 16 bits (32 bits for stereo).
21.5. What is MIDI and how is it used?
MIDI stands for Musical Instrument Digital Interface. It is used in music synthesizers, where it encodes directions for producing music rather than storing the music itself. MIDI allows storing 2 seconds of sound in 3 bytes instead of 2 million bits. Different synthesizers may produce different results from the same MIDI recording.
22.1. How does binary notation work?
In binary notation, each position represents a quantity that is twice the quantity associated with the position to its right. Only 0 or 1 can be used at each position in binary representation.
22.2. What is the algorithm for converting a decimal number to binary?
The algorithm for converting a positive decimal number to binary involves a set of steps. It is illustrated in Figure 24.
How is binary addition performed?
Binary addition follows similar rules to decimal addition. There are four possibilities when adding two bits: both bits are 0, first bit is 1 and second is 0, first bit is 0 and second bit is 1, or both bits are 1. The results of these cases are illustrated in Figure 26.

LECTURE # 24, 25 & 26

What does the radix point represent in binary fractions?
The radix point in binary fractions separates the whole number digits on the left side from the fractional part digits on the right side.

How can the data represented in Figure 30 be read?
The data represented in Figure 30 can be read by understanding the binary representation of the fraction. Figure 31 provides an explanation of how to interpret the binary fraction.

How is addition performed in binary fractions?
Addition in binary fractions is done by aligning the radix point and performing the addition, similar to binary or decimal addition. For example, adding 10.011 to 100.11 yields 111.001, as shown in Figure 32.

What is two's complement notation used for?
Two's complement notation is used to represent integers within computers. It typically uses a fixed number of bits, often 32 bits, and follows specific patterns for positive and negative numbers.

How can positive and negative representations be converted in two's complement notation?
To convert between positive and negative numbers in two's complement notation, start from the rightmost bit and copy the bits until the first 1 is encountered. After the first 1, complement all the bits (0s become 1s and 1s become 0s).

How is addition performed in two's complement notation?
Addition in two's complement notation is performed using the same method as in binary addition. The representation handles negative numbers effectively.

What is the problem of overflow in two's complement notation?
In two's complement notation, there is a limited range of numbers that can be represented based on the number of bits used. If the result of an addition exceeds the range, overflow occurs, and the result needs to be interpreted by considering the sign bit. Today's computers typically use longer bit patterns to accommodate larger numbers.

How does excess notation represent integer values?
Excess notation uses a fixed number of bits to represent each value. The first bit pattern with 1 in the most significant bit represents zero, and subsequent values are used to represent positive or negative numbers by being an excess of their original binary values.

What is excess four notation?
Excess four notation represents zero as "100" and uses values that are an excess of four to represent positive and negative numbers.

How does excess four notation compare to binary and two's complement representations?
Figure 38 provides a comparison between the bit patterns represented in binary, excess four, and two's complement notations.

LECTURE # 27, 28, 29, & 30

What is the purpose of floating-point notation?
Floating-point notation is used to store values with a fractional part, requiring the storage of the binary representation pattern and the position of the radix point.

How is a value with a fractional part stored in floating-point notation?
The value is stored using a sign bit, an exponent field, and a mantissa field. The sign bit indicates the sign of the value, the exponent field represents the exponent, and the mantissa field represents the fractional part.

What does the extraction of the mantissa involve?
The extraction of the mantissa involves taking the remaining bits after the sign bit and dividing them into the exponent field and the mantissa field.

How is the radix point positioned in the solution?
The position of the radix point is determined by interpreting the contents of the exponent field. A positive exponent indicates moving the radix to the right, while a negative exponent indicates moving it to the left.

What does a sign bit of 0 indicate?
A sign bit of 0 indicates that the value stored is nonnegative.

How is the value 3/8 represented in floating-point notation?
The value 3/8 can be represented as .01100 in the mantissa field with an exponent of -1, resulting in the binary representation 00111100.

How is the value 11/8 encoded using floating-point notation?
To encode the value 11/8, it is first expressed in binary notation as 1.001. The bit pattern is then copied into the mantissa field, and the radix point is adjusted by determining the number of bits the radix must be moved to obtain the original binary number.

What is a truncation error in floating-point notation?
A truncation error occurs when part of the value being stored is lost because the mantissa field is not large enough to accommodate the entire value.
How can truncation errors be reduced?
Truncation errors can be reduced by using a longer mantissa field, which allows for more accurate representation of values.

What is run-length encoding?
Run-length encoding is a lossless compression technique that replaces sequences of identical data elements with a code indicating the element and the number of times it occurs.

What is frequency-dependent encoding?
Frequency-dependent encoding is a system where the length of the bit pattern used to represent a data item is inversely related to the frequency of its use.

Who is credited with discovering the algorithm for developing frequency-dependent codes?
David Huffman is credited with discovering the algorithm commonly used for developing frequency-dependent codes, known as Huffman codes.

What is relative encoding?
Relative encoding, also known as differential encoding, records the differences between consecutive data units instead of encoding the entire units.

What is dictionary encoding?
Dictionary encoding is a compression technique where a collection of building blocks, called a dictionary, is used to encode a message as a sequence of references to the dictionary.

What is adaptive dictionary encoding?
Adaptive dictionary encoding allows the dictionary to change during the encoding process, with new units added as they appear in the message. Lempel-Ziv-Welsh (LZW) encoding is an example of adaptive dictionary encoding.

LECTURE # 31 & 32

Who developed the most commonly used standards for encoding and compressing audio and video?
The Motion Picture Experts Group (MPEG) under the leadership of ISO.

What are the standards themselves called?
They are also called MPEG.

What are I-frames?
I-frames are pictures in video sequences that are encoded in their entirety.

What is the best-known system for compressing audio?
MP3 (MPEG layer 3).

What is the goal of compressing audio and video?
The goal is not only to save storage space but also to obtain encodings that allow timely transmission over communication systems.

How are transmission speeds for audio and video compression systems measured?
They are measured in bits per second (bps), such as Kbps, Mbps, and Gbps.

What are the three parts of a CPU?
The arithmetic/logic unit, the control unit, and the register unit.

What is the purpose of general-purpose registers in a CPU?
They serve as temporary holding places for data being manipulated by the CPU.

How are a CPU and main memory connected?
They are connected via a bus, which is a collection of wires.

What are the five steps involved in adding two values stored in main memory?
Transfer data from main memory to registers within the CPU.
Add the values.
Place the result in a register.
Store the result in a memory cell.

LECTURE # 33 & 34

Who developed the most commonly used standards for encoding and compressing audio and video?
The Motion Picture Experts Group (MPEG).

What are the standards called?
They are called MPEG.

What are I-frames?
I-frames are pictures in video sequences that are encoded in their entirety.

What is the best-known system for compressing audio?
MP3 (MPEG layer 3).

What properties of the human ear does MP3 take advantage of?
Temporal masking and frequency masking.

How much video can video cameras record within 128MB of storage using MPEG techniques?
Up to an hour's worth of video.

What are the goals of compressing audio and video?
To obtain encodings for timely transmission and not just to save storage space.

How are transmission speeds for audio and video compression systems measured?
They are measured in bits per second (bps), such as Kbps, Mbps, and Gbps.

How are a CPU and main memory connected?
They are connected via a bus, a collection of wires.

03129968553

What are the five steps involved in adding two values stored in main memory?
Transfer data from main memory to registers within the CPU.
Perform the addition operation.
Place the result in a register.
Store the result in a memory cell.

LECTURE # 35

How can a machine's instructions be categorized?
Into three groupings: the data transfer group, the arithmetic/logic group, and the control group.

What does the data transfer group of instructions involve?
Requesting the movement or copying of data from one location to another.

What are the terms commonly used to describe the transfer of data between the CPU and main memory?
A request to fill a general-purpose register with the contents of a memory cell is called a LOAD instruction, and a request to transfer the contents of a register to a memory cell is called a STORE instruction.

What are I/O instructions?
They are instructions for communicating with devices outside the CPU main memory context, such as printers, keyboards, display screens, and disk drives.

What does the arithmetic/logic group of instructions involve?
Instructing the control unit to request activities within the arithmetic/logic unit, which can perform operations beyond basic arithmetic.

What does the control group of instructions involve?
Directing the execution of the program rather than data manipulation.

Which step in Figure 42 falls into the control group category?
Step 5.

LECTURE # 36 & 37

What happens during program execution?
Machine instructions are fetched from main memory to the CPU, decoded, and obeyed in the order they are stored in memory unless specified by a JUMP instruction.

What are the special purpose registers involved in program execution?
Instruction Register: Holds the instruction being executed.
Program Counter: Contains the address of the next instruction to be executed.

What is the machine cycle?
It is the sequence of steps involved in executing a machine instruction.

What is the example program about?
It reads two numbers from memory, adds them, and stores the result back into memory.

What does the CPU do when it analyzes an instruction in the instruction register?
It determines the action to be taken based on the instruction's content.

What happens during the execution step of the machine cycle?
The CPU performs the specified activity, such as loading a register with the contents of a memory address.

What happens when the program counter is incremented?
It points to the next instruction to be fetched and executed.

How does the CPU know which instruction to fetch next?
It uses the program counter to determine the memory address of the next instruction.

What does the CPU do during the decoding step of the machine cycle?
It interprets the contents of the instruction register to determine the specific operation to be performed.

What happens when the arithmetic/logic unit completes the requested addition?
The result is stored in a specific register, as requested by the control unit.

What happens when the CPU encounters a halt instruction?
The machine stops during the execution step of the machine cycle, and the program is completed.

LECTURE # 38

What are bitwise operations used for?
They combine two strings of bits to produce a single output string by applying the basic operation to individual columns.

What is an example of a bitwise operation?
ANDing, ORing, and XORing patterns of bits.

What is the major use of the AND operation?
Placing 0s in one part of a bit pattern while not disturbing the other part.

What is masking in the context of bitwise operations?
It is a process where one operand, called a mask, determines which part of the other operand will affect the result.

How can the AND operation be used to mask off certain bits in an image?
By performing an AND operation between the image and a mask with 0s in the positions of the bits to be masked off.

How can the AND operation be used to determine if a specific bit in a bit map is set?
By performing an AND operation between the bit map and a mask with a 1 in the position of the bit to be checked.

How can the OR operation be used to duplicate a part of a string?
By performing an OR operation between the string and a mask with 0s in the positions of the bits to be duplicated.

What is the major use of the XOR operation?
Forming the complement of a bit string.

How can the XOR operation be used to invert all the bits of an RGB bitmap image?
By performing an XOR operation between the image and a mask of all 1s.

What is the result of performing an XOR operation between any byte and a mask of all 1s?
It produces the complement of the byte, flipping all the bits.

LECTURE # 39

What do rotation and shift operations provide a means for?
Moving bits within a register and solving alignment problems.

How are rotation and shift operations classified?
By the direction of motion (right or left) and whether the process is circular.

What happens when a register's contents are shifted one bit to the right?
The rightmost bit falls off the edge, creating a hole at the leftmost end.

What is a circular shift?
It is a shift operation where the bit that falls off the right end is placed in the hole at the left end, resulting in a rotation.

What is a logical shift?

It is a shift operation where the bit that falls off the edge is discarded, and the hole is always filled with a 0.

How can left logical shifts be used for multiplying two's complement representations by two?
Shifting binary digits to the left corresponds to multiplication by two.

How can division by two be accomplished?
By shifting the binary string to the right.

What must be taken into account when performing shifts in certain notational systems?
Preserving the sign bit.

What are shifts that always fill the hole at the sign bit position with its original value called?
Arithmetic shifts.

What are the distinguishing features among the various shift operations?
How the extra bit and the hole are handled during the shift process.

LECTURE # 40

How can subtraction be simulated using addition and negation?
Subtraction can be simulated by adding the negation of the second number to the first number. For example, in 2's complement notation, 7 - 5 can be represented as 7 + (-5).

What is the concept behind multiplication?
Multiplication is repetitive addition. To multiply two numbers, you add one of the numbers repeatedly based on the value of the other number. For example, to calculate 8 multiplied by 3, you add 8 three times.

How can division be achieved?
Division can be achieved through subtraction. By subtracting the divisor repeatedly from the dividend, you can determine the quotient and remainder.

What are some arithmetic operations that small CPUs may support?
Some small CPUs may be designed to support only addition or both addition and subtraction to perform all arithmetic operations.

How should numbers be handled if stored in 2's complement or floating point notation?
If numbers are stored in 2's complement notation, arithmetic operations can be performed straightforwardly. However, if numbers are stored in floating point notation, calculations involve using the mantissa, exponent, and sign bit to correctly

perform the operations. Both addition and subtraction in floating point notation have different procedures.

LECTURE # 41 & 42

What is the role of a controller in computer communication?
A controller serves as an intermediary apparatus between a computer and other devices, handling communication between them.

How is a controller typically implemented in a personal computer?
In a personal computer, a controller can be circuitry permanently mounted on the motherboard or a separate circuit board that plugs into a slot on the motherboard.

Where are peripheral devices connected to the computer?
Peripheral devices can be connected to the controller either within the computer case or through ports on the back of the computer.

Can controllers be considered as small computers themselves?
Yes, controllers can be small computers with their own memory circuitry and a simple CPU that directs their activities.

What is the purpose of a controller in terms of message and data translation?
A controller translates messages and data between the internal characteristics of the computer and those of the peripheral device to which it is attached.

What was the original approach to controllers for different devices?
Originally, each controller was designed for a specific type of device, often requiring the purchase of a new controller when purchasing a new peripheral device.

What standards have been developed to address the issue of multiple devices?
Standards like USB and FireWire have been developed to enable a single controller to handle a variety of devices, promoting compatibility and reducing the need for multiple controllers.

What are some examples of devices that can communicate with a USB controller?
Devices such as mice, printers, scanners, mass storage devices, digital cameras, and smartphones can communicate with a USB controller.

How does a controller communicate with the computer?
A controller communicates with the computer through connections to the same bus that connects the computer's CPU and main memory.

How can a bit pattern be sent to a controller from the CPU?

03209685353

To send a bit pattern to a controller, the bit pattern is constructed in one of the CPU's general-purpose registers, and an instruction similar to a STORE instruction is executed to store the bit pattern in the controller.

What is direct memory access (DMA)?
Direct memory access (DMA) refers to a controller's ability to access main memory independently when the CPU is not using the bus, improving computer performance.

How does DMA benefit data retrieval from a disk?
DMA allows the CPU to send requests encoded as bit patterns to the controller attached to the disk, enabling the controller to read the requested data from the disk and deposit it directly into main memory while the CPU continues executing other tasks.

What is the potential drawback of using DMA?
The use of DMA can complicate communication on the computer's bus, as bit patterns need to move between the CPU, controllers, and main memory. This coordination presents a design challenge.

What is the von Neumann bottleneck?
The von Neumann bottleneck refers to the potential hindrance in computer communication when the CPU and controllers compete for bus access, resulting from the underlying von Neumann architecture where the CPU fetches instructions from memory over a central bus.

What issue does the von Neumann bottleneck pose?
The von Neumann bottleneck can limit overall system performance as the CPU and controllers contend for access to the central bus, affecting the efficiency of data transfer and communication.

03129685553

LECTURE # 43 & 44

What is the role of a controller in computer communication?
A controller serves as an intermediary apparatus between a computer and other devices, handling communication between them.

How is a controller typically implemented in a personal computer?
In a personal computer, a controller can be circuitry permanently mounted on the motherboard or a separate circuit board that plugs into a slot on the motherboard.

Where are peripheral devices connected to the computer?

Peripheral devices can be connected to the controller either within the computer case or through ports on the back of the computer.

Can controllers be considered as small computers themselves?
Yes, controllers can be small computers with their own memory circuitry and a simple CPU that directs their activities.

What is the purpose of a controller in terms of message and data translation?
A controller translates messages and data between the internal characteristics of the computer and those of the peripheral device to which it is attached.

What was the original approach to controllers for different devices?
Originally, each controller was designed for a specific type of device, often requiring the purchase of a new controller when purchasing a new peripheral device.

What standards have been developed to address the issue of multiple devices?
Standards like USB and FireWire have been developed to enable a single controller to handle a variety of devices, promoting compatibility and reducing the need for multiple controllers.

What are some examples of devices that can communicate with a USB controller?
Devices such as mice, printers, scanners, mass storage devices, digital cameras, and smartphones can communicate with a USB controller.

How does a controller communicate with the computer?
A controller communicates with the computer through connections to the same bus that connects the computer's CPU and main memory.
How can a bit pattern be sent to a controller from the CPU?
To send a bit pattern to a controller, the bit pattern is constructed in one of the CPU's general-purpose registers, and an instruction similar to a STORE instruction is executed to store the bit pattern in the controller.

What is direct memory access (DMA)?
Direct memory access (DMA) refers to a controller's ability to access main memory independently when the CPU is not using the bus, improving computer performance.

How does DMA benefit data retrieval from a disk?
DMA allows the CPU to send requests encoded as bit patterns to the controller attached to the disk, enabling the controller to read the requested data from the disk and deposit it directly into main memory while the CPU continues executing other tasks.

What is the potential drawback of using DMA?
The use of DMA can complicate communication on the computer's bus, as bit patterns need to move between the CPU, controllers, and main memory. This coordination presents a design challenge.

What is the von Neumann bottleneck?
The von Neumann bottleneck refers to the potential hindrance in computer communication when the CPU and controllers compete for bus access, resulting from

the underlying von Neumann architecture where the CPU fetches instructions from memory over a central bus.

What issue does the von Neumann bottleneck pose?
The von Neumann bottleneck can limit overall system performance as the CPU and controllers contend for access to the central bus, affecting the efficiency of data transfer and communication.

LECTURE # 45 & 46

What was the initial state of computers in the 1940s and 1950s?
The computers of the 1940s and 1950s were large, inflexible, and inefficient machines that occupied entire rooms.

What was the process of program execution during that time?
Program execution required significant preparation, such as mounting magnetic tapes, placing punched cards in card readers, and setting switches.

'How were multiple users accommodated on a shared machine?
Multiple users would sign up for blocks of time on a shared machine, and during their allocated time, they had full control over the machine.

What was the purpose of early operating systems?
Early operating systems aimed to simplify program setup and streamline the transition between jobs on shared machines.

What was the role of a computer operator in early systems?
A computer operator was responsible for loading programs and data submitted by users into the machine's mass storage, and the operating system would execute them.

What is batch processing?
Batch processing is the execution of jobs collected in a single batch, where jobs wait in a job queue in mass storage for execution.

How are jobs ordered in a job queue?
Jobs in a job queue are typically ordered in a first-in, first-out (FIFO) fashion, although job priorities may also be considered.

What is job control language (JCL)?
Job control language (JCL) is a system for encoding instructions that explain the steps required to prepare the machine for a specific job.

Why was the use of a computer operator as an intermediary problematic?
Users had no interaction with their jobs once submitted to the operator, which was limiting for applications that required user interaction during program execution.

What is interactive processing?
Interactive processing allows a program being executed to carry on a dialogue with the user through remote terminals, enabling user interaction during execution.

What were early terminals like?
Early terminals were simple devices resembling electronic typewriters, allowing users to type input and receive the computer's responses on paper.

What is real-time processing?
Real-time processing refers to the computer performing tasks according to deadlines in its external real-world environment, such as in cruise missiles or radar systems.

How were real-time processing and interactive systems implemented in the past?
Implementing real-time processing and interactive systems was relatively easier when serving only one user, but as computers became more expensive, they had to serve multiple users at remote terminals.

What is time sharing?
Time sharing is an operating system design that allows multiple users to be serviced simultaneously, addressing the challenge of serving more than one user on a shared machine.

What is multitasking?
Multitasking refers to a user executing several tasks simultaneously, which is facilitated by multiprogramming and is commonly used in both single-user and multi-user systems today.

03129685553

LECTURE # 47

How were users able to communicate with the computer in multiuser, time-sharing systems?
Users could communicate directly with the computer from outside the computer room through numerous workstations.

What was the role of a computer operator in early multiuser systems?
A computer operator acted as an intermediary between users and the computer, but this role started to fade with the development of workstations.

What has happened to the job of a computer operator in today's computing environment?
The role of a computer operator has essentially disappeared, especially in personal computers where users assume all the responsibilities of computer operation.

What is the role of a system administrator in modern computer installations?

A system administrator manages the computer system, including new equipment and software installations, enforcing regulations, and coordinating problem resolution efforts.

How have operating systems evolved over time?
Operating systems have evolved from simple programs that executed programs one at a time to complex systems that coordinate time-sharing, manage programs and data files, and respond to user requests.

What challenges do operating systems face in multiprocessor machines?
Operating systems in multiprocessor machines need to handle tasks like load balancing and scaling to efficiently assign tasks to different processors.

What are embedded operating systems?
Embedded operating systems are computer systems dedicated to specific tasks found in devices such as medical devices, vehicles, home appliances, cell phones, and hand-held computers.

What are some examples of embedded operating systems?
Examples of embedded operating systems include VxWORKS, Windows CE (Pocket PC), and Palm OS, developed for use in hand-held devices

LECTURE # 48

How can machine software be divided into broad categories?
Machine software can be divided into two broad categories: application software and system software.

What is the purpose of application software?
Application software is used to perform specific tasks based on the machine's utilization, such as maintaining inventory, accounting, or program development.

What tasks does system software perform?
System software performs tasks that are common to computer systems in general and provides the infrastructure required by application software.

What are the two categories of system software?
The two categories of system software are the operating system itself and utility software.

What is the role of utility software?
Utility software consists of software units that extend or customize the capabilities of the operating system. It performs fundamental activities not included in the operating system, such as disk formatting or data compression.

Why is utility software separate from the operating system?

Separating certain activities as utility software allows for easier customization of the system software to meet the specific needs of an installation.

Give examples of utility software.
Examples of utility software include programs for disk formatting, file copying, data compression, multimedia presentations, and network communication.

Can utility software be modified or added to?
Yes, it is common for companies or individuals to modify or add to the utility software provided with their machine's operating system to suit their specific requirements.

LECTURE # 49

What is the purpose of the user interface in an operating system?
The user interface allows the operating system to communicate with the computer's users.

How did older user interfaces communicate with users?
Older user interfaces, called shells, communicated with users through textual messages using a keyboard and monitor screen.

What is a graphical user interface (GUI)?
A graphical user interface represents objects, such as files and programs, pictorially on the display as icons. Users can interact with these icons using input devices like a mouse or touch screen.

How do modern GUIs allow users to issue commands?
Modern GUIs allow users to issue commands by clicking or dragging icons on the screen using input devices like a mouse or stylus, and more recently, with their fingers on touch screens.

What is the distinction between the user interface and the internal parts of an operating system?
The user interface acts as an intermediary between the computer's user and the internal parts of the operating system. It establishes functionality but is separate from the core of the operating system.

Can users select different interfaces in some operating systems?
Yes, some operating systems allow users to select different interfaces. For example, UNIX users can choose from different shells or a GUI called X11. Windows and OS X also offer options for different interfaces.

What is the role of a window manager in a GUI?

A window manager allocates space on the screen as windows and keeps track of which application is associated with each window. It handles displaying images and processing mouse actions.

Can users customize the style of a GUI?
Yes, most window managers offer configurable choices for the "style" of a GUI, allowing users to customize its appearance and behavior.

LECTURE # 50

What is the internal part of an operating system called?
The internal part of an operating system is called the kernel.

What is the role of the file manager in an operating system?
The file manager coordinates the use of the computer's mass storage facilities by maintaining records of files, their locations, access permissions, and available storage space.

How can files be organized in a computer system?
Files can be grouped into directories or folders, allowing users to organize their files according to their purposes. Directories can also contain subdirectories, creating a hierarchical organization.

How are directory paths expressed?
Directory paths are often expressed by listing the directories along the path separated by slashes (/). For Windows users, the slashes are reversed ().

What are device drivers and what do they do?
Device drivers are software units that communicate with peripheral devices or controllers. They translate generic requests into specific technical steps required by the device, allowing other software components to interact with the device without dealing with its unique characteristics.

What is the role of the memory manager in an operating system?
The memory manager coordinates the computer's use of main memory. It assigns memory space to programs and data, tracks occupied and unoccupied memory areas, and may create the illusion of additional memory space through techniques like paging.

What is virtual memory?
Virtual memory is a technique used by the memory manager to create the illusion of a larger memory space than is physically available. It involves shuffling pages of data between main memory and mass storage to ensure that the required pages are present in main memory when needed.

What are the scheduler and dispatcher in an operating system?
The scheduler determines which activities are considered for execution in a multiprogramming system, while the dispatcher controls the allocation of time to these activities.

LECTURE # 51

What is the process of booting?
Booting is the procedure performed by a computer each time it is turned on to transfer the operating system from mass storage into main memory.

Why is booting necessary?
Booting is necessary because main memory is volatile and loses its data when the computer is turned off. The operating system needs to be present in main memory for the computer to start.

What is the purpose of ROM in booting?
ROM (Read-Only Memory) is used in booting to store a small portion of the computer's main memory where the CPU expects to find its initial program. ROM retains its contents even when the computer is turned off.

What is a boot loader?
A boot loader is a program permanently stored in the computer's ROM. It is the initial program executed during booting and it directs the CPU to transfer the operating system into main memory.

How does the boot loader copy the operating system into main memory?
Modern boot loaders can copy the operating system into main memory from various locations, such as special flash memory or over a network.

What happens after the operating system is placed in main memory?
Once the operating system is in main memory, the boot loader directs the CPU to execute a jump instruction to that area of memory. The operating system then takes control of the computer's activities.

Why aren't desktop computers provided with enough ROM to hold the entire operating system?
Devoting large blocks of main memory to nonvolatile storage is not efficient with today's technology. Additionally, frequent updates to operating systems and device drivers make mass storage a more common choice for traditional computer systems.

LECTURE # 52 & 53

How does the operating system coordinate the execution of software?
The coordination of software execution is handled by the scheduler and dispatcher within the operating system's kernel.

What is the distinction between a program and a process?
A program refers to the software itself, while a process refers to the activity of executing a program under the control of the operating system.

What is the process state?
The process state represents the current status of the activity, including the value of the program counter, values in CPU registers, and values in associated memory cells.

What is the role of the scheduler?
The scheduler maintains a record of processes, adds new processes to the pool, and removes completed processes. It also determines the priority of processes and whether they are ready or waiting.

How does multiprogramming work in time-sharing systems?
Multiprogramming divides time into short segments called time slices and switches the CPU's attention among processes. This is accomplished by the dispatcher, which selects the highest priority process from the process table and allows it to execute for one time slice.

What happens during an interrupt in a multiprogramming system?
When an interrupt signal occurs, the CPU saves its position in the current process, executes an interrupt handler program stored in memory, and transfers control back to the dispatcher. The dispatcher then selects the next process to execute based on priority.

Why is it important to save and restore a process's state during a process switch?
Saving and restoring a process's state allow it to be stopped and later restarted. It ensures that the process can continue execution from where it was interrupted, maintaining the environment and accumulated information prior to the interruption.

LECTURE # 54 & 55

What is the task of an operating system regarding resource allocation?
The operating system allocates machine resources to processes, including peripheral devices and features within the machine.

What are some examples of resources allocated by different components of the operating system?

The file manager allocates access to files, the memory manager allocates memory space, the scheduler allocates space in the process table, and the dispatcher allocates time slices.

What are the challenges in resource allocation?
Resource allocation may seem simple, but there are subtleties that can cause malfunctions in a poorly designed system. It requires careful consideration and algorithm development.

What are the potential issues when multiple processes demand the same resource simultaneously?
The issues arise when multiple processes require the same resource at the same time, causing conflicts and potential delays in their execution.

How does the operating system control access to shared resources like a printer?
The operating system keeps track of the availability of the resource, such as using a flag or semaphore. Processes request access to the resource, and the operating system decides whether to grant or deny the request based on the availability.

What is the problem with using a simple flag system for resource allocation?
A simple flag system may encounter issues when multiple processes request the resource simultaneously, leading to incorrect allocation and conflicts.

How can interruptions affect resource allocation using a flag system?
Interruptions can occur between checking the flag and setting it, leading to incorrect allocation of the resource to multiple processes.

What is a semaphore and how does it solve the flag system's problem?
A semaphore is an advanced flag that ensures testing and setting of the flag is completed without interruption. It provides mutual exclusion and allows only one process at a time to enter a critical region.

How can mutual exclusion be achieved using semaphores?
To enter a critical region, a process checks and sets the semaphore. If the semaphore is set, the process waits until it is cleared before entering the critical region.

LECTURE # 56

What is deadlock in the context of resource allocation?
Deadlock is a condition where two or more processes are blocked because each is waiting for a resource allocated to another process.

What are the conditions that must be satisfied for deadlock to occur?
The conditions for deadlock are:

Competition for non-sharable resources.
Partial resource requests, where a process may request additional resources after receiving some.
Once allocated, a resource cannot be forcibly retrieved.

How can deadlock be resolved through deadlock detection and correction schemes?
Deadlock detection and correction schemes involve detecting deadlock when it occurs and forcibly retrieving some of the allocated resources to break the deadlock.

What is an example of a situation where deadlock detection and correction schemes can be used?
An example is a full process table, where if deadlock occurs due to lack of space, the operating system or a super user can remove (kill) some processes to free up space and allow the remaining processes to continue.

What are deadlock avoidance schemes?
Deadlock avoidance schemes aim to prevent deadlock by attacking either the competition for resources or the partial resource requests.

How can the second condition for deadlock be attacked in a deadlock avoidance scheme?
One approach is to require each process to request all its resources at once, eliminating partial requests.

How can the first condition for deadlock be attacked in a deadlock avoidance scheme?
One approach is to convert non-sharable resources into sharable resources. For example, by using spooling, where data to be printed is stored in mass storage instead of directly connecting to the printer, multiple processes can execute normally, creating the illusion of multiple printers.

LECTURE # 57

What is the purpose of establishing "accounts" in operating systems?
The purpose is to control access to the computer's resources and protect them from unauthorized personnel.

Who establishes accounts in an operating system?
The super user or administrator establishes accounts.

How does the operating system use account information during the login procedure?
The operating system uses the account information to control access to the system during each login procedure.

What privileges does the administrator have within the operating system?
The administrator has the privilege to alter settings, modify critical software packages, adjust user privileges, and perform maintenance activities.

What are auditing software utilities used for?
Auditing software utilities are used to record and analyze activities within the computer system, helping to detect unauthorized access attempts, unusual user behavior, and the presence of sniffing software.

What is an example of sniffing software?
An example is a program that simulates the operating system's login procedure to trick users into revealing their credentials to an impostor.

What are some user-related obstacles to computer system security?
User-related obstacles include selecting weak passwords, sharing passwords, not regularly changing passwords, subjecting offline storage devices to potential degradation, and importing unapproved software.

How do institutions with large computer installations address these user-related problems?
They adopt and enforce policies that define requirements and responsibilities for users.

03129685553

LECTURE # 58

What is the next step for an intruder or malicious user after gaining access to a computer system?
The next step is usually to explore the system for valuable information or opportunities to insert destructive software.

How can an intruder with a general user's account bypass the privileges granted to that user?
They may try to trick the memory manager or file manager into granting access to restricted areas or denied files.

What security feature in CPUs helps restrict a process to its allocated memory area?
Special-purpose registers in the CPU store the upper and lower limits of a process's memory area, and the CPU compares each memory reference to these registers to ensure it stays within the designated limits.

What problem arises if a process can modify the memory limit registers?
The process could gain unauthorized access to memory cells outside its designated area.

How do CPUs for multiprogramming systems address this problem?
CPUs operate in either privileged mode or non-privileged mode. Privileged instructions, which include changing memory limit registers and privilege mode, can only be executed in privileged mode. Attempting to execute a privileged instruction in non-privileged mode triggers an interrupt, transferring control to the operating system.

Why is control of privilege levels important for security?
Controlling privilege levels helps prevent unauthorized access and maintain the integrity of the computer system.

What are some risks of improper privilege level control?
Improper control can lead to issues such as a process dominating the system by altering the timer, unauthorized access to peripheral devices, and accessing memory cells outside allocated areas.

Why is maintaining security important for administrators and operating system design?
Maintaining security is crucial to protect against malicious programmers and programming errors, ensuring the integrity and reliability of the system.

03129685853

LECTURE # 59

How is a computer network classified based on its range?
A computer network can be classified as a PAN, LAN, MAN, or WAN.

What is the typical range of a PAN?
A PAN is used for short-range communications, typically less than a few meters.

Where can you find a LAN?
A LAN consists of computers in a single building or building complex, such as a university campus or a manufacturing plant.

What is the scope of a MAN?
A MAN spans a local community or an intermediate-sized area.

What is the geographical coverage of a WAN?
A WAN links machines over a greater distance, potentially in neighboring cities or even on opposite sides of the world.

How are networks classified based on their internal operation?

Networks can be classified as open networks or closed (proprietary) networks, depending on whether their internal designs are in the public domain or owned and controlled by a specific entity.

What is an example of an open network?
The Internet is an open network governed by the TCP/IP protocol suite, which is freely available for anyone to use without fees or license agreements.

How do proprietary networks differ from open networks?
Proprietary networks are based on innovations owned by a particular entity and may have restrictions on usage due to license fees and contract conditions.

How can networks be classified based on their topology?
Networks can be classified based on their topology, which refers to the pattern of how machines are connected.

What are two popular network topologies?
The bus topology, where machines are connected to a common communication line called a bus, and the star topology, where machines are connected to a central focal point, are two popular network topologies.

When did the bus topology gain popularity?
The bus topology gained popularity in the 1990s, particularly when implemented under the Ethernet standards.

What is the central component in a star topology network?
In a star topology, one machine serves as a central focal point called the access point (AP), to which all other machines are connected.

Where is the star configuration commonly used today?
The star configuration is popular in wireless networks where communication is conducted through radio broadcast, and the access point coordinates all communication.

0312908853

LECTURE # 60

What are rules for activities in a network called?
Rules for activities in a network are called protocols.

Why are protocol standards important in networking technologies?
Protocol standards allow vendors to build compatible products for network applications, ensuring interoperability between different vendors' products.

What is the purpose of the CSMA/CD protocol?
The CSMA/CD protocol controls the transmission of messages in a bus network based on the Ethernet standards, preventing clashes between simultaneous transmissions.

How does CSMA/CD handle collisions in a bus network?
If two machines begin transmitting at the same time, they detect the clash, pause for a brief, independently random period, and then try to transmit again.

Why is CSMA/CD not compatible with wireless star networks?
CSMA/CD is not compatible with wireless star networks because machines in such networks may not be able to detect collisions due to signal interference or obstacles.

What is the alternative protocol used in wireless networks to avoid collisions?
The alternative protocol used in wireless networks to avoid collisions is CSMA/CA (Carrier Sense, Multiple Access with Collision Avoidance).

How does the collision avoidance protocol in wireless networks work?
Machines in wireless networks wait for a silent channel, but instead of immediately transmitting, they wait for a short period to ensure continued silence. If the channel remains silent, they start transmitting.

What is the hidden terminal problem in wireless networks?
The hidden terminal problem refers to the situation where machines in a wireless network cannot hear each other's transmissions, leading to potential collisions.

How is the hidden terminal problem solved in some WiFi networks?
In some WiFi networks, machines send a short "request" message to the access point (AP) and wait for acknowledgment before transmitting a full message, ensuring that the AP is not busy with hidden terminals.

How do machines in a WiFi network know if the AP is busy?
All machines in the network can hear acknowledgments sent from the AP, providing them with information about the AP's activity even if they cannot hear the actual transmissions.

03126968553