

STA 301 today's paper 26th November 2011

MCQs:

16 mcqs where in paper.

Mostly mcqs where from the topics of:

statistics definition,

events,

univariate frequency table,

random variables.

Geometric mean (2 or 3 mcqs)

questions of 2 marks:

Two equations of straight line for X and Y.

Calculate b_1 while the values of m_1 , m_2 , m_3 and m_4 where given.

questions of 3 marks:

definition of mutually exclusive events with the example.

Calculation of variance while the values where given.

Question of 5 marks:

Through Chebechev's equation inequality calculate then interval while the values of K, standard deviation and mean where given.

Today was mt paper of state in which there were 13MCQs in which half was new and half was old mostly of events mcqs.

Define Dispersion.(2)

Find the cofficent of Standard Devation in the given data .(3)

1 detalid question of Fit Regsn line of Y on X(. Marks 5)

Ek 5 marks ka ajeeb o garib sa qustn tha jo k solve nhi kia

MCQs:

16 mcqs where in paper.

Mostly mcqs where from the topics of:

statistics de finition,

events,

univariate frequency table,

random variables.

Geometric mean (2 or 3 mcqs)

questions of 2 marks:

Two equations of straight line for X and Y.

Calculate b_1 while the values of m_1 , m_2 , m_3 and m_4 where given.

questions of 3 marks:

definition of mutually exclusive events with the example.

Calculation of variance while the values where given.

Question of 5 marks:

Through Chebyshev's equation inequality calculate then interval while the values of K, standard deviation and mean where given

16 mcqs...

7 short quizzes..

q.wat is difference between independent and dependent variable..

q, about expected values..

Q.find the value.. aik chart bna tha k..2k n 3k values find karni then,

Q aik questio limites mai sy tha,

Q: mean= 2.9, mode=2.1 and standard daviation= 0.75 thenn find the skewness.

best ov luck 4 ur xamz..

pray 4 me also...

Allah hafiz

STA301 CURRENT PAPERS TODAY

16 mcqs...

7 short quizzes..

q.wat is difference between independent and dependent variable..

q, about expected values..

Q.find the value.. aik chart bna tha k..2k n 3k values find karni then,

Q aik questio limites mai sy tha,

Q: mean= 2.9, mode=2.1 and standard daviation= 0.75 thenn find the skewness.

Today was mt paper of state in which there were 13MCQs in which half was new and half was old mostly of events mcqs.

Define Dispersion.(2)

Find the cofficent of Standard Devation in the given data .(3)

1 detalid question of Fit Regsn line of Y on X(. Marks 5)

STA301_CURRENT PAPER 8 NOV 2011

Total Question: 23

Mcq's = 16 (All mcq's were from past papers)

Long Question = 7

Marks $2 \times 2 = 4$

Marks $3 \times 3 = 9$

Marks $5 \times 2 = 10$

1- Why distribution frequency of random variable X is also known as cumulative distribution frequency? (2)

2- What is Continuous random variable? (2)

3- What is difference between independent and dependent variable in the term of Regression. (3)

4- Question tha jis main k..2k n 3k values find karni , Complete question yaad nhi Bcoz I fail to attempt this (5)

5- Data given tha in which Find the Person's Coefficient of Skewness with respect to Mean and Mode. (5)

6- aik question main Mean and Median find karma tha data given tha (3)

7- A question in which find the B1 & B2 and the $\mu_1, \mu_2, \mu_3, \mu_4$ values are given. (3)

sheet nahe di sir ny mein ny qestions likhy thy.....

but jo mujhy yaad hn

1 .question variance and standard deviation ka tha.....5 marks ka tha....

1 .condional probability ka tha1 marks ka..

1. probability ka aik question tha $P(A \text{ and } B) = P(A) \cdot P(B/A)$ 3 marks

1. probabiity ka aik or question tha....5 marks

1.or aik tha five number summary kis pe depent kerti hai.....1 marks.....

1.aik question tha Chebshev's Theorm ka3 marks

total 26 questions

20 mcq 5 or 6 from past baki new

define 5 number theory?2

define rule of combination?2

two dic are roled make sample space and wat the probability the outcomes equal to 11 and more then 11?5

mean mod and s^2 (saquare of S.D)given thay person coefficient skewness find karni the?3

chebycheves theorem inequality find karni the $k=2$ and $k=3$ limets of fraction between them btany the?5

ak past papers ma sy tha probability ka 10 persons probability of 4 person cometii?

Midterm Fall 2012 Paper – 8 December 2012

.question variance and standard deviation ka tha.....5 marks ka tha.....
.conditional probability ka tha1 marks ka..
.probability ka aik question tha $P(A \text{ and } B) = P(A) \cdot P(B/A)$ 3 marks
. probabiity ka aik or question tha....5 marks
.or aik tha five number summary kis pe depent kerti hai.....1 marks.....
.aik question tha Chebshev's Theorm ka3 marks

22 mcqs thy and mostly past papers main se thy

Q#1: interpret the ‘coefficient of the skewness’

Q#2: for a data set $P(A)=0.77, P(B)=0.23$ and find the and

Q#3:find a data set we have given the probability

Find $P(A>1)$ and

Q#4:Find the data values, calculate person coefficient of skewness using mode of data

0.75,0.89,0.79,0.88,0.99,0.65,0.91,0.59,0.75

Q#5:write the two nominal equations of the regression line of X on Y.

Q#6:A man tossed a fair dice and obtain the following sample space S

$S = \{(1, 1), (1, 2), (1, 3), (1, 5), (1, 6),$

$(2, 1), (2, 2), (2, 3), (2, 5), (2, 6),$

$(3, 1), (3, 2), (3, 3), (3, 5), (3, 6),$

$(4, 1), (4, 2), (4, 3), (4, 5), (4, 6),$

$(5, 1), (5, 2), (5, 3), (5, 5), (5, 6),$

$(6, 1), (6, 2), (6, 3), (6, 5), (6, 6)\}$

What is the conditional probability that the sum of two die will be 7 given that sum is greater then 6.

Q#1: interpret the ‘coefficient of the skewness’ Q#2: for a data set $P(A)=0.77, P(B)=0.23$ and find the and Q#3:find a data set we have given the probability $P(A<1)=0.72$ and $P(B>3)=0.24$ Find $P(A>1)$ and Q#4:Find the data values, calculate person coefficient of skewness using mode of data 0.75,0.89,0.79,0.88,0.99,0.65,0.91,0.59,0.75Q#5:write the two nominal equations of the regression line of X on Y. Q#6:A man tossed a fair dice and obtain the following sample space S

$S = \{(1, 1), (1, 2), (1, 3), (1, 5), (1, 6),$

.....

$(6, 1), (6, 2), (6, 3), (6, 5), (6, 6)\}$ What is the conditional probability that the sum of two die will be 7 given that sum is greater then 6.

my TODAY STA301 paper

Question:1

The fitted regression line and the data from which it is computed is given below:

Find the standard error of estimate

.

Question 2

The numbers of airplane accidents in a year are 1, 2, 3, 4 with corresponding probabilities $1/6$, $2/6$, $2/6$ and $1/6$. What is the variance of annual accidents?

Question 3

A ball is selected at random from a bag contains 2 white, 5 black and 7 green balls. What is the probability that it is a

1. White ball
2. Green ball

Question4

For the given data calculate the mean deviation.

+ 3 - 3 - 4 - 1 +1 + 4

Question5

“If $P(A|B) = P(B|A)$ then $P(A) = P(B)$ ”.

Indicate whether the above statement is true or false? Also give reason.

Question6

Why we use coefficient of variation?

my today paper 14th Dec 2012
all MCQ's from the Moaaz file(also attached)

subjective part

Q: find the missing value in the formula ? Marks (2)

$$P(A|B) = \frac{P(A \cap B)}{?}$$

Q: what is correlation of coefficient? Marks (2)

Q: why the mean of the probability distribution of a random variable X is technically called the EXPECTED VALUE of the random variable X ? Marks (3)

Q: For the give data

Means = 3.8,

Median = 2.3 and

Standard Deviation = 1.3,

Now Find the Pearson's Coefficient of skweness ? Marks (3)

Q: Compute the mean deviation from mean for the following data (where Mean = 40.4)

X	30	35	40	45	50
F	4	7	11	8	5

Marks(5)

Q: A husband and wife appear in an interview for two vacancies in the same post. The probability of husband's selection is $\frac{2}{7}$ and probability of wife's selection is $\frac{3}{5}$. What is the probability that none of them will be selected? Marks (5)

TA301 Today Paper

Total Questions = 26

Total MCQ = 20 (Each of 1 Marks)

Total Long Questions = 2 (Each of 2 Marks)

Total Short Questions = 3 (Each of 3 Marks)

Total Long Questions = 2 (Each of 5 Marks)

Compute the mean deviation from mean for the following data. (Where
= Mean $\bar{X}$ 18.6

)

X 14.5 16.5 18.5 20.5 22.5

Frequency 3 5 11 7 3

(05)

Let

X_1

and

X_2

be two independent random variables having variances

k

and 2

respectively. If

$\text{Var } X_1 X_2 = 25$

$= -2$

, find

k

.

(05)

How the moment ratios

b_1

1

and

b_2

2

are helpful in determining the shape of a distribution?

(03)

What are the basic properties of random experiment? (03)

Write down the principle of least squares method. (02)

What is the main drawback of grouping process in construction of a frequency table?

(02)

Which two suits of playing cards are made of red color? (02)

My today's paper of STA301 (Statistics and Probability)

Total: 26 Questions

20 MCQs

2 Short Questions of 2 marks each.

1. Write the use of Venn diagram in set theory.

2. Can we apply Bayes theorem in the situation where partition of sample space S is created by more than two sets.

3 Short Questions of 3 marks each.

3. Why the mean of the probability distribution of a random variable X is technically called the Expected value of the random variable X .

4. in an experiment the stiffness of a spring, the length of the spring under different loads was measured and the regression lines (X on Y and Y on X) were fitted to the model, which gave us the following results:

$b_{xy} = 0.67$ and $b_{yx} = 0.38$ (here xy and yx are in the subscript of b)

Calculate the correlation coefficient.

2 Long questions of 5 marks each.

5. Find the first two moments about mean from the following data:

$X = 34, 70, 42, 54, 40, 68, 56, 38, 36, 72$.

6. Assume that X is a number chosen at random from the set of integers between 1 and 14 both inclusive. What is the probability that

X is an even number.

X is multiple of 5 or 6.

total question were 26 all mcqs were new only ten to twenty percent were from past papers The subjective portion was that

1.define sample space

2.what is scatter diagram?

3.mean=2.9 median=2.2 calculate pearson coeffient of skewness

4.caculat coeffient of stadardivation if $x=111\ 123\ 153\ 173$

6one question was to calculate permutation

7.last question was about to calculate probablity

My today paper of STA 301

Define sample space

What is scatter diagram

Write the properties of random experiment

Find the mean deviation

my paper was

find person,s coeffercient of skewness

find independent event

find skewness with 5 number skewness?y relative probabality is not b symmetrical?

find sample space ?

i just remember the Q NOT value mostly subjective numaricall tha objective easy tha

STA301 Latest Mid Term Paper (14-05-2012)

Total Question = 26

MCQ's = 20
Long Question = 6

MCQ's are all very easy because they are all from past quizzes and papers. & other paper is given below:

Question No. 21

For which type of Data Set Empirical Rule & relationship is applied? (Marks= 2)

Question No. 22

If $P(A \setminus B) = 0$ then A & B are independent . State is it true or false.

(Marks = 2)

Question No. 23

$X_0 = 200$, $X_m = 500$, $Q_2 = 350$

Skewness =? (Marks = 3)

Question No. 24

Price (X) = 8, 13, 18, 23, 30

Coefficient of Variation = ? (Marks = 3)

Question No. 25

Two dice are rolled, make sample space & also find the probability of Sum is 11 or greater. (Marks : 5)

Question No. 26

Check whether distribution is probability distribution. (Marks: 5)

X	1	2	3	4	5	6	7
P(X)	0.15	0.10	0.20	0.30	0.25	0.075	0.025

Total questions 26

mcqs 20 (mostly from probability)

1. find coefficient of variance? (5)
2. Suppose X is a variable between integers 1 to 14 . what is the probability of X to be even number? (5) kuch aesa tha
3. question about combination? (3)
4. what is the probability of committee to be distributed among 10 persons? (3)
5. what are the different measures of dispersion that do not use all values? (2)
6. what are the two suits that can be black in playing cards?? (2)

sorry friends i forgot the exact question but gave the idea..... :(

Total question 26 thay, 20 objective and 6 subjective.

Objective easy thay, calculations waley kmm thay lekin theory se zyada thay. Past papers jese same nahi thay, prconcept same thay.

Subjective part;

- Define complement of an event.(2 marks)
- What do you know about discrete random variable?(2 marks)
- For a data set we find out the following results (3 marks)

By using five number summary, discuss the skewness of the data.

- How many distinct four-digits number can be performed from the following integers 1,2,3,4,5,6 if each integer is used only once? (3 marks)
- Find the coefficient of variation (C.V) for the following price of a commodity.

Price (X): 8, 13, 18, 23, 30 (5 marks)

- The following table gives the probability distribution of the random variable X, the number of foreign tours a minister make in a year. (5marks)

X	1	2	3	4	5
P(X)	0.1	0.2	0.3	0.3	0.1

Find the probability that:

- 1) Minister makes more than 2 and less than 5 tours
- 2) Minister makes at the most 4 tours

STA 301

Current Mid term paper - 11-05-2011

20 MCQs

3 questions of 5 marks

one question of 2 marks

one question of 3 marks

Subjective questions were from Probability theory ... they were actually numerical questions easy to score ...like question was of 5 marks which demanded to make sample space of 2 dice rolled over and to tell the probability of getting a sum of 7 on two dice rolled

5 marks question = to calculate standard deviation

5 marks question = calculate mean deviation

3 marks = coefficient of variation calculation

and the rest were MCQs of 20 marks mostly from central tendency and probability and past papers .

STA301 today paper 12-05-2012 (Session 3:30pm to 4:30pm)

Q1 - when we prefer the conditional probability? (2 Marks)

Q2 - Measure of Deviation? (2 Marks)

Q3 - $A = \{0, 1, 2, 3, 4, 5, 6\}$ (3 Marks)

$B = \{2, 7, 8\}$

$C = \{3, 4, 5\}$

Find $(A \cup B)$, $(A \cap B)$, $(B \cap C)$

Q4 - There is 4 red balls, 8 black balls, 3 white balls. Find the probability of drawing the 3 white balls. (3 Marks)

Q5 - Find First three moments about Mean... (5 Marks)

M_1' , M_2' , M_3' ki values di hoi thin....

Q6 - Yaad nahi h... Lecture 21 main s tha... Variance find karna tha kisi probability density function ga, data diya howa tha...

Shared By Amazing personality

stat-301

16 mcsq's

2 marks questn=3

3 marks questn=2

5 marks questn=2

1-two properties of average (2)

2-difference between frequency distribution and cumulative frequency distribution (2)

3- if a coin is tossed 6 tymes what is the probability of geeting 1 head (5)

4-whisker plot (5)

IF $P(A \cap B) = \dots$ and $P(A) = \dots$ $P(B) = \dots$

are A and B independent? (3)

STA301 VU Midterm Current Papers Spring 2012 of Virtual University of Pakistan [May 2012]

total question were 26 all mcqs were new only ten to twenty percent were from past papers The subjective portion was that

1.define sample space

2.what is scatter diagram?

3.mean=2.9 median=2.2 calculate pearson coffient of skewness

4.caculat coffient of stadardivation if $x=111\ 123\ 153\ 173$

6. one question was to calculate permutation

7.last question was about to calculate probablity

Another Paper:

find person,s coeffecient of skewness

find independent event

find skewness with 5 number skewness?y relative probabality is not b symmetrical?

find sample space ?

i just remember the Q NOT value mostly subjective numaricall tha objective easy tha

today 14th may

Q#1 Five no summary

Q#2 Chebechev's theorem

Q#3 question to solve mean deviation

Q#4 Problems on probability

Q#5 Objectives are from moment ratio,probability,frequency etc

Total Questions = 26

18 mcsq's (mostly from probability)

2 marks questn=3

3 marks questn=2

5 marks questn=2

1- why we need to calculate coefficient of variation? (2)

2- what is the scatter diagram? (2)

3- A number X chosen at random from the integers 1 to 14 both are inclusive. find the probability

i) if x is an even number

ii) if x is an multiple of 5 or 6 (5)

4- $P(A/B) = P(B/A)$ if $P(A) = P(B)$ is the statment true or wrong if statment is not true then justify the reason? (3)

Total questions 26

mcqs 20 (mostly from probability)

find coefficient of variance? (5)

Suppose X is a variable between integers 1 to 14 . what is the probability of X to b even number? (5) kuch aesa tha question about combination? (3)

what is the probability of commetee to b distributed amoung 10 persons? (3)

what are the different measures of dispersion that donot use all values? (2)

what are the two suits that can b blackk in playing cards?? (2)

Total question were 26 all mcqs were new only ten to twenty percent were from past papers The subjeive portion was that

1.define sample space

2.what is scatter diagram?

3.mean=2.9 median=2.2 calculate pearson coffient of skewness

4.caculat coffient of stadardivation if x=111 123 153 173

6. one question was to calculate permutation

7.last question was about to calculate probablity

Another Paper:

find person,s coeffecient of skewness

find independent event

find skewness with 5 number skewness?y relative probabality is not b symmetrical?

find sample space ?

Total 26 questions out of which 20 were objective.

Q)The universal set $U = \{a, b, c, d, e, f, g, h, i, j\}$ and the set:

$A = \{a, b, c, d\}$

1. Determine the power set of A

2. Find,comllement of A

Q)Why standard deviation is better than mean absolute deviation?

Q)State the law of complementation in probability for any event A.

Q)Two fair dice are rolled. Make the sample space and also find the number of sample points in an event A that the sum of the outcomes is equal to 7.

my todays paper

ap ki duaon sy aj ka paper 100% howa hai jo duain ap logn ny kabi ni ki

mcqs 20 marks

subjective 20 marks

mcqs ziyada tar mooaz file sy aye thy

write two normal eqs 2 marks

find probability if coin toss two times no head ki find krni thi 2 marks

coefficient of variance "X" ki values given thi 5 marks

Samples space bnani thi or probability find krni thi sum is 11 or greater 5 marks

mean, median or standard deviation given tha pearsons coeffient of skewness find krna tha 3 marks

pray for me for next paper plzzzzzzzzzz.

My today paper of sta 301

Total Q=26

MCQS=20

2 marks=2

3marks=2

5marks=2

Obj was very easy mostly 4rom past papers attached below.

1.what do you know about discrete random variable? 2 marks

2.which measure of dispersion do not cover all values of data?2 marks

3.calculate C.V.3marks

4.calculate combination?5marks

all mcq'Z from moaz file just one is from handout's which is about the possitive skewness

Q1.Principal of least square mthod 2 marks

Q2.If A and B are two events then explain the general rule of multiplication probability A and B 2 marks

Q3.If $Q1 = 24.05$, $Q3 = 34.29$ and median = 29.15 then find the bow'y coefficient of skewness 3 marks

Q4.IF $P(A \cap B) = 2/15$, $P(A) = 30/78$ AND $P(B) = 4/10$

Show that A and B are independent 3 marks

Q5.If A is a family and has two children of both sex and B has at must 1 boy if B family has both sex then show that A and B are independent 5 MARKS

Q6.If $A = \{2,3,5\}$, $B = \{1,3,5\}$, $C = \{2,4,6\}$ then prove that

$A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$ 5 MARKS

Total questions were 26.

MCQs were 20, from past paper and very easy.

Do learn all the concepts of Probability.

Subjective questions were 6.

Two of two marks, Two of 3marks and 2 of Five marks.

Complete the formula for Conditional probability $P(A/B) = P(A \text{ intersection } B) / ?$ (2marks)

what is "five number summary" (2marks)

$P(A) = 0.60$, $P(B) = 0.40$ $P(A \text{ intersection } B) = 0.24$, Find $P(A \cup B) = ?$ (3marks)

Find the skewness, mean and mode were given? (3marks)

Find the two moment mean of the following ungrouped data.(5marks)

Two dice are rolled write it's sample space and what is the probability that 5 will occur (5 marks)

Do pray for my next exam :)

My today's STA301 paper:

Total marks: 40

Total qs: 26

Total mcqs: 20

The subjective questions were:

1. Which numbers are included in five number summary? (2 marks)
2. Find out the missing element: $P(A/B)=P(A \text{ intersection } B)/?$ (2 marks)
3. The values of X_o , Q_2 (median) and X_m were given, we had to discuss the skewness of the distribution. (3 marks)
4. A committee of of four members is to be chosen from a total of ten persons. In how many ways this could be done? (the formula was also to be written). (3 marks)
5. Sets A, B and S were given, prove: $A \cup B (\text{complement}) = A(\text{complement}) \text{ intersection } B(\text{complement})$, (Demorgan's law). (5 marks)
6. The values of X were given, had to calculate the coeffecient of skewness. (5 marks)

Hope it will help the students, who still have to attempt STA301 paper...

Thanks...

Today's STA301 solved paper 25 may 2013

For a positively skewed distribution m_3 will be :

- **Positive (Page 119)**
- Negative
- Zero
- 1

Which one is the formula of range?

- **$x_m - x_o$**
- $0 \leq m \leq x$
- $0 \leq 2 \leq m \leq x$
- +► (Page 80) $0 \leq 2 \leq m \leq x$

Which one of the following measurement does **not** divide a set of observations into equal parts?

- ▶ Quartiles
- ▶ Deciles
- ▶ Percentiles
- ▶ **Standard deviations**

The number of ways in which 4 books can be arranged

- ▶ 4
- ▶ 6
- ▶ 12
- ▶ **24**

If X and Y are independent, then $\text{Var}(X-Y)$ is equal to:

- ▶ **$\text{Var}(X) - \text{Var}(Y)$**
- +▶ $() () \text{Var}X \text{Var}Y$
- +▶ $() \text{Var}X Y$
- ▶ Zero

If any value in the data is zero, then it is not possible to have:

- ▶ Harmonic Mean
- ▶ Arithmetic Mean
- ▶ Median
- ▶ **Mode (rep)**

A coin is tossed 3 times then, the number of sample points in the sample space is:

- ▶ 3
- ▶ **8 (Page 145)**
- ▶ 6
- ▶ 4

The approximate number of observations in a set of data covered by the interval, *Median Q.D* are: $\pm$

- ▶ **50 per cent (Page 84)**
- ▶ 68.5 per cent
- ▶ 95.4 per cent
- ▶ 99 per cent

In a set of 10 values all the values are 5, what is the value of 5th Decile:

- ▶ **2**

- ▶ 5
- ▶ 10
- ▶ 20

A population that can be defined as the aggregate of all the conceivable ways in which a specified event can happen is known as:

- ▶ Infinite population
- ▶ Finite population
- ▶ Concrete population
- ▶ **Hypothetical population (Page 12)**

A histogram consists of a set of adjacent rectangles whose bases are marked off by:

- ▶ **Class boundaries (Page 32)**
- ▶ Class limits
- ▶ Class marks
- ▶ Class frequency

For positively skewed distribution

Mean.....Median.....Mode:

- ▶ =
- ▶ /p>
- ▶ > **Click here for detail**
- ≠▶

How to find relative frequency distribution:

- ▶ Divide the class frequencies in half
- ▶ **Divide the class frequency by the number of observations**
- ▶ Find the difference between consecutive lower class limits
- ▶ Count the number of observations in the class

Which of the following is NOT a possible probability?

- ▶ 25/100
- ▶ -1
- ▶ 0
- ▶ 1

Data collected from Ministry of food is:

- ▶ Ungrouped data
- ▶ **Secondary data**

- Primary data
- Arrayed data

A frequency polygon is obtained by plotting the class frequencies against what?

Select correct option:

- Class bounday
- cumulative frequency
- relative frequency
- mid point**

Subjective

Q.1 Find out the missing element $P(A|B) = ?/P(B)$ (Marks: 2)

$$P(A|B) = P(A \cap B) / P(B)$$

Q.2 What is meant by b in the linear regress line $y = a + bx$? (Marks: 2)

b represent slope of the line.

Q.3 A card is chosen from a deck of 52 cards. What is the probability if it is a

- a) **Diamond**
- b) **Spade**
- c) **Diamond or Spade (Marks: 3)**

$$n(S) = 52$$

$$\text{Diamond cards} = n(A) = 13 \text{ and Spade} = n(B) = 13$$

- a) $P(A) = n(A)/n(S) = 13/52$
- b) $P(B) = n(B)/n(S) = 13/52$
- c) $P(A \cup B) = P(A) + P(B)$

$$= 13/52 + 13/52 = 26/52 = 1/2$$

Q.4 Consider the following values of moments:

$$= 0, = 20.5, = 35.2 \text{ and } = 1204$$

Find the coefficient of skewness and kurtosis (). (Marks: 3)

Q.5 Compute the mean deviation from mean for the following data. (Where Mean $\bar{X} = 18.6$)

X 14.5 16.5 18.5 20.5 22.5

Frequency 3 5 11 7 3 (Marks: 5)

X	F			f
14.5	3	-4.1	4.1	12.3
16.5	5	-2.1	2.1	10.5
18.5	7	-0.1	0.1	1.1
20.5	11	1.9	1.9	13.3
22.5	3	3.9	3.9	11.7
SUM	29			48.9

Q.6 A husband and wife appear in an interview for two vacancies in the same post. The probability of husband's selection is $\frac{2}{7}$ and probability of wife's selection is $\frac{3}{5}$. (Marks: 5)
What is the probability that only husband is selected?

STA301 VU Current Midterm Spring 2013 Papers

STA301 VU Current Midterm Spring 2013 Papers

Total Questions: 26

Sample point with example

Calculate Standard Deviation and Variance

What is Coefficient of determination?

The Sample Space for tossing dice two times find probability (Handouts Page 147 Example 3)

My current midterm paper of STA301 (27-05-13)

Total: 26 Questions

20 MCQs

2 Short Questions Each of 2 marks.

- Define disjoint sets.
- Why a standard deviation is better than mean absolute deviation?

2 Short Questions each of 3 marks.

- For a data mean=141, mode= 122.5 and . Calculate the Pearson's Coefficient of skewness.
- A ball is selected at random from a bag contains 2 white, 5 black, and 7 green balls. What is the probability that it is a:

i) White ball

ii) Green ball

2 Short Questions each of 5 marks.

- Calculate the coefficient of standard deviation for the data given below:

X= 111, 123, 153, 173, 129

- Three horses A, B and C are in a race; A is twice as likely to win as B and B is twice as likely to win as C. Assume that events are mutually exclusive. What is the probability that A or B wins?
-

total question: 26

20 mcqs mostly from past papers

26: $s=\{1,2,3,4,\dots,9\}$ $A=\{1,2\}$ $B=\{3,4,5,6\}$

Compliment of $A=?$

Compliment of $B=?$

Power set of $A=?$

25: kuch data given tha us ki minimum maximum aur lower quartile upper quartile maloom krna tha

24: c.v=? data given tha

23: bhool gai

22: probability ka multiplicative law pucha tha

21: quartile deviation nikalna tha

data given tha

STA301 - May – June 2013 - MidTerm

Aaj ka paper STA301

SUBJECTIVE

21: Write a short note on five-number summary

22: Define the rule of permutation

23: For a data set, we have given the probability

$P(A \leq 1) = 0.72$

$P(B > 3) = 0.24$

Find $P(A > 1)$ and $P(B \leq 3)$

24: If $\sum |d_i| = 14$ and $n=7$, then calculate the mean deviation.

25: Fit the least square regression line of Y on X for the given data.

X	Y	X^2	XY
1	1	1	1
2	1	4	2
3	2	9	6
4	2	16	8
5	3	25	15
$\Sigma=15$	9	55	32

26: The sample space of two fair dice is given below. Find the number of sample points in each event, where event A shows the sum of the outcomes is equal to 5, event C shows the sum of the outcomes is equal to 6 and event C shows the sum of the outcomes is equal to 7.

$S = \{(1,1), (1,2), (1,3), (1,4), (1,5), (1,6),$

$(2,1), (2,2), (2,3), (2,4), (2,5), (2,6),$

$(3,1), (3,2), (3,3), (3,4), (3,5), (3,6),$

$(4,1), (4,2), (4,3), (4,4), (4,5), (4,6),$

$(5,1), (5,2), (5,3), (5,4), (5,5), (5,6),$

$(6,1), (6,2), (6,3), (6,4), (6,5), (6,6)\}$

STA301 - May – June 2013 - MidTerm

Aaj ka paper STA301

OBJECTIVE

1: Which of the following can never be taken as the probability of an event?

- 1
- 0
- 0.5
- -0.5

2: A die is rolled. What is the probability of getting a number that is an even number and greater than 2.

- $1/2$
- $1/3$
- $2/3$
- $5/6$

3: A set is any well-defined collection of

- Positive Objects
- Negative Objects
- Same Objects
- Distinct Objects

4: Men tend to marry women who are slightly younger than themselves. Suppose that every man married a women who is exactly 5 years younger than themselves. Which of the following is correct?

- The correlation coefficient is -5
- The correlation coefficient is 5
- The correlation coefficient is 1
- The correlation coefficient is 0

5: Which of the following value could not represent a coefficient of correlation?

- $r = 0.99$
- $r = 1.09$
- $r = -0.73$
- $r = -1$

6: What is the result of the following factorial expression?

$1! + 2! + 3!$

- 5
- 6
- 9
- 10

7: If $P(A \cap B) = P(A|B) \times P(B)$ then A and B will be :

- Independent
- Mutually Exclusive
- Dependent
- Equally Likely

8: Data obtained from the ministry of food is an example of:

- Primary data
- Secondary data
- Qualitative data
- None of these

9: Which of the following comes first to make frequency distribution?

- Number of groups
- Class interval
- Range
- Tally marks

10: All possible trials by throwing a dice, is an example of:

- Finite population

- Infinite population
- Hypothetical population
- Limited population

11: In a simple bar chart:

- Width of bar is meaningful
- Height of bar is meaningful
- Height of bar is not meaningful
- Height and width both are meaningful

12: What shape would you expect for the distribution of scores for a very easy exam for a large class of students?

- Positively skewed
- Symmetrical
- Negatively skewed
- Normal

13: Data arranged in ascending or descending order is called:

- Ungrouped data
- Raw data
- Grouped data
- Arrayed data

14: What is the stem part of 243:

- 3
- 43
- 23
- 24

15: Stem and leaf was introduced by:

- Francis Galton
- Friedman
- John Turkey
- Pearson

16: If '2' is the leading digit in 24335, then what are the trailing digits in the observation to display a 'Stem-and-Leaf display'

- 4
- 335
- 4335
- 43

17: How many modes are there in a binomial distribution?

- 2
- 3
- 0
- 1

18: Which of the following measurements does not divide a data set into equal parts?

- Quartiles
- Deciles

- Percentiles
- Standard deviations

19: What is the range of the following values?

-2, -3, -5, -10

- -12
- 8
- -8
- 2

20: Under which condition standard deviation could assume a negative value:

- When more than half of the data values are negative
- If all the data values are same
- The standard deviation cannot be negative
- When all the data values are negative

Mcqs mostly from past paper

Subjective

Q1; The regression line is fitted and data from which it is computed is given below

$$Y = -0.5 + 0.5x, \sum y^2 = 26, \sum y = 10, \sum xy = 37, n = 5$$

Find standard error of estimated $S_{x;y}$? (5 mark)

Q2; A man toss two die and get sample space is given then

What is condition probability the sum of two die will be 7, given sum of two die is odd? (5 mark)

Q3; What is equally likely event? (3 mark)

Q4; What are three steps of Basic axioms probability theory? (3 mark)

Q5; What type of data set Empirical rule is applied? (2)

Q6; Write two normal equation of regression line x on Y? (2 mark)

most of the mcqs are from moazz file

1. define probability in terms of relational frequencies 2 marks

2. limitations of chebychev theorem 2 marks

3. three sets are given have to find $A \cup B$ AND $A \cap B$ 3 marks

4 COMBINATION question 8 c 5 = ? 3 marks

5 chebychev theorem say related hi aik question mean and standard deviation given have to find a limitation on b.... i left... 5 marks

6. 2 dice thrown . sample space? and probability that total of outcomes equal to 5. that becomes $\frac{4}{36}$.

Shared By Sister Tayyaba Anwar

My Today's Paper

Mcqs = 20 marks

Subjective 20 marks

Mcqs ziyada tar Mooaz file sy aye thy

Write two normal eqs 2 marks

Find probability if coin toss two times no head ki find krni thi 2 marks

Coefficient of variance "X" ki values given thi 5 marks

Samples space bnani thi or probability find krni thi sum is 11 or greater 5 marks

mean, median or standard deviation given tha pearsons coeffient of skewness find krna tha 3 marks

Pray for all for next papers plz

Shared By Aamina Sister

My Today's Sample Paper of Sta301

T.Questions=26

MCQS=20

2 marks=2

3marks=2

5marks=2

1.what do you know about discrete random variable? 2 marks

2.which measure of dispersion do not cover all values of data?2 marks

3.calculate C.V.3marks

4.calculate combination?5marks

Shared By Sumaira Shabbir Sister

MY TODAY'S PAPER OF Sta301

Mcq's were from Moaz file just one is from handout's which is about the positive skewness

Q1.Principal of least square method 2 marks

Q2.If A and B are two events then explain the general rule of multiplication probability A and B 2 marks

Q3.If $Q_1 = 24.05$, $Q_3 = 34.29$ and median = 29.15 then find the bow's coefficient of skewness 3 marks

Q4.If $P(A \cap B) = 2/15$, $P(A) = 30/78$ AND $P(B) = 4/10$

Show that A and B are independent 3 marks

Q5.If A is a family and has two children of both sex and B has at must 1 boy if B family has both sex then show that A and B are independent 5 MARKS

Q6.If $A = \{2,3,5\}$, $B = \{1,3,5\}$, $C = \{2,4,6\}$ then prove that

$A \cap (B \cup C) = (A \cap B) \cup (A \cap C)$ 5 MARKS

today paper of mine sta301

20 mcqs

subjective:

Question 21: define mutually exclusive events?

Question 22: write the name of the means of dispersion ?

Question 23: find out the variance of $N=15, \sum x^2=4872, \sum x=258$

Question 24: $P(A)=0.30, P(B)=0.50$ AND $P(A \cap B)=0.14$ ARE the event independent

Question 25: find the probability if 4 dice thrown at the same time ?

Question 26: wo yad nai a raha

You are right D_Asif

my paper

there were 20 MCQs mostly from Moezz's file and other Question were

1) what is the required term for numerator?(2)

$$P(B/A) = \frac{?}{P(A)}$$

2) write down the formula of computing S.D for group data .(2)

3) what are the three axioms of definition of probability ? (3)

4) what is meant by grouping error? write down the name of correction which is applied to overcome grouping error.(3)

5) if $A=\{a,b,c,d,e\}$, $B=\{f,g,h,i,j\}$ and $C=\{a,e,i,o,u\}$ then verify

$$(A \cup B) \cap C = A \cap (B \cap C) \quad (5)$$

two dice are rolled. make the sample and find the probability that sum of the outcomes is equal to 10 (5)

Q=1

one card is selected at random from a deck of 52 playing cards, what is the probability that the card is a club and face or both. 5

Q=2

if mean of a distribution is 20 and S.D = 1 . if Chebyshev's theorem tells us that 75% of values are between a, b (symmetric about mean) then what are their limits. 5

Q=3

if $\sum x^2=7869$, $\sum x=294$, $\bar{x}=7.94$ and $n=37$

then find C.V=? 3

Total Question 26

Total MCQs 20 (From Pastpapers)

2 Short questions of 2 marks

2 Short questions of 3 marks

2 Short questions of 5 marks

Do learn all the concepts of Probability.

Subjective questions were 6.

Two of two marks, Two of 3marks and 2 of Five marks.

Complete the formula for Conditional probability $P(A/B) = P(A \cap B) / P(B)$ (2marks)
what is "five number summary" (2marks)

$P(A) = 0.60$, $P(B) = 0.40$ $P(A \cap B) = 0.24$, Find $P(A \cup B) = ?$ (3marks)
Find the skewness, mean and mode were given? (3marks)

Find the two moment mean of the following ungrouped data.(5marks)
Two dice are rolled write it's sample space and what is the probability that 5 will occur (5 marks)

sta301 mai aik sawal propbilty ka sawa tha
Q 5 white ball 3 black ball and 4 red ball how many 2 white ball , 2 red ball and 2 balck ball out.
correlation ka sawal 5 number ka yya tha l=phile wala formule se hona tha wo
PEARSON'S COEFFICIENT OF CORRELATION
 $r = \text{cov}(X,Y) / \sqrt{\text{var}(X) \text{var}(Y)}$

$\text{cov}(y)=6$ $\text{cov}(x)=6$ $n=7$ and aik or value thi wo 25 thi.

aik compliment ka sawal ayya tha $p(A)=0.33$ $A \geq 2$ $P(B)=0.71$ $B \geq 3$ probility when $A < 2$ and $B < 3$

difference between simple event and compound event

$\{1,2,3,4\}$ is kithne subset hai jawab 16

AoA! I Also Uploaded Word File, due symbol prob in Web ... Enjoy

My Today Paper (STA301) Final Spring 2015
MCQ were mostly from past Papers.

Subjective (10/12 Questions) are mentioned below:-

1 Question from Page 206 Example 5 Marks.

- Q1. Define subjective or personslistics probability? 2
- Q2. Write down formula for finding pooled proportion c 2
- Q3. Suppose we want to determine the proportion of literate and illiterates in a community. In this situation what type of distribution we can use? 2
- Q4. A sample is taken from a normal population having observations 1011, 999, 1999, 1501 and 1409. Calculate maximum likelihood estimate of population mean? 2
- Q5. If $X = 255$, $n = 500$, $P_o = 0.60$, then find the z-test statistics for proportion? 3
- Q6. If Chebyshev's Theorem tell us that 78% of the value are between a and b (Symetrical about mean), then find the value of k? 3
- Q7. Write down the properties of sampling distribution of $\bar{x}$ when the sampling is performed with replacement? 3
- Q8. If $n = 12$, $\sigma^2 = 24$, $\sigma = 40$ and $\rho = 0.10$, find the hypothesis $H_1 : \rho > 0.22$ 5
- Q9. Find the coefficient of standard deviation from the following data; Life in Hours (X) = 130, 150, 180, 250 and 345.
- Q10. Given the joint density of random variable (X , Y) as

Find the marginal p.d.f of y i.e $h(y)$ 5

Best of Luck ... Jo yad thy likhva dye, plz ... Dua mn yad rkhnna ...

hy friendz today my paper so easy all mcq past paper moaaz file and

long Q1. person coefficient of skewness with mod 3 mrks or with respect to median 5 mrks mian

Q3. write the normal Equation of regression of X and Y 2 mrks ka

Q4. write the three axiom of definition of probability 3 mrks ka

Q5. do dice roll kiay ak ki $P(A)=5$ or dosry ki b $P(B)=5$ hi ai os ny pocha are events independent? 5 mrks

Q6. $P(A)$ or $P(B)$ di hoe thi or $P(A \text{ intersection } B)$ find krna tha 2 mrks ka
