Scanned with CamScanner

7:38 33%

"0.0003711 in scientific notation is"

Copy text Listen Translate Se

calculator.name
https://calculator.name › 0.0003711

Express 0.0003711 in scientific notation - calculator.name

Therefore, 0.0003711 in scientific notation is 3.711×10^{-4} and It has 4 significant figures. In scientific e-notation it is written as 3.711e-4. Here are some ...

People also ask

How do you write 0.0000073 in scientific notation?

Scientific notation can be used to turn 0.0000073 into **7.3×10^{-6}**.

https://www.infoplease.com › scient...

Using Scientific Notation - Infoplease

More results

How do u write 0.0003 in scientific notation?

How do you write 0.0000321 in scientific notation?

How do you write 0.000000017 in scientific notation?

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

7:39 33%
vulms.vu.edu.pk/Quiz/QuizQ
6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 5 of 10 (Start time: 07:38:54 PM, 28 November 2022)

The rate of change of momentum of a body is equal to:

Select the correct option

- (●) Applied force
- ( ) Velocity
- ( ) Acceleration
- ( ) Displacement

Scanned with CamScanner
Scanned with CamScanner

7:39 33%

"The rate of chan... body is equal to:"

Copy text Listen Translate Se

the Force

اردو میں In English

Detailed Solution. The rate of change of momentum of a body is equal to **the Force**. Energy is the ability to do work. It is measured in Joules.

https://testbook.com › the-rate-of-c...

The rate of change of momentum of a body is equal to the resultant

About featured snippets Feedback

Questions and answers

Toppr

Question

The rate of change of momentum of a body is equal to the resultant .

Answer · 13 votes

Correct option is C) force

More

Testbook.com

Question

"The rate of change momentum of a bo equal to the res"

Answer · 2429 votes

"Correct Option- (c) of change of mome

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

7:39 33%
toppr.com
Search for questions & chapters

The rate of change of momentum of a body is equal to the resultant _____.

A energy

B power

Correct Answer

C force

D impulse

Easy

Open in App ↗

Solution

Verified by Toppr

Correct option is C)

Was this answer helpful? 0 0

Solve Ask Study Textbooks Guides

Scanned with CamScanner

Scanned with CamScanner

7:40 33%
vulms.vu.edu.pk/Quiz/QuizQ
6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 6 of 10 (Start time: 07:39:49 PM, 28 November 2022)

An object moving in a circle at constant speed:

Select the correct option

- ○ is not accelerating
- ○ has no change in its direction
- ○ has an acceleration of constant magnitude
- ◉ must have only one force acting on it

Scanned with CamScanner
Scanned with CamScanner

toppr answr
Use app
Login
Search for questions & chapters

Question

An object moves in a circle at constant speed. The work done by the centripetal force is zero because:

A the displacement for each revolution is zero

B the average force for each revolution is zero

Your Answer

C the magnitude of the acceleration is zero

Correct Answer

D the centripetal force is perpendicular to the velocity

Easy

Open in App ↗

Updated on : 2022-09-05

Solve Ask Study Textbooks Guides

Scanned with CamScanner

Scanned with CamScanner

7:42 • 4G+ Vo)) LTE2 32%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC210425485: NAZISH SATTAR

PHY101 - Physics (1st online quiz Physics (PHY101))

uestion # 7 of 10 (Start time: 07:41:24 PM, 28 November 2022)

Lighter objects always reach the ground later than heavier objects.
Which is the most suitable explanation for the above statement?

i. There are some external forces acting on the objects, for example, the air friction.
ii. A heavier object has a larger uniform velocity when it falls freely.
iii. A heavier object has a larger acceleration due to gravity.

elect the correct option

- (i), (ii) and (iii)
- (i) only
- (ii) only
- (ii) and (iii) only

Cl

Scanned with CamScanner

Scanned with CamScanner

7:43 • 32%
vulms.vu.edu.pk/Quiz/QuizQ
6

Question # 8 of 10 (Start time: 07:42:41 PM, 28 November 2022)

Acceleration in a body is always produced in the direction of:

Select the correct option

- Acceleration
- Velocity
- Weight
- Force

Scanned with CamScanner
Scanned with CamScanner

7:44 • 31%

vulms.vu.edu.pk/Quiz/QuizQ 6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 9 of 10 (Start time: 07:44:18 PM, 28 November 2022)

A stone is thrown up from the surface of earth, the it reaches a maximum hei

Select the correct option

○	mgh
○	2mgh
●	Zero
○	½ mv

Scanned with CamScanner

Scanned with CamScanner

7:44 • 4G+ Vo)) LTE2 31%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC210425485: NAZISH SATTAR

PHY101 - Physics (1st online quiz Physics (PHY101)) Quiz Start Time: 07:35 PM

Question # 9 of 10 (Start time: 07:44:18 PM, 28 November 2022)

A stone is thrown up from the surface of earth, the it reaches a maximum height, kinetic energy is equal to:

Select the correct option

- mgh
- 2mgh
- Zero
- ½ mv

Click to Save Answer & Move

Scanned with CamScanner

Scanned with CamScanner

7:45 • 31%

"A stone is thrown ...ergy is equal to:"

Copy text | Listen | Translate | Se

اردو میں | In English

Answer: The KE of the stone is **0**.

08-Apr-2020

https://brainly.in › question

A stone is thrown up from the surface of earth when it reaches at maximum ...

About featured snippets | Feedback

Questions and answers

Brainly.in

Question

A stone is thrown up from the surface of earth when it reaches at maximum height, its K.E is equal to :

Answer · 2 votes

Given:Stone is thrown from surface of earth vertically...
More

Quora

Question

A stone is thrown u the surface of eart reaches a maximu what is its K.E is eq

Answer · 5 votes

It will have a lot of energy, but at the e
More

Feedback

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

7:45 • 31%
vulms.vu.edu.pk/Quiz/QuizQ
6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 10 of 10 (Start time: 07:45:08 PM, 28 November 2022)

What sort of energy does flying bird posses?

Select the correct option

- (●) Both potential and kinetic energy
- ( ) Potential energy
- ( ) Kinetic energy
- ( ) Elastic energy

Scanned with CamScanner

Scanned with CamScanner

7:45 • 31%

"What sort of ene...ing bird posses?"

Copy text | Listen | Translate | Se

اردو میں | In English

It contains **potential energy** due to its position above the ground level and contains kinetic energy due to its motion. Hence a flying bird possesses both kinetic energy and potential energy.

https://www.toppr.com › question

A bird flying in the sky has | Physics Questions - Toppr

About featured snippets | Feedback

People also ask

What kind of energy does a flying bird display?

Solution : A bird flying in air has **mechanical energy**, which is the sum of potential ernegy and kinetic energy of the bird. 27-Jun-2022

https://www.doubtnut.com › what-s...

What sort of energy is associated with a bird flying in air ? - Doubtnut

More results

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

Quiz

Back

1-1st online quiz Physics (PHY101)

#

Quiz Title:

Start Date :

Nov 28, 2022 12:00 AM

End Date:

Nov 29, 2022 11:59 PM

Total Marks:

10

Quiz Status:

Open

Submit Status:

Submitted

Submit Date: Nov 28,2022 07:46 PM

Result:

2-3rd online quiz Physics (PHY101)

#

Quiz Title:

Start Date :

Dec 22, 2022 12:00 AM

End Date:

Dec 23, 2022 11:59 PM

Scanned with CamScanner

Scanned with CamScanner

7:49 30%
vulms.vu.edu.pk/Quiz/QuizQ
6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 1 of 10 (Start time: 07:49:15 PM, 28 November 2022)

The law of conservation of momentum applies to a system of colliding objects only if:

Select the correct option

- ○ the coefficient of restitution is one
- ○ the net external impulse is zero
- ○ the coefficient of restitution is zero
- ○ there is no change in kinetic energy of the system

Scanned with CamScanner

Scanned with CamScanner

Share It On

comment

1 Answer

0 votes

answered Oct 14, 2019 by Shivam01 (82.0k points)
selected Oct 14, 2019 by Vikash Kumar

D. the net external impulse is zero

Scanned with CamScanner

Scanned with CamScanner

7:51 29%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC220416525: MADIHA ASLAM

PHY101 - Physics (1st online quiz Physics (PHY101)) Quiz Start

Question # 2 of 10 (Start time: 07:50:59 PM, 28 November 2022)

A wheel of radius 50 cm having the angular speed of 5 rad/s will have linear speed in m/s?

Select the correct option

- 1.5
- 2.5
- 3.5
- 0.5

Click to Save

Scanned with CamScanner

Scanned with CamScanner

7:51 29%

"A wheel of radius...ar speed in m/s?"

Copy text Listen Translate Se

Brainly.in
https://brainly.in › question

A wheel of radius 50 Cm having an angular speedof 5 rad s-1 have linear speed.

05-May-2019 · 1 answer

Hence, the linear velocity of the object will be 2.5 m/s. Explore all similar answers.

Top answer · 8 votes

Given:Radius [tex]=50cm[/tex] Angular speed [tex]=5rad/s[/tex] To find:Linear velocity of the wheel.Explanation:The change in angular displacement of ... More

Quora
https://www.quora.com › What-is-li...

What is linear speed a wheel of radius 50cm having an angular speed of 5radian per ...

03-May-2018 · 1 answer

What is linear speed a wheel of radius 50cm having an angular speed of 5radian per second?

2 votes

It's simply v = R times omega

12,008 votes

Yes, it actually happ

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

7:52 29%
vulms.vu.edu.pk/Quiz/QuizQ
6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 4 of 10 (Start time: 07:52:05 PM, 28 November 2022)

The dimensional units of ratio of work and power is:

Select the correct option

○	J
○	L
●	T
○	F

Scanned with CamScanner

Scanned with CamScanner

7:54 4G+ Vo)) LTE2 28%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC220416525: MADIHA ASLAM

PHY101 - Physics (1st online quiz Physics (PHY101)) **Quiz Start Time**

Question # 5 of 10 (Start time: 07:53:47 PM, 28 November 2022)

If the slope of velocity-time graph is a straight line such that tan θ = 1 at each point, then graph represents:

Select the correct option

○	Variable velocity
○	Uniform acceleration
○	Uniform velocity
○	Variable acceleration

Click to Save Answ

Scanned with CamScanner

Scanned with CamScanner

7:55 • 28%
vulms.vu.edu.pk/Quiz/QuizQ
6

Question # 6 of 10 (Start time: 07:55:41 PM, 28 November 2022)

6 joule of work done in 3 seconds then power is:

Select the correct option

- 18 watt
- 3 watt
- 6 watt
- 2 watt

Scanned with CamScanner

Scanned with CamScanner

7:56 • 28%

"6 joule of work do...s then power is:"

Copy text | Listen | Translate | Se

اردو میں | In English

If you set the power to joules as 6 (J), and the time in seconds as 3 (s), the power output in watts will be **2 W**. 09-Jan-2021

https://brainly.in › question

6 joules of work is done in 3 seconds, then power will be - Brainly.in

About featured snippets | Feedback

Questions and answers

Brainly.in

Question

6 joules of work is done in 3 seconds, then power will be

Answer · 0 votes

6 joules of activity are done in 3 seconds, then the pow...

More

Brainly.in

Question

3 joule of work is d seconds then Pow to what

Answer · 3 votes

[tex] \huge{ \boxed \fcolorbox{cyan}{p

More

Feedback

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

7:57 27%
vulms.vu.edu.pk/Quiz/QuizQ
6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 7 of 10 (Start time: 07:56:14 PM, 28 November 2022)

The angular displacement of one revolution is equal to:

Select the correct option

- π radian
- 2π radian
- 1 radian
- π/2 radian

Scanned with CamScanner
Scanned with CamScanner

7:57 • 27%

"The angular displ...lution is equal to:"

Copy text Listen Translate Se

2π radians

اردو میں In English

1 revolution is equal to an angle of **2π radians**.

https://www.toppr.com › question

1 revolution is equivalent to : - Toppr

About featured snippets Feedback

People also ask

What is the angular displacement in one revolution?

How do you find angular displacement with revolutions?

How many radians equal a revolution?

Is 2pi one a revolution?

Feedback

Questions and answers

Brainly.in Toppr

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

7:57 27%
vulms.vu.edu.pk/Quiz/QuizQ
6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 8 of 10 (Start time: 07:57:23 PM, 28 November 2022)

Change in momentum in one second is called:

Select the correct option

- Force
- Impulse
- Torque
- Work

Scanned with CamScanner

Scanned with CamScanner

7:58 ⚠ 🖼 Ⓑ 4G+ Vo)) LTE2 27%

"Change in mome...second is called:"

Copy text | Listen | Translate | Se

اردو میں | In English

Therefore, the time rate of change of momentum is called **force**. Velocity of COM.

https://byjus.com › question-answer

What is the time rate of change of momentum called? Q&A - BYJU'S

About featured snippets | Feedback

People also ask

What is change of momentum called?

The other name for a change in momentum is the **impulse of a force**.

https://byjus.com › question-answer

What is another name for a change in momentum?

More results

What is change in momentum per second?

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:00 27%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC220416525: MADIHA ASLAM

PHY101 - Physics (1st online quiz Physics (PHY101)) Quiz St

Question # 10 of 10 (Start time: 07:59:27 PM, 28 November 2022)

Force:

elect the correct option

- is the rate of change of doing work
- equals the time rate of change of momentum
- is the ability to do work
- equals the negative integral (with respect to distance) of the potential energy function

Click to So

Scanned with CamScanner

Scanned with CamScanner

8:00 27%
vulms.vu.edu.pk/Quiz/QuizLi 6
LMS
MADIHA ASLAM
(BC220416525)

1-1st online quiz Physics (PHY101)

#

Quiz Title:

Start Date :

Nov 28, 2022 12:00 AM

End Date:

Nov 29, 2022 11:59 PM

Total Marks:

10

Quiz Status:

Open

Submit Status:

Submitted

Submit Date: Nov 28,2022 08:00 PM

Result:

2-3rd online quiz Physics (PHY101)

#

Quiz Title:

Start Date :

Dec 22, 2022 12:00 AM

End Date:

Dec 23, 2022 11:59 PM

Total Marks:

10

Quiz Status:

-

Submit Status:

Scanned with CamScanner

Scanned with CamScanner

8:01 26%
vulms.vu.edu.pk/Quiz/QuizQ
6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 1 of 10 (Start time: 08:01:43 PM, 28 November 2022)

What sort of energy does flying bird posses?

Select the correct option

- Both potential and kinetic energy
- Kinetic energy
- Elastic energy
- Potential energy

Scanned with CamScanner
Scanned with CamScanner

8:01 26%

"What sort of ene...ing bird posses?"

Copy text | Listen | Translate | Se

اردو میں | In English

It contains **potential energy** due to its position above the ground level and contains kinetic energy due to its motion. Hence a flying bird possesses both kinetic energy and potential energy.

https://www.toppr.com › question

A bird flying in the sky has | Physics Questions - Toppr

About featured snippets | Feedback

People also ask

What kind of energy does a flying bird display?

What is the energy of a bird?

Does a flying bird have chemical energy?

Feedback

Tutorix
https://www.tutorix.com › question

The form of energy possessed by a

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:02 26%
vulms.vu.edu.pk/Quiz/QuizQ
6

Question # 2 of 10 (Start time: 08:02:28 PM, 28 November 2022)

The center of mass of a uniform disk of radius R is located:

Select the correct option

- a distance R/2 from the center
- on the rim
- at the center
- a distance R/3 from the center

Scanned with CamScanner

Scanned with CamScanner

8:03 • 26%
vulms.vu.edu.pk/Quiz/QuizQ
6

Question # 2 of 10 (Start time: 08:02:28 PM, 28 November 2022)

The center of mass of a uniform disk of radius R is located:

Select the correct option

○	a distance R/2 from the center
○	on the rim
●	at the center
○	a distance R/3 from the center

Scanned with CamScanner
Scanned with CamScanner

8:03 • 26%

"The center of ma...dius R is located:"

Copy text | Listen | Translate | Se

اردو میں | In English

1 Answer. The center of mass of a uniform disc shape would be **at its center**.
19-Mar-2021

https://www.sarthaks.com › the-cent...

The center of mass of uniform disk is located at? - Sarthaks eConnect

About featured snippets | Feedback

Questions and answers

Brainly.com

Question

the center of mass of uniform disk of radius R is located

Answer · 4 votes

Answer:At the center of the disk.Explanation:Hope this...
More

Sarthaks eConne

Question

The center of mass uniform disk is loca

Answer · 0 votes

The center of mass uniform disc shape
More

Feedback

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:03 • 26%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC210415187: MUHAMMAD DAWAR BAIG

PHY101 - Physics (1st online quiz Physics (PHY101)) Quiz Start

Question # 3 of 10 (Start time: 08:03:23 PM, 28 November 2022)

If the slope of velocity-time graph is a straight line such that tan θ = 1 at each point, then graph represents:

Select the correct option

- ○ Uniform velocity
- ○ Uniform acceleration
- ○ Variable velocity
- ○ Variable acceleration

Click to Save

Scanned with CamScanner

Scanned with CamScanner

8:04 26%
toppr.com
toppr answr
Use app
Login
Search for questions & chapters
Class 11 » Physics » Motion in a Straight Line » Speed and Veloci

Question

The slope of velocity-time graph for motion with uniform velocity is equal to

A final velocity

Your Answer

B initial velocity

Correct Answer

C zero

D none of the above

Medium

Open in App
Updated on : 2022-09-05
Solve Ask Study Textbooks Guides
Scanned with CamScanner
Scanned with CamScanner

8:05 • 4G+ Vo)) LTE2 25%
vulms.vu.edu.pk/Quiz/QuizQ 6

Question # 4 of 10 (Start time: 08:05:13 PM, 28 November 2022)

The product of force and time is called change in:

Select the correct option

- work
- Angular acceleration
- Force
- Momentum

Scanned with CamScanner

Scanned with CamScanner

8:05 • 25%

"The product of f...called change in:"

Copy text | Listen | Translate | Se

اردو میں | In English

From Newton's second law it follows that, if a constant force acts on a particle for a given time, the product of force and the time interval (the impulse) is equal to the change in **the momentum**.

https://www.britannica.com › science

Momentum | Definition, Examples, & Facts - Encyclopedia Britannica

About featured snippets | Feedback

People also ask

What is the product of force and change in time?

What is the product of force and time called?

What is force times change in time?

What is called the product of force?

Feedback

Toppr

https://www.toppr.com › question

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:06 • 4G+ Vo)) LTE2 25%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC210415187: MUHAMMAD DAWAR BAIG

Time Left 84 sec(s)

PHY101 - Physics (1st online quiz Physics (PHY101))

Quiz Start Time: 08:01 PM, 28 November 2022

Question # 5 of 10 (Start time: 08:05:58 PM, 28 November 2022)

Total Marks:

When number of bodies are such that they can exert force upon one another and no external agency exerts a force on them, they are said to form:

Select the correct option

- An isolated system
- Non-inertial frame of reference
- Non isolated system
- An inertial frame of reference

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Scanned with CamScanner

8:06 • 4G+ Vo)) LTE2 25%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC210415187: MUHAMMAD DAWAR BAIG

Time Left 66 sec(s)

PHY101 - Physics (1st online quiz Physics (PHY101))

Quiz Start Time: 08:01 PM, 28 November 2022

Question # 5 of 10 (Start time: 08:05:58 PM, 28 November 2022)

Total Marks:

When number of bodies are such that they can exert force upon one another and no external agency exerts a force on them, they are said to form:

Select the correct option

- An isolated system
- Non-inertial frame of reference
- Non isolated system
- An inertial frame of reference

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Scanned with CamScanner

8:07 • 24%
vulms.vu.edu.pk/Quiz/QuizQ
6

Question # 6 of 10 (Start time: 08:07:16 PM, 28 November 2022)

One revolution per minute is about:

Select the correct option

- 0.105 rad/s
- 0.95 rad/s
- 0.0524 rad/s
- 1.57 rad/s

Scanned with CamScanner

Scanned with CamScanner

8:09 • 24%
vulms.vu.edu.pk/Quiz/QuizQ 6

Question # 7 of 10 (Start time: 08:09:16 PM, 28 November 2022)

A body will be in translational equilibrium if:

Select the correct option

- ○ $\Sigma P = 0$
- ○ $\Sigma W = 0$
- ○ $\Sigma T = 0$
- ○ $\Sigma F = 0$

Scanned with CamScanner

Scanned with CamScanner

8:10 • 24%

"A body will be in t...al equilibrium if:"

Copy text | Listen | Translate | Se

اردو میں | In English

1) Translational equilibrium: **If the net force acting on a body is zero**, then the body is said to be in translational equilibrium. In such a case, the center of mass of the body remains either at rest or moves rectilinearly with constant velocity.

https://brilliant.org › wiki › torque-...

Torque - Equilibrium | Brilliant Math & Science Wiki

About featured snippets | Feedback

People also ask

When a body is in translational equilibrium?

A mass or an object is in translational equilibrium **when the sum of all the external forces acting on the object equals zero** it means an object is in translational equilibrium when overall acceleration is zero. Therefore, it is either not moving or moving at a constant velocity.

https://byjus.com › question-answer

A body is said to be in translational equilibrium

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:10 • 4G+ Vo)) LTE2 23%
vulms.vu.edu.pk/Quiz/QuizQ 6

BC210415187: MUHAMMAD DAWAR BAIG

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 8 of 10 (Start time: 08:10:37 PM, 28 November 2022)

The angular displacement of one revolution is equal to:

Select the correct option

- ○ 2π radian
- ○ 1 radian
- ○ π/2 radian
- ○ π radian

Scanned with CamScanner

Scanned with CamScanner

8:11 23%

vulms.vu.edu.pk/Quiz/QuizQ

Google Lens

BC210415187: MUHAMMAD DAWAR BAIG

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 8 of 10 (Start time: 08:10:37 PM, 28 November 2022)

The angular displacement of one revolution is equal to:

Select the correct option

- 2π radian
- 1 radian
- π/2 radian
- π radian

Search image

"The angular displac...olution is equal to:"

2π radians

اردو میں

In English

Scanned with CamScanner

Scanned with CamScanner

8:11 4G+ Vo)) LTE2 23%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC210415187: MUHAMMAD DAWAR BAIG

PHY101 - Physics (1st online quiz Physics (PHY101)) Quiz Start T

Question # 9 of 10 (Start time: 08:11:08 PM, 28 November 2022)

A wheel of radius 50 cm having the angular speed of 5 rad/s will have linear speed in m/s?

Select the correct option

- 0.5
- 3.5
- 2.5
- 1.5

Click to Save A

Scanned with CamScanner

Scanned with CamScanner

8:11 23%

"A wheel of radius...ar speed in m/s?"

Copy text Listen Translate Se

Brainly.in
https://brainly.in › question

A wheel of radius 50 Cm having an angular speedof 5 rad s-1 have linear speed.

05-May-2019 · 1 answer

Hence, the linear velocity of the object will be 2.5 m/s. Explore all similar answers.

Top answer · 8 votes

Given:Radius [tex]=50cm[/tex] Angular speed [tex]=5rad/s[/tex] To find:Linear velocity of the wheel.Explanation:The change in angular displacement of ... More

Quora
https://www.quora.com › What-is-li...

What is linear speed a wheel of radius 50cm having an angular speed of 5radian per ...

03-May-2018 · 1 answer

What is linear speed a wheel of radius 50cm having an angular speed of 5radian per second?

2 votes

It's simply v = R times omega

12,008 votes

Yes, it actually happ

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:11 4G+ Vo)) LTE2 23%
vulms.vu.edu.pk/Quiz/QuizQ 6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 10 of 10 (Start time: 08:11:41 PM, 28 November 2022)

If the mass of moving objects is doubled then its K.E becomes:

Select the correct option

- 2 times
- 16 times
- 5 times
- 4 times

Scanned with CamScanner

Scanned with CamScanner

8:11 23%

"If the mass of m...its K.E becomes:"

Copy text | Listen | Translate | Se

اردو میں | In English

The kinetic energy of the object is directly proportional to the mass, therefore on doubling the mass kinetic energy will also become **double**.

https://homework.study.com › what...

What happens to kinetic energy if mass is doubled? - Study.com

About featured snippets | Feedback

Quora
https://www.quora.com › If-the-mas...

If the mass of a moving body is doubled, how many times will the kinetic energy ...

12-Sept-2017 · 6 answers

If the mass of a moving body is doubled, how many times will the kinetic energy increase?

3 votes

Kinetic Energy 1 = 1/2×mass×(velocity)^2 Thus from the formula of Kinetic Energy, when ... More

5 votes

Double the original [math]T_{1}[/math] for the original amo kinetic ... More

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:15 • 22%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC190200910: MUHAMMAD AHRAZ

PHY101 - Physics (1st online quiz Physics (PHY101)) Quiz Start Time: 08:14 PM, 2

Question # 1 of 10 (Start time: 08:14:59 PM, 28 November 2022)

If force of friction is negligible, then acceleration of two freely falling objects of different masses is:

Select the correct option

- Variable
- The same
- Smaller acceleration for smaller mass
- None of these

Click to Save Answer & Move to

Scanned with CamScanner

Scanned with CamScanner

8:16 • 22%

"It force of friction...erent masses is:"

Copy text Listen Translate Se

اردو میں In English

If the force of friction is negligible then the acceleration of two free-falling objects of different masses is **the same**. In free fall, an object's acceleration is solely determined by the acceleration caused by gravity; mass has no bearing on this acceleration. 07-May-2021

https://brainly.in › question

If the force of friction is negligible then the acceleration of two free-falling objects of ...

About featured snippets Feedback

Questions and answers

Brainly.in

Question

If the **force of friction is negligible then acceleration of two** free **falling objects of different masses** is:a)same b) differentc) smaller **mass**

Brainly.in

Question

If the **force of fricti negligible then acc of two** free **falling different masses** is

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:16 4G+ Vo)) LTE2 22%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC190200910: MUHAMMAD AHRAZ

Time Left 85 sec(s)

PHY101 - Physics (1st online quiz Physics (PHY101))

Quiz Start Time: 08:14 PM, 28 November 2022

Question # 2 of 10 (Start time: 08:16:19 PM, 28 November 2022)

Total Marks:

Physics is one of the branches of:

Select the correct option

- Abstract art
- Biological sciences
- Physical sciences
- Social physics

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Scanned with CamScanner

8:17 • 21%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC190200910: MUHAMMAD AHRAZ

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 3 of 10 (Start time: 08:17:34 PM, 28 November 2022)

The product of force and time is called change in:

Select the correct option

- Acceleration
- Impulse
- Torque
- Force

Scanned with CamScanner

Scanned with CamScanner

8:18 • 21%

vulms.vu.edu.pk/Quiz/QuizQ 6

Question # 4 of 10 (Start time: 08:18:49 PM, 28 November 2022)

Newton's second law of motion is also called:

Select the correct option

- Law of gravitation
- Law of acceleration
- Law of torque
- Law of inertia

Scanned with CamScanner

Scanned with CamScanner

8:19 4G+ Vo)) LTE2 21%

"Newton's second...ion is also called:"

Copy text | Listen | Translate | Se

اردو میں | In English

The other name for Newton's second law is the **law of force and acceleration**.

Physics Motion Equations: What Is Displacement Current

Fundamental Quantities Definition: What Are The Three Laws Of Motion

https://byjus.com › physics › newto...

Newton's Second Law Of Motion - Derivation, Applications, Solved ...

About featured snippets | Feedback

People also search for

- Newton's second law says that when an
- Newton's second law of motion is also known as the law of acceleration
- Newton's second law statement
- 10 examples of Newton's second law of motion
- Newton's second law of motion Class 9

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:19 • 21%
vulms.vu.edu.pk/Quiz/QuizQ
6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 5 of 10 (Start time: 08:19:44 PM, 28 November 2022)

A body is changing its direction but its speed is constant, the object is:

Select the correct option

- slowing down
- accelerating
- speeding
- Displacing

Scanned with CamScanner

Scanned with CamScanner

8:20 • 21%

"A body is changin...nt, the object is:"

Copy text | Listen | Translate | Se

اردو میں | In English

An object which experiences either a change in the magnitude or the direction of the velocity vector can be said to be **accelerating**. This explains why an object moving in a circle at constant speed can be said to accelerate - the direction of the velocity changes.

https://www.physicsclassroom.com › ...

Acceleration - The Physics Classroom

About featured snippets | Feedback

Questions and answers

Quora

Question

Give example of **a body on which its speed is constant** but it's velocity **is changing?**

Answer · 11 votes

A body or an object moving

Brainly.in

Question

A body is changing direction but its sp constant the objec

accelerating 2) slo

3) **speeding** 4) disr

Answer · 2 votes

Answer:A body is c

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:20 • 20%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC190200910: MUHAMMAD AHRAZ

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 6 of 10 (Start time: 08:20:20 PM, 28 November 2022)

Light year is a unit of:

Select the correct option

- velociy
- acceleration
- distance
- time

Scanned with CamScanner

Scanned with CamScanner

8:22 20%

vulms.vu.edu.pk/Quiz/QuizQ 6

BC190200910: MUHAMMAD AHRAZ

PHY101 - Physics (1st online quiz Physics (PHY101)) Quiz Start Time: 08:14 PM

Question # 8 of 10 (Start time: 08:21:59 PM, 28 November 2022)

Final take off velocity of an airplane is 67 m/s. The length of runway is 2 km, the constant acceleration is:

Select the correct option

- (●) 3.24 ms^-2
- ( ) 3.24 ms^-1
- ( ) 2.24 ms^-2
- ( ) 2.24 ms^-1

Click to Save Answer & Move

Scanned with CamScanner

Scanned with CamScanner

8:22 20%
vulms.vu.edu.pk/Quiz/QuizQ
6

Question # 9 of 10 (Start time: 08:22:34 PM, 28 November 2022)

The rate of change of momentum of a body is equal to:

Select the correct option

- Displacement
- Applied force
- Velocity
- Acceleration

Scanned with CamScanner
Scanned with CamScanner

8:23 20%

"The rate of chan... body is equal to:"

Copy text Listen Translate Se

the Force

اردو میں In English

Detailed Solution. The rate of change of momentum of a body is equal to **the Force**. Energy is the ability to do work. It is measured in Joules.

https://testbook.com › the-rate-of-c...

The rate of change of momentum of a body is equal to the resultant

About featured snippets Feedback

Questions and answers

Toppr

Question

The rate of change of momentum of a body is equal to the resultant .

Answer · 13 votes

Correct option is C) force

More

Testbook.com

Question

"The rate of change momentum of a bo equal to the res"

Answer · 2429 votes

"Correct Option- (c) of change of mome

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner

8:23 4G+ Vo)) LTE2 20%
vulms.vu.edu.pk/Quiz/QuizQ 6

PHY101 - Physics (1st online quiz Physics (PHY101))

Question # 10 of 10 (Start time: 08:23:10 PM, 28 November 2022)

The angle between rectangular components of a vector is:

Select the correct option

- 45°
- 0°
- 90°
- 60°

Scanned with CamScanner

Scanned with CamScanner

8:23 20%

"The angle betwee...ts of a vector is:"

Copy text | Listen | Translate | Se

اردو میں | In English

The parts of a vector that may be reduced into rectangles are known as rectangular components of the vector. In an orthogonal coordinate system, and the axes are at a **90°** angle. Consequently, the vector's rectangular components are at a 90° angle. 01-Jul-2020

https://brainly.in › question

The angle between rectangular component of vector is: a) 45° b) 90° c ...

About featured snippets | Feedback

Questions and answers

Brainly.in

Question

The angle between rectangular component of vector is: a) 45° b) 90° c) 60° d) 180°

Brainly.in

Question

The angle between rectangular compo any vector

Did you find these results useful? Yes No

Scanned with CamScanner

Scanned with CamScanner