


MTH601 SS Quiz 2 Videos 23-28 +others Feb 08 22




9:37 PM
3.2 K/s
57
vulms.vu.edu.pk/Quiz/Q
88
MTH601 - Operations Research (Quiz No 2)
Quiz Start T
Question # 2 of 10 (Start time: 09:37:01 PM, 07 February 2022)
A Linear Programming problem may not have any feasible solution.
Select the correct option
False
True
Correct
Click to Save Ans


MTH601 - Operations Research (Quiz No 2)
Question # 2 of 10 (Start time: 12:16:54 PM, 08 February 2022)
After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables. If the initial basic feasible solution is say: (2,4,1,2). then its corresponding non-basic solution is
Select the correct option
(1,2)
(2,2)
(-4,-2)
(0,0)
Correct

February 2022)


If an artificial variable is not included while converting a constraint of type:'>=' into equation, then we will have -------- solution

Select the correct option

- non-degenerate
- infeasible

Correct - NOT SURE

- degenerate
- feasible


(Quiz No 2)
Question # 4 of 10 (Start time: 12:19:42 PM, 08 February 2022)
In the Simplex method to solve an LP problem of maximization, if at the end of an iteration, there is a negative coefficient in the objective row then the given problem----------
Select the correct option
needs further improvement
Correct
cant be optimized
has been maximized
has no solution
20°C Haze


MTH601 - Operations Research (Quiz No 2)

Question # 5 of 10 (Start time: 12:20:18 PM, 08 February 2022)


Which of the following order pair would minimize the objective function of the linear programming problem: $z = x + 5y$ subject to $x \geq 2, y \geq 0$?


Select the correct option

- (2,3)
- (0,3)
- (0,0)
- (2,0) Correct



20°C


MTH601 - Operations Research (Quiz No 2)
Question # 7 of 10 (Start time: 12:21:37 PM, 08 February 2022)
Quiz Start Time: 12:15 PM, 08
By Simplex method, to minimize 'Z = 2x+9y' of an LP problem, if 'z=A>0' for the initial iteration then for its next improved solution(0<A<100), which of the following would be the next entering variable?
Select the correct option
x<0
y>0
Correct
y<0
x>0
20°C Haze
12:21 PM


Question # 6 of 10 (Start time: 12:20:59 PM, 08 February 2022)
In Big M-method, if the objective function is expressed in terms of non-basic variable then the coefficient of artificial variable in this iteration must be -------
Select the correct option
M
zero
Correct
-M
one

MTH601 - Operations Research (Quiz No 2)


Question # 8 of 10 (Start time: 12:22:18 PM, 08 February 2022)


When using Big M method, the objective function should not contain _____ variable(s).

Select the correct option

- artificial
- slack
- x_1
- artificial and slack

Correct (not 100% sure)





MTH601 - Operations Research (Quiz No 2) Quiz Start Time: 09:36 PM, 07 February 2022

Question # 3 of 10 (Start time: 09:37:19 PM, 07 February 2022) Total Marks: 1


Which of the following order pair would minimize the objective function of the linear programming problem; $z = x + 5y$ subject to $x \geq 2, y \geq 0$?


Select the correct option


Reload Math Equations


- (2,0) Correct
- (0,0)
- (2,3)
- (0,3)


Click to Save Answer & Move to Next Question



Question # 10 of 10 (Start time: 12:24:37 PM, 08 February 2022)
When constraints are of greater than or equal to type, then we _____.
Select the correct option
non of these
subtract slack variable and add artificial variable
Correct
add slack variable and subtract artificial varialbe
both of these


9:43 PM
1.2 K/s
57
vulms.vu.edu.pk/Quiz/Q
88
Question # 10 of 10 (Start time: 09:42:44 PM, 07 February 2022)
Under which of the following condition to solve an LP by using two phase method, we can't proceed for 2nd p
Select the correct option
Objective function of 1st phase has zero value.
Objective function of 1st phase has positive value.
Correct
Click to Save


9:36 PM
19 B/s
57
vulms.vu.edu.pk/Quiz/Q
88
MTH601 - Operations Research (Quiz No 2)
Question # 1 of 10 (Start time: 09:36:09 PM, 07 February 2022)
For $Z = 4x_1 + x_2$ subject to $3x_1 + 4x_2 \geq 20, x_1 + 5x_2 \geq 15$, we have _____ variables.
Select the correct option
six
Correct
two artificial
three objective
one slack
Clic


9:42 PM
641 B/s
57
MTH601 - Operations Research (Quiz No 2)
Quiz Start Tim
Question # 9 of 10 (Start time: 09:41:57 PM, 07 February 2022)
If initial basic solution is ----------, while solving an LP problem then no further iteration can be performed.
Select the correct option
degenerate
non-degenerate
Correct- not 100% sure
infeasible
feasible
Click to Save Answe


9:41 PM
2.8 K/s
57
MTH601 - Operations Research (Quiz No 2)
Qui
Question # 7 of 10 (Start time: 09:40:40 PM, 07 February 2022)
While solving an LP problem by the Simplex method, in the standard table, the element at the intersectio
---------- element.
Select the correct option
Entering
Pivot
Correct
Slack
Leaving
Click to S




MTH601 - Operations Research (Quiz No 2)


Question # 6 of 10 (Start time: 09:39:59 PM, 07 February 2022)


In Simplex Standard table to solve an LP problem, if the ratio by taking the RHS of ea
key column is {2/3,5,1/3, -1/2}, then which of the following variable will be leaving?


Select the correct option


- ○ Variable corresponding to '2/3'
- ○ Variable corresponding to '1/3'
- ● Variable corresponding to '-1/2' Correct
- ○ Variable corresponding to '5'


9:39 PM
66 B/s
57
vulms.vu.edu.pk/Quiz/Q
88
MTH601 - Operations Research (Quiz No 2)
Quiz Start
Question # 5 of 10 (Start time: 09:39:14 PM, 07 February 2022)
Which of the following difficulty may found while attempting an LP problem by M-method?
Select the correct option
Computational error due to large value of M
Correct
Degeneracy is inevitable
It often leads to infeasible solution
Artificial do not leave the basis
Click to Save An


98% 11:44 a.m.
vulms.vu.edu.pk/Quiz/Q
2
Question # 1 of 10 (Start time: 11:45:39 AM, 08 February 2022)
For $Z = 4x_1 + x_2$ subject to $3x_1 + 4x_2 \geq 20, x_1 + 5x_2 \geq 15$, we have _____ variables.
Select the correct option
three objective
two artificial
two slack
both a and b
Correct- In this case it should be b and c, as correct answer is two artificial and two slack both
Click to Save Answer & Mo


98% 11:45 a.m.
vulms.vu.edu.pk/Quiz/Q
2
sec(s)
TH601 - Operations Research (Quiz No 2)
Quiz Start Time: 11:45 AM, 08 February 202
uestion # 2 of 10 (Start time: 11:46:29 AM, 08 February 2022)
Total Mark
While solving a Linear Programming problem by Simplex Method, an inequality constraint is transformed into strict equality by the inclusion of
---------- variable.
lect the correct option
basic
slack
Correct
artificial
decision
Click to Save Answer & Move to Next Question


98% 11:47 a.m.
vulms.vu.edu.pk/Quiz/Q
2
Question # 4 of 10 (Start time: 11:48:25 AM, 08 February 2022)
In the initial iteration of Big M-method, the artificial variables appear in ----------.
Select the correct option
Non-basic variables' set
Basis
Correct
Click to Save Answe


98% 11:46 a.m.
vulms.vu.edu.pk/Quiz/Q
2
In the final iteration of M-method to obtain the optimal solution, the artificial variable must------- the basis.
Select the correct option
include in
add in each variable of
subtract from each variable of
leave
Correct
Click to Save Answer & Mov

97% 11:50 a.m.

sec(s)

MTH601 - Operations Research (Quiz No 2) Quiz Start Time: 11:45 AM, 08 February 2022

Question # 6 of 10 (Start time: 11:50:49 AM, 08 February 2022) Total Marks:

In two phase method, for the phase-I, if the objective function in terms of artificial variables is not minimized then the given problem has----------.

Select the correct option

- Optimal solution
- Feasible solution
- Degeneracy
- Infeasible solution

Correct

Click to Save Answer & Move to Next Question

97% 11:53 a.m.

sec(s)

ITH601 - Operations Research (Quiz No 2)

Quiz Start Time: 11:45 AM, 08 February 2022

uestion # 8 of 10 (Start time: 11:53:51 AM, 08 February 2022)

Total Marks: 1

In the Simplex method to solve an LP problem of minimization, if at the end of iteration, every entry of objective function row is negative then the given problem ----------.

elect the correct option

- has been minimized — Correct
- needs further improvement
- can not be optimized
- has no solution

Click to Save Answer & Move to Next Question

97% 11:51 a.m.

sec(s)

MTH601 - Operations Research (Quiz No 2) Quiz Start Time: 11:45 AM, 08 February 202


Question # 7 of 10 (Start time: 11:52:02 AM, 08 February 2022) Total Marks:

If the original Linear Programming problem has no Feasible Solution, then either the Big-M method or Phase-I of the Two-Phase method will give a final solution that has at least one artificial variable _____.

Select the correct option

- equal to zero
- greater than zero Correct
- less than zero
- of any arbitrary value

Click to Save Answer & Move to Next Question




uestion # 9 of 10 (Start time: 11:55:00 AM, 08 February 2022) Total M


In two phase method if the minimum value of objective function in the first phase is greater than zero, then the solution of original problem

lect the correct option

- exists
- does not exists — Correct
- is uncertain
- non of these

Click to Save Answer & Move to Next Questi


BC180405453: RIDA ZAINAB
MTH601 - Operations Research (Quiz No 2)
Question # 2 of 10 (Start time: 11:55:47 AM, 08 February 2022)
In two phase method, for the phase-I, a new objective function is expressed as -----.
Select the correct option
difference of slack variables
difference of artificial variables
sum of slack variables
sum of artificial variables
Correct
Search the web and Windows



BC180404915: MUHAMMAD USMAN SIDDIQI

Time Left 87 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 11:58 AM, 08 February 2022

Question # 1 of 10 (Start time: 11:58:57 AM, 08 February 2022) **Total Marks:** 1

In two phase method, which of the following will be taken as starting solution for 2nd phase?

Select the correct option

- Infeasible solution of 1st phase.
- Basic solution of 1st phase containing non-zero artificial variables
- Optimum feasible solution of 1st phase
- Non-basic solution of 1st phase containing non-negative slacks

Correct

Click to Save Answer & Move to Next Question


Question # 6 of 10 (Start time: 12:00:52 PM, 08 February 2022)

In an LP problem, to evaluate the basic variables in Simplex method, which of the following method is used?

Select the correct option

○	Gauss-Jordan method Correct
○	Gauss Least Square method
○	Gauss Elimination method
○	Gauss-Seidel method

Search the web and Windows



BC180404915: MUHAMMAD USMAN SIDDIQI

Time Left 86 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 11:58 AM, 08 February 2022

Question # 3 of 10 (Start time: 12:01:57 PM, 08 February 2022)

Total Marks: 1

In an LP problem, to evaluate the basic variables in Simplex method in any iteration, we would have to express Objective function in terms of ———— variables


Select the correct option


- Artificial
- Basic
- Non-basic


Correct - not sure

- Slack

Click to Save Answer & Move to Next Question


18 K/s
83% 12:03
vulms.vu.edu.pk/Quiz/QuizQuestion.as
BC180404915: MUHAMMAD USMAN SIDDIQI
Time Left 86 sec(s)
MTH501 - Operations Research (Quiz No 2)
Quiz Start Time: 11:58 AM, 08 February 2022
Question # 4 of 10 (Start time: 12:03:23 PM, 08 February 2022)
Total Marks: 1
While solving a LP problem by Simplex method in a given iteration, the new basic variable is ———— and the variable remove from the basis is called ————
Select the correct option
(entering, leaving)
Correct
(leaving, entering)
(infeasible, feasible)
(feasible, infeasible)
Click to Save Answer & Move to Next Question


MTH601 - Operations Research (Quiz No 2)
Quiz Start Time:
Question # 10 of 10 (Start time: 12:05:18 PM, 08 February 2022)
In the Simplex method to solve an LP problem of minimization, if at the end of iteration, every entry of objective function row is negative then the given problem ----------.
Select the correct option
has no solution
needs further improvement
has been minimized
Correct
can not be optimized
Search the web and Windows



BC180404915: MUHAMMAD USMAN SIDDIQI

Time Left 88 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 11:58 AM, 08 February 2022

Question # 5 of 10 (Start time: 12:04:13 PM, 08 February 2022)

Total Marks: 1


In M-method, which of the following is true about the coefficient (M) of artificial variable(A) in the objective function?

Select the correct option

- M---->optimal solution
- M---->zero
- M---> +infinity
- M---> -infinity

Correct - Not Sure

Click to Save Answer & Move to Next Question



BC180404915: MUHAMMAD USMAN SIDDIQI

Time Left 87 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 11:58 AM, 08 February 2022

Question # 6 of 10 (Start time: 12:05:45 PM, 08 February 2022) **Total Marks: 1**

In M-method, if the given LP problem has the feasible solution then the optimization algorithm enforces artificial variable to———

Select the correct option

- + Infinity
- Optimal solution
- - Infinity
- Zero

Correct

Click to Save Answer & Move to Next Question

MTH601 - Operations Research (Quiz No 2)


Question # 9 of 10 (Start time: 12:03:43 PM, 08 February 2022)

For $Z = 4x_1 + x_2$ subject to $3x_1 + 4x_2 \geq 20, x_1 + 5x_2 \geq 15$, we have _____ variables.

Select the correct option

- six — Correct
- three objective
- one artificial
- two slack

Search the web and Windows



BC180404915: MUHAMMAD USMAN SIDDIQI

Time Left 88 sec(s)

MTH601 - Operations Research (Quiz No 2)

Quiz Start Time: 11:58 AM, 08 February 2022

Question # 9 of 10 (Start time: 12:09:26 PM, 08 February 2022) **Total Marks:** 1

In Simplex standard table to solve an LP problem of Minimization, we choose the candidate for entering variable in-----.

Select the correct option

- Constraint with most positive coefficient
- Objective function with most negative coefficient
- Objective function with most positive coefficient — Correct
- Constraint with most negative coefficient

Click to Save Answer & Move to Next Question

B

96% 11:55 a.m.

sec(s)


Question # 10 of 10 (Start time: 11:56:02 AM, 08 February 2022) Total Mark:


In a feasible region, if the end points of a line segment are basic solutions which BOTH also give the optimal solution, then ---------- will also serve for optimal.

Select the correct option

- no other point
- the point which divides segment in ratio 1:2
- the only midpoint of the segment
- all other points on the segment

Click to Save Answer & Move to Next Question


BC180405453: RIDA ZAINAB
Operation Research
MTH601 - Operations Research (Quiz No 2)
Quiz Start Time: 11:54 AM, 08 Febru
Question # 4 of 10 (Start time: 11:57:33 AM, 08 February 2022)
Total
By Simplex method, to maximize 'Z = 2x−9y' of an LP problem, if 'z=0' for the initial iteration then for its next improved solution, which of the following would be the next entering variable?
Select the correct option
x<0
y<0
y>0
x>0
Search the web and Windows


Booking.com
Amazon.com
eBay
Facebook
YouTube
BC180405453: RIDA ZAINAB
MTH501 - Operations Research (Quiz No 2)
Question # 5 of 10 (Start time: 11:59:17 AM, 08 February 2022)
After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables. If the initial basic feasible solution is say:(2,4,1,2), then it is
Select the correct option
degenerate feasible
non-degenerate infeasible
degenerate infeasible
non-degenerate feasible
Search the web and Windows

BC180405453: RIDA ZAINAB


MTH601 - Operations Research (Quiz No 2)


Question # 8 of 10 (Start time: 12:02:48 PM, 08 February 2022)

In the initial table of Simplex method, the objective function should not contain the terms involving----------variables.

Select the correct option

- basic
- non-basic
- degenerate
- artificial





BC180404915: MUHAMMAD USMAN SIDDIQI

Time Left 87 sec(s)

MTH501 - Operations Research (Quiz No 2)

Quiz Start Time: 11:58 AM, 08 February 2022

Question # 10 of 10 (Start time: 12:11:22 PM, 08 February 2022)


Total Marks: 1


In a feasible region, if the end points of the line segment are basic solutions, then all the points between these two will ----------

Select the correct option

- be infeasible
- be non basic
- be optimal
- also be the basic

Click to Save Answer & Move to Next Question


Question # 9 of 10 (Start time: 12:12:45 PM, 08 February 2022)
The dual of the dual of a Linear Programming problem is itself the _____ problem.
Select the correct option
primal
assignment
dual
transportation
Search the web and Windows


Question # 10 of 10 (Start time:
In graphical solution of solving Linear Programming problem to convert inequalities into equations, we ----------.
Select the correct option
simply assume them to be equations
use Artificial surplus variables
use Slack variables
use Surplus variables
Search the web and Windows

Telenor
Jazz
41% 10:13 PM
quiz.vu.edu.pk/QuizQue
2

MC200200170: NAFEES AHMAD

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 10:05 PM, 24 July 2021

Question # 10 of 10 (Start time: 10:13:52 PM, 24 July 2021)

Total Marks: 1

The insensitivity of the solution relative to the original decision variables in an LP problem which is solved by M-method is overcome by ----------.

Select the correct option

- Simplex method
- Two phase method ✓ pg 100
- Duality principle
- Graphical method

Click to Save Answer & Move to Next Question

M@I!k

56% 5:07 PM

quiz.vu.edu.pk/QuizQuestion.as

MC200200058: SHAH KHALID

Time Left 87 sec(s)

MTH601:Quiz

Quiz Start Time: 04:59 PM, 24 July 2021

Question # 7 of 10 (Start time: 05:05:00 PM, 24 July 2021)

Total Marks: 1

A linear programming problem _____ optimal solutions.

Select the correct option

- must have the multiple
- may not have the multiple
- must not have the multiple
- may have the multiple

57% 5:02 PM
quiz.vu.edu.pk/QuizQuestion.as

MC200200058: SHAH KHALID

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 04:59 PM, 24 July 2021

Question # 2 of 10 (Start time: 05:00:18 PM, 24 July 2021)

Total Marks: 1

A Linear Programming problem may not have any feasible solution.

Select the correct option

- False
- True



Click to Save Answer & Move to Next Question

5:12

9.9 K/s 63

Quiz
quiz.vu.edu.pk

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left 87 sec(s)

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 2 of 10 (Start time: 05:12:43 PM, 24 July 2021)

Total Marks: 1

After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables, if the initial basic feasible solution is say;(2,4,0,2), then it is ---------- solution.

Select the correct option

- degenerate infeasible
- non-degenerate infeasible
- non-degenerate feasible
- degenerate feasible

Not sure

Save Answer & Next

5:17 2.3 K/s 62

Quiz
quiz.vu.edu.pk

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 5 of 10 (Start time: 05:17:25 PM, 24 July 2021)

Total Marks: 1

After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables. If the initial basic feasible solution is say;(2,4,1,2), then its corresponding non-basic solution is--------.

Select the correct option

- (1,2)
- (2,2)
- (-4,-2)
- (0,0)

Question # 2 of 10 (Start time: 06:21:12 PM, 24 July 2021)

Which of the following difficulty may found while attempting an LP problem by M-method?

Select the correct option

- Computational error due to large value of M
- Degeneracy is inevitable
- Artificial do not leave the basis
- It often leads to infeasible solution

pg 100

Type here to search

Question # 8 of 10 (Start time: 06:44:20 PM, 24 July 2021)

If any or all of the artificial variables do not leave the basis in the final solution, then this indicates that the problem _____

But if any or all of the artificial variables do not leave the basis in the final solution, then this indicates that the problem does not have a solution. pg 95

Select the correct option

- must have a solution
- non of these
- may have a solution
- does not have a solution



Type here to search

Quiz
quiz.vu.edu.pk

After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables, if the initial basic feasible solution is say;(2,4,0,2), then it is ——— solution.

O	degenerate infeasible
O	non-degenerate infeasible
O	non-degenerate feasible
O	degenerate feasible

not sure

MTH601:Quiz

Question # 7 of 10 (Start time: 06:26:50 PM, 24 July 2021)

An optimal solution of a Linear Programming problem is necessarily a Basic feasible solution.

Select the correct option

- True
- False

google

Type here to search

MC200200102: JANEETA MUNIR

MTH601:Quiz

Question # 5 of 10 (Start time: 06:24:27 PM, 24 July 2021)

Which of the following is true about the inclusion of non-negative slack variable into a constraint of type 'less than or equal'?

So we conclude that the addition of a non-negative variable called slack variable converts the 'less than equal to' constraint into strict ' equality constraint'. pg 83

Select the correct option

- Inequality become redundant and hence skips from the LP problem.
- Inequality is transformed into strict equality constraint
- Inequality is transformed into type: 'greater than or equal'
- This inclusion doest not affect the inequality

Type here to search

MTH601:Quiz

Question # 4 of 10 (Start time: 06:23:25 PM, 24 July 2021)

In the initial iteration of Big M-method, the artificial variables appear in ------.

page 94

Select the correct option

- Non-basic variables set
- Basis



Type here to search

MTH601:Quiz

Question # 3 of 10 (Start time: 06:22:05 PM, 24 July 2021)

In two phase method, for the phase-I, if the objective function has zero value with all vanishing artificial variables then we ——.

If the problem has a feasible solution, the minimum value of the objective function will be zero which shows that all the artificial variables are zero. Then proceed to phase II. Otherwise, if the minimum value is greater than zero, we conclude that the problem has no feasible solution. PG 101

Select the correct option

- proceed for 2nd phase
- necessarily have optimal solution
- cant proceed for 2nd phase
- Infeasible solution

Type here to search

Question # 9 of 10 (Start time: 06:15:45 PM, 24 July 2021)

In M-method, if the given LP problem has the feasible solution then the optimization algorithm enforces artificial variable to——

Select the correct option

- + Infinity
- Zero ✓ pg 94
- Optimal solution
- – Infinity

MTH601:Quiz

Question # 8 of 10 (Start time: 06:14:58 PM, 24 July 2021)

In two phase method, for the phase-I, a new objective function is expressed as ---.

Select the correct option

- sum of slack variables
- sum of artificial variables
- difference of artificial variables
- difference of slack variables

pg 101

Question # 6 of 10 (Start time: 06:13:17 PM, 24 July 2021)

For $Z = 4x_1 + x_2$ subject to $3x_1 + 4x_2 \geq 20, x_1 + 5x_2 \geq 15$, we have _____ variables.

Select the correct option

- three objective
- two artificial ✓
- both a and b
- two slack

pg 94

Question # 4 of 10 (Start time: 06:11:38 PM, 24 July 2021)

When we have ≥ type constraints, then we convert it to equality constraints by introducing _____ variable(s) and solve it by _____ meth

Select the correct option

- artificial, Big M
- slack, Big M
- artificial, Two phase
- artificial and slack, Big M or Two phase

pg 94


MTH601:Quiz


Question # 3 of 10 (Start time: 06:10:54 PM, 24 July 2021)

Which of the following is true about an LP problem which is solved by M-method and having infeasible solution?

Select the correct option

- Penalty 'M' may not able to force artificial variable to zero in final iteration
- Final iteration table include one of the artificial variables.
- All choices are equivalent.
- Associated constraints are not consistent


57%
quiz.vu.edu.pk/QuizQuestion.as
MC200200058: SHAH KHALID
MTH601:Quiz
Quiz Start Time: 04:5
Question # 2 of 10 (Start time: 05:00:18 PM, 24 July 2021)
A Linear Programming problem may not have any feasible solution.
Select the correct option
False
True


56% 5:07
quiz.vu.edu.pk/QuizQuestion.as
MC200200058: SHAH KHALID
Time Left
MTH601:Quiz
Quiz Start Time: 04:59 PM, 24 Ju
Question # 7 of 10 (Start time: 05:05:00 PM, 24 July 2021)
Total
A linear programming problem _____ optimal solutions.
Select the correct option
must have the multiple
may not have the multiple
must not have the multiple
may have the multiple
41

Question # 1 of 10 (Start time: 10:05:12 PM, 24 July 2021) Total Marks: 1

In Simplex standard table to solve an LP problem of Minimization, we choose the candidate for entering variable in----------.

Minimization k liyee most positive

Maximization k liyee most negative

Select the correct option

- Constraint with most positive coefficient
- Objective function with most positive coefficient ✓

pg 88

- Constraint with most negative coefficient
- Objective function with most negative coefficient

Click to Save Answer & Move to Next Question

Telenor Jazz
43% 10:05 PM
quiz.vu.edu.pk/QuizQue:

MC200200170: NAFEES AHMAD

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 10:05 PM, 24 July 2021

Question # 1 of 10 (Start time: 10:05:52 PM, 24 July 2021)

Total Marks: 1

In two phase method, for the phase-I, the problem has infeasible solution if the minimum value of objective function ----------.

Select the correct option

- is imaginary
- less than zero
- equal to zero
- greater than zero ✓

pg 101

Click to Save Answer & Move to Next Question

Question # 2 of 10 (Start time: 10:05:57 PM, 24 July 2021) Total Marks: 1

In the Simplex method to solve an LP problem of minimization, if at the end of iteration, every entry of objective function row is negative then the given problem ----------.

Select the correct option

- can not be optimized
- has been minimized ✓ pg 88
- needs further improvement
- has no solution

Click to Save Answer & Move to Next Question

Telenor Jazz
43% 10:06 PM
quiz.vu.edu.pk/QuizQue:

MC200200170: NAFEES AHMAD

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 10:05 PM, 24 July 2021

Question # 2 of 10 (Start time: 10:06:48 PM, 24 July 2021)

Total Marks: 1

If in a LP problem, the objective is to maximize: z = 2x+3y, with all associated constraints of '=<' type, then in the 1st iteration, z = ---------.

Select the correct option

- 1
- 6
- 0 ✓ pg 85
- 5


Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 10:07:05 PM, 24 July 2021) Total Marks: 1

In two phase method, for the phase-I, a new objective function is expressed as -----.

Select the correct option

- sum of artificial variables ✓ pg 101
- difference of slack variables
- difference of artificial variables
- sum of slack variables



Two methods are available using the artificial variables. They are,
(1)The "Big M technique" or the Charnes method of penalty.
(2)The two phase technique. pg 94

There are two methods.
1; Big M technique
2; Two phase method

Question # 4 of 10 (Start time: 10:07:41 PM, 24 July 2021) Total Marks: 1

In the final iteration of M-method to obtain the optimal solution, the artificial variable must------ the basis.

Select the correct option

- add in each variable of
- subtract from each variable of
- leave
- include in

pg 95

Telenor
Jazz
42% 10:10 PM
quiz.vu.edu.pk/QuizQue:

MC200200170: NAFEES AHMAD

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 10:05 PM, 24 July 2021

Question # 6 of 10 (Start time: 10:10:14 PM, 24 July 2021)

Total Marks: 1

By Simplex method, to minimize 'Z = 2x+9y'of an LP problem, if 'z=A>0' for the initial iteration then for its next improved solution(0<A<100), which of the following would be the next entering variable?

Select the correct option

- y>0
- x>0
- x<0
- y<0

Click to Save Answer & Move to Next Question

Telenor
Jazz
42% 10:11 PM
quiz.vu.edu.pk/QuizQue:

MC200200170: NAFEES AHMAD

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 10:05 PM, 24 July 2021

Question # 8 of 10 (Start time: 10:11:46 PM, 24 July 2021)

Total Marks: 1

While solving an LP problem by the Simplex method, in the standard table, the element at the intersection of key column and key row is called ---------- element.

Select the correct option

- Pivot ✓ pg 87
- Leaving
- Entering
- Slack

Click to Save Answer & Move to Next Question

Question # 10 of 10 (Start time: 10:11:56 PM, 24 July 2021) Total Marks: 1

When constraints are of greater than or equal to type, then we _____.

Select the correct option

- subtract slack variable and add artificial variable

pg 94



- both of these
- add slack variable and subtract artificial varialbe
- non of these

Telenor
Jazz
42% 10:11 PM
quiz.vu.edu.pk/QuizQue:

MC200200170: NAFEES AHMAD

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 10:05 PM, 24 July 2021

Question # 7 of 10 (Start time: 10:11:03 PM, 24 July 2021)

Total Marks: 1

After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables. If the initial basic feasible solution is say;(2,4,1,2), then its corresponding non-basic solution is---------.

Select the correct option

- (0,0)
- (-4,-2)
- (2,2)
- (1,2)

Not sure

Click to Save Answer & Move to Next Question

Question # 7 of 10 (Start time: 10:09:37 PM, 24 July 2021) Total Marks: 1

Which of the following difficulty may found while attempting an LP problem by M-method?

Select the correct option

- Artificial do not leave the basis
- Computational error due to large value of M pg 100
- It often leads to infeasible solution
- Degeneracy is inevitable

Telenor Jazz
42% 10:09 PM
quiz.vu.edu.pk/QuizQue:

MC200200170: NAFEES AHMAD

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 10:05 PM, 24 July 2021

Question # 5 of 10 (Start time: 10:09:12 PM, 24 July 2021)

Total Marks: 1

In an LP problem, to evaluate the basic variables in Simplex method in any iteration, we would have to express Objective function in terms of ---------- variables.

Select the correct option

- Basic
- Artificial
- Non-basic
- Slack

Click to Save Answer & Move to Next Question

Question # 9 of 10 (Start time: 10:10:53 PM, 24 July 2021) Total Marks: 1

By Simplex method, to maximize 'Z = 2x +9y'of an LP problem, if 'z=0' for the initial iteration then for its next improved solution, which of the following would be the next entering variable?

Select the correct option

- y>0
- x<0
- x>0
- y<0

Telenor
Jazz
41% 10:13 PM
quiz.vu.edu.pk/QuizQue
2

MC200200170: NAFEES AHMAD

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 10:05 PM, 24 July 2021

Question # 10 of 10 (Start time: 10:13:52 PM, 24 July 2021)


Total Marks: 1

The insensitivity of the solution relative to the original decision variables in an LP problem which is solved by M-method is overcome by ----------.

Select the correct option

- Simplex method
- Two phase method
- Duality principle
- Graphical method

Click to Save Answer & Move to Next Question





5:16

Quiz
quiz.vu.edu.pk

10

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 4 of 10 (Start time: 05:16:28 PM, 24 July 2021)


Total Marks: 1

While solving an LP problem by Simplex method, the inclusion of slacks in the constraints' inequalities helps in finding ---------- variables.

Select the correct option

- non-basic
- decision
- basic
- artificial





3

57% 5:04 PM

quiz.vu.edu.pk/QuizQuestion.as

MTH001:Quiz

While solving a Linear Programming problem by Simplex Method, an inequality says:'2x-3y<5' is transformed into strict equality of the form--------, where 's>=0'.

Select the correct option

○	2x-3y +s =5
○	2x-3y −s +A =5
○	2x-3y +s + A=5
○	2x-3y −s =5

57% 5:01 PM

quiz.vu.edu.pk/QuizQuestion.as

MC200200058: SHAH KHALID

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 04:59 PM, 24 July 2021

Question # 1 of 10 (Start time: 04:59:12 PM, 24 July 2021)

Total Marks: 1

For $Z = 4x_1 + x_2$ subject to $3x_1 + 4x_2 \geq 20, x_1 + 5x_2 \geq 15$, we have _____ variables.

Select the correct option

Reload Math Equations

- two slack
- three objective
- one artificial
- six

Click to Save Answer & Move to Next Question

M@I!k

57% 5:03 PM
quiz.vu.edu.pk/QuizQuestion.as

MC200200058: SHAH KHALID

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 04:59 PM, 24 July 2021

Question # 4 of 10 (Start time: 05:01:57 PM, 24 July 2021)

Total Marks: 1

In two phase method, for the phase-I, a new objective function is expressed as -----.

Select the correct option

- sum of artificial variables
- difference of artificial variables
- difference of slack variables
- sum of slack variables

57% 5:04 PM
quiz.vu.edu.pk/QuizQuestion.as

MC200200058: SHAH KHALID

Time Left 87 sec(s)

MTH601:Quiz

Quiz Start Time: 04:59 PM, 24 July 2021


Question # 5 of 10 (Start time: 05:02:49 PM, 24 July 2021)

Total Marks: 1

While solving a Linear Programming problem by Simplex Method, an inequality says:'2x-3y<5' is transformed into strict equality of the form--------, where 's>=0'.

Select the correct option

- 2x-3y +s =5
- 2x-3y −s +A =5
- 2x-3y +s + A=5
- 2x-3y −s =5



Because we do not use negative value in the ratio we take small value in positive number.

56% 5:08 PM
quiz.vu.edu.pk/QuizQuestion.as

MC200200058: SHAH KHALID

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 04:59 PM, 24 July 2021

Question # 9 of 10 (Start time: 05:06:42 PM, 24 July 2021)

Total Marks: 1

Which of the following is the standard form of objective function corresponding to,"MinZ=2x−11y, subject to x=5 and y=7"? Where A's are artificial.

Select the correct option

- z = 2x − 11y −MA1 + MA2
- z = 2x − 11y +MA1 + MA2
- z = 2x − 11y +MA1 − MA2
- z = 2x − 11y −MA1 − MA2

56% 5:05 PM
quiz.vu.edu.pk/QuizQuestion.as

MC200200058: SHAH KHALID

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 04:59 PM, 24 July 2021

Question # 6 of 10 (Start time: 05:03:45 PM, 24 July 2021)

Total Marks: 1

By Simplex method, to minimize 'Z = 2x+9y'of an LP problem, if 'z=A>0' for the initial iteration then for its next improved solution(0<A<100), which of the following would be the next entering variable?

Select the correct option

○	x<0
○	x>0
○	y>0
○	y<0

57% 5:02 PM
quiz.vu.edu.pk/QuizQuestion.as

MC200200058: SHAH KHALID

Time Left 85 sec(s)

MTH601:Quiz

Quiz Start Time: 04:59 PM, 24 July 2021

Question # 3 of 10 (Start time: 05:00:51 PM, 24 July 2021)

Total Marks: 1

Shortcoming of Big M method is that the value of M could be _____.

Select the correct option

- positive
- very large
- very small
- negative

pg 100

5:11

Quiz
quiz.vu.edu.pk

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left 87 sec(s)

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 1 of 10 (Start time: 05:11:06 PM, 24 July 2021)

Total Marks: 1

In the initial iteration of Big M-method, the artificial variables appear in ---------.

Select the correct option

- Non-basic variables' set
- Basis



pg 94

5:15

53 B/s 63

Quiz
quiz.vu.edu.pk

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left 85 sec(s)

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 3 of 10 (Start time: 05:15:23 PM, 24 July 2021)

Total Marks: 1

In two phase method, for the phase-I, if the given problem has feasible solution then---------.

Select the correct option

- objective function is arbitrary but artificial is zero
- objective function is zero but artificial may arbitrary
- both objective function and artificial are zero ✓ pg 100
- both objective and artificial can have arbitrary values

5:16

Quiz
quiz.vu.edu.pk

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left 87 sec(s)

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 4 of 10 (Start time: 05:16:28 PM, 24 July 2021)

Total Marks: 1

While solving an LP problem by Simplex method, the inclusion of slacks in the constraints' inequalities helps in finding ---------- variables.

Select the correct option

- non-basic
- decision
- basic ✓ pg 85
- artificial

5:19

16.9 K/s

Quiz
quiz.vu.edu.pk

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left 87 sec(s)

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 6 of 10 (Start time: 05:19:08 PM, 24 July 2021)

Total Marks: 1

After converting constraints into the respective Standard equalities, we have an LP problem of '4' equations in '6' variables, then in a given iteration, how many Infeasible VARIABLES are possible to exists?

Select the correct option

- 2
- 4
- 10
- 6



5:21

Quiz
quiz.vu.edu.pk

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left 87 sec(s)

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 8 of 10 (Start time: 05:21:00 PM, 24 July 2021)

Total Marks: 1

In two phase method, for the phase-I, the problem has infeasible solution if the minimum value of objective function ----------.

Select the correct option

- equal to zero
- greater than zero ✓ pg 101
- less than zero
- is imaginary

5:22

Quiz
quiz.vu.edu.pk

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left 87 sec(s)

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 9 of 10 (Start time: 05:22:06 PM, 24 July 2021)

Total Marks: 1

In Simplex standard table to solve an LP problem of Maximization, we choose the candidate for entering variable in-------.

Select the correct option

- Objective function with most positive coefficient
- Constraint with most positive coefficient
- Objective function with most negative coefficient ✓

pg 87

- Constraint with most negative coefficient

Quiz List | Quiz

Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=35ad241a-6e0c-4a5e-95d3-7fcb831

MC200204868: MUHAMMAD RIZWAN

MTH601:Quiz

Question # 4 of 10 (Start time: 05:32:12 PM, 24 July 2021)

The inequality $3x - 2y \geq 14$ is equivalent to _____

Select the correct option

- $-3x + 2y \leq -14$
- $-3x + 2y > 14$
- $3x - 2y \leq 14$
- $3x - 2y < -14$

pg 99

Telenor
Jazz
14% 5:31 PM
quiz.vu.edu.pk/QuizQue:

BC160402828: Muhammad Zeeshan Sikandar

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 05:27 PM, 24 July 2021

Question # 3 of 10 (Start time: 05:31:32 PM, 24 July 2021)

Total Marks: 1

In Simplex method, which of the following is the standard equality corresponding to the constraint"3x+5y>=2"?

Select the correct option

- 3x+2y−S−A=2
- 3x+2y+S+A=2
- 3x+2y+S−A=2
- 3x+2y−S+A=2 ✓ pg 95

Click to Save Answer & Move to Next Question

Quiz List | Quiz

Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=40296b43-52c7-4419-97f0-69b5b9140930

MC200204868: MUHAMMAD RIZWAN

MTH601 Quiz

Question # 3 of 10 (Start time: 05:31:04 PM, 24 July 2021)

In two phase method if the minimum value of objective function in the first phase is zero, then the solution of original problem _____

Select the correct option

- does not exists
- non of these
- is uncertain
- exists

pg 101

Quiz List | Quiz

Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=bf760562-2744-41d4-b4dc-f803acd4fee0

MTH601:Quiz

Question # 2 of 10 (Start time: 05:30:21 PM, 24 July 2021)

In two phase method if the minimum value of objective function in the first phase is greater than zero, then the solution of original problem _____

Select the correct option

- non of these
- is uncertain
- exists
- does not exists

Infeasible hoota h lekin idr wo option diyaa ni hwa so does not exist

pg 101

Telenor
Jazz
14% 5:29 PM
quiz.vu.edu.pk/QuizQue

BC160402828: Muhammad Zeeshan Sikandar

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 05:27 PM, 24 July 2021

Question # 2 of 10 (Start time: 05:29:50 PM, 24 July 2021)

Total Marks: 1

In the Simplex method to solve an LP problem of maximization, if at the end of an iteration, there is a negative coefficient in the objective row then the given problem---------.

Select the correct option

- needs further improvement

pg 88

- has been maximized
- has no solution
- cant be optimized

Click to Save Answer & Move to Next Question

MTH601:Quiz

Question # 1 of 10 (Start time: 05:28:48 PM, 24 July 2021)

In two phase method, for the phase-I, if the given problem has feasible solution then------

Select the correct option

- objective function is arbitrary but artificial is zero
- both objective and artificial can have arbitrary values
- both objective function and artificial are zero ✓
- objective function is zero but artificial may arbitrary

pg 101

Telenor
Jazz
15% 5:27 PM
quiz.vu.edu.pk/QuizQue:

BC160402828: Muhammad Zeeshan Sikandar

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 05:27 PM, 24 July 2021

Question # 1 of 10 (Start time: 05:27:50 PM, 24 July 2021)

Total Marks: 1

The cost coefficient of artificial variable in Objective function is ----------.

Select the correct option

- 1
- > than 1
- M
- 0

pg 96

Click to Save Answer & Move to Next Question

5:23

18.0 K/s

Quiz
quiz.vu.edu.pk

MC190403560: HAFIZ MUHAMMAD IRFAN

Time Left 87 sec(s)

MTH601:Quiz

Quiz Start Time: 05:11 PM, 24 July 2021

Question # 10 of 10 (Start time: 05:23:51 PM, 24 July 2021)

Total Marks: 1

While solving an LP problem by Simplex method, if we have '3' constraint equations in '5' variables then to find basic variables we have to put any ------ variables equal to zero.

Select the correct option

- 2 5-3 = 2
- 1 if there are m equations in n variables (n > m), a basic solution is obtained by solving m variables in terms of the remaining variables and letting (n - m) variables equal to zero.
- 4 The remaining (n - m) variables are termed as "non-basic" variables and their values are zero. Pg 84
- 3 ✓

Telenor
Jazz
13% 5:32 PM
quiz.vu.edu.pk/QuizQue:

BC160402828: Muhammad Zeeshan Sikandar

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 05:27 PM, 24 July 2021

Question # 4 of 10 (Start time: 05:32:27 PM, 24 July 2021)


Total Marks: 1

In two phase method, for the phase-I, if the objective function in terms of artificial variables is not minimized then the given problem has----------.

Select the correct option

- Feasible solution
- Optimal solution
- Infeasible solution
- Degeneracy

Click to Save Answer & Move to Next Question



Because to stop the iteration in Maximization all objective row coefficient are positive or zero. but in case of minimization to stop iteration the coefficient of objective function are all zero or negative.

MTH601:Quiz

Question # 5 of 10 (Start time: 05:33:44 PM, 24 July 2021)

In graphical solution of solving Linear Programming problem to convert inequalities into equations, we ----------.

Select the correct option

- use Surplus variables
- simply assume them to be equations
- use Artificial surplus variables
- use Slack variables

Telenor
Jazz
13% 5:34 PM
quiz.vu.edu.pk/QuizQue

BC160402828: Muhammad Zeeshan Sikandar

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 05:27 PM, 24 July 2021

Question # 6 of 10 (Start time: 05:34:22 PM, 24 July 2021)

Total Marks: 1

If any or all of the artificial variables do not leave the basis in the final solution, then this indicates that the problem _____ .

Select the correct option

- may have a solution
- non of these
- does not have a solution ✓ pg 95
- must have a solution

Click to Save Answer & Move to Next Question

Telenor Jazz
12% 5:35 PM
quiz.vu.edu.pk/QuizQue

BC160402828: Muhammad Zeeshan Sikandar

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 05:27 PM, 24 July 2021

Question # 8 of 10 (Start time: 05:35:56 PM, 24 July 2021)

Total Marks: 1

In Simplex standard table to solve an LP problem of Maximization, we choose the candidate for entering variable in-------.

Select the correct option

- Constraint with most positive coefficient
- Objective function with most positive coefficient
- Constraint with most negative coefficient
- Objective function with most negative coefficient



Click to Save Answer & Move to Next Question

Telenor Jazz
12% 5:37 PM
quiz.vu.edu.pk/QuizQue:

BC160402828: Muhammad Zeeshan Sikandar

Time Left 88 sec(s)

MTH601:Quiz

Quiz Start Time: 05:27 PM, 24 July 2021

Question # 10 of 10 (Start time: 05:37:18 PM, 24 July 2021)

Total Marks: 1

While solving an LP problem by Simplex method, if we have '3' constraint equations in '5' variables then to find basic variables we have to put any ------- variables equal to zero.

Select the correct option

- 4
- 2

5n-3m = 2

- 1
- 3

Click to Save Answer & Move to Next Question

Quiz List | Quiz

Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=c296ac54-a83d-42c7-ba60-15030c3a8294

MC200204868: MUHAMMAD RIZWAN

Time Left 82 sec(s)

MTH601:Quiz

Quiz Start Time: 05:28 PM, 24 July 2021

Total Marks: 1

Question # 9 of 10 (Start time: 05:37:06 PM, 24 July 2021)

By Simplex method, to maximize 'Z = 2x +9y' of an LP problem, if 'z=0' for the initial iteration then for its next improved solution, which of the following would be the next entering variable?

Select the correct option

- x<0
- x>0
- y>0
- y<0

Because the coefficient of x is 2 and y is 9.
x increase z at the rate of 2 and y increase z at the rate of 9.
so y is the entering variable.

5:37 PM
24-Jul-21

acer

Quiz List | Quiz

Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=c296ac54-a83d-42c7-ba60-15030c3a8294

MC200204868: MUHAMMAD RIZWAN

Time Left 82 sec(s)

MTH601:Quiz

Quiz Start Time: 05:28 PM, 24 July 2021

Total Marks: 1

Question # 9 of 10 (Start time: 05:37:06 PM, 24 July 2021)

By Simplex method, to maximize 'Z = 2x +9y' of an LP problem, if 'z=0' for the initial iteration then for its next improved solution, which of the following would be the next entering variable?

Select the correct option

- x<0
- x>0
- y>0
- y<0

5:37 PM
24-Jul-21

acer

Telenor
Jazz
13% 5:35 PM
quiz.vu.edu.pk/QuizQue:

BC160402828: Muhammad Zeeshan Sikandar

Time Left 89 sec(s)

MTH601:Quiz

Quiz Start Time: 05:27 PM, 24 July 2021

Question # 7 of 10 (Start time: 05:35:19 PM, 24 July 2021)

Total Marks: 1

When using Big M method, the objective function should not contain _____ variable(s).

Select the correct option

Reload Math Equations

- artificial
- artificial and slack
- slack
- x_1

Click to Save Answer & Move to Next Question

pg 95

MTH601:Quiz

Question # 10 of 10 (Start time: 05:38:03 PM, 24 July 2021)

In two phase method, for the phase-I, if the objective function in terms of artificial variables is not minimized then the given problem has-------

Select the correct option

- Feasible solution
- Infeasible solution
- Optimal solution
- Degeneracy

pg 101

Not secure | quiz.vu.edu.pk/QuizQuestion.aspx?ver=29bb03f5-6f19-4263-9c75-5a550e436e93

MC200204868: MUHAMMAD RIZWAN

MTH601:Quiz

Question # 8 of 10 (Start time: 05:36:23 PM, 24 July 2021)

In two phase method, for the phase-I, if the objective function has zero value with all vanishing artificial variables then we ——

Select the correct option

- proceed for 2nd phase
- Infeasible solution
- necessarily have optimal solution
- cant proceed for 2nd phase

pg 101

Question # 7 of 10 (Start time: 05:35:39 PM, 24 July 2021)

In a feasible region, if the end points of the line segment are basic solutions, then all the points between these two will ----------

Select the correct option

- be optimal
- be non basic
- also be the basic
- be infeasible

MTH601:Quiz

Question # 6 of 10 (Start time: 05:34:45 PM, 24 July 2021)

While solving a Linear Programming problem by Simplex Method, an inequality says '2x-3y<5' is transformed into strict equality of the form———, where 's>=0'.

Select the correct option

- 2x-3y +s + A=5
- 2x-3y +s =5
- 2x-3y -s +A =5
- 2x-3y -s =5