VU Examination System (CLIENT) VUIDS / ..... Fall 2020 (Final Term) .....
File Edit View Tools Help
Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 11 of 39

----------difference is a symmetric function of its arguments.

Solved By

Mahar Afaq Safdar

Muhammadi

Answer (Please select your correct option)

- Forward
- Backward
- Divided ✓
- None of the given choices

Start Time: 11:45 AM
88:00
Time Left
Done
Start | VU Examination Syste... | C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (LIVE) VULMS 2 ..... Fall 2020 (Final term) .....
File Edit View Tools Help
Address http://server/vules/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 29 of 39

The second order Runge-kutta mehod is described by

Answer (Please select your correct option)

- $y_{n+1} = y_n + \frac{1}{3}(k_1 + k_2)$
- $y_{n+1} = y_n + \frac{1}{3}(2k_1 + k_2)$ ✓
- $y_{n+1} = y_n + \frac{1}{3}(k_1 + 2k_2)$
- $y_{n+1} = y_n + \frac{2}{3}(k_1 + k_2)$

Start Time: 11:45 AM
83:00
Time Left
29
Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU [Automation System (CLIENT) VUIDS / ... Fall 2020 (Final Term)] ...
File Edit View Tools Help
Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 26 of 39

The magnitude of truncation error in Milne's corrector formula is

Answer (Please select your correct option)

- $\frac{1}{90}h\Delta^4 y_0$ ✓
- $\frac{1}{90}h\Delta^3 y_0$
- $\frac{28}{90}h\Delta^3 y_0$
- $\frac{28}{90}h\Delta^4 y_0$

Start Time: 11:45 AM
84:00
Time Left
26
Done
Start
VU Examination Syste...
C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (CLIENT) VUTES 2 ... Fall 2020 (FinalTerm)
File Edit View Tools Help
Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 17 of 39

To apply Simpson's 1/3 rule, the number of intervals must be

Answer (Please select your correct option)

1

2

3 ✓ Not Sure

5

Start Time: 11:45 AM
87:00
Time Left
17
Done
Start
VU Examination Syste...
C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (CLASS) Votes ... Fall 2020 (Final Term) ...
File Edit View Tools Help
Address http://server/votes/client/Paper.aspx

MTH603 Numerical Analysis

Question No: 7 of 35 Marks: 1 (Budg

Given $\frac{dy}{dt} = \frac{y-t}{y+t}$ with the initial condition y=1.02 at t=0.02. Using Euler's method, y at t= 0.04, h=0.02 is

Answer (Please select your correct option)

- 3.0392
- 2.0392
- 1.0392 ✓
- 0.0392

Start Time: 11:45 AM

88:00

Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

MTH603 Numerical Analysis

Question No: 23 of 39

Marks: 1 Budgeted Time Min

Adam-Moulton P-C method is a multi step method where we assume that the solution to the given initial value problem is known at past ------equally spaced points

Answer [Please select your correct option]

1

2

3

4

Start Time: 11:45 AM

84:00

Time Left

Scanned with CamScanner

VU Examination System (CLIENT) VUES 7 ::... Fall 2020 (Final term) ...::

File Edit View Tools Help

Address http://server/vules/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 19 of 39

x	0.1	0.2	0.3	0.4	0.5	0.6
$f(x)$	0.425	0.475	0.400	0.452	0.525	0.575

value of $f'(0.1)$ using the two point equation is .....

Answer (Please select your correct option)

- -0.5
- 0.5 ✓ **Solved By Mahar Afaq Safdar Muhammadi**
- 0.75
- -0.75

Start Time 11:45 AM

45:00 Time Left

19

Done

Start | VU Examination Syste... | C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (LMS) Virtual Z ... Fall 2020 (Final Term) ...
File Edit View Tools Help
Address http://server/vulms/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 18 of 30

To apply Simpson's 1/3 rule, the number of intervals must be

Answer (Please select your correct option)

- 2
- 3 ✓ Not Sure
- 5
- 7

Start Time: 11:45 AM

87:00 Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

MTH603 Numerical Analysis

Question No : 9 of 39

If the root of the given equation lies between a and b, then the first approximation to the root of the equation by bisection metho is .....

Answer [Please select your correct option]

- $\frac{(a+b)}{2}$
- $\frac{(a-b)}{2}$
- $\frac{(b-a)}{2}$ ✓ Not Sure
- None of the given choices

Start Time: 11:45 AM

88:00 Time Left

Done

Start

VU Examination System (VULMS) VULMS [...] Fall 2020 (Final Term)
File Edit View Tools Help
Address http://server/vulms/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 3 of 39

Lagrange's interpolation formula is used when the values of the independent variable are

Answer (Please select your correct option)

- Equally spaced ✓
- Not equally spaced
- Constant
- None of the above

Start Time: 11:45 AM

88:00 Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (CLIENT) VUITS 7 — Fall 2020 (FinalTerm)

File Edit View Tools Help

Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 6 of 30

$\frac{dy}{dt} = 1 - y, y(0) = 0$ is an example of

Answer (Please select your correct option)

- An ordinary differential equation ✓
- A partial differential equation
- A polynomial equation
- None of the given choices

Start Time: 11:45 AM

88:00

Time Left

Done

Start | VU Examination Syste... | C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (LIBSYS) VUTEN / ... Fall 2020 (Finalterm) ...
File Edit View Tools Help
Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 4 of 39 **Marks: 1**

Newton's divided difference interpolation formula is used when the values of the independent variable are

Answer (Please select your correct option)

- Equally spaced ✓
- Not equally spaced
- Constant
- None of the above

Start Time: 11:45 AM

88:00

Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

MTH603 Numerical Analysis

Question No : 25 of 39

The magnitude of truncation error in Milne's predictor formula is

Answer (Please select your correct option)

- $\frac{1}{90}h\Delta^4 y_0$
- $\frac{1}{90}h\Delta^3 y_0$
- $\frac{28}{90}h\Delta^3 y_0$
- $\frac{28}{90}h\Delta^4 y_0$ ✓

Start Time 11:45 AM

84:00 Time Left

Scanned with CamScanner

VU Examination System (VU EXAM VUES) ... Fall 2020 (Mid Term) ...
File Edit View Tools Help
Address http://server/vuExes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 5 of 39

The global error of Simpson's 1/3 is same as the global error of .....

Solved By

Mahar Afaq Safdar

Muhammadi

Answer (Please select your correct option)

- Recharger rule
- None of the given choices
- Simpson's 3/8 rule ✓
- Trapezoidal rule

Start Time 11:45 AM

88:00 Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (CLIENT) VUES 7 ..... Fall 2020 (Final term) .....

File Edit View Tools Help

Address http://server/vules/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 12 of 39

Let

$f(x,y) = x^3 + y^3 - 3xy$

For x=0, 1,2,3,4, and y=0, 1,2,3,4

Then computing the value of f(2.5,3.5) is an example of .....

Answer (Please select your correct option)

- Interpolation in one dimension
- Interpolation in Two dimensions ✓ Not Sure
- Interpolation in Three dimensions
- Interpolation in Four dimensions

Start Time: 11:45 AM

88:00

Time Left

Done

Start | VU Examination Syste... | C:\Documents and Settin...

Scanned with CamScanner

MTH603 Numerical Analysis

Question No : 1 (of 20)

If $8 + 7i$ is the root of a quadratic equation $f(x) = 0$, then the other root of the given equation will be

Answer [Please select your correct option]

- $8 - 7i$ ✓ Not Sure
- $-8 - 7i$
- $-8 + 7i$
- 8

Start Time: 11:45 AM

89:00 Time Left

Scanned with CamScanner

MTH603 Numerical Analysis

Question No : 20 of 39

Whe we apply Simpson's 3/8 rule, the number of intervals n must be.....

Answer (Please select your correct option)

- Even
- Odd
- Multiple of 3 ✓
- Multiple of 8

Start Time: 11:45 AM

83:00

Time Left

Done

Start | VU Examination Syste... | C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (VITES) VUIDS 7 ... Fall 2020 (Final Term) ...
File Edit View Tools Help
Address http://server/Vulms/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 10 of 39

..... lies in the category of bracketing method

Answer (Please select your correct option)

- Bisection method
- Newton's Raphson method ✓
- Random method
- None of the given choices

Start Time: 11:45 AM

88:00 Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (LMS) Version 5 / ... Fall 2020 (Final Term)
File Edit View Tools Help
Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 2 of 39

..... lies in the category of bracketing method.

Answer (Please select your correct option)

- Regula Falsi Method
- Secant Method
- Muller's Method
- None of the given choices ✓

Start Time: 11:45 AM

89:00 Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (LIVE) Virtual ... Fall 2020 (final term) ...
File Edit View Tools Help
Address http://server/vulms/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 16 of 39 **Marks: 1**

From the following table of values:

x	1.00	1.05	1.10	1.15	1.20	1.25	1.30
y	1.0000	1.0247	1.0488	1.0724	1.0954	1.1180	1.1402

Estimation of $y'(1.00)$ *and* $y''(1.00)$ will be done using the formula of differential operator in terms of ----

Answer (Please select your correct option)

- Forward difference operator
- Backward difference operator
- Central difference operator ✓
- None of the given choices

Start Time: 11:45 AM
87:00
Time Left
16
Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System(CLIENT) VUTES / ... Fall 2020 (Final term) ...
File Edit View Tools Help
Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 21 of 39

The truncation error in Adam's predictor formula is

Answer (Please select your correct option)

- $\frac{251}{720} h\nabla^4 y_n'$ ✓
- $\frac{251}{720} h\nabla^4 y_{n+1}'$
- $\frac{19}{720} h\nabla^4 y_{n+1}'$
- $\frac{19}{720} h\nabla^4 y_n'$

Start Time: 11:45 AM
84:00
Time Left
24
Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (CLIENT) VUTES 2 ... Fall 2020 (Final Term) ...
File Edit View Tools Help
Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 14 of 39

To apply Simpson's 3/8 rule, the number of intervals in the following must be

Answer (Please select your correct option)

- 4
- 7
- 9 ✓
- 11

Start Time: 11:45 AM

88:00 Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 27 of 39

In fourth order Runge-Kutta method, k_3 is given by

Solved By

Mahar Afaq Safdar

Muhammadi

Answer (Please select your correct option)

- $k_3 = hf(x_n + \frac{h}{3}, y_n + \frac{k_2}{3})$
- $k_3 = hf(x_n - \frac{h}{2}, y_n - \frac{k_2}{2})$
- $k_3 = hf(x_n - \frac{h}{3}, y_n - \frac{k_2}{3})$
- $k_3 = hf(x_n + \frac{h}{2}, y_n + \frac{k_2}{2})$ ✓

Start Time: 11:45 AM

83:00

Time Left

Done

Start | VU Examination Syste... | C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (CLIENT) MTH603 - Fall 2020 (Final Term)

File Edit View Tools Help

Address http://server/vuclient/Form.mms

MTH603 Numerical Analysis

Question No : 22 of 30 Marks: 1 (Budgeted 1)

The idea of Richardson's extrapolation method is to combine ... values of $y'(x)$ using the same method

Answer (Please select your correct option)

- Two ✓
- Three
- Four
- None of given choices

Start Time: 11:45 AM

87:00 Time Left

22

Done

Start | VU Examination Syste... | C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (VULMS) Mozilla Fi... Fall 2020 (Final Term) ...

File Edit View Tools Help

Address http://server/vuex/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 30 of 30 **Marks: 1 (Budgeted**

The order of global error in Simpson's 1/3 rule is ---------than / to the order of global error in Simpson's 3/8 rule.

Answer (Please select your correct option)

- Equal ✓
- Less
- Greater
- None of these given choices

Start Time: 11:45 AM

83:00 Time Left

30

Done

Start | VU Examination Syste... | C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (LMS) Writes ... Fall 2020 (Final Term) ...
File Edit View Tools Help
Address http://server/vuloesfclient/Paper.aspx

MTH603 Numerical Analysis

Question No: 21 of 30

In solving the differential equation

$$y' = x + 2y \ , \ y(1) = 2$$

$h = 1$, By Euler's method $y(2)$ is calculated as

Answer (Please select your correct option)

- 1
- 3
- 5
- 7 ✓

Start Time: 11:45 AM

87:00 Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (LIBNI) VUIS / .... Fall 2010 (Final Term) ....
File Edit View Tools Help
Address http://server/vuiesfclient/Paper.aspx

MTH603 Numerical Analysis

Question No : 13 of 39

Relationship between forward difference operator and shift operator is given by

Answer (Please select your correct option)

- $\Delta = 1 - E$
- $\Delta = 1 + E$
- $\Delta = E - 1$ ✓
- None of the given choices

Start Time: 11:45 AM

88:00 Time Left

Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (LCH SE) VUTES / ... Fall 2020 [FinalTerm] ...
File Edit View Tools Help
Address http://server/Notes/client/Score.aspx

MTH603 Numerical Analysis

Question No : 20 of 39

In solving the differential equation

$$y' = x^2 + 2y \ , \ y(0) = 1$$

$h = 1$. By Euler's method $y(1)$ is calculated as:

Answer (Please select your correct option)

- 1
- 2
- 3 ✓
- 4

Start Time: 11:45 AM
87:00
Time Left
20
Done
Start
VU Examination Syste...
C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (CUE) (VUIS 7 — Fall 2020 (Final Term))

http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 15 of 39

In integrating $\int_0^{\frac{\pi}{2}} \sin x dx$, by dividing the interval into four equal parts, width of the interval should b

Answer (Please select your correct option)

- π
- $\frac{\pi}{2}$
- $\frac{\pi}{4}$
- $\frac{\pi}{8}$ ✓

Start Time: 11:45 AM

88:00 Time Left

Done

Start | VU Examination Syste... | C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (CLIENT) VUTES 7 ... Fall 2020 (Final Term) ...
File Edit View Tools Help
Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 8 of 39

In integrating $\int_{1}^{3} e^{2x} dx$, by dividing the interval into four equal parts, width of the interval is

Solved By

Mahar Afaq Safdar

Muhammadi

Answer (Please select your correct option)

- 0.125
- 0.250 ✓
- 0.500
- 0.625

Start Time: 11:45 AM
88:00
Time Left
Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (CLIENT) Virtual ... Fall 2020 (Final Term) ...

File Edit View Tools Help



Address http://server/vulms/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 31 of 39

Evaluate $f(3)$ from the following data by Lagrange's Formula.

x	1	4
y	9	16

Answer (Please click here to Add Answer)



Start Time 11:45 AM
79:00
Time Left



Done
Start VU Examination Syste... C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (CLIENT) VUIDS 2 — Fall 2020 (FinalTerm) —

http://server/vulms/clientPaper.aspx

MTH603 Numerical Analysis

Question No : 32 of 39

Write Adam-Moulton's corrector formula for finding the solution of a differential equation

Answer (Please click here to Add Answer)

Start Time: 11:45 AM
79:00
Time Left
32
Done
Start
VU Examination Syste...
C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (LIBSYVUES) ..... Fall 2010 (final term) .....

File Edit View Tools Help

Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 36 of 39

If, in solving a given differential equation, $y_0 = 0, y_1' = 1, y_2' = 2, y_3' = 3, h = 1$

Then find y_4 by Milne's Predictor formula.

Answer (Please click here to Add Answer)

100% Normal Arial 12

Start Time 11:45 AM

78:00 Time Left

36

Done

Start VU Examination Syste... C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (CLOSE) VUTES 7 — Fall 2020 (Final Term)

File Edit View Tools Help

Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 39 of 30 **Marks: 5**

Using Milne's Predictor Formula find the predicted value of $y(0.4)$ from Ordinary Differential Equation

$$y' = x + y \quad , y(0) = 1 \quad , h = 0.1$$

with the help of following table

X	0	0.1	0.2	0.3
Y	1	0.9097	0.8375	0.7816

Answer (Please click here to Add Answer)

Start Time: 11:45 AM

77:00 Time Left

Done

Start VU Examination Syste... C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (CLIENT) VUES / ..... Fall 2020 (FinalTerm) .....

File Edit View Tools Help

Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 33 of 39

x	3	4	5
$f(x)$ $-\log x + 2$	2.477	2.602	2.699

Answer (Please click here to Add Answer)

Normal Arial 12 B I U 100%

Start Time 11:45 AM

79:00

Time Left

33

Done

Start VU Examination Syste... C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (CLIENT) V2011.5 / ..... Fall 2020 (Final Term) .....

File Edit View Tools Help

Address http://server/vutes/client2/Paper.aspx

MTH603 Numerical Analysis

Question No : 37 of 39

Evaluate the integral

$$\int_0^4 (x^2 + 1)dx$$

Using Simpson's 1/3 rule
Take h=1

Answer (Please click here to Add Answer)

Normal | Arial | 12 | B I U | 100%

Start Time 11:45 AM

77:00
Time Left

37

Done

Start | VU Examination Syste... | C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (CLIENT) VUTES / ::.... Fall 2020 (FinalTerm) .....

File Edit View Tools Help

Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 34 of 39

Find Newton's Divided Difference table for the following data.

x	0	1	3
$f(x)$	1	3	43

Answer (Please click here to Add Answer)

Normal Arial 12 B I U 100%

Start Time: 11:45 AM

78:00
Time Left

34

Done

Start VU Examination Syste... C:\Documents and Settin...

Scanned with CamScanner

VU Examination System (LMS) Views 7 ... Fall 2020 (Final Term) ...
File Edit View Tools Help
Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 33 of 39

Evaluate the integral $\int_{3}^{5}(\log x + 2)dx$ by using Simpson's 1/3 rule and table values given by

x	3	4	5
[illegible]	[illegible]	[illegible]	[illegible]

Answer (Please click here to Add Answer)

Normal Arial 12 100%
Start Time 11:45 AM
79:00
Time Left
33
Done
Start VU Examination Syste... C:\Documents and Settin...
Scanned with CamScanner

VU Examination System (CLIENT) VUTES P ..... Fall 2020 (Final Term) ....

File Edit View Tools Help

Address http://server/vutes/client/Paper.aspx

MTH603 Numerical Analysis

Question No : 38 of 39

Find Newton's Divided Difference table for the following data

x	0	1	3	4	6
$f(x)$	1	3	49	129	493

Answer (Please click here to Add Answer)

Start Time: 11:45 AM

77:00

Time Left

Done

Start VU Examination Syste... C:\Documents and Setti...

Scanned with CamScanner

VU Examination System (LEMS) VU0145 2 ..... Fall 2020 (Final Term)

File Edit View Tools Help

Address http://server/vulms/client/Paper.aspx

MTH603 Numerical Analysis

Question No: 35 of 39 **Marks: 3 (Budgeted**

Find $F(h)$, using Richardson's extrapolation limit, while finding $y'(0.01)$ to the function $y = 1/x$ with $h=0.005$.

Answer (Please click here to Add Answer)

Start Time 11:45 AM

78:00

Time Left

Done

Start VU Examination Syste... C:\Documents and Settin...

Scanned with CamScanner