MTH603

Quiz#1

Attempt By HB



FOR PAID SOLUTIONS CONTACT 03147094561

Click Join Now & Subscribe Button

SUBSCRIBE

WHATSAPP GROUP 1

Join NOW

WHATSAPP GROUP 2

Join NOW

WHATSAPP GROUP 3

Join NOW

Join WHATSAPP CHANNEL

JOIN NOW

@studywithhamza25

PAID SOLUTIONS CONTACT 03147094561

FOR PAID SOLUTIONS CONTACT 03147094561

1. In Gauss-Jacobi's method, the corresponding elements of
   x(r+1)ixi(r+1)
   replaces those of
   x(r)ixi(r)

   as soon as they become available.
   a. False
   b. True✔
   c.
   d.
2. While solving by Gauss-Seidel method, which of the following is the first Iterative solution for the system; x-2y =1, x+4y=4 ?
   a. (0,1)
   b. (1, 0.75) ✔
   c. (0,0)
   d. (1,0)
3. Jacobi's Method is a/an……

   a. Iterative method✔
   b. Direct method
   c.
   d.
4. If there are three equations in two variables, then which of the following is true?

   a. System may have infinite many solutions

STUDY WITH HAMZA
@studywithhamza25
FOR PAID SOLUTIONS CONTACT 03147094561

b. All above possibilities exist depends on the coefficients of variables✔
c. System may have unique solutions
d. System may have multiple numbers of finite solutions

5. While solving a system of linear equations by Gauss Jordon Method, after all the elementary row operations if there lefts also zeros on the main diagonal then which of the is true about the system?

a. System may have infinite many solutions✔
b. System may have unique solutions
c. System may have multiple numbers of finite solutions
d. System has no solution

STUDY WITH HAMZA
FOR PAID SOLUTIONS CONTACT 03147094561

6. Which of the following is a reason due to which the LU decomposition of the system of linear equations; x+y = 1, x+y =2 is not possible?
a. Determinant of coefficient matrix is zero
b. All values of l's and u's can't be evaluated
c. All are equivalent
d. Associated coefficient matrix is singular✔

7. Sparse matrix is a matrix with …….
a. Many elements are zero✔

FOR PAID SOLUTIONS CONTACT 03147094561

b. Some elements are zero
c. Some elements are one
d. Many elements are one

8. Which of the following method is not an iterative?

a. Gauss–Seidel method
b. Relaxation Method
c. Gauss Jordan method✔
d. Iteration's method

9. For the system; 2x+3y = 1, 3x +2y = - 4, if the iterative solution is (0,0) and 'dxi = 2' is the increment in 'y' then which of the following will be taken as next iterative solution?

a. (2,0)
b. (1,-4)
c. (0,3)
d. (0,2) ✔

STUDY WITH HAMZA
@studywithhamza25

10. If the order of coefficient matrix corresponding to system of linear equations is 3*3 then which of the following will be the orders of its decomposed matrices; 'L' and 'U'?

a. Order of 'L' = 3*4, Order of 'U' = 4*3
b. Order of 'L' = 3*2, Order of 'U' = 2*3
c. Order of 'L' = 3*1, Order of 'U' = 1*3

FOR PAID SOLUTIONS CONTACT 03147094561

d. Order of ‘L’ = 3*3, Order of ‘U’ = 3*3✔



FOR PAID SOLUTIONS CONTACT 03147094561