MTH603 Quiz 3
(final term)

Join our group for more update and help

Click on join us

Join US



Paid Services Available:

LMS Handling


- ***Quiz***
- ***Assignments***
- ***GDB***
- ***Lecture View***
- ***Cisco Assignment***
- ***Summer Semester***


Contact US:

TEAM Aiza VU

0320 8459347

0327 7230352


Quiz
(73) Snapchat
(30) WhatsApp
Forthegivendatapoint
6 of 10 (Start time:
In the case of private
https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=f6055154-a9a2-4f1d-84c5-1b2da2d53939
BC190409311: MUHAMMAD ADEEL CHOUDHARY
Time Left 65 sec(s)
MTH603 - Numerical Analysis (Quiz 3)
Quiz Start Time: 01:30 PM, 04 January 2025
Question # 2 of 10 (Start time: 01:31:11 PM, 04 January 2025)
Total Marks: 1
For the given data points (2, 5), (4, 7), and (6, 9), the first − order divide difference will be
Select the correct option
Reload Math Equations
2
0
1
5
Click to Save Answer & Move to Next Question
Type here to search
1:31 PM
1/4/2025


Quiz
(73) Snapchat
(30) WhatsApp
Lagrange's interpolati
6 of 10 (Start time:
In the case of private
https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=c7ad0a1f-0b81-4a5b-8afe-72524313e74e
BC190409311: MUHAMMAD ADEEL CHOUDHARY
Time Left 81 sec(s)
MTH603 - Numerical Analysis (Quiz 3)
Quiz Start Time: 01:30 PM, 04 January 2025
Question # 3 of 10 (Start time: 01:31:43 PM, 04 January 2025)
Total Marks: 1
Lagrange's interpolation formula is used when the values of the independent variable are
Select the correct option
Reload Math Equations
None
Constant
Not equally spaced
Equally spaced
Click to Save Answer & Move to Next Question
Type here to search
16°C
1:31 PM
1/4/2025

Quiz | (73) Snapchat | (30) WhatsApp | Forthefollowingdatax | # 6 of 10 (Start time: | In the case of private

https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=97fa7955-522f-40d1-aab6-a60c650f5cf0

BC190409311: MUHAMMAD ADEEL CHOUDHARY

Time Left 60 sec(s)

MTH603 - Numerical Analysis (Quiz 3)

Quiz Start Time: 01:30 PM, 04 January 2025

Question # 4 of 10 (Start time: 01:31:58 PM, 04 January 2025)

Total Marks: 1

For the following data

x	1	2	5	7	8
y	-5	10	20	22	24

the polynomial of the Lagrangens interpolation could be

Select the correct option

Reload Math Equations

- $-\frac{11}{280}x^4+\frac{419}{420}x^3-\frac{7603}{840}x^2+\frac{15019}{420}x-\frac{98}{3}$
- $-\frac{1121}{80}x^5+\frac{41}{7}x^3-\frac{163}{40}x^2+\frac{19}{81}x-\frac{3}{10}$
- $x^6-\frac{1}{56}x^5+\frac{47}{5}x^4-\frac{67}{90}x+\frac{2}{5}$
- $\frac{4}{41}x^7-\frac{43}{7}x^2+\frac{65}{28}x-\frac{186}{5}$

Click to Save Answer & Move to Next Question

Type here to search | 16°C | 1:32 PM 1/4/2025

Quiz | (73) Snapchat | (30) WhatsApp | Forthegivendividediff | # 6 of 10 (Start time: | In the case of private

https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=84f77d4f-5559-4b9b-b02d-72f2afe253d8

BC190409311: MUHAMMAD ADEEL CHOUDHARY

Time Left 67 sec(s)

MTH603 - Numerical Analysis (Quiz 3)

Quiz Start Time: 01:30 PM, 04 January 2025

Question # 5 of 10 (Start time: 01:32:34 PM, 04 January 2025)

Total Marks: 1

For the given divide difference table

x	y	$1stD.D$	$2ndD.D$
2	2.2	0.325	
6	3.5	0.15	-0.0219
10	4.1		

the Newton's divide difference interpolation *formula will be*


Select the correct option


Reload Math Equations


- $y=f(x)=2.2+(x-2)(0.325)+(x-2)((x-6)(-0.0219)$
- $y=f(x)=2.2+(x-6)(0.325)+(x-12)((x-6)(-0.0219)$
- $y=f(x)=2.2+(x-12)(0.325)+(x-6)((x-2)(-0.0219)$
- $y=f(x)=2.2+(x-2)((x-6)(0.325)+(x-2)(-0.0219)$


Click to Save Answer & Move to Next Question


Type here to search | 16°C | 1:33 PM 1/4/2025


Quiz
(73) Snapchat
(30) WhatsApp
If y(x) is approximate
6 of 10 (Start time:
In the case of private
https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=a33be213-a460-448e-85f6-dbac7f0a437d
BC190409311: MUHAMMAD ADEEL CHOUDHARY
Time Left 78 sec(s)
MTH603 - Numerical Analysis (Quiz 3)
Quiz Start Time: 01:30 PM, 04 January 2025
Question # 6 of 10 (Start time: 01:33:03 PM, 04 January 2025)
Total Marks: 1
If y(x) is approximated by a polynomial $P_n(x)$ of degree n then the error is given by
Select the correct option
Reload Math Equations
$\epsilon(x) = y(x) + P_n(x)$
$\epsilon(x) = y(x) \div P_n(x)$
$\epsilon(x) = y(x) \times P_n(x)$
$\epsilon(x) = y(x) - P_n(x)$
Click to Save Answer & Move to Next Question
Type here to search
16°C
1:33 PM
1/4/2025


Quiz
(73) Snapchat
(30) WhatsApp
Forthegivendatapoint
6 of 10 (Start time:
In the case of private
https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=d4eb5fa1-8843-44cd-a3c6-7d18f8501de5
BC190409311: MUHAMMAD ADEEL CHOUDHARY
Time Left 80 sec(s)
MTH603 - Numerical Analysis (Quiz 3)
Quiz Start Time: 01:30 PM, 04 January 2025
Question # 8 of 10 (Start time: 01:33:37 PM, 04 January 2025)
Total Marks: 1
For the given data points (x_0, y_0), $(x_1 y_1)$, $(x_2 y_2)$, and (x_3, y_3) the first − order divide difference will be given as
Select the correct option
Reload Math Equations
$y[x_0, x_1]$
$y[x_0]$
$y[x_0, x_1, x_2]$
$y[y_0, y_1, y_2]$
Click to Save Answer & Move to Next Question
Type here to search
16°C
1:33 PM
1/4/2025


Quiz
(73) Snapchat
(30) WhatsApp
Forthegivendatapoint
6 of 10 (Start time:
In the case of private
https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=4198b081-85d7-4710-aa4e-d55d9e41a177
BC190409311: MUHAMMAD ADEEL CHOUDHARY
Time Left 80 sec(s)
MTH603 - Numerical Analysis (Quiz 3)
Quiz Start Time: 01:30 PM, 04 January 2025
Question # 9 of 10 (Start time: 01:33:52 PM, 04 January 2025)
Total Marks: 1
For the given data points (1, −3), (2, 0), and (3, 15), the first − order divide difference will be
Select the correct option
Reload Math Equations
3
-2
-3
2
Click to Save Answer & Move to Next Question
Type here to search
16°C
1:34 PM
1/4/2025


Quiz
(73) Snapchat
(30) WhatsApp
on # 10 of 10 (Start t
6 of 10 (Start time:
In the case of private
https://vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=45084c94-654c-4bc9-9b6a-05e69c038a19
BC190409311: MUHAMMAD ADEEL CHOUDHARY
Time Left 81 sec(s)
MTH603 - Numerical Analysis (Quiz 3)
Quiz Start Time: 01:30 PM, 04 January 2025
Question # 10 of 10 (Start time: 01:34:08 PM, 04 January 2025)
Total Marks: 1
In Lagrange's Interpolation, for n values of y corresponding to n values of x, we can represent the function f (x) by a polynomial of degree
Select the correct option
n+2
n-1
n+1
n
Click to Save Answer & Move to Next Question
Type here to search
16°C
1:34 PM
1/4/2025



Contact for LMS handling

CONTACT US

Join our group for more

update and help

Click on join us

Join US