Learning4help by Waqas

Asslam-o-Alaikum! In this file we'll provide you MTH603 quiz 3 2023 Important Finalterm MCQs. Must Prepare Before Finalterm Exams. Verify Answers yourself too. If you found mistake then inform me.

If you found mistake then let us know.


You can contact us on WhatsApp https://wa.me/+923421718143

Or You can send us gmail: Learningn4help@gmail.com

Facebook page is https://m.facebook.com/WAQASQURESHI34555/

For more educational stuff keep visiting

https://learning4help.com



Subscribe to my Channel:

https://www.youtube.com/channel/UC_CGywvKgSGACQHPuq-951Q



LEARNING4HELP BY WAQAS QURESHI

While employing Trapezoidal and Simpson Rules to evaluate the double integral numerically, by using Trapezoidal and Simpson rule over --------.

Select the correct option

- ○ Plane region
- ◉ Real line

Click to Save Answer & Move to Next Question

Zero-th order divided difference is defined as


Select the correct option

- ○ y[x0]=y0
- ○ y[x0]=x0
- ○ y[x0]=y1
- ◉ None of the given choices

Waiting for www.google.com.pk...

Saving...

LEARNING HELP BY WAQAS QURESHI




Question # 14 of 15 (Start time: 07:31:36 PM, 31 January 2023) **Total Marks:** 1

While employing Trapezoidal and Simpson Rules to evaluate the double integral numerically, by using Trapezoidal and Simpson rule with respect to -------- variable/variables at time

Select the correct option

- both
- single




Question # 15 of 15 (Start time: 06:45:49 PM, 31 January 2023) **Total Marks:** 1

We can improve the accuracy of trapezoidal and Simpson's rules using .....

Select the correct option

- Richardson's extrapolation method
- None of the given choices
- Simpson's 3/8 rule
- Simpson's 1/3 rule

LEARNING4 HELP BY WAQAS QURESHI




Question # 14 of 15 (Start time: 06:45:29 PM, 31 January 2023) **Total Marks:** 1

Richardson extrapolation method is used to improve the rate of convergence of a .....

Select the correct option

- (●) Sequence
- ( ) Series




Question # 13 of 15 (Start time: 06:44:57 PM, 31 January 2023) **Total Marks:** 1

If the area under 'f(x) = x' in interval [0,2] is subdivided into two equal sub-intervals of width 'l' with right end points, then which of the following will be the Truncation Error provided that I(definite integral) = 2 and approximate sum = 3 ?

Select the correct option

- ( ) 1
- ( ) 2
- (●) -1
- ( ) 0

LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

Question # 6 of 15 (Start time: 06:40:49 PM, 31 January 2023) **Total Marks:** 1

In Richardson's extrapolation method, we usually use two different step sizes .....and ..... to yield a higher order method.

Select the correct option

- h/2,h/4
- h,h/2 (selected)
- h/2,h/3
- None of the given choices

Search 17... ENG 6:40 PM

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

Richardson extrapolation is method also known as .....

Select the correct option

- Series acceleration method
- Sequence acceleration method (selected)

Click to Save Answer & Move to Next Question

Search 17... ENG 6:40 PM

LEARNING4 HELP BY WAQAS QURESHI

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

Question # 4 of 15 (Start time: 06:39:31 PM, 31 January 2023) **Total Marks:** 1

Trapezoidal rule of integration of a definite integral is of.....

Select the correct option

- O(h4)
- O(h2)
- None of the given choices
- O(h3)

Search 17... ENG 6:40 PM

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

Geometrically, in Simpson's 1/3 Rule, we find the area of -------- strip/strips at time under a curve of given function.


Select the correct option


- three
- one
- five
- two

Click to Save Answer & Move to Next Question


Search 17... ENG 6:39 PM

LEARNING HELP BY WAQAS QURESHI





LEARNING HELP BY WAQAS QURESHI




Question # 15 of 15 (Start time: 12:41:32 PM, 31 January 2023) **Total Marks:** 1

To take the derivative of f(x) = 2x in the interval [-3,3], which of the following partition of subintervals will be suitable?

Select the correct option

- Equally spaced
- Any arbitrary partition will work
- Union of equally spaced and unequally spaced intervals.
- Unequally spaced




Question # 14 of 15 (Start time: 12:39:39 PM, 31 January 2023) **Total Marks:** 1

The area of a trapezoid is obtained by adding the area of a .....and a triangle.

Select the correct option

- Rectangle
- None of the given choices
- Circle
- Square

LEARNING4 HELP BY WAQAS QURESHI



Question # 13 of 15 (Start time: 12:38:56 PM, 31 January 2023) Total Marks: 1

In Simpson's 1/3 rule, the global error is of .....

Select the correct option

- None of the given choices
- O(h4)
- O(h2)
- O(h3)

Question # 12 of 15 (Start time: 12:38:02 PM, 31 January 2023) Total Marks: 1

In Simpson's 1/3 rule, we divide the interval of integration [a, b] into an .....number of sub-intervals.

Select the correct option

- None of the given choices
- Prime
- Even
- Odd

LEARNING4 HELP BY WAQAS QURESHI

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

Question # 11 of 15 (Start time: 12:37:19 PM, 31 January 2023) **Total Marks:** 1

Geometrically, in Simpson's 1/3 Rule, we find the area of -------- strip/strips at time under a curve of given function.

Select the correct option

- five
- one
- two
- three

Search 13... ENG 12:37 PM

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx

Which of the following reason(s) lead towards the numerical integration methods?

Select the correct option

- Analytical evaluation of integral is impossible
- All above choices are true
- Integrand is given in tabular form
- Analytical evaluation of integral is very complicated

Click to Save Answer & Move to Next Question

Search 13... ENG 12:33 PM

LEARNING4 HELP BY WAQAS QURESHI

Simpson's 3/8 rule represents the area between the curve y = f(x) in the interval say [a,b] above x-axis by approximating the given curve by the ----------.

Select the correct option

- Cubic curve through four points
- (●) Cubic curve through three points
- Cubic curve through two points
- Cubic curve through one point

Click to Save Answer & Move to Next Question


Question # 11 of 15 (Start time: 08:10:11 PM, 31 January 2023) **Total Marks:** 1


Trapezoidal and Simpson's integrations are just a linear combination of values of the given function at different values of the .....variable.

Select the correct option


- Arbitrary
- (●) Independent
- Dependent
- None of the given choices

LEARNING4 HELP BY WAQAS QURESHI





LEARNING4 HELP BY WAQAS QURESHI




Question # 7 of 15 (Start time: 07:28:19 PM, 31 January 2023) **Total Marks:** 1

In the process of Numerical Differentiation, we differentiate an interpolating polynomial in place of ----------.

Select the correct option

- actual function
- Newton's Divided Difference Interpolating polynomial
- Lagrange's polynomial
- extrapolating polynomial




Question # 4 of 15 (Start time: 07:27:04 PM, 31 January 2023) **Total Marks:** 1

In double integration, we keep one variable say x fixed and .....

Select the correct option

- Reliable the other variable y
- Varying the other variable y

LEARNING4 HELP BY WAQAS QURESHI



LEARNING4 HELP BY WAQAS QURESHI
Learning4help.com