

1. We need sampling for _____ purpose

1. Economy
2. Speed
3. Accuracy

4. All of the given

2. If an event consists of exactly one outcome, it is called

1. Complex event
- 2. Simple event**
3. Simple complex event
4. None of the given

3. Two or more events are said to be _____, if the events do not have any outcomes in common.

1. mutually exclusive

2. mutually inclusive
3. interdependent
4. None of the given

4. Relative frequency in population is known as

1. Sampling

2. Dispersion
3. Probability
4. None of the given

5. Box and Whisker Plot is also sometimes called

1. Whisker Box

2. Box Whisker

3. Box Plot
4. None of the given

6. _____ is independent of the scale of measurement:

1. Variation
2. Coefficient
- 3. Coefficient of variation**
4. All of the given

7. The location parameters which help us to determine the position of a particular observations in a data are called _____.

1. Measures of position

- 2. Measures of change
- 3. Local parameters
- 4. Measures of observation

8. In an array the Quartiles are _____ cut-points that divides the values into 4 equal parts.

1. 3

- 2. 4
- 3. 2
- 4. 6

9. The range of a list is _____ if and only if all the data-points in the list are _____.

- 1. 0, unequal
- 2. 1, unequal
- 3. 1, equal

4. 0, equal

10. The Mean and Median are Special cases of a family of parameters known as _____.

1. Local parameters

- 2. Non-local parameters
- 3. Mobile parameters
- 4. Risk parameters

11. "An aggregate of entities for which we have an interest at a particular time" is called

- 1. Sample
- 2. Mean
- 3. Data

4. Population

12. Which one is not the type of Probability Sampling designs?

1. Non-systematic sampling

- 2. Systematic sampling
- 3. Cluster (area) sampling
- 4. Multistage sampling

13. _____ is the hypothesis that is believed to be true by the researcher:

1. Null hypothesis

2. Alternative hypothesis

- 3. Rejected hypothesis
- 4. None of the given

14. Quantities are more robust and less susceptible than _____ if there are outlying observations in the data.

- 1. Mode
- 2. Standard deviation

3. Mean

4. Dispersion

15. Sampling problems may differ in each strata

- 1. Multi-Stage Sampling
- 2. Systematic Random Sampling
- 3. Cluster Random Sampling

4. Stratified Random Sampling

16. Mean of values 115, 110, 119, 117, 121 and 126 is:

1. 117

2. 118

- 3. 119
- 4. 120

17. Commonly used measure of central tendency is/are:

- 1. Mean
- 2. Mode

3. Median

4. All of the given

18. Procedure for Systematic Random Sampling includes following except:

1. Number units in population from 1 to N.
2. Decide on the n that you want or need.
3. $N/n=k$ the interval size

4. Randomly select a number from 0 to k

19. _____ is known as "Father of Modern Statistical sciences"

1. Sir Ronald A. Fisher

2. John Graunt
3. Florence Nightingala
4. Lady with Lamp

20. One of the earliest known demographic / Bio-statistics study was conducted by _____.

1. John Graunt

2. The Lady with a Lamp
3. Ronald A. Fisher
4. Nightingale

21. 1) We need sampling for ____ purpose

Select the correct option

- a) Speed
- b) Economy
- c) Accuracy

d) All

22.

2) If we wish to check the BP values of some patients in a hospital then all patients admitted in hospital are

Select the correct option

a) Data

- b) Population
- c) Sample
- d) Source

23. 3) Commonly used measure of central tendency is/are:

Select the correct option

- a) Mode
- b) Mean
- c) Median
- d) All**

24.

4) In NC_n , N represents:

Select the correct option

- a) The number of combinations (subsets) of n from N
- b) The number of cases in the sampling frame**
- c) The sampling fraction
- d) The number of cases in the sample

25.

5) Population is the collection of all possible entities which is described by ____

Select the correct option

- a) Parameters**
- b) Statistics
- c) Numbers
- d) Values

26. 6) ____ sampling is commonly known as unsystematic, accidental or opportunistic sampling.

Select the correct option

- a) Quota sampling
- b) Convenience**
- c) Snow ball sampling
- d) Judgmental or deliberate sampling

27.

7) A discrete variable is:

Select the correct option

- a) The number of daily admissions in a hospital**
- b) Skull circumference
- c) Height
- d) Weight

28. 8) ____ is affected by extreme values.

Select the correct option

- a) Mode

b) Mean

c) All

d) Median

29.

9) The average value of a data is called ____

Select the correct option

a) Mode

b) Mean

c) Standard deviation

d) Median

30.

10) ____ type of sampling refers to identifying someone who meets the criteria for inclusion in the study.

Select the correct option

a) Random sampling

b) Probability sampling

c) Snowball sampling

d) Non-Probability sampling

31.

11) Source of data can be

Select the correct option

a) Routinely kept records

b) Survey & Experiments

c) Routinely kept records

d) All

32.

12) Which one is not the type of probability Sampling designs?

Select the correct option

a) Systematic sampling

b) Non-systematic sampling

c) Cluster (area) sampling

d) Multistage sampling

33.

13) Probability sampling is divided into ____ types

Select the correct option

a) 7

b) 5

c) 6

d) 4

34.

14) The General Population that the study seeks to understand.

Select the correct option

a) Study population

b) Target population

c) Sample population

d) Source population

35. 15) Median for the given values 23,28,28,31,32,34,37,42,50,61 will be:

Select the correct option

a) 34

b) 33

c) 35

d) 32

36.

16) Ordinal data scale is used for ____ measurement

Select the correct option

a) Variable intervals

b) Categories

c) Real numbers

d) Constant intervals

37.

17) Example of simple random sampling is:

Select the correct option

a) Get list of clients over past year

b) All

c) small service agency

d) Client assessment of quality of service

38.

18) A descriptive value for a population is called:

Select the correct option

a) Inferential Statistics

b) Statistics

c) Descriptive Statistics

d) Parameter

39.

19) Qualitative Variables include:

Select the correct option

a) Height

b) Blood group

c) Hemoglobin values

d) RBCs count

40.

20) An assumption about the population parameter is ____.

Select the correct option

a) Hypothesis

b) Significance

c) Probability

d) Inference