VIRTUAL UNIVERSITY
Virtual University

ALL PAID SERVICE

OUR CAPABILITIES :

- ✓ LMS Handling
- ✓ Quizes solution
- ✓ Assignments
- ✓ Mid and Final Term Notes
- ✓ Project CS 619
- ✓ GDB

INBOX NOW



CONTACT DETAILS:
0328-4090195
rts849@outlook.com



1.. What do you mean by one to many relationship between "Teacher" and "Class" table?

a) Many Classes may have many Teachers
b) One Class may have many Teachers
c) One Teacher can have many Classes
d) Many Teachers may have many Classes

2. Which of the following is NOT a feature of Context DFD?

a) one process (which represents the entire system)
b) all sources/sinks (external entities)
c) data flows linking the process to the sources and sinks (external entities)
d) sub-processes3

3. The attribute AGE is calculated from DATE_OF_BIRTH. The attribute AGE is a:

a) Composite
b) Multi valued
c) Derived
d) Single valued4

5. Which of the following is true for the relational model?

a) Degree of a relation is the number of rows in a relation.
b) Null value is a blank or zero value given to an attribute value when its value is inapplicable or its value is unknown.

Talha Sajid

c) Complex key is a key consisting of more than one attribute.
d) Constraint is a rule that restricts the values in a database.

6. Which of the following most certainly implies the need for an entire table to implement?

a) A binary relationship
b) A ternary relationship
c) A recursive relationship
d) An identifying relationship

7. Which of the following constraints enforces entity integrity?

a) PRIMARY KEY
b) FOREIGN KEY
c) CHECK
d) NOT NULL

8. In Relational Data Model, the _____ of a relation is the number of rows in that relation.

a) Domain
b) Degree
c) Cardinality
d) Constraint

9. In the relational model, the number of attributes and number of tuples in a relation are termed as _____and _____respectively.

a) domain, degree
b) cardinality, domain
c) cardinality, degree
d) degree, cardinality

Talha Sajid

10. In relational algebra, which of the following operator is used to find tuples that are present in one relation but are not in another?

a) Intersection
b) Set-difference
c) Cartesian Product
d) Union

11. A vehicle can be a Car or a Bus but do not have to be either. It is an example of ---------- constraint.

a) Referential integrity
b) Disjointness rule
c) Total completeness
d) Partial completeness

12. Which of the following is not true about relational tables?

a) Column values are of the same kind.
b) Each row is unique.
c) Each column must have a unique name.
d) The sequence of rows is significant.

13. Consider a relationship between entities 'Teacher' and 'Student'. The teacher teaches the student. It is an example of ---------- relationship.

a) Unary
b) N-ary
c) Binary
d) Ternary

Talha Sajid

14. In which phase of database development process, logical design of the database is created?

a) Design phase
b) Implementation
c) Physical design
d) Requirement analysis

15. Which of the following is NOT the classification of entity type?

a) Week entity type
b) Strong entity type
c) Derived entity type
d) Dependent entity type

16. The database system deals with large amount of data, this property is called _____.

a) Scalability
b) Robustness
c) Database design
d) Concurrency

17. Which of the following is the best description of the data security in DBMS?

a) Efficient check on all users' access
b) Multiple users accessing the data at the same time
c) User can access his previously stored data even if some website is hacked
d) Changes made to one location are automatically updated to another location

18. DBMS select a specific File organization for the storage of data on disk, to implement that specific file system the DBMS needs to create specific _____.

a) Keys
b) Indexes

Talha Sajid

c) Catalogs
d) Attributes

19. In a conceptual model for a university, what type of relationship exists between Grade and Student entities?

a) 1:1
b) 1:M
c) M:M
d) Ternary

20. Controlling redundancy in a database management system DOES NOT help to

a) avoid duplication
b) avoid unnecessary wastage of storage space
c) avoid unauthorized access to data Click here for detail
d) avoid inconsistency among data

21. In three level architecture of the database, which level is helpful to display data which is not actually placed in the database?

a) Internal level
b) Conceptual level
c) Physical level
d) External level

22. From the following database users, who have clear idea of the structure of the database and know all the needs of an organization?

a) End users
b) Naive users
c) Application programmers
d) Sophisticated users

Talha Sajid

23. The foreign key attribute, which is present as a primary key in another relation is called as _____ of the foreign key attribute.

a) Binary relation
b) Composite relation
c) Home relation
d) Recursive relation

24. While mapping many-to-many relationship _____ table(s) are created

a) One
b) Two
c) Three
d) Five

25. Which is not the function of Database Management System?

a) A user accessible Catalog
b) Concurrency Control Services
c) Failure Response Service
d) Support for Data Communication

26. The conceptual database design can be transformed into any_____.

a) Data model
b) Database design
c) E-R model
d) Entity set

27. Which is the second stage in the database development process?

a) Database design
b) Preliminary Study
c) Physical Design

Talha Sajid

d) Requirement Analysis

28. Functional dependencies under interference rule reflexivity are called _____ dependencies.

a) Augmentation
b) Transitivity
c) Projectivity
d) Trivial

29. If many instances of the "Book" entity are associated with the many instances of the "Student" entity, then the relationship between them is:

a) One to one
b) One to many
c) Many to many
d) Many to one

30. Which of the following constraints enforces entity integrity?

a) PRIMARY KEY
b) FOREIGN KEY
c) CHECK
d) NOT NULL

31. Unary operations involve

a) Only one relation
b) Only two relations
c) More than two relations
d) Not more than five relations

Taha Sajid

32. A _____ entity has a primary key that is partially or totally derived from the parent entity in the relationship.

a) Strong
b) Weak
c) Business
d) Relationship

33. Which of the following functions are NOT performed by a database administrator?

a) Planning, designing and implementing database systems
b) Establishing standards and procedures for database systems
c) Communicating with database users
d) Allocation of storage locations and data structures

34. Which of the following is drawback of standardization?

a) Difficult to understand
b) Uniformity
c) Lack of uniqueness
d) Easy to develop applications

35. Recursive relationship is also called _____.

a) Unary
b) Ternary
c) Primary
d) Secondary

36. Select the correct statement about the ANSI/SPARC architecture.

a) The conceptual level is a level of indication between the internal level and the external level.
b) The internal level in a database system will definitely be relational.

Talha Sajid

c) Any given database has many conceptual schemas and one physical schema, but it has only one external schemas.
d) The external level is not concerned with individual user perceptions, while the conceptual level is concerned with a community user perception

37. DFD does not provide us a way to represent _____

a) Entities
b) Decisions
c) Date stores
d) Processes

38. A _____ is used to maintain a connection between the users of the database system.

a) Virtual server
b) File server
c) Client server
d) FTP server

39. Which of the following is an advantage of using the Traditional File Organization?

a) Time consuming
b) Data security
c) Simplicity
d) Efficiency

40. Which of the following is the input to Analysis Phase?

a) DFD
b) Logical database design
c) Physical database design
d) Data model

Talha Sajid

41. Name and _____ are part of the definitions of an attribute.

a) Domain
b) Symbol
c) Property
d) Entity instance

42. Which of the following most certainly implies the need for an entire table to implement?

a) A ternary relationship
b) A recursive relationship
c) An identify relationship
d) A binary relationship

43. Which of the following is not a benefit of normalization?

a) Minimize insertion anomalies
b) Minimize deletion anomalies
c) Minimize updating anomalies
d) Maximize redundancy

44. Core of the Database Architecture is _____

a) Internal level
b) External level
c) Conceptual level
d) ANSI SPARK

45. _____ is same as equi-join with a slight difference.

a) Natural join
b) Semi join
c) Outer join
d) Theta join

Talha Sajid

46. Conceptual database design is implemented using a _____.

a) Hierarchical data model
b) Semantic data model
c) Relational data model
d) Network data model

47. Which constraint is generally used for efficiency purposes in the data entry process?

a) Null value
b) Integer value
c) Default value
d) String value

48. A 3 NF relation is converted to BCNF by

a) Removing composite keys
b) Removing multivalued dependencies
c) Dependent attributes of overlapping composite keys are put in a separate relation
d) Dependent non-key attributes are put in a separate table

49. Each _____ of a table contains atomic/single value.

a) Cell
b) Row
c) Column
d) Record

50. Which of the following statements is NOT correct?

a) The functional dependency (EmpNo, DeptNo) -> ProjNo holds over R.
b) The functional dependency EmpNo -> DeptNo holds over R.
c) The functional dependency ProjNo -> DeptNo holds over R.
d) The functional dependency (EmpNo, ProjNo) -> DeptNo holds over R.

Talha Sajid

WhatsApp 0328-4090195

51. Which one of the following is not a part of three-level architecture?

a) External level
b) Conceptual level
c) Internal level
d) Physical level

52. Which of the following is INCORRECT about naming entities?

a) Singular nouns are used
b) Write in capitals
c) Organization specific names can be used
d) Always use abbreviations as they are convenient

53. An instance is

a) A particular occurrence of an entity
b) A special type of relation
c) An attribute of an entity
d) Any particular entity

54. _____ is an example of metadata

a) Ali
b) Address
c) Person
d) Student

55. Level of data at which entities or objects exist in reality is called

a) Real world data
b) Schema for real world data
c) Meta data
d) Data about data

Talha Sajid

56. There are _____basic properties of the database relations.

a) Four
b) Three
c) Six
d) Two

57. How many types of dependencies are?

a) One
b) Two
c) Three
d) Four

58. In _____ join, only selected rows of a relation are made cross product with second relation.

a) Normal
b) Theta
c) Outer
d) Semi

59. The Entity Relation Model models

a) Entities, Relationships and Processes
b) Entities and Relationships (Page 71)
c) Relationships
d) Entities

60. As part of database naming conventions, attribute names should use suffixes such as ID, NUMBER or CODE for the _____.

a) primary key
b) foreign key

Talha Sajid

c) index
d) determinant

61. Which of the following is not a key?

a) Super key
b) Alternate key
c) Integrity constraint key
d) Primary key

62. A collection of concepts that can be used to describe the structure of a database

a) Database
b) DBMS
c) Data model
d) Data

63. Any combination of attributes with super key is _____.

a) Primary key
b) Foreign key
c) Super key
d) Candidate key

64. Binary relationships are those, which are established between

a) One entity type
b) Two entity type
c) Three entity type
d) Unlimited entities

65. User rights information is stored in

a) Physical database

Talha Sajid

b) Catalog
c) Logical database
d) Buffer

66. Making a change to the conceptual schema of a database but not affecting the existing external schemas is an example of

a) Physical data independence.
b) Concurrency control.
c) Logical data independence.
d) Functional dependency

67. A relation (from the relational database model) consists of a set of tuples, which implies that

a) all tuples in a relation must be distinct.
b) relational model supports multi-valued attributes whose values can be represented in sets.
c) for any two tuples, the values associated with all of their attributes may be the same.
d) all tuples in a particular relation may have different attributes.

68. _____ are called participants, when enrolled in a relationship.

a) Attributes
b) Relations
c) Entities
d) Keys

69. In case of Context-level Diagram, the system is represented by

a) One process at least
b) Two processes at least
c) One process only
d) Any number of processes

Talha Sajid

70. Collection of raw facts is called____.

a) Information
b) Object
c) Output
d) Data

71. A software package designed to store and manage database

a) Database
b) DBMS
c) Data model
d) Data

72. In _____ join common attributes appear twice in the output with selected rows.

a) Normal join
b) Semi join
c) Natural join
d) Equi join

73. Within a table, each primary key value _____.

a) Is a minimal super key
b) Is always the first field in each table
c) Must be numeric
d) Must be unique

74. _____ is not an operation of relational algebra.

a) Addition
b) Union
c) Cartesian product
d) Set difference

Talha Sajid

75. Candidate keys which are not selected as primary key are called ___

a) Secondary keys
b) Foreign keys
c) Alternate keys
d) Composite keys

76. Major benefits of data sharing is:

a) Data of same applications placed at same place.
b) Data of same applications placed at different places
c) Data of different application places at same place
d) Data of different applications stored at placed place

77. Functional dependency between two attributes or sets of attributes i.e. Q and P is represented as _____.

a) Q → P
b) Q P
c) Q * P
d) Q + P

78. Which of the following is not the component of Relational Data Model?

a) Integrity Constraint
b) Manipulation Language
c) Relation / Table
d) Domain Constraint

79. Consider the two attributes "CNIC_NO" and "Registration_NO". Both the attributes can be used for the unique identification. Now if the user selects the "CNIC_NO" as primary key, then "Registration_NO" is a _____ key.

a) Foreign

Talha Sajid

b) Secondary
c) Primary
d) Alternative

80. Which relational algebra operation could have been applied on the pair of relations Student and Instructor to obtain the above data?

a) Instructor – Student
b) Student ∩ Instructor
c) Instructor ÷ Student
d) Student – Instructor

81. Consider the relation Interview(CandidateNo, InterviewDate, InterviewTime, StaffNo, RoomNo) and the following functional dependencies.

FD1 : CandidateNo, InterviewDate -> InterviewTime, StaffNo, RoomNo

FD2 : RoomNo, InterviewDate, InterviewTime -> StaffNo, CandidateNo

FD3 : StaffNo, InterviewDate -> RoomNo

Which of the following is correct?

a) The relation Interview is in 3NF
b) The relation Interview is in BCNF.
c) The FD3 violates 3NF.
d) The FD2 violates 2NF.

82. Which one of the following is NOT a characteristic of meta data?

a) Data about data
b) Describes a data dictionary
c) Self-describing
d) Includes user data

83. Theta join is denoted mathematically as _____.

Talha Sajid

a) R X S
b) R X
c) R X Θ S
d) RX RS

84. In cross reference matrix transitions are specified on _____ and database objects are specified on _____.

a) Y axis, X axis
b) X axis, Y axis
c) X axis, X axis
d) Y axis, Y axis

85. Which of the following data model is not record based?

a) Hierarchical Data Model
b) Network Data model
c) Semantic Data model
d) Relational Data model

86. The basic purpose of Diamond in ER diagram is to show the _____.

a) Attributes
b) Relationships
c) Composite attribute
d) Entity set

87. Which of the following tool is used to design conceptual database design?

a) SQL
b) MS Access
c) Oracle
d) This model is independent of any tool

Talha Sajid

88. Identify the INCORRECT statement among the given.

a) An entity may be an object with a physical existence like a car, a house or an Employee.
b) One cannot consider something which has conceptual existence like a course in a degree program as an entity.
c) Age can be considered as a single value attribute of a person.
d) An entity type describes the schema or intension for a set of entities which share the same structure.

89. Structural constraints of a relationship type refer to

a) identifying the owner entity type relevant to a given entity type
b) whether the existence of an entity depends on it being related to another entity via the relationship type.
c) the role that a participating entity from the entity type plays in each relationship instance.
d) the constraints applicable in granting access to tables, columns and views in a database schema.

90. A collection of concepts that can be used to describe the structure of a database

a) Database
b) DBMS
c) Data model
d) Data

91. An entity can be logically connected to another by defining a ____.

a) hyperlink
b) common attribute
c) primary key
d) superkey

92. Cross reference matrix is developed at the _____ stage of the database.

Talha Sajid

a) Analysis
b) Designing
c) Implementation
d) Application

93. The population of the data of the organization for which the database is created is called the _____ of the Database.

a) Extension
b) Intension
c) Model
d) Schema

94. User rights information is stored in _____.

a) Physical database
b) Catalog
c) Logical database
d) Buffer

95. In natural join the common attribute in the output table appears ____.

a) Twice
b) Three times
c) Four times
d) Once

96. Which levels are mostly used for detailed DFD?

a) Level-0, Level-1
b) Level-1, Level-2
c) Level-2, Level-3
d) Level-3, Level-4

Talha Sajid

97. By default, a non-key attribute in a relation can have _____ value.

a) Binary
b) Null
c) Character
d) Integer

98. With the help of _____ technique data values with the smaller sized codes can further reduce the space needed by the data for storage in the database.

a) Compression
b) Expansions
c) Negation
d) Extension

99. If an entity is linked with itself, then it is called _____ relationship.

a) Binary
b) Ternary
c) Nary
d) Recursive

100. Duplication of data in controlled redundancy is controlled and _____.

a) Deliberate
b) Necessary
c) Precise
d) Unintentional

101. Teleprocessing is a sub-type of _____.

a) Single user database
b) Multi-user database
c) File server
d) Client server

Talha Sajid

102. The ____ constraint specifies whether each entity supertype occurrence must also be a member of at least one subtype.

a) specialization
b) uniqueness
c) inheritance
d) completeness

103. Database management systems, operating systems, applications and utilities are all examples of ____.

a) hardware
b) software
c) computer infrastructure
d) input and output

104. Which of the following concepts is applicable with respect to 2NF?

a) Full functional dependency
b) Any kind of dependency
c) Transitive dependency
d) Non-transitive dependency

105. In an ERD, the focus is on the ____ and the relationships between them.

a) Attributes
b) Entities
c) Keys
d) Indexes

106. The most widely used conceptual model is the _____ model.

a) Implementation
b) ER

Talha Sajid

WhatsApp 0328-4090195

c) Object oriented
d) Internal

107. Student and book are two entities, what is the cardinality between the two?

a) Many to one
b) One to many
c) Many to many
d) One to one

108. A description on a particular collection of data using the given data model is _____.

a) Database
b) Relation
c) Schema
d) None

109. Consider thy key "CNIC, Name" and choose the best option that describes the key most effectively.

a) The given key is a super key and alternate key.
b) The given key is not a super key but a candidate key.
c) The given key is a super key and candidate key as well.
d) The given key is a super key but not a candidate key.

110. Normalization is a process of restructuring a relation to

a) Minimize duplication of data in a database
b) Maximize duplication of data to ensure reliability
c) Make if of uniform size
d) Allow addition of data

Talha Sajid

111. Unary relationship involves a single entity it is also called _____.

a) One to one relationship
b) One to many relationship
c) Many to many relationship
d) Recursive relationship

112. Which of the following is a part of a DFD but not included in the ERD?

a) The attribute having a single instance
b) The external entity having a single instance
c) The relationship having a single instance
d) The role having a single instance

113. The database management system (DBMS) is used to _____.

a) Store the data
b) Access the data
c) Manage its users
d) All of the above

114. In cross reference matrix attributes are mentioned on _____ and reports are mentioned on _____.

a) Y axis, X axis
b) Y axis, Z axis
c) X axis, Y axis
d) X axis, Z axis

115. Data Redundancy means

a) Security of data
b) Duplication of data
c) Management of data
d) Recovery of data

Talha Sajid

116. Which of the following is a type of dependency?

a) DBMS
b) ERD
c) DFD
d) Referential

117. In your opinion, why relational database is widely acceptable?

a) Due to its complexity
b) Due to its approach
c) Due to its dependencies
d) Due to its strength

118. How data security can be assured in the database?

a) By hiding data from all
b) Through concurrent access of users
c) By asking users not to share things
d) Implementing encryption algorithms

119. The attributes whose value is not stored in a database is known as _____ attribute.

a) Stored
b) Single value
c) Multi value
d) Derived

120. Logical database design, like conceptual database design is our _____

a) Data model
b) Weak entity set
c) Strong entity set
d) Database design

Talha Sajid

121. The conceptual database design is drawn through_____.

a) Data model
b) ER model
c) Database design
d) Entity set

122. A relational database is

a) One that consist of two or more tables
b) A database that is able to process tables, queries, forms, reports and macros
c) One that consists of two or more tables that are joined in some way
d) The same as a flat file database

123. Database is a computerized representation of any organization's flow of ___ and storage of_.

a) Data, information
b) Details, data
c) Data, details
d) Information, data

124. A database system allows the following EXCEPT

a) management and control of data towards an efficient working of an organization.
b) more critical functions in organizations to be computerized and the need to keep a large volume of data available in an up to the minute current state increased.
c) any user to access all its data.
d) integration of data across multiple applications into a single application

125. User rights information is stored in

a) Physical database
b) Catalog

Talha Sajid

c) Logical database
d) Buffer

126. The ER- data model is an example of:

a) Physical database
b) Logical database
c) Relational database
d) Conceptual database

127. Which of the following is NOT an entity?

a) Employee
b) Hobby
c) Student
d) Playground

128. After moving the determined columns from the original table to the new table while converting to 2NF, the determinate becomes the _____ of the new table.

a) Primary key
b) Foreign key
c) Secondary key
d) Composite key

129. Free standing data dictionary is created by Using _____.

a) DFD
b) Database
c) CASE tools
d) Cross reference matrix

130. A patient can be an outdoor or indoor. Analyze this statement and tell what type of constraint will be applied on patient?

Talha Sajid

a) Total completeness
b) Partial completeness
c) Total disjoint
d) Partial disjoint

131. If A → B and A → C, then A → BC. The inference Rule applies is:

a) Union
b) Decomposition
c) Augmentation
d) Reflexivity

132. Which of the following is the correct abbreviation of ERD?

a) Entity relationship diagram
b) Entity relation diagram
c) Entity reality diagram
d) Entity real distance

133. Database relation is also represented in a two dimensional structure called_____.

a) Row
b) Table
c) Entity
d) Column

134. Which of the following is true about relational schema?

a) The sequence of columns is significant
b) The sequence of rows is significant.
c) Contains only derived attributes.
d) Values are atomic.

135. A collection of related data is

Talha Sajid

a) Logical model
b) Database
c) Data
d) Relational model

136. A weak entity type

a) must have total participation in an identifying relationship
b) does not have a key attribute(s)
c) both (a) and (b)
d) none of the above

137. A description on a particular collection of data using the given data model

a) Database
b) Schema
c) None of the above.
d) Relation

138. If K is a foreign key in relation R1, then

a) every tuple of R1 has a distinct value for K.
b) K cannot have a null value for tuples in R1.
c) K is a key for some other relation.
d) K is a primary key for R1.

139. Consider the following statements.

A. An entity integrity constraint states that no primary key value can be null.

B. A referential integrity constraint is specified between two relations.

C. A foreign key cannot be used to refer to its own relation.

Identify which of the above statements is/are correct.

a) Only A

Talha Sajid

b) Only B
c) B and C
d) A and B

140. Which of the following constraints enforces entity integrity?

a) PRIMARY KEY
b) FOREIGN KEY
c) CHECK
d) NOT NULL

141. Which of the following enforces a relation into 1st normal form?

a) The domain of attribute must include only atomic values.
b) Every non-key attribute is fully functionally dependent on primary key
c) non-key attribute is non-transitively dependent on primary key.
d) Every non-key attribute is partially dependent on super key

142. Which of the following is a feature of PRIMARY KEY constraint?

a) unique identifier for a row within a database table.
b) allow any actions that would destroy links between tables
c) limit the values that can be placed in a column.
d) enforces that the column will only accept null values

143. Identify the correct statement.

a) Entity integrity constraints specify that primary key values can be composite.
b) Entity integrity constraints are specified on individual relations.
c) Entity integrity constraints are specified between weak entities.
d) When entity integrity rules are enforced, a tuple in one relation that refers to another relation must refer to an existing tuple.

144. A software package designed to store and manage databases

Talha Sajid

a) Database
b) DBMS
c) Data model
d) Data

145. Who is responsible for authorizing access to the database, for coordinating and monitoring its use?

a) Database Designer
b) Database Administrator
c) End User
d) Application Programmer

146. Which of the following statements is NOT correct?

a) The functional dependency (EmpNo, DeptNo) -> ProjNo holds over R.
b) The functional dependency EmpNo -> DeptNo holds over R.
c) The functional dependency ProjNo -> DeptNo holds over R.
d) The functional dependency (EmpNo, ProjNo) -> DeptNo holds over R.

147. Which feature of database provides conversion from inconsistent state of DB to a consistent state ensuring minimum data loss?

a) User accessible catalog
b) Data processing
c) Recovery service
d) Authorization service

148. Consider the following statements.

A. Conceptual schema which is the result of conceptual design is a logical description of all data elements and

their relationships.

B. Internal level of the database architecture consists of the physical view of the database.

Talha Sajid

C. External level of the database architecture provides the user view of the database.

With respect to the ANSI/SPARC three level database architecture, which of the above is/are correct?

a) Only A.
b) Only C.
c) Only A and B.
d) Only B and C.

149. The ER- data model is an example of:

a) Physical database
b) Logical database
c) Relational database
d) Conceptual database

150. Which of the following describes the job of a database administrator?

a) Development, implementation operation of the physical database
b) Creation of the system catalog
c) Monitoring and controlling database security and authorization: setting up controls to ensure the quality and integrity of data
d) All of the above

151. A relational database system is based on the concept(s) of _____.

a) A network of data records
b) Nested tables
c) Tables, row and columns
d) A tree-like structure of data

152. A → BC and A → B, then A → C follow _____ inference rule.

a) Augmentation
b) Transitivity

Taima Sajid

c) Projectivity
d) Additivity

153. Suppose, we have two entities "shape" and "triangle", then which of the following is a correct statement?

a) Shape is a super type entity and triangle is a sub type entity
b) Shape is a sub type entity and triangle is a super type entity
c) Shape and triangle both are super type entities
d) Shape and triangle both are sub type entities

154. In Cross Reference Matrix attributes are specified on _____.

a) X axis
b) Y axis
c) Z axis
d) None of the above

155. Which of the following clarify the semantics of a relationship?

a) Entity
b) Roles
c) Relationship set
d) Participants

156. How many types of cardinalities is specified about relationship?

a) Two
b) One
c) Three
d) Four

157. Which of the following provides us the facility to add properties of one entity to another entity automatically?

Talha Sajid

a) Abstraction
b) Encapsulation
c) Inheritance
d) Dependencies

158. If there is more than one relationship between two entities and we mentioned role on the relationship link, then it is called:

a) Unary relationship
b) Binary relationships
c) Ternary relationships
d) Multiple relationships

159. Which one of the following is not an advantage of DBMS.

a) Data consistency
b) Recovery procedure is difficult
c) Faster development of new applications
d) Better backup and recovery procedures

160. When one entity instance of another entity for its existence, then it is called _____

a) Existence dependency
b) Identifier dependency
c) Referential dependency
d) Acceptance dependency

161. Relational data model is widely accepted due to its mathematically proven foundation and its _____.

a) Complexity
b) Simplicity

Talha Sajid

c) Hierarchical structure
d) Traditional structure

162. If an entity "motor cycle" is associated with at most one "driver", then the relationship between these two entities is:

a) One to one
b) One to many
c) Many to many
d) Many to one

163. Database application is a program which is used for performing certain operations such as_____

a) Insertion of data
b) Extraction of data
c) Updating the data
d) All of above

164. Creating the relationships between new tables and their predecessors through the use of foreign keys is general requirements of _____

a) First normal form
b) Second normal form
c) Third normal form
d) Fourth normal form

165. In _____ the domains of attributes of a relation are atomic, that is they consist of single units that cannot be broken down further.

a) First normal form
b) Second normal form
c) Third normal form
d) Augmentation

Talha Sajid

166. The _____ can see entire information structure of the database.

a) BA
b) DBTG
c) Database user
d) External viewer

167. The maximum PL/SQL size of data type "VARCHAR2" in DBMS is _____ bytes.

a) 42767
b) 52767
c) 32767
d) 28767

168. The maximum PL/SQL size of data type "BLOB" in DBMS is _____.

a) 4 gigabytes
b) 8 gigabytes
c) 10 gigabytes
d) 12 gigabytes

169. _____ states that in a relation no attributes of a primary key (PK) can have a null value.

a) Referential integrity constraint
b) Null constraint
c) Domain constraint
d) Entity integrity constraint

170. Defined by the database designer

"select" and "project" are the examples of _____

Talha Sajid

a) Unary operation
b) Binary operation
c) Ternary operation
d) Nary operation

171. External scheme evolves as user needs are _____ over the time.

a) Ends
b) Modified
c) Switch
d) Stable

172. An attribute that is the collection of some other attribute(s) is known as _____ attribute.

a) Multi-valued
b) Single-valued
c) No-valued
d) Composite

173. Which of the following is correct regarding Dataflow diagram?

a) The dataflow must be bidirectional
b) Created at increasing levels of detail
c) Single DFD is required to represent a system
d) Used to represent the relationships among the external entities

174. Controlling redundancy in a database management system DOES NOT help to

a) avoid duplication
b) avoid unnecessary wastage of storage space
c) avoid unauthorized access to data
d) avoid inconsistency among data

Talha Sajid

175. Which of the following concepts is applicable with respect to 3NF?

a) Full functional dependency
b) Any kind of dependency
c) Transitive dependency
d) Partial functional dependency

176. Identify the operation which is NOT one of the parts of the five basic set operations in relational algebra?

a) Join
b) Union
c) Cartesian Product
d) Set Difference

177. For a third normal form we concentrate on relations with one _____ key, and we eliminate transitive dependencies

a) Candidate
b) Composite
c) Super key
d) Primary key

178. Select the most appropriate statement. Which of the following data model is used to design logical database design?

a) Relational
b) Hierarchal
c) object oriented
d) Any model can be used

179. Which of the following might be represented with a multivalued attribute?

a) Book title

Talha Sajid

b) Class location
c) Person's name
d) Bank account balance

180. Which of the following is a completeness constraint?

a) Total generalization Constraint
b) Hybrid completeness Constraint
c) Partial Completeness Constraint
d) Partial generalization Constraint

181. In data flow diagram _____symbol is used to represents data flows.

a) Arrow
b) Circle
c) Square
d) Diamond

182. The primary key of EMP table is _____ whereas foreign key of EMP table is _____.

a) depId, empId
b) empId, depId
c) depId, empName
d) empName, depId

183. _____ are those languages in which what to do and how to do on the database is required.

a) SQL
b) Procedural
c) Non-procedural
d) Relational calculus

Taha Sajid

184. Suppose that "Program" is an entity which represents different courses are being offered by an institute, like MCS, BCS etc. Following are the major attributes of this entity. Identify the attribute which can be used as primary key.

a) Max-Duration
b) Program-Code
c) Program-level
d) No-of-Semesters

185. The attribute HOBBY can have more than one values in ERD. The HOBBY is a _____ attribute.

a) Derived
b) Composite
c) Multi valued
d) Single-valued

186. Which of the following provides us data independency?

a) 3-Level Architecture
b) Inter Schema Mapping
c) Cross Reference Matrix
d) The Traditional File Organization

187. Which of the following might be represented with a single-valued attribute?

a) Person's hobby
b) Person's phone number
c) Computer's processor speed
d) Employee's educational background

188. Database system saves lots of efforts and finances, this advantage provides _____.

a) Economy of scale

Talha Sajid

b) Time saving structure
c) Batter concurrency control
d) Faster Application Development

189. Data inconsistency leads to a number of problems such as _____.

a) Data isolation
b) less secure data
c) Slow database development
d) loss of information and incorrect results

190. Which of the following functions are NOT performed by a database administrator?

a) Planning, designing and implementing database systems
b) Establishing standards and procedures for database systems
c) Communicating with database users
d) Allocation of storage locations and data structures

191. Which one is true regarding relation?

a) Every attribute value Non atomic
b) Attribute in table may not have unique name
c) table order of the column is relevant
d) the order of the rows is irrelevant

192. Which of the following is not a benefit of normalization?

a) Minimize insertion anomalies
b) Minimize deletion anomalies
c) Minimize updating anomalies
d) Maximize redundancy

193. In case of Context-level Diagram, the system is represented by

Talha Sajid

a) One process at least
b) Two processes at least
c) One process only
d) Any number of processes

194. A _____ is used to maintain a connection between the users of the database system.

a) Mail server
b) File Server
c) Client-server
d) None of the given

195. Making a change to the conceptual schema of a database but not affecting the existing external schemas is an example of

a) Physical data independence.
b) Concurrency control.
c) Logical data independence.
d) Functional dependency

196. The total participation by entities is represented in E-R diagram as

a) Circle
b) Double lines
c) Dashed line
d) Double rectangle

197. In a three-level DBMS architecture, the _____ level interacts directly with the users.

a) Internal
b) Physical
c) External
d) Conceptual

Talha Sajid

198. A _____ is used to combine rows from two or more tables, based on a related column between them.

a) Select operator
b) Project operator
c) Join operation
d) Delete operator

199. The _____ rule specifies that an entity can be a member of only one subtype at a time.

a) Disjoint
b) Inclusion
c) Exclusion
d) Removal

Best of Luck

Talha Sajid

For Free help, more Mid/Final term Files and for Exam Preparation : **You Can Join:**

WhatsApp 0328-4090195