

Composed and Compiled by Imtiaz Albaloshi:

Whatsapp: 03196386297

Contact on whatsapp number to add on our free whatsapp group:

Bio506-MCQS:

1. In the 2nd stage of the Citric acid cycle_____is oxidized? Acetyl-co A

2. Iron sulfur center is present in_____? Aconitase

3. Lineweaver_Burk plot, has the great advantage of allowing a more accurate determination of_____? Vmax

4. The hydrolysis of this high-energy thioester intermediate makes the forward reaction highly? Exergonic

5. Competitive inhibitors do not decrease_____? Vmax

6. The nearly tetrahedral arrangement of the orbitals about the oxygen atom allows each water molecule to form hydrogen bonds with as many as? 4

7. A mixture of acetic acid and acetate ion constitute a_____? Buffer

8. Which of the following is not used by Pyruvate dehydrogenase complexes as a coenzyme? GTP

9. Which of the following is not the component pyruvate dehydrogenase complex? E4

10. A conjugate base in the buffer is a_____? Proton acceptor

11. The yeast PDH complex has a_____lipoyl domain with a lipoate attached? 1

12. There is_____between the oxygen atom of one water molecule and the hydrogen of another? Electrostatic attraction

13. The transfer of electrons from NADH to oxygen generates how many molecules of ATP per pair of electrons? 2.5

14. Larger dissociation constants are associated with_____? Strong acids

15. For each pH unit less than_____the [H*] has increased tenfold? 7

16. Any substance that can diminish the velocity of an enzyme-catalyzed reaction is called an_____? Inhibitor

17. A technique where a solution of known concentration is used to determine the concentration of an unknown solution is known as_____? Titration

18. The ionization of water can be measured by its_____? Electrical conductivity

19. Isocitrate is_____carbon compound? 6

20. PDH complex composed of_____enzymes? 3

21. _____cycle allows seeds to use lipids source? Glyoxylate

22. Equilibrium constants are? Multiplicative

23. FMN and FAD co enzymes catalyze oxidation reduction reactions? Flavoproteins

24. In eukaryotes TCA cycle takes place in_____? Mitochondria

25. The rate of any reaction is determined by the concentration of the_____? Reactants

26. Primary structure of RNA defined as the number and sequence of_____? RNA chain

27. The velocity of reaction is the rate of_____formation? Product

28. Neutral lipids are stored in_____? Adipocytes

29. At the beginning of the titration, the acetic acid is_____ionized? Slightly

30. _____reflects the affinity of enzymes for substrates? Km

31. What will be the pH of 0.1 Molar HCL? 1

32. In general irreversible inhibitors bind to enzymes through? Covalent bonds

33. A ligand bind at a site on the_____? Protein

34. Mass action ratio is depicted by_____? Q

35. Pepsin a digestive enzyme in the stomach is maximally active at pH? 2

36. Fatty acids consist of an alkyl chain and_____? Carboxylic acid

37. The value of G remains positive when system_____energy? Gain

38. All tRNA molecules contain_____main arms or Loops? 4

39. Glyoxylate cycle is a variation of_____? TCA cycle

40. In organic chemistry, the acryloyl is a form of_____? Enone

41. Cholesterol and specific proteins into leo protein aggregates called_____? Chylomicrons

42. Enzymes are not rigid, change shape with_____? Substrate

43. Fatty acid catabolism causes the oxidation beta carbon to form_____? Glycerol

44. Delta S has a + sign when entropy_____? Increases

45. Carbon in the fermentation obtained from_____? Beet Molasses

46. The core of the E-coli enzyme contains? 24 copies of E2

47. Vmax and Km both are constant at_____? Zero

48. Exergonic process release_____? Energy

49. Chylomicrons transport dietary_____tissues? Cholesterol

50. Commonly used name for most enzymes followed by suffix_____? -ase