Question # 10 of 10 (Start time: 10:30:30 AM, 20 July 2023)

If two variables are moving in the same direction, it is called as_____ correlation.

Select the correct option

- ○ Linear
- ○ Positive ✓
- ○ Non-linear
- ○ Negative

Click to Save Answer & M

Scanned with CamScanner

PSY516 - Statistics in Psychology (Quiz #)

Question # 9 of 10 (Start time: 10:29:58 AM, 20 July 2023)

In ANOVA, the homogeneity of variance assumption will be tested by:

Select the correct option

- ○ Kolmogorov-Smirnov tests
- ○ Welch and Brown-Forsythe
- ○ Levene's test ✓
- ○ Shapiro-Wilk

Click to Save Answer & Mov

Scanned with CamScanner

Question # 8 of 10 (Start time: 10:29:17 AM, 20 July 2023)

In ANOVA, difference exists between the treatment conditions is termed as:

Select the correct option

- ○ No treatment variance
- ○ Treatment variance
- ○ Within treatments variance
- ○ Between-treatments variance ✓

Click to Save Answer

Scanned with CamScanner

Question # 5 of 10 (Start time: 10:26:54 AM, 20 July 2023)

Which of the following is a statistical technique that is used to measure and describe the relationship between two variables?

Select the correct option

Reload Math

- Correlation ✓
- Standard deviation
- Mean
- T-test

Click to Save Answer & Move to Next Q

Scanned with CamScanner

Question # 6 of 10 (start time: 10:27:51 AM, 30 July 2023)

What are the two types of variance which can occur in your data?

Select the correct option

Reload

- Independent and confounding groups
- Experimenter and participant groups
- Repeated and extraneous groups
- Between or within groups ✓

Click to Save Answer & Move to N

Scanned with CamScanner

PSY516 - Statistics in Psychology (Quiz 4)

Question # 7 of 10 (Start time: 10:28:38 AM, 20 July 2021)

In ANOVA, which of the following tests is preferably used when the assumption of the homogeneity of variance is viol

Select the correct option

- Levene's test
- Kolmogorov-Smirnov tests
- Shapiro-Wilk
- Welch and Brown-Forsythe ✓

Click to Save Answer & Mo

Scanned with CamScanner

Question # 4 of 10 (Start time: 10:25:55 AM, 29 July 2023)

How many dependent variables you must have for an ANOVA to be conducted?

Select the correct option

- 1 continuous variable ✓
- 3 interval variables
- 2 nominal variables
- 3 ratio variables

Click to Save Answer & Mo

Scanned with CamScanner

PSY515 - Statistics in Psychology

Question # 3 of 10 (Start time: 10:25:23 AM, 20 July 2023)

The population correlation is traditionally represented by the Greek letter _____.

Select the correct option

Reload

- ρ ✓
- H_0
- t
- r

Click to Save Answer & Move to

Scanned with CamScanner

uestion # 2 of 10 (Start time: 10:24:42 AM, 20 July 2023)

The one-way analysis of variance (ANOVA) is used to determine whether there are any statistically significant differences be
means of _____independent (unrelated) groups.

elect the correct option

Reload Mat

- Two or more ✓
- Two
- Less than two
- One

Click to Save Answer & Move to Next

Scanned with CamScanner

10:10 AM

Quiz
vulms.vu.edu.pk

BC220422302: MALAIQA NOOR

Time Left 90 sec(s)

PSY518 - Statistics in Psychology (Quiz 4)

Quiz Start Time: 10:06 AM, 20 July 2023

Question # 10 of 10 (Start time: 10:11:12 AM, 20 July 2023)

Total Marks:

Which of the following statistical technique allows a researcher to measure the relationship between two variables while eliminating the influence of a third variable?

Select the correct option

Reload Math Equations

- Spearman Correlation
- Point-Biserial Correlation
- Partial correlation ✓
- Phi-Coefficient

Click to Save Answer & Move to Next Question

Scanned with CamScanner

PSY516 - Statistics in Psychology (Quiz 4) Quiz Start Time: 10:23 AM, 20 July 2

Question # 1 of 10 (Start time: 10:23:09 AM, 20 July 2023) Total Mar

For ANOVA, independent variable is always _____ in nature.

Select the correct option

Reload Math Equation

- Ratio
- Categorical ✓
- Interval
- Continuous

Click to Save Answer & Move to Next Question

Scanned with CamScanner

PSYB16 - Statistics in Psychology

Question # 1 of 10 (Start time: 10:23:29 AM, 20 July 2023)

Total Marks:

For ANOVA, independent variable is always_____ in nature.


Select the correct option

Reload Math Equations


- Ratio
- Categorical ✓
- Interval
- Continuous

Click to Save Answer & Move to Next Question


Scanned with CamScanner




Scanned with CamScanner




Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner

10:08 AM

Quiz
vulms.vu.edu.pk

BC220422302: MALAIQA NOOR

Time Left 88 sec(s)

PSY518 - Statistics in Psychology (Quiz 4)

Quiz Start Time: 10:06 AM, 20 July 2023

Question # 8 of 10 (Start time: 10:09:11 AM, 20 July 2023)

Total Marks:

Which of the following is the total probability of a Type I error accumulated from all of the separate tests in the experiment?

Select the correct option

Reload Math Equations

- Group wise alpha level
- Individual alpha level
- Test wise alpha level
- Experiment wise alpha level ✓

Click to Save Answer & Move to Next Question

Scanned with CamScanner

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=cc1048a6-6815-4ba0-9216-5f01325b4

BC220411297: HAJRA BANO

PSY516 - Statistics in Psychology (Quiz 4)

Question # 9 of 10 (Start time: 10:06:54 AM, 20 July 2023)

What does ANOVA calculate?

Select the correct option

- ○ Z-scores
- ○ R ratios
- ○ F ratios ✓
- ○ T-scores

Scanned with CamScanner

10:06 AM

Quiz
vulms.vu.edu.pk

BC220422302: MALAIQA NOOR

Time Left 89 sec(s)

PSY518 - Statistics in Psychology (Quiz 4)

Quiz Start Time: 10:06 AM, 20 July 2023

Question # 3 of 10 (Start time: 10:07:07 AM, 20 July 2023)

Total Marks:

For ANOVA, independent variable is always _____ in nature.


Select the correct option

Reload Math Equations

- Continuous
- Ratio
- Interval
- Categorical ✓

Click to Save Answer & Move to Next Question

Scanned with CamScanner



Scanned with CamScanner

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=35e5cdc7-a06e-4df9-94ca-d2cbbd7

BC220411297: HAJRA BANO

PSY515 - Statistics in Psychology (Quiz 4)

Question # 8 of 10 (Start time: 10:06:02 AM, 20 July 2023)

Pearson's Correlation Analysis is also known as:

Select the correct option

- ○ Kruskal-Wallis Correlational Analysis
- ○ Spearman's Correlation Analysis
- ○ Chi-Squared Product-Moment
- ○ Pearson's Product-Moment ✓

Scanned with CamScanner

10:02 AM

Start Quiz
vulms.vu.edu.pk

PSY516 – Statistics in Psychology (Quiz 4) **Total Questions :10**

Please read the following instructions carefully!

1. Quiz will be based upon Multiple Choice Questions (MCQs)

2. You have to attempt the quiz online. You can start attempting the quiz any time within given date(s) of a particular subject by clicking the link for Quiz in VLMS.

3. Each question has a fixed time of 90 seconds. So you have to save your answer before 90 seconds. But due to unstable internet speeds, it is recommended that you should save your answer within 60 seconds. While attempting a question, keep an eye on the remaining time.

4. Attempting quiz is unidirectional. Once you move forward to the next question, you can not go back to the previous one. Therefore before moving to the next question, make sure that you have selected the best option.

5. **DO NOT** press **Back Button / Backspace Button** while attempting a question, otherwise you will lose that question.

6. **DO NOT** refresh the page unnecessarily, **specially** when following messages appear
   Saving...
   Question Timeout. Now loading next question.

7. **Javascript MUST be enabled** in your browser, otherwise you will not be able to attempt the quiz.

8. If for any reason, you lose access to internet (like power failure or disconnection of internet), you will be able to attempt the quiz again from the question next to the last shown question. But remember that you have to complete the quiz before expiry of the deadline.

9. If any student failed to attempt the quiz in given time then no re-take or offline quiz will be held.


Important Announcement

1. It has come to the University's knowledge that some students are using unfair means while attempting their quiz.

2. The University is monitoring & analyzing the quiz attempts and if a student is found involved in using unfair means, i.e., helping tools/software, Web Extension, Add-ons etc., an Unfair Means Case (UMC) will be made against such student(s) including cancellation of their quiz.

Start Quiz

Scanned with CamScanner



Scanned with CamScanner

10:04 AM 359 B/s 54

Question # 8 of 10 (Start time: 10:04:03 AM, 20 July 2023)

In ANOVA, difference exists between the treatment conditions is termed as:


Select the correct option

Reload M


- ○ Treatment variance
- ○ Within treatments variance
- ○ Between-treatments variance ✓
- ○ No treatment variance

Click to Save Answer & Move to Ne

Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=2f2c2ca6-e368-4ddc-8ffd-0279dbfc0763

BC220411297: HAJRA BANO

PSY615 - Statistics in Psychology (Quiz 4)

Question # 6 of 10 (Start time: 10:03:24 AM, 20 July 2023)


Which of the following type of data is used for the Spearman correlation?

Select the correct option


- Ordinal ✓
- Interval
- Ratio
- Nominal

Type here to search


Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=0a97cb81-c7b6-4c38-a412-2854cdcc4ff5

BC220411297: HAJRA BANO

PSY516 - Statistics in Psychology (Quiz 4)

Question # 7 of 10 (Start time: 10:04:00 AM, 20 July 2023)

The population correlation is traditionally represented by the Greek letter _____.

Select the correct option

- ○ t
- ○ H_0
- ○ ρ ✓
- ○ r^2

Scanned with CamScanner

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=6277e1c3-c731-4d29-aaa9-1cad8ea57d9d

BC220411297: HAJRA BANO

PSYS16 – Statistics in Psychology (Quiz 4)


Question # 5 of 10 (Start time: 10:02:40 AM, 20 July 2023)

For ANOVA, dependent variable is always_____ in nature.

Select the correct option

- ○ Ratio
- ○ Interval
- ○ Categorical
- ○ Continuous ✓

Scanned with CamScanner



Scanned with CamScanner

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=39555582-175d-4c8a-bb3d-30043023265d

BC220411207: HAJRA BANO

PSY518 - Statistics in Psychology (Quiz 4)

Question # 2 of 10 (Start time: 10:00:34 AM, 20 July 2023)


Which of the following is the total probability of a Type I error accumulated from all of the separate tests in the experiment?

Select the correct option

○	Group wise alpha level
○	Test wise alpha level
○	Experiment wise alpha level ✓
○	Individual alpha level

Type here to search

Scanned with CamScanner



Scanned with CamScanner

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=ba0b8b31-0376-4740-943f-9acc0eae7fe9

BC220411297: HAJRA BANO

PSY518 - Statistics in Psychology (Quiz 4)

Question # 3 of 10 (Start time: 10:01:20 AM, 20 July 2023)


What does ANOVA calculate?

Select the correct option

- Mann Whitney
- F ratios ✓
- T score
- Z score

Type here to search

Scanned with CamScanner



Scanned with CamScanner

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=0f2839bc-acc7-4ef8-b3ef-1e192a952ec1

BC220411297: HAJRA BANO

PSY518 - Statistics in Psychology (Quiz 4)

Question # 4 of 10 (Start time: 10:01:57 AM, 20 July 2023)

The population correlation is positive in a directional hypothesis. This type of hypothesis can be written statistically as:.

Select the correct option

- $H_1: \rho < 0$ ✓
- $H_0: \rho = 0$
- $H_0: \rho = 0$
- $H_0: \rho \leq 0$

Scanned with CamScanner

that you have to complete the quiz before

MC) will be made against such student(s)

Start Quiz

Scanned with CamScanner

PSY516 - Statistics in Psychology (Quiz 4) Quiz Start Time: 09:59 AM, 20 July 2023

Question # 1 of 10 (Start time: 09:59:39 AM, 20 July 2023) Total Marks:

Which of the following refers to the proportion of variability in the data that is explained by the relationship between X and Y?

Select the correct option

Reload Math Equations

- ○ Regression analysis
- ○ Coefficient of correlation
- ○ Coefficient of determination
- ○ Coefficient of variance

Click to Save Answer & Move to Next Question

Scanned with CamScanner

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=5c31f3f0-90e3-464d-af5b-549924b4715f

BC220411297: HAJRA BANO

PSY516 - Statistics in Psychology (Quiz 4)


Question # 1 of 10 (Start time: 09:59:49 AM, 20 July 2023)

Which of the following is NOT an application of correlation coefficient?


Select the correct option

- Prediction
- Reliability
- Validity
- Variation ✓


Scanned with CamScanner




Scanned with CamScanner




Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner



Scanned with CamScanner

BC220401251: ZANIKA SATTAR

Time Left 87 sec(s)

PSY516 - Statistics in Psychology (Quiz 4)

Quiz Start Time: 09:46 AM, 20 July 2023

Question # 7 of 10 (Start time: 09:50:11 AM, 20 July 2023)

Total Marks:

Which of the following statement is true for the Pearson correlation?


Select the correct option

Reload Math Equations

- ○ All of the above
- ○ The relationship between two variables while controlling the influence of a third variable by holding it constant.
- ○ It measures the degree and the direction of the linear relationship between two variables. ✓
- ○ It measures the degree and the direction of the non-linear relationship between two or more variables.

Click to Save Answer & Move to Next Question

Scanned with CamScanner



BC220401251: ZANIKA SATTAR

Time Left 89 sec(s)

PSY518 - Statistics in Psychology (Quiz 4)

Quiz Start Time: 09:46 AM, 20 July 2023

Question # 2 of 10 (Start time: 09:47:00 AM, 20 July 2023)

Total Marks:

Which of the following refers to the proportion of variability in the data that is explained by the relationship between X and Y?


Select the correct option

Reload Math Equations

- Coefficient of correlation
- Coefficient of determination
- Regression analysis
- Coefficient of variance

Click to Save Answer & Move to Next Question

Scanned with CamScanner



Scanned with CamScanner



BC220401251: ZANIKA SATTAR

Time Left 89 sec(s)

PSY516 - Statistics in Psychology (Quiz 4)

Quiz Start Time: 09:46 AM, 20 July 2023

Question # 4 of 10 (Start time: 09:48:16 AM, 20 July 2023)

Total Marks:

In one-way ANOVA, _____ is used to determine which of given groups differ from each other.

Select the correct option

Reload Math Equations

- Levene's test
- F test
- Post hoc test
- T test

Click to Save Answer & Move to Next Question

Scanned with CamScanner

Question # 9 of 10 (Start time: 09:44:22 AM, 20 July 2023)

For two-way ANOVA, we calculate _____ kinds of degrees of freedom.

Select the correct option

- ○ One
- ○ Two
- ○ Three
- ○ Four

Scanned with CamScanner


Question # 10 of 10 (Start time: 09:45:09 AM, 20 July 2023)

In ANOVA, difference exists between the treatment conditions is termed as:

Select the correct option

- ○ Between-treatments variance
- ○ No treatment variance
- ○ Within treatments variance
- ○ Treatment variance

Scanned with CamScanner



Scanned with CamScanner

Question # 8 of 10 (Start time: 09:43:38 AM, 20 July 2023)

What would be accurate interpretation of the following hypothesis H_1: $\rho \neq 0$?

Select the correct option

○	There is covariance
○	There is real correlation
○	There is no population correlation
○	There is negative correlation

Scanned with CamScanner

Scanned with CamScanner

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=d4e7ecb5-f4a0-4bfa-bc85-64a790ffa4e2

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 8.1.

PSY518 – Statistics in Psychology (Quiz 4) Quiz Star

Question # 7 of 10 (Start time: 09:42:43 AM, 20 July 2023)

When the Pearson correlation formula is used with data from an ordinal scale (ranks), the result is called the _____correlation.

Select the correct option

- ○ Spearman Correlation
- ○ Point-Biserial Correlation
- ○ Phi-Coefficient
- ○ Partial correlation

Question # 6 of 10 (Start time: 09:42:03 AM, 20 July 2023)

What does ANOVA calculate?

Select the correct option

○	F ratios
○	Mann Whitney
○	Z score
○	T score

Scanned with CamScanner

PSY516 – Statistics in Psychology (Quiz 4)

Question # 3 of 10 (Start time: 09:39:43 AM, 20 July 2023)

If two variables are moving in the same direction, it is called as_____ correlation.

Select the correct option

○	Linear
○	Non-linear
○	Positive
○	Negative

Scanned with CamScanner

Question # 4 of 10 (Start time: 09:40:31 AM, 20 July 2023)

Which of the following statement is true for the Pearson correlation?

Select the correct option

○	Generally computed for population data
○	Generally computed for sample data
○	Generally computed for dispersed data
○	Generally computed for scattered data

Scanned with CamScanner

Question # 5 of 10 (Start time: 09:41:20 AM, 20 July 2023)

What are the two types of variance which can occur in your data?

Select the correct option

- ○ Between or within groups
- ○ Repeated and extraneous groups
- ○ Independent and confounding groups
- ○ Experimenter and participant groups

Scanned with CamScanner

Question # 2 of 10 (Start time: 09:38:48 AM, 20 July 2023)

Which of the following type of correlation measures the degree of monotonic relationship between two variables?

Select the correct option

- ○ Partial correlation
- ○ Spearman Correlation
- ○ Phi-Coefficient
- ○ Point-Biserial Correlation

Scanned with CamScanner

Quiz

vulms.vu.edu.pk/Quiz/QuizQuestion.aspx?ver=284e53b1-72ae-487a-aa73-1bf00b2b191e

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 8.1. Learn

PSY516 - Statistics in Psychology (Quiz 4) **Quiz Start Time: 09:37 AM, 20 Ju**

Question # 1 of 10 (Start time: 09:37:56 AM, 20 July 2023) **Total I**

When there is a _____ linear relationship in Pearson correlation, every change in the X variable is accompanied by a corresponding change in the Y variable.

Select the correct option

Reload Math Equa

- Negative
- Perfect
- Positive
- Zero

Click to Save Answer & Move to Next Quest

Scanned with CamScanner

Scanned with CamScanner

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 8.1.

PSY516 – Statistics in Psychology (Quiz 4)

Quiz Stc

Question # 10 of 10 (Start time: 09:35:46 AM, 20 July 2023)

Which of the following refers to the proportion of variability in the data that is explained by the relationship between X and Y?

Select the correct option

○	Regression analysis
○	Coefficient of correlation
○	Coefficient of variance
○	Coefficient of determination

Question # 7 of 10 (Start time: 09:33:01 AM, 20 July 2023)

If two variables are moving in the same direction, it is called as_____ correlation.

Select the correct option

○	Negative
○	Positive ✓
○	Non-linear
○	Linear

Scanned with CamScanner

PSY516 - Statistics in Psychology (Quiz 4)

Question # 8 of 10 (Start time: 09:33:46 AM, 20 July 2023)

How many levels must there be in one independent variable for an ANOVA to be used?

Select the correct option

○	2
○	3
○	4
○	1

Scanned with CamScanner

Question # 9 of 10 (Start time: 09:34:44 AM, 20 July 2023)

How many dependent variables you must have for an ANOVA to be conducted?

Select the correct option

- ○ 1 continuous variable
- ○ 3 ratio variables
- ○ 3 interval variables
- ○ 2 nominal variables

Scanned with CamScanner

PSY516 – Statistics in Psychology (Quiz 4)

Question # 4 of 10 (Start time: 09:30:31 AM, 20 July 2023)

What are the two types of variance which can occur in your data?

Select the correct option

○	Independent and confounding groups
○	Between or within groups ✓
○	Experimenter and participant groups
○	Repeated and extraneous groups

Scanned with CamScanner

Question # 5 of 10 (Start time: 09:31:25 AM, 20 July 2023)

Which of the following is NOT an application of correlation coefficient?

Select the correct option

- ○ Prediction
- ○ Validity
- ○ Variation
- ○ Reliability

Scanned with CamScanner

PSY516 - Statistics in Psychology (Quiz 4)

Question # 6 of 10 (Start time: 09:32:10 AM, 20 July 2023)

Coefficient of determination is denoted by:

Select the correct option

- ○ r^2 ✓
- ○ Γ
- ○ T
- ○ r

Scanned with CamScanner

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 8.1.

PSY516 – Statistics in Psychology (Quiz 4) Qu

Question # 1 of 10 (Start time: 09:27:26 AM, 20 July 2023)

When the Pearson correlation formula is used with data from an ordinal scale (ranks), the result is called the _____correlation.

Select the correct option

○	Point-Biserial Correlation
○	Spearman Correlation ✓
○	Phi-Coefficient
○	Partial correlation

Click to Sav

Scanned with CamScanner

Question # 2 of 10 (Start time: 09:28:35 AM, 20 July 2023)

What would be accurate interpretation of the following hypothesis H_1: $\rho \neq 0$?

Select the correct option

○	There is real correlation
○	There is covariance
○	There is negative correlation
○	There is no population correlation ✓

Scanned with CamScanner

To get future Google Chrome updates, you'll need Windows 10 or later. This computer is using Windows 8.1.

Learn more

PSY516 – Statistics in Psychology (Quiz 4)

Quiz Start Time: 09:27 AM, 20 July 20

Question # 3 of 10 (Start time: 09:29:38 AM, 20 July 2023)

Total Mark

Which of the following statistical technique allows a researcher to measure the relationship between two variables while eliminating the influence of a third variable?

Select the correct option

Reload Math Equations

- ○ Spearman Correlation
- ○ Partial correlation ✓
- ○ Phi-Coefficient
- ○ Point-Biserial Correlation

Click to Save Answer & Move to Next Questio

Scanned with CamScanner

PSY403 - Social Psychology (Quiz 4)

Question # 5 of 10 (Start time: 04:56:22 PM, 19 July 2023)

Which of the following is the dark side of social interaction?

Select the correct option

- ○ Antisocial association ✓
- ○ intrapersonal power
- ○ interpersonal power
- ○ interpersonal association

Scanned with CamScanner