YP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 08:20 AM, 03 July 20

estion # 5 of 10 (Start time: 08:25:07 AM, 03 July 2024) Total Mar

Which of the following act as second messengers in neuronal transmission and they support the ongoing transmission by acting as a gating channel?

lect the correct option

Reload Math Equation

- Neurohormones
- Neuroregulators
- Neuromodulators
- Neurotransmitters

Click to Save Answer & Move to Next Question

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Quiz start Time: 08:20 AM, 03 July 2024

Question # 1 of 10 (Start time: 08:20:26 AM, 03 July 2024)

Total Marks:

By which of the following mechanism the neurotransmitter can return to the presynaptic areas and be taken in for recycling and use?

Select the correct option

Reload Math Equations

- Mitosis
- Exocytosis
- Deactivating
- Reuptake

Click to Save Answer & Move to Next Question

PP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 08:20 AM, 03 July 2024

estion # 6 of 10 (Start time: 08:26:07 AM, 03 July 2024) Total Marks: 1

When changes occur in the body or behavioral functioning on a regular basis i.e. rhythmic, these are called _____ and these follow a particular rhythm.

ect the correct option

Reload Math Equations

- Frequency
- Amplitude
- Phase
- Biological cycles

Click to Save Answer & Move to Next Question

Question # 7 of 10 (start time: 08:27:36 AM, 03 July 2024) Total Mo

Which of the following comprised of the dorsal bundle that originates in the locus coeruleus and sends out diffuse innervations to cerebellum-cerebral cortex and hippocampus? It is also involved in sleep, awakening, moods, and temperature regulation.

Select the correct option

Reload Math Equatio

- The A2
- The A4
- The A7
- The A6

Click to Save Answer & Move to Next Questio

8:22 AM

ulms.vu.edu.pk

4 Done

Question # 3 of 10 (Start time: 08:22:30 AM, 03 July 2024)

Which of the following is also known as 5 hydroxytrytamine or 5HT?

Select the correct option

- Reserpine
- Catecholamine
- Indolamine
- Monoamine Oxidase

sec(s)

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 08:20 AM, 03 July 2024

Question # 4 of 10 (Start time: 08:23:41 AM, 03 July 2024) Total Marks: 1


Which of the following is involved in mood, emotional states, motivation (hunger, thirst, fight/ flight etc) dream, rewards (learning), sleep alertness and wakefulness?

Select the correct option

Reload Math Equations

- Mitosis
- Antagonists
- Norepinephrine/ Noradrenaline
- Agonists

Click to Save Answer & Move to Next Question


Which of the following antidepressant when injected into the brain leads to depression like syndrome and it has been used for treating mental illness in the human subconscious since ages?
Select the correct option
Alcohol
Cocaine
Reserpine
Heroin

PSYP610 – Neurological Bases of Behavior (Quiz 3)

Question # 4 of 10 (Start time: 02:38:58 PM, 03 July 2024)

Which of the following was the first one to identify the relationship between NVT and sleep?

Select the correct option

- Skinner
- Hughes and Koresnitz
- Jouvet
- Agranoff

Type here to search

Question # 5 of 10 (Start time: 02:27:41 PM, 03 July 2024)

The nicotinic receptors was the first receptor identified by:

Select the correct option

- Hughes and Kosterlitz
- Jouvet
- Skinner
- Agonist

Type here to search

(Last Saved: 02:16:01 PM, 03 July 2024)

The degeneration of _____ leads to parkinson's disease.

Select the correct option

- Tyrosine hydroxylase
- Tuberoinfundibular system
- Nigrostriatal DA system
- Mesolimbic system

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 08:20 AM, 03 July

Question # 10 of 10 (Start time: 09:31:43 AM, 03 July 2024) Total M


Which of the following system sends out nerve fibers to the forebrain areas such as frontal cortical area, the cingulated cortex, the amygdale and the septum, and it is involved with the limbic system (emotional system)?

Select the correct option

Reload Math Equatio

- Mesolimbic system
- Tuberoinfundibular system
- Tyrosine hydroxylase
- Nigrostriatal DA system

Click to Save Answer & Move to Next Questio



PSYPS10 - Neurological Bases of Behavior (Quiz 3)

Question # 10 of 10 (Start time: 04:29:19 PM, 03 July 2024)

LH damaged animals are:

Select the correct option

- Very choosy about food
- Starving
- Suffering from obesity
- Like food rich in fats

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 9 of 10 (Start time: 08:30:05 AM, 03 July 2024)

Aggression is produced by _____ area.

Select the correct option

○	Upper brain
○	Midbrain ventral tegmental
○	Lower brain ventral
○	Upper brain

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 02:32 PM,

Question # 5 of 10 (start time: 02:36:40 PM, 03 July 2024)

Which of the following receptors are located on presynaptic nerve terminals and are also located in the pancreas?

Select the correct option

Reload Math

- B1
- A2
- B2
- A1



Click to Save Answer & Move to Next

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Quiz Start Time: 04:15 PM, 03 J

Question # 4 of 10 (Start time: 04:19:15 PM, 03 July 2024)

Tota

We can classify the neurochemicals into how many major categories based on their chemical composition, their roles and their functions?

Select the correct option

Reload Math if qu

- Eight
- Two
- Four
- Six

Click to Save Answer & Move to Next Que

PSYP510 - Neurological Bases of Behavior (Quiz 3) Quiz Start

Question # 8 of 10 (Start time: 04:33:58 PM, 03 July 2024)

Atropine and scopolamine lead to decreased ACH in the brain which can cause _____.

Select the correct option

- Schizophrenia
- Panic attack
- Anxiety
- Amnesia

PSYP310 - Neurological Bases of Behavior (Quiz:3) Quiz Start Time: 04:15 PM, 03 July 2024

Question # 1 of 10 (Start time: 04:15:39 PM, 03 July 2024) Total Marks:

Which of the following activate during the regulation of motivational and other states (circadian rhythms, stress) to influences hormonal levels and thereby influence behavior?

Select the correct option

Reload Math Equations

- Neurotransmitters
- Neurohormones
- Neuromodulators
- Neuroregulators

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 02:32 PM, 03 July 20

Question # 8 of 10 (Start time: 02:39:43 PM, 03 July 2024) Total Mark

By which of the following mechanism the neurotransmitter can return to the presynaptic areas and be taken in for recycling and use?

Select the correct option

Reload Math Equations

- Mitosis
- Deactivating
- Exocytosis
- Reuptake

Click to Save Answer & Move to Next Question

Question # 10 of 10 (start time: 02:42:45 PM, 03 July 2024) Total

The _____ is important in digestion and breaking down of food into nutrients needed by the body.

Select the correct option

Reload Math Equa

- Gall bladder
- Esophagus
- Gastrointestinal tract
- Liver

Click to Save Answer & Move to Next Quest

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 02:32 PM, 03 July 2024

Question # 9 of 10 (start time: 02:37:26 PM, 03 July 2024) Total Marks: 1

Which of the following comprised of the dorsal bundle that originates in the locus coeruleus and sends out diffuse innervations to cerebellum-cerebral cortex and hippocampus? It is also involved in sleep, awakening, moods, and temperature regulation.

Select the correct option

Reload Math Equations

- This A2
- This A5
- This A4
- This A7

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 02:32 PM, 03 July

Question # 7 of 10 (Start time: 02:38:50 PM, 03 July 2024) Total M

Who reported that rats maintain lower than normal weight levels if food is not routed through mouth?

Select the correct option

Reload Math Equati

- Higgins (1975)
- Teitlebaum and Epstein (1962)
- Snowdon (1969)
- Mogensen and Carlson (1977)

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz start Time: 02:32 PM, 03 July 202

Question # 3 of 10 (Start time: 02:34:12 PM, 03 July 2024) Total Mark

Which of the following system is also known as the hypothlamic-hypophyseal connection?

Select the correct option

Reload Math Equations

- Tyrosine hydroxylase
- Tuberoinfundibular system
- Mesolimbic system
- Nigrostriatal DA system

Click to Save Answer & Move to Next Question

ms.vu.edu.pk

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 02:32 PM, 03 Jul

Question # 4 of 10 (Start time: 02:35:02 PM, 03 July 2024) Total M

According to _____ temperature regulatory behavior is prioritized, purposive, persistent and has periodicity.

Select the correct option

Reload Math Equa

- Feldman
- Corner
- Mogensen
- Sperling

Click to Save Answer & Move to Next Quest

lms.vu.edu.pk

PSYP610 – Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 02:32 PM, 03 July

Question # 2 of 10 (start time: 02:33:25 PM, 03 July 2024) Total Ma

The cellular dehydration is mediated by the cholinoceptive system of neurons in the preoptic area of the _____.

Select the correct option

Reload Math Equatio

- Hypothalamus
- Pons
- Cortex
- Amygdala

Click to Save Answer & Move to Next Questio

Question # 1 of 10 (Start time: 02:32:44 PM, 03 July 2024)

Aggression is produced by _____ area.

Select the correct option

- Lower brain ventral
- Upper brain
- Midbrain ventral tegmental
- Upper brain

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 10 of 10 (Start time: 02:30:33 PM, 03 July 2024)

When there is preloading of the stomach with water or some other substance:

Select the correct option

- There is decrease in food intake
- There will be more hunger pangs
- No effect on food intake
- There is increase in food intake

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 3 of 10 (Start time: 09:54:21 PM, 03 July 2024)

Mechanism of evaporation is related to:

Select the correct option


- Heat loss
- Energy consumption
- Heat production
- Heat regulation

Question # 5 of 10 (Start time: 02:28:58 PM, 03 July 2024)

Temperature or standard that maintains body functions by cooling or heating through homeostasis is named as:

Select the correct option

- Resting point
- Set point
- Standard point
- Fix point



PSYP610 - Neurological Bases of Behavior (Quiz 3)

Quiz Start Time: 05:53 PM, 03 July 2024

Question # 1 of 10 (Start time: 05:53:16 PM, 03 July 2024)

Total Marks:

Which of the following sensors are involved in somatosensory systems in sending temperature information to the receptors in the brain ?

Select the correct option

Reload Math Equations

- Taste receptors
- Skin
- Temporal receptors
- Papilla

Click to Save Answer & Move to Next Question

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Quiz Start Time: 05:53 PM, 03 July 2024

Question # 2 of 10 (Start time: 05:53:44 PM, 03 July 2024)

Total Marks:

Which of the following system sends out nerve fibers to the forebrain areas such as frontal cortical area, the cingulated cortex, the amygdale and the septum, and it is involved with the limbic system (emotional system)?

Select the correct option

Reload Math Equations

- Tuberoinfundibular system
- Nigrostriatal DA system
- Tyrosine hydroxylase
- Mesolimbic system

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Quiz Start Time: 04:26 PM, 03 July 2024

Question # 8 of 10 (Start time: 04:36:01 PM, 03 July 2024)

Total Marks: 1

Which of the following act as second messengers in neuronal transmission and they support the ongoing transmission by acting as a gating channel?

Select the correct option

Reload Math Equations

- Neurotransmitters
- Neuroregulators
- Neuromodulators
- Neurohormones

PSYPG10 - Neurological Bases of Behavior (Quiz 3)

Quiz Start Time: 04:26 PM, 03 July 2024

Question # 10 of 10 (Start time: 04:39:41 PM, 03 July 2024)

Total Marks: 1

When changes occur in the body or behavioral functioning on a regular basis i.e. rhythmic, these are called _____ and these follow a particular rhythm.

Select the correct option

Reload Math Equations

- Biological cycles
- Frequency
- Phase
- Amplitude

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Quiz Start Time: 04:26 PM, 03 July 2024

Question # 6 of 10 (Start time: 04:34:09 PM, 03 July 2024)

Total Marks: 1

Which of the following was the first one to identify the relationship between 5HT and sleep?

Select the correct option

Reload Math Equations

- Agranoff
- Jouvet
- Skinner
- Hughes and Kosterlitz

Click to Save Answer & Move to Next Question

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 04:26 PM, 03 July 2024

Question # 3 of 10 (start time: 04:29:26 PM, 03 July 2024) Total Marks:

Which of the following is involved in mood, emotional states, motivation (hunger, thirst, fight/ flight etc) dream, rewards (learning), sleep alertness and wakefulness?

Select the correct option

Reload Math Equations

- Antagonists
- Mitosis
- Agonists
- Norepinephrine/ Noradrenaline

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 5 of 10 (Start time: 04:32:51 PM, 03 July 2024)

Aggression is produced by _____ area.

Select the correct option

- ○ Upper brain
- ○ Upper brain
- ○ Lower brain ventral
- ○ Midbrain ventral tegmental ✓

Question # 7 of 10 (Start time: 04:34:55 PM, 03 July 2024) Total Marks: 1

Which of the following protects the neurotransmitters (NT) from degradation by enzymes in cytoplasm?

Select the correct option

Reload Math Equations

- Dendrites
- Axons
- Synaptic vesicles
- Nucleus

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start T

Question # 2 of 10 (Start time: 04:28:37 PM, 03 July 2024)

Which of the following are drugs that block, inhibits or in any way opposes the action of the NT?

Select the correct option

- Agonists
- Mitosis
- Antagonists
- Dopamine

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 04:26 PM, 03 July 2024

Question # 4 of 10 (Start time: 04:30:13 PM, 03 July 2024) Total Marks: 1

If alpha methyl paratyrosine is injected, the amounts of _____ is reduced. This injection also blocks the self stimulation response in animals which were stimulating before the injection of AMPT.

Select the correct option

Reload Math Equations

- Tyrosine
- Acetylcholine
- Paratyrosine
- Paratyrosine

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Ti

Question # 1 of 10 (Start time: 04:26:39 PM, 03 July 2024)

The nicotinic receptors was the first receptor identified by:

Select the correct option

- Skinner
- Jouvet
- Agranoff
- Hughes and Kosterlitz

Click to Save Answer &

PSY610 - Neurological Bases of Behavior (Quiz 3)

Question # 9 of 10 (Start time: 06:07:51 PM, 03 July 2024)

There are two major nonadrenergic pathways: the dorsal bundle and the _____.

Select the correct option

- Ventral bundle
- Lateral bundle
- Horizontal bundle
- Vertical bundle

PSY610 - Neurological Bases of Behavior (Quiz 3) Quiz Sta

Question # 8 of 10 (Start time: 06:07:18 PM, 03 July 2024)

Which of the following has been found to have a major influence on behavior, especially motor behavior and sch

Select the correct option

- Agonists
- Mitosis
- Antagonists
- Dopamine

Click to Save Ans

PSY610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 05:00 PM, 03 July 2024

Question # 6 of 10 (Start time: 06:06:11 PM, 03 July 2024) Total Marks: 1

If calcium is reduced in the extracellular space then the amount of NT is also reduced, and if the calcium is increased the amount of NT is also increased. This release is identified to occur through a process called

Select the correct option

- Meiosis
- Exocytosis
- Meiosis
- Engrocytosis

Click to Save Answer & Move to Next Question

PSY610 - Neurological Bases of Behavior (Quiz 3)

Question # 7 of 10 (Start time: 06:06:50 PM, 03 July 2024)

Which of the following hallucinogenic compound made from plants extracts in Mexico?

Select the correct option

- LSD
- Peyote
- Mescaline
- Psilocybin

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 10:55 PM, 03 July 2024

Question #1 of 10 (Start time: 10:55:19 PM, 03 July 2024) Total Marks: 1

In human patients when the denervation or removal of stomach takes place and the esophagus is connected directly to the duodenum which of the following statement is true?

Select the correct option

Reload Math Equations

- They will feel no pangs
- They still report pangs of hunger and feelings of being full
- There is even more intake in food
- There will be no signals of being full

Click to Save Answer & Move to Next Question

PSY610 - Neurological Bases of Behavior (Quiz 3)

Question # 5 of 10 (Start time: 06:05:35 PM, 03 July 2024)

Mechanism of evaporation is related to:

Select the correct option

- ○ Heat production
- ○ Heat regulation
- ○ Heat loss ✔
- ○ Energy consumption

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Quiz Start Time: 05:53 PM, 03 July 2024

Question # 5 of 10 (Start time: 05:56:08 PM, 03 July 2024)

Total Marks:

Which of the following receptors are linked to the stimulation of adenylate cyclase and are found in high concentration in the lungs and cerebellum?

Select the correct option

Reload Math Equations

- B1
- B2
- A1
- A2

Click to Save Answer & Move to Next Question

PSY610 - Neurological Bases of Behavior (Quiz 3)

Question # 4 of 10 (Start time: 06:03:40 PM, 03 July 2024)

NA originates from a small group of neurons located in which part of the brain?

Select the correct option

- ○ Middle part
- ○ Back part
- ○ Frontal part
- ○ Cortex



PSY510 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 06:00 PM, 03 July 2024

Question # 3 of 10 (Start time: 06:02:56 PM, 03 July 2024) Total Marks: 1

By which of the following mechanism active chemical state or composition of the neurotransmitter is deactivated by chemicals/ enzymes which are specialized to do this job?

Select the correct option

- Reuptake
- Deactivating
- Mitosis
- Exocytosis

Click to Save Answer & Move to Next Question

Which of the following statement is true?

Select the correct option

- ○ Food intake is only related with stomach
- ○ Stomach is almost never completely empty
- ○ We can not eat when stomach is full
- ○ When stomach is empty we take food



PSYP510 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 05:53 PM, 03 July 2024

Question # 8 of 10 (Start time: 05:58:22 PM, 03 July 2024) Total Marks:

What percentage of 5HT is found in the gastrointestinal area (in the enterochromaffin cells of the intestine).

Select the correct option

Reload Math Equations

- 95%
- 90%
- 80%
- 70%

Which of the following is also known as 5 hydroxytrytamine or 5HT?

Select the correct option

- Monoamine Oxidase
- Indolamine
- Catecholamine
- Reserpine

sec[s]

PSYP910 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 05:53 PM, 03 July 2024

Question # 6 of 10 (Start time: 05:57:07 PM, 03 July 2024) Total Marks: 1

Which of the following antidepressant when injected into the brain leads to depression like syndrome and it has been used for treating mental illness in the indian subcontinent since ages?

Select the correct option

Reload Math Equations

- Reserpine
- Heroin
- Cocaine
- Alcohol

PSYP810 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 05:53 PM, 03 July 2024

Question # 7 of 10 (Start time: 05:57:41 PM, 03 July 2024) Total Marks: 1

Which of the following activate during the regulation of motivational and other states (circadian rhythms, stress) to influences hormonal levels and thereby influence behavior?

Select the correct option

Reload Math Equations

- Neurohormones
- Neuromodulators
- Neurotransmitters
- Neuroregulators

Click to Save Answer & Move to Next Question

PSYP510 - Neurological Bases of Behavior (Quiz 2)

Question # 4 of 10 (Start time: 05:55:39 PM, 03 July 2024)

Aggression is produced by _____ area.

Select the correct option

- Lower brain ventral
- Midbrain ventral tegmental
- Upper brain
- Upper brain

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz S

Question # 10 of 10 (Start time: 08:23:35 PM, 03 July 2024)

The Circadian Rhythms are controlled through the Suprachiasmatic Nucleus (SCN) located in the medial:

Select the correct option

- Cerebellum
- Hypothalamus
- Thalamus
- Medulla

Click to Save An

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 4 of 10 (Start time: 05:55:39 PM, 03 July 2024)

Aggression is produced by _____ area.

Select the correct option

- Lower brain ventral
- Midbrain ventral tegmental
- Upper brain
- Upper brain

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Tim

Question # 6 of 10 (Start time: 08:20:20 PM, 03 July 2024)

Preoptic area in the anterior _____ is the master control in both heating and cooling mechanisms.

Select the correct option

- Cerebrum
- Cerebral cortex
- Hypothalamus
- Temporal Lobe

Click to Save Answer & N

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 8 of 10 (Start time: 08:21:50 PM, 03 July 2024)

When there is preloading of the stomach with water or some other substance:

Select the correct option

- ○ There is increase in food intake
- ○ There is decrease in food intake ✓
- ○ There will be more hunger pangs
- ○ No effect on food intake

Click to

The acronym of electroencepaholographic recordings is:

Select the correct option

- ○ ETG
- ○ EEG
- ○ EPG
- ○ ECG

Question # 4 of 10 (Start time: 08:19:02 PM, 03 July 2024)

Which of the following comprised of the dorsal bundle that originates in the locus coeruleus and sends out diffuse innervations cerebellum-cerebral cortex and hippocampus? It is also involved in sleep, awakening, moods, and temperature regulation.

Select the correct option

Reload Math

- The A7
- The A2
- The A6
- The A4

Click to Save Answer & Move to Next

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 7 of 10 (Start time: 08:21:13 PM, 03 July 2024)

The postsynaptic membrane can be:

Select the correct option

○	All of above mentioned
○	Dendrites
○	Cell soma
○	Axons of other cells

8:19 PM

Quiz
lms.vu.edu.pk

Done

Question # 4 of 10 (Start time: 08:19:02 PM, 03 July 2024)

Which of the following comprised of the dorsal bundle that originates in the locus coeruleus and sends out diffuse innervations cerebellum-cerebral cortex and hippocampus? It is also involved in sleep, awakening, moods, and temperature regulation.

Select the correct option

Reload Mat

- The A7
- The A2
- The A8
- The A4

Click to Save Answer & Move to Nex

8:16 PM

Quiz
ılms.vu.edu.pk

Done

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 1 of 10 (Start time: 08:16:14 PM, 03 July 2024)

The circadian rhythms are controlled through the suprachiasmatic nucleus (SCN) located in the _____

Select the correct option

- Pons
- Amygdala
- Medial hypothalamus
- Cortex

Click to Save

8:17 PM
Quiz
lms.vu.edu.pk
Done

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start T

Question # 2 of 10 (Start time: 08:17:23 PM, 03 July 2024)

Which of the following is the junction between two neurons where one is communicating with the other?

Select the correct option

- Neurotransmitters
- Neuromodulators
- Synapse
- Synopsis

Click to Save Answer

8:18 PM

Quiz
ılms.vu.edu.pk

Done

Question # 3 of 10 (Start time: 08:18:27 PM, 03 July 2024)

Which of the following is an antagonist for muscarinic receptors?

Select the correct option

- ○ Scopolamine
- ○ Phentolamine
- ○ Paratyrosine
- ○ Atropine ✓

Clic

PSY630 - Neurological Bases of Behavior (Quiz 3)

Quiz start time: 06:00 PM, 03 July 2024

Question # 10 of 10 (start time: 06:08:34 PM, 03 July 2024)

Total Marks:

Which of the following system sends out nerve fibers to the forebrain areas such as frontal cortical area, the cingulated cortex, the amygdale and the septum and it is involved with the limbic system (emotional system)?

Select the correct option

- Tyrosine hydroxylase
- Nigrostriatal DA system
- Mesolimbic system
- Tuberoinfundibular system

Click to Save Answer & Move to Next Question

Question # 3 of 10 (start time: 10:59:19 PM, 03 July 2024)

Which of the following protects the neurotransmitters (NT) from degradation by enzymes in cytoplasm?

Select the correct option

Reload Mo

- Synaptic vesicles
- Dendrites
- Nucleus
- Axons

PSYP610 - Neurological Bases of Behavior (Quiz 3) Quiz Start Time: 03:26 PM, 03 July 2024

Question # 8 of 10 (Start time: 03:34:02 PM, 03 July 2024) Total Marks: 1

By which of the following mechanism the neurotransmitter can return to the presynaptic areas and be taken in for recycling and use?

Select the correct option

Reload Math Equations

- Deactivating
- Reuptake
- Mitosis
- Exocytosis

Click to Save Answer & Move to Next Question

Question # 3 of 10 (Start time: 03:29:25 PM, 03 July 2024)

_____ means lowering of the level or absence of oxygen from the amount that is needed for the baby in fetus.

Select the correct option

Reload

- Thalidomide
- Fragile-X syndrome
- Down syndrome
- Hypoxia

Click to Save Answer & Move to

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 4 of 10 (Start time: 03:30:52 PM, 03 July 2024)

Decreases in 5 HT leads to a disinhibition of which of the following behaviors?

Select the correct option

○	Increased aggressiveness and suicidal tendencies
○	Reduced controls on behaviors
●	All of the mentioned problems are possible
○	Increased impulsivity

Click to

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 6 of 10 (Start time: 03:32:03 PM, 03 July 2024)

Which of the following system is also known as the hypothlamic–hypophyseal connection?

Select the correct option

○	Tyrosine hydroxylase
○	Mesolimbic system
●	Tuberoinfundibular system
○	Nigrostriatal DA system

Click to

PSYP610 - Neurological Bases of Behavior (Quiz 3)

Question # 1 of 10 (Start time: 03:26:54 PM, 03 July 2024)

Mechanism of evaporation is related to:

Select the correct option

◉	Heat loss
○	Energy consumption
○	Heat production
○	Heat regulation