CS-504 Software Engineering-1
Update MCQS For Quiz-3 File
Solve By Vu Topper RM

80 To 100% Marks

وَتُعِزُّ مَن تَشَاء وَتُذِلُّ مَن تَشَاء

VU-TOPPER RM

PROFESSIONAL ONLINE ACADEMY

We Offers

- LMS Handling
- Important Notes
- Online Classes
- Assignments
- Quiz & GDB's
- Projects


NOTHING Is IMPOSSIBLE

Join Us Now

For More Info Contact us at:

Rizwan Manzoor

0322-4021365



بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

To determine the architectural style or combination of styles that best fits the proposed system, requirements engineering is used to uncover

A. Algorithmic complexity
B. Characteristics and constraints Page 126
C. Control and data
D. Design patterns

The three basic principles that guide maintainability are: (a)clarity (b)enhancement (c)flexibility (d)simplicity

A. Abc
B. Acd
C. Cba
D. abd

A necessary supplement to transform or transaction mapping needed to create a complete architectural design is

A. The data dictionary
B. Test cases for each module
C. Entity relationship diagrams
D. Processing narratives for each module Page 422

Which one of these is a correct short cut used by the programmer?

A. x*=a
B. x=*a
C. x*a=
D. =a*x

In the switch statement, cases should always end with a -------statment. Switch

A. Go
B. Stop
C. Loop
D. Break Page 167

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

In Client server model, the application is modeled as a set of .....that are provided by servers.

A. Requests
B. Protocols
C. Services **Page 127**
D. Requirements

using proper paranthesis normally makes the code

A. Easy to read
B. Less ambiguous
C. Easy to understand
D. All of the given options

Charles Simonyi first discussed Hungarian Notation. He was of ——.

A. IBM
B. Dell
C. Cisco
D. **Microsoft** **Page 152**

STL Stnads for ----------

A. Standard Type Link
B. Standard Type Link
C. Standard Tempo Line
D. Standard Template Library **Page 138**

Performance, Security and maintainability are the types of _____ requirements.

A. Domain
B. Business
C. Functional
D. Non-Functional **Page 120**

Complex expressions:

A. Make the code easy to modify
B. Make the code easy to understand

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Does not affect understandability
D. Make the code difficult to modify

Goto statements violate the idea of
A. Control structure
B. Structured code Page 164
C. Repetition structure
D. Object-oriented code

Which of the following is used for multi level commenting?
A. // comment
B. (Comment)
C. */ Comment/*
D. /* Comment */

Names representing methods and functions should be----and written in mixed case starting with -----case.
A. Noun—lower
B. Noun —upper
C. Noun—-upper
D. Verb and lower Page 150

Vertical partitioning is also known as…..
A. Balancing
B. Mutating
C. Factoring Page 135
D. Parallelizing

Client server model tries to …….data and processing.
A. Merge
B. Clone
C. Proceed
D. Distribute Page 127

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Switch statement is equal to _____ statement.

A. If
B. if-else
C. nested if
D. if-else if **Page 167**

Vertical partitioning divides the architecture application from a …… making perspective.

A. Move
B. Design
C. Conclusion
D. Decision **Page 135**

Logical view in Krutchen's 4+1 architectural view model captures_____.

A. Object model of the design
B. Concurrency and synchronization aspects of the design
C. Static organization of the software in its development environment
D. Mapping(s)of the software onto the hardware and reflects its distributed aspect.

Constant values used in the program are called_____.

A. Real Numbers
B. Magic numbers
C. Positive Numbers
D. Constant Numbers

Class variables should never be declared public. Public variables violate which of the following:

A. Encapsulation
B. None of the given
C. Information hiding
D. Information hiding and Encapsulation **Page 161**

VuTopper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Thin Client Model is one of the configurations of ……Model.

A. Layered
B. Reference
C. Data-centered
D. Client Server Page 130

Patterns are devices that allow programs to share knowledge about their ----------.

A. Code
B. Design Page 137
C. Analysis
D. Implementation

Which of the following shows a commented statement in C++.

A. # Ans = first + second
B. \\ Ans = first + second
C. /# Ans = first + second
D. // Ans = first + second

Variables should be initialized where they are ------and they should be declared in the ------scope possible.

A. Scope possible.
B. Defined and smallest
C. Declared and medium
D. Declared and smallest Page 158

Static structural model shows the major system……

A. Leaks
B. Activities
C. Objectives
D. Components Page 126

The method of dividing and assigning different portions of a large system to different groups for construction is called _____ .

A. Work Basic Structure

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. Work Breakdown System
C. Working Boundary Structure
D. Work Breakdown Structure Page 119

Architectural design process involves performing a number of activities which includes system structuring, control modeling and _____ .
A. Testing
B. System Analysis
C. Modular Decomposition Page 120
D. Graphical User Interface

Software architecture must address _____ requirements of a software system.
A. Functional
B. Non-functional
C. User Interface Requirements
D. Both functional and non-functional. Page 120

A useful technique for evaluating the overall complexity of a proposed architecture is to look at the component's
A. Size and cost
B. Function points
C. Number and size of components
D. Flow dependencies and has ring dependencies

Data-Centered Architectural Style is also called ….
A. Repository model
B. Reference model
C. Sub system model
D. Client Server model

"is" prefix should be used for------ variables and methods.
A. General
B. Boolean Page 152
C. Constant

VU Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. None of given

In the N-Tire Architecture,the idea is to enhance scalability and --------- by distributing both the data and the application using multiple server machines.

A. Integrity
B. Usability
C. Performance Page 131
D. Interoperability

Code should not be:

A. Cryptic
B. Aligned
C. Indented
D. Commented Page 162

Issues like system performance, availability, scalability, and security are analyzed in _____.

A. Code View
B. Logical View
C. Physical View Page 127
D. Concurrency View

if (!(block < activeBlock))
is equvivalent to:

A. if ((block < activeBlock))
B. if ((block == activeBlock))
C. if ((block >= activeBlock))
D. None of the given

The number _____ is the most abused symbol in programs written in C or C++.

A. 0 Page 169
B. 1
C. 2

VU Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. 3

N-tier architecture stems from the struggle to find a ——— between the fat-client architecture and the thin-client architecture.

A. Similarity
B. Concurrency
C. Middle ground Page 131
D. Distribution point

There are ……layers in OSI reference model.

A. 5
B. 6
C. 8
D. 7 Google

The criteria used to assess the quality of an architectural design should be based on system.

A. Functionality
B. Data and control
C. Implementation details
D. Accessibility and reliability Page 404

Identifier names also play a significant role in enhancing the -------- of a program.

A. Reliability
B. Writ ability
C. Readability Page 148
D. All of given

-----provides a unified interface to a set of interfaces in a sub-system.

A. Observer Pattern
B. Singleton Pattern
C. Façade Pattern Page 143
D. All of the above

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Fat Client Model is one of the configurations of ……Model.

A. Data
B. Layered
C. Centered
D. Client Server

The clients and servers, in a client server environment, are connected through _____.

A. Interface
B. Groupware
C. Framework
D. Middleware

Distributing the responsibilities to different subsystems so that we get a software system which is easy to maintain, is called ……the architecture.

A. Cloning
B. Balancing
C. Subtracting
D. Partitioning **Page 138**

which of the following statements are same in output:

1) a = a >> 2
2) a = a / 4
3) a = a * 2.

A. and (3) only
B. (2) and (3) only
C. (1) and (2) only
D. All produce the same result

Which one of these represents the Krutchen's 4+1 architectural view model?

A. Dynamic view, Process view, Physical view, Development view, Use case view
B. Logical view, Process view, Physical view, Development view,

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VU TopperRM

Sequence view

C. **Logical view, Process view, Physical view, Development view, Use case view**

D. Logical view, Dynamic view, Physical view, Development view, Use case view

_____ is concerned with decomposing a system into interacting sub-systems.

A. Control Modeling

B. System Structuring **Page 121**

C. Work breakdown structure

D. Work Breakdown Structure

A _____ is a system component that provides services to other components but would not normally be considered as a separate system.

A. Message

B. Method

C. Module **Page 121**

D. Relationship

In the architecture trade-off analysis method the architectural style should be described using the

A. module view and process view

B. data Flow view and module view

C. data Flow view and process view

D. data Flow view , module view and process view **Page 403**

Thin Client Model places a heavy processing load on…….

A. Only Server

B. Only Network

C. **Both Server and Network**

D. Neither server nor network

Physical view in Krutchen's 4+1 architectural view model captures _____.

VuTopperRM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

A. Object model of the design
B. Concurrency and synchronization aspects of the design
C. Static organization of the software in its development environment
D. Mapping(s) of the software onto the hardware and reflects its distributed aspect

1) x = (a + 2 > 3)? a : a-1 ;
2) if((a + 2)> 3)
x = a;
else
x = a - 1;

A. Statement (1) is more complex than (2)
B. Both statements are very complex
C. None of the given options
D. Statement (2) is more complex than (1)

Development view in Krutchen's 4+1 architectural view model captures

A. Object model of the design
B. Concurrency and synchronization aspects of the design
C. Static organization of the software in its development environment
D. Mapping(s) of the software onto the hardware and reflects its distributed aspect

The form for (;;) should be used for.

A. Nested loop
B. Empty loop
C. More than 1000 iterations
D. less than 1000 iterations

Which of following is among ten things, which the basic template of GOF design pattern includes.

A. IQ
B. Context **Page 142**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Performance
D. Requirements

Question No:1 (Marks:1) Vu-Topper RM
The greatest advantage of exception handling is its ability to handle:
A. Syntax errors
B. Memory errors
C. Asynchronous errors Page 184
D. Control Structure errors

Question No:2 (Marks:1) Vu-Topper RM
Whole part structure is also called _____
A. Generalization
B. Aggregation
C. Association
D. Specialization

Question No:3 (Marks:1) Vu-Topper RM
How can we implement generalization in Object Oriented programming languages?
A. Abstraction
B. Inheritance
C. Encapsulation
D. Polymorphism

Question No:4 (Marks:1) Vu-Topper RM
Question No:5 (Marks:1) Vu-Topper RM
Question No:6 (Marks:1) Vu-Topper RM
Exception handling provides
A. Portability mechanism
B. Code Usability mechanism
C. Error Handling mechanism
D. Both Portability & Code Usability mechanism

Question No:7 (Marks:1) Vu-Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:8 **(Marks:1)** **Vu-Topper RM**

Specialization means:

A. Calling the same method with the object of child object
B. Hiding the data
C. Creating new subclasses for an existing class **Page 86**
D. None of the given options

Question No:9 **(Marks:1)** **Vu-Topper RM**

A _____ relationship indicates that one entity is composed of one or more parts which are themselves instances of that or another entity.

A. Whole -part **Google**
B. Inheritance
C. Generalization
D. Specialization

Question No:10 **(Marks:1)** **Vu-Topper RM**

_____ and _____ are two important tools that helps in managing the program complexity.

A. Modularity, Composition
B. Aggregation, Inheritance
C. Composition, Inheritance
D. Abstraction, Encapsulation **Page 170**

Question No:11 **(Marks:1)** **Vu-Topper RM**

Question No:12 **(Marks:1)** **Vu-Topper RM**

_____and _____ are important short circuiting logical operators.

a. AND b. OR c. NOTd. NOR

A. a&b **Page 173**
B. b&c
C. c&d
D. a&c

Question No:13 **(Marks:1)** **Vu-Topper RM**

In sequence diagram, the objects are organized in a _____ line and the events in a _____ time line.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. Horizontal, vertical **Google**
B. Horizontal, straight
C. Vertical, straight
D. Vertical, horizontal

Question No:14 **(Marks:1)** **Vu-Topper RM**
_____ is a tool that can help us in reducing the size of individual functions.
A. Abstraction
B. Inheritance
C. Modularity **Page 170**
D. Association

Question No:15 **(Marks:1)** **Vu-Topper RM**
Question No:16 **(Marks:1)** **Vu-Topper RM**
In Object Oriented Design, combining the services offered by an object with the attributes they work on, results in:
Lower coupling and strong cohesion
Lower cohesion and strong coupling
Increased likelihood of reuse
Decrease the modularity of the system
A. A only
B. B and c only
C. A and c only
D. B and c only

Question No:17 **(Marks:1)** **Vu-Topper RM**
Question No:18 **(Marks:1)** **Vu-Topper RM**
Question No:19 **(Marks:1)** **Vu-Topper RM**
As per Peter Coad's methodology, which of the following may not be a perfect candidate for being an object?
A. Zone
B. Garage
C. Recipient
D. Password **Page 93**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:20 **(Marks:1)** **Vu-Topper RM**

In "Point of Sale system", the term "Payment" represents

A. Actor
B. Container
C. Participant
D. Transaction **Page 99**

Question No:21 **(Marks:1)** **Vu-Topper RM**

The _____ provides the software engineer with a view of the system as a whole.

A. Process Model
B. Business model
C. Requirements Model
D. Architectural Model

Question No:22 **(Marks:1)** **Vu-Topper RM**

When programmers use shortcuts and cryptic codes in their program, _____ becomes a major problem.

A. Reusability
B. Readability
C. Availability
D. Maintenance

Question No:23 **(Marks:1)** **Vu-Topper RM**

Different messages in sequence diagrams includes:

A. Simple
B. Notify
C. Asynchronous
D. Both Simple and Asynchronous **Page 108**

Question No:24 **(Marks:1)** **Vu-Topper RM**

Question No:25 **(Marks:1)** **Vu-Topper RM**

Selecting Objects (in a domain) include:

A. Only Actors

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Only Participants
C. Only Actors and Places
D. Actors. Participants and Places

Question No:26 (Marks:1) Vu-Topper RM
Question No:27 (Marks:1) Vu-Topper RM
Question No:28 (Marks:1) Vu-Topper RM
In order to write a portable code which of the following guideline will not be helpful:
A. Size of data types
B. Stick to the standards
C. Program in the mainstream
D. Using vendor specific language extensions

Question No:29 (Marks:1) Vu-Topper RM
Question No:30 (Marks:1) Vu-Topper RM
Verification and validation are the processes in which we check a product against its _____ and the _____ of the users who will be using it
A. statements, arguments
B. statements, expectations
C. specifications , arguments
D. specifications, expectations Page 192

Question No:31 (Marks:1) Vu-Topper RM
Software _____ is the process of examining the software product against its requirements.
A. Fixing Page 192
B. Testing
C. Debugging
D. Exception handling

Question No:32 (Marks:1) Vu-Topper RM
A self documenting code is a code that explains itself without the need of comments and extraneous documentation, like _____

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

A. All
B. Flowcharts
C. Process-flow
D. UML diagrams

Question No:33 (Marks:1) Vu-Topper RM
Question No:34 (Marks:1) Vu-Topper RM
Consider the following piece of code:
public class Square extends Shape {
// some code
}
The above code is an example of
A. Part-Whole relationship
B. Generalization/ Specialization
C. Data Sharing
D. Data encapsulation

Question No:35 (Marks:1) Vu-Topper RM
Question No:36 (Marks:1) Vu-Topper RM
Question No:37 (Marks:1) Vu-Topper RM
----------was the first pure Object-Oriented language in which observer pattern was used in implementing its Model View Controller pattern
A. C++
B. JAVA
C. PASCAL
D. Smalltalk

Question No:38 (Marks:1) Vu-Topper RM
The size of ---------plays a significant role in making the program easy or difficult to understand.
A. Object
B. Data type
C. Function **Page 170**
D. None of the above

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:39 **(Marks:1)** **Vu-Topper RM**
Question No:40 **(Marks:1)** **Vu-Topper RM**
In case of using unrelated operators in a single expression, _____ would be the best choice to prevent the logical errors.

A. Indents
B. Short Cuts
C. Comments
D. Parenthesis **Page 166**

Question No:41 **(Marks:1)** **Vu-Topper RM**
The expressions with logical operators can be evaluated only from------

A. Right to left
B. Left to right
C. Top to bottom
D. Bottom to top

Question No:42 **(Marks:1)** **Vu-Topper RM**
Question No:43 **(Marks:1)** **Vu-Topper RM**
Question No:44 **(Marks:1)** **Vu-Topper RM**
In order to make a code more portable, Instead of using vendor specific language extensions, use _____ as much as possible

A. ISO
B. STL
C. ANSI
D. CMMI

Question No:45 **(Marks:1)** **Vu-Topper RM**
Question No:46 **(Marks:1)** **Vu-Topper RM**
Question No:47 **(Marks:1)** **Vu-Topper RM**
It ensures that a class only has one instance and provides a global point of access to it.

A. Real Pattern
B. Observer Pattern
C. Singleton Pattern **Page 145**
D. None of the given

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:48 **(Marks:1)** **Vu-Topper RM**

When a small set of functions (which use each other) is so overwhelmingly the bottleneck, there are two alternatives:

A. Debug the code OR place assertions in code
B. Remove the functions OR add more functions
C. Use a better algorithm OR re-write the code **Page 177**
D. Changed programming language OR compiler at least

Question No:49 **(Marks:1)** **Vu-Topper RM**

One of the main reasons to make functions is _____

A. Reliability
B. Efficiency
C. Reusability **Page 171**
D. Maintainability

Question No:50 **(Marks:1)** **Vu-Topper RM**

Bit fields are a convenient way to express many difficult operations. However, bit fields suffer from one problem

A. Lack of security
B. Lack of usability
C. Lack of portability **Page 183**
D. Lack of performance

Question No:51 **(Marks:1)** **Vu-Topper RM**

which one is correct?

A. Double total=.5;
B. Double total=.50;
C. Double total=0.5;
D. All of the given

Question No:52 **(Marks:1)** **Vu-Topper RM**

Question No:53 **(Marks:1)** **Vu-Topper RM**

Comma is very dangerous because

A. Side effects

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. All of the above
C. It creates linkage problem
D. Compiler does not recognize it

Question No:54 **(Marks:1)** **Vu-Topper RM**
A self-documenting code is that explains itself without need of comments & extraneous documentation, like
A. All
B. Flow charts
C. UML diagram
D. PFS diagram

Question No:55 **(Marks:1)** **Vu-Topper RM**
—- & ——- r important short circuiting logical operators
A. OR
B. AND
C. **Both**
D. None

Question No:56 **(Marks:1)** **Vu-Topper RM**
Question No:57 **(Marks:1)** **Vu-Topper RM**
Question No:58 **(Marks:1)** **Vu-Topper RM**
Question No:59 **(Marks:1)** **Vu-Topper RM**
A self-documenting code is a code that explains itself without the need of comments and extraneous documentation, like _____
A. Flowcharts
B. UML diagrams
C. Process-flow state diagrams
D. All of above

Question No:60 **(Marks:1)** **Vu-Topper RM**
Global variables in C++ should always be referred to by using the:
A. Operator
B. :: operator
C. Without an operator

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

VU Topper RM

D. None of the given

Question No:61 (Marks:1) Vu-Topper RM

Which indent size eliminates the chance of code lines splitting?

A. 2

B. 4

C. 3

D. 6

Question No:62 (Marks:1) Vu-Topper RM

Using proper parenthesis normally makes the code

A. Easy to read

B. Less ambiguous

C. **Easy to understand**

D. All of the given options

Question No:63 (Marks:1) Vu-Topper RM

In case of header files, construction is to avoid —— errors. The construction should appear in the top of the file (before the file header).

A. Run time

B. Logical

C. **Compilation**

D. All of the given

Question No:64 (Marks:1) Vu-Topper RM

Question No:65 (Marks:1) Vu-Topper RM

Some bit field members are stored: I) left to right II) right to left III) in circular array

A. Only (I) is true

B. Only (II) is true

C. Both (I) and (II) are true

D. All of the options (I, II and III) are true

Question No:66 (Marks:1) Vu-Topper RM

Question No:67 (Marks:1) Vu-Topper RM

The process that involves verification of product with respect to its

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

written requirements is called _____ .

A. Testing Page 192
B. Debugging
C. Maintenance
D. Development

Question No:68 (Marks:1) Vu-Topper RM

MVC stands for ----------

A. Model View Center
B. Modern View Center
C. Model View Controller
D. Modern View Controller

Question No:69 (Marks:1) Vu-Topper RM

Question No:70 (Marks:1) Vu-Topper RM

Question No:71 (Marks:1) Vu-Topper RM

if a major rework is required to translate a program written for one environment to another, it means code is not or less _____

A. Secure
B. Bug Free
C. Portable Page 179
D. Platform dependent

Question No:72 (Marks:1) Vu-Topper RM

The C/C++ language has not specified whether _____ is arithmetic or logical.

A. II
B. &&
C. Right shift >>
D. Right shift

Question No:73 (Marks:1) Vu-Topper RM

Identify the TRUE statement:

A. Portability effects security
B. Size of data types vary from one machine to other

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Size of control structures vary from one machine to other

D. To write portable code, use vendor specific language extensions as much as possible

Question No:74 **(Marks:1)** **Vu-Topper RM**

In the classical thin-client architecture, the entire processing is carried-out by ----------

A. Single server

B. Multiple servers

C. Multiple servers

D. None of the given

Question No:75 **(Marks:1)** **Vu-Topper RM**

The C/C++ language does not define the alignment of items within

A. Unions

B. Classes

C. Structures

D. All of the given options

Question No:76 **(Marks:1)** **Vu-Topper RM**

Question No:77 **(Marks:1)** **Vu-Topper RM**

Question No:78 **(Marks:1)** **Vu-Topper RM**

Question No:79 **(Marks:1)** **Vu-Topper RM**

Which of the following is not a possible server in client server environment?

A. File Server

B. Time Server

C. Database Server

D. Transaction Server

Question No:80 **(Marks:1)** **Vu-Topper RM**

Question No:81 **(Marks:1)** **Vu-Topper RM**

Process view in Kuchen's 4+1 architectural view model captures __.

A. Object model of the design

B. Concurrency and synchronization aspects of the design

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Mapping(s) of the software onto the hardware and reflects its distributed aspect
D. Static organization of the software in its development environment

Question No:82 (Marks:1) Vu-Topper RM

The key objective(s) of OOD process should achieve the following:

A. The class as far as possible should be Independent , but could be dependent on only a few classes.
B. Interaction between two classes should be explicit.
C. Class hierarchy should be built on specialization of higher class.
D. All of the given options

Question No:83 (Marks:1) Vu-Topper RM

Maintainability and Portability issues are discussed in _____.

A. Code View Page 126
B. Logical View
C. Physical View
D. Functional View

Question No:84 (Marks:1) Vu-Topper RM

Str = 0;// str is string Which rewritten from of above line of code is more in line with the self-documentation philosophy than the code above.

A. Str = '\0;
B. Str = 0.0;
C. Str = false;
D. Str = NULL;

Question No:85 (Marks:1) Vu-Topper RM

Struct packed_struct {unsigned int f1:1;} pack; Here in "packed_struct":

A. Value of f1 =1
B. Size of f1 = 1 bit
C. Value of f1 should not exceeded 1

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

D. None of given options

Question No:86 (Marks:1) Vu-Topper RM

Question No:87 (Marks:1) Vu-Topper RM

If(!(block < activeBlock)) is equvivalent to:

A. If ((block < activeBlock))
B. If ((block == activeBlock))
C. If ((block >= activeBlock))
D. None of the given

Question No:88 (Marks:1) Vu-Topper RM

Bit fields allow the packing of data in a structure. using Bit fields we can:

A. Avoid syntax errors
B. Read 9-bit integers Page182
C. Avoid memory leakages
D. Avoid memory overflow

Question No:89 (Marks:1) Vu-Topper RM

The order in which bytes of one word are stored is _____ dependent

A. Syntax
B. Software
C. Language
D. Hardware Page 181

Question No:90 (Marks:1) Vu-Topper RM

In order to write a portable code which of the following guideline will be helpful:

A. Size of data types
B. Stick to the standards
C. Program in the mainstream
D. All of give options

Question No:91 (Marks:1) Vu-Topper RM

x = 0; // x is floating pt. Which rewritten form of above line of code is

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

more in line with the self-documentation philosophy than the code above.

A. x = '\0'
B. x = 0.0; **Page 169**
C. x = false
D. x = NULL

Question No:92 **(Marks:1)** **Vu-Topper RM**

The use of comments should be minimized by making the code self-documenting by appropriate name choices and an explicit logical structure.

True
False

Question No:93 **(Marks:1)** **Vu-Topper RM**

x = (a + 2 > 3)? a : a-1 ; 2) if((a + 2)> 3) x = a; else x = a - 1;

A. Both statements are very complex
B. Statement (2) is more complex than (1)
C. Statement (2) is more complex than (1)
D. None of the given options

Question No:94 **(Marks:1)** **Vu-Topper RM**

80/20 rule states that:

A. you spend 20 percent of your time in 80 percent of the code
B. you spend 80 percent of your time in 20 percent of the code Page 177
C. We should try to optimized 80 percent or at least 20 percent of the code
D. None of the given options

Question No:95 **(Marks:1)** **Vu-Topper RM**

Be very careful when you use functions with side effects – functions that change the values of the _____

A. Objects
B. Classes

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Structures
D. Variables

Question No:96 **(Marks:1)** **Vu-Topper RM**
Comma (,) is very dangerous because
A. Compiler does not recognize this symbol
B. It creates linkage problem
C. It causes side effects
D. All of the given options

Question No:97 **(Marks:1)** **Vu-Topper RM**
_____ cause major portability issues
A. Loops
B. Bugs in code
C. Sizes of data types **Page 179**
D. Conditional Structures

Question No:98 **(Marks:1)** **Vu-Topper RM**
A test case involves:
A. Input/output specification plus a statement of the function under test
B. Steps to perform the function
C. Expected results that the software application produces
D. All of the given options

Question No:99 **(Marks:1)** **Vu-Topper RM**
If an application fulfills its specifications but deviates from users expectations or their desired behavior. This means, software is verified but not ----------
A. Traced
B. Checked
C. Corrected
D. Validated **Page 192**

Question No:100 **(Marks:1)** **Vu-Topper RM**

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

The raising of the imaginary error flag is simply called raising or _____ an error

A. Catching
B. Casting
C. Throwing Page 184
D. None of given options

Question No:101 (Marks:1) Vu-Topper RM

In case of a file server, client request selected records from a_and the server transmits recorded to client over the network

A. File
B. Network
C. Database
D. Local memory

Question No:102 (Marks:1) Vu-Topper RM

The idea behind exception handling is to raise some error flag every time _____

A. The code compiles
B. The code links
C. Memory is allocated
D. Something goes wrong

Question No:103 (Marks:1) Vu-Topper RM

A _____ is a variance from a desired product attribute.

A. Error
B. Defect Page 192
C. Mistake
D. Exception

Question No:104 (Marks:1) Vu-Topper RM

Consider the following statement: int a,b=10;
Which of the following is correct:

A. Variable "a" is initialized to 10
B. Variable "b" is initialized to 10

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. Both
D. variables "a" and "b" are initialized to 10

Question No:105 (Marks:1) Vu-Topper RM
Exception handling is a powerful technique that separates error-handling code from _____ code
A. Faulty
B. Buggy
C. Normal
D. Complex

Question No:106 (Marks:1) Vu-Topper RM
The complexity of a program may _____ if there are exceptional paths in it
A. Decrease
B. Increase Page 185
C. Remain same
D. All of given options

Question No:107 (Marks:1) Vu-Topper RM
When an error is thrown the overall system (on the lookout for this error flag) responds by _____ the error.
A. Ignoring
B. Casting
C. Catching
D. All of the given options

Question No:108 (Marks:1) Vu-Topper RM
Comments are not syntax checked
TRUE
FALSE

Question No:109 (Marks:1) Vu-Topper RM
Modularity is a tool that can help us in increasing the size of individual functions, making them less readable.

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

True
False

Question No:110 (Marks:1) Vu-Topper RM
Question No:111 (Marks:1) Vu-Topper RM
Anti- Patterns is another concept that corresponds to common in analysis and design.

A. Mistake
B. Issues
C. Problems
D. All of the given

Question No:112 (Marks:1) Vu-Topper RM
Three tier architecture contains layers.

A. Presentation
B. Application
C. Database
D. All of the above

Question No:113 (Marks:1) Vu-Topper RM
Question No:114 (Marks:1) Vu-Topper RM
Description of communicating objects and classes that are customized to solved a general problem in a particular context is called.

A. System Patter
B. System Design
C. Design Pattern
D. None of the Given

Question No:115 (Marks:1) Vu-Topper RM
In the N-tier Architecture, the idea is to enhance scalability and by distributing both data and the application using multiple server machines.

A. Usability
B. Performance
C. Interpretability

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

D. None of the given

Question No:116 (Marks:1) Vu-Topper RM

Dynamic process model shows the process ……of the system.

A. Objects
B. Linkage
C. Structure Page 129
D. Components

Question No:117 (Marks:1) Vu-Topper RM

STL Stands for ——————

A. Standard Type Link
B. Standard Tempo Line
C. Standard Template Library
D. None of the given

Question No:118 (Marks:1) Vu-Topper RM
Question No:119 (Marks:1) Vu-Topper RM
Question No:120 (Marks:1) Vu-Topper RM
Question No:121 (Marks:1) Vu-Topper RM
Question No:122 (Marks:1) Vu-Topper RM

The nominal case should be put in the if-part and the exception in the else-part of an if statement.

TURE
FALSE

Question No:123 (Marks:1) Vu-Topper RM

The terms get/set must be used where an attribute is accessed.

Directly
Indirectly

Question No:124 (Marks:1) Vu-Topper RM

A self-documented program/code contains the following attribute(s):

A. Size of each function
B. Choice of variable

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

C. All of the given choices

Question No:125 (Marks:1) Vu-Topper RM
Question No:126 (Marks:1) Vu-Topper RM
Question No:127 (Marks:1) Vu-Topper RM
Question No:128 (Marks:1) Vu-Topper RM

A function should not be larger in any case and should not exceed _____ in length .

A. Half page
B. One page **Page 150**
C. Two pages
D. Three Pages

Question No:129 (Marks:1) Vu-Topper RM
Question No:130 (Marks:1) Vu-Topper RM

Comments should NOT be indented relative to their position in the code.

TRUE
FALSE

Question No:131 (Marks:1) Vu-Topper RM

In Client Server model, there application is modeled as a set so — that are provided by server.

A. Application
B. Protocol
C. Services
D. All of the above

Question No:132 (Marks:1) Vu-Topper RM

Façade Pattern provides a unified interface to a set of interfaces ina sub-system.

True
False

Question No:133 (Marks:1) Vu-Topper RM

Which of the is/are among ten things which the basis template of GOF

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

design pattern includes.

A. Problem
B. Context
C. Forces
D. All of the above

Question No:134 (Marks:1) Vu-Topper RM
Question No:135 (Marks:1) Vu-Topper RM

Zero install architecture does not need any installation on __.

A. Server side
B. Client side
C. Client & Server Side (Not Sure)
D. None of the above

Question No:136 (Marks:1) Vu-Topper RM
Question No:137 (Marks:1) Vu-Topper RM

A tricky sequence of fall through code using switch statement with no Break statements used, causes more trouble than being helpful.

True
False

Question No:138 (Marks:1) Vu-Topper RM

Which of the following is not part of software architecture?

A. Database
B. Data design
C. Program structure
D. Algorithm details

Question No:139 (Marks:1) Vu-Topper RM

Defining the services of an object means

A. what it does?
B. what it knows?
C. who knows it?
D. whom it knows?

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

Question No:140 (Marks:1) Vu-Topper RM

The focus of sequence diagrams is:

A. On object constraints
B. On the flow of Control
C. On static model of system
D. On object(and classes) and message exchanged among them.

Question No:141 (Marks:1) Vu-Topper RM

Question No:142 (Marks:1) Vu-Topper RM

An architectural style encompasses which of the following elements?

A. Constraints
B. Set of components
C. Semantic models
D. All of the given

Question No:143 (Marks:1) Vu-Topper RM

In sequence diagram, the solid lines depict:

A. Objects (or classes) 1
B. Life-time of an object
C. Messages being sent from one object to the other
D. None of the given option

Question No:144 (Marks:1) Vu-Topper RM

Question No:145 (Marks:1) Vu-Topper RM

C++ header files should have the extension---- Source files can have the extension ----

A. .c and .h
B. .cc and .h
C. .h and .cpp
D. All of the given

Question No:146 (Marks:1) Vu-Topper RM

Question No:147 (Marks:1) Vu-Topper RM

Data Centered Architectural Style is also called___

A. Reference model

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu Topper RM

B. Sub System model
C. Repository model
D. Client Server model

Question No:148 (Marks:1) Vu-Topper RM
When an error is thrown the overall system (on the lookout for this error flag) responds by ____the error
Catching

Question No:149 (Marks:1) Vu-Topper RM
The form for (;;)should be used for
Empty loop

Question No:150 (Marks:1) Vu-Topper RM
if (!(block < active Block)) is equivalent to:
if ((block >= active Block))

Question No:151 (Marks:1) Vu-Topper RM
In order to write a p or table code which of the following guideline will not be helpful:
Using vendor specific language extensions

Question No:152 (Marks:1) Vu-Topper RM
Testing individual components independent of other components is called:
Unit testing

Question No:153 (Marks:1) Vu-Topper RM
Unit Testing will be done by
Developers

Vu Topper RM

بری صحبت سے تنہائی بہتر ہے اور تنہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365