CS506

Final Term (Live Quiz)

PAID VU LMS HANDLING by Mam Mehwish 03184148783

Past Papers for Mids./Finals are also Available

MAM MEHWISH 03184148783

Question 1: What are the requirements for a class to be considered a JavaBean?

- It must implement the java.beans.Bean interface.
- It must be a subclass of the java.beans.JavaBean class.
- ✓ It must have a default constructor and follow specific naming conventions.
- There are no specific requirements for a class to be a JavaBean.

Question 2: Servlet mapping is defined in _____

- html
- ✓ web.xml
- servlet
- JSP

Question 3: Which of the following object contains information specific to a servlet?

- ServletRequest
- ✓ ServletConfig
- ServletContext
- ServletResponse

Question 4: HTML comments are _____ in browser and JSP comments are _____ in browser.

- shown, hidden

- shown, shown
- ✓ hidden, hidden
- hidden, shown

Question 5: What is the purpose of the <servlet-mapping> tag in web.xml?

- To define servlets with their class names.
- ✓ To specify the URL patterns that map to servlets.
- To configure servlet initialization parameters.
- To set session configuration for servlets.

Question 6: Context attributes are shared among _____ servlet/s of _____.

- two, a web application
- ✓ all, a web application
- all, desktop applications
- two, desktop applications

Question 7: How to add a Cookie object to a HttpServletResponse in Java servlets?

- ✓ Using response.addCookie(cookie);
- Using response.createCookie(cookie);
- Using response.setCookie(cookie);
- Using response.sendCookie(cookie);

Question 8: JSP directives can be used to affect which part of the web application?

- Only the HTML content
- The client-side JavaScript
- ✓ The overall structure of the servlet
- Only the database connection

MAMMEHWISH 03184148783

Question 9: What does request.getCookies() return in Java servlets?

- A single Cookie object representing all cookies sent by the client.
- The expiration time of cookies sent by the client.
- The number of cookies sent by the client.
- ✓ An array of Cookie objects representing cookies sent by the client in the request.

Question #1:
Which design principle do JavaBeans adhere to?

- Inheritance
- **Encapsulation** ✓
- Polymorphism
- Abstraction

Question #2:
Which of the following is not the stage of servlet lifecycle?

- Wait ✓
- Service
- Destroy
- Initialize

Question #3:
Which of the following object is used for sharing resources among different servlets of the same application?

- ServletRequest
- ServletConfig
- ServletResponse
- **ServletContext** ✓

Question #4:
How does URL rewriting work in Java web applications?

MAM MEHWISH 03184148783

- Storing session ID in cookies.
- Modifying the URL in the client's browser using JavaScript.
- Replacing URL paths with user-friendly aliases.
- **Appending session ID as a query parameter to the URL.** ✓

Question #5:
Servlet mapping is defined in _____

- servlet
- html
- **web.xml** ✓
- JSP

Question #6:
To redirect to an HTML page named index.html located at the root of the web application, what should be the argument to sendRedirect()?

- sendRedirect("WEB-INF/index.html")
- sendRedirect("webapp/index.html")
- **sendRedirect("index.html")** ✓
- sendRedirect("contextPath/index.html")

Question #7:
Request and response of servlet are handled at _____ stage.

- **service** ✓
- initialize
- destroy
- failure

Question #8:
In which technique does the server store a unique session identifier on the client's browser?

- URL rewriting

MAM MEHWISH 03184148783

- Database storage
- **Cookies** ✓
- Hidden form fields

Question #9:
Which of the following is responsible for handling user interactions and displaying data in a Java application?

- Data layer
- Persistence layer
- Business layer
- **Presentation layer** ✓

Question #10:
What is the data type of the config variable in JSP?

- HttpSession
- String
- ServletContext
- **ServletConfig** ✓

1. The method "cookie.setMaxAge(12)" indicates that the cookie will expire after _____.

Options:

A) 12 Hours

B) 12 Minutes

C) 12 Days

D) 12 Seconds

Correct Option: C) 12 Days

2. Servlet context stores initialization parameters of _____.

Options:

A) of all web applications in a server

MAM MEHWISH 03184148783

B) of all web applications in a server

C) one servlet

D) a java file

Correct Option: A) of all web applications in a server

3. What is a package in Java?

Options:

A) A group of classes with similar functionality.

B) A collection of methods for a specific task.

C) A set of variables used in a program.

D) A folder or directory that organizes related classes and interfaces.

Correct Option: D) A folder or directory that organizes related classes and interfaces.

4. During different sessions, getServletContext() method provides _____ ServletContext object/s to _____ Servlets.

Options:

A) different, same

B) same, same

C) different, different

D) same, different

Correct Option: A) different, same

5. HttpServletResponse provides _____ methods to perform encoding in java.

Options:

A) 1

B) 2

C) 3

D) 4

Correct Option: B) 2

MAM MEHWISH 03184148783

6. The data layer in Java applications is responsible for:

Options:

A) Handling user authentication and authorization

B) Presenting data to the user in a user-friendly format

C) Storing and retrieving data from persistent storage

D) Handling user input validation and error handling

Correct Option: C) Storing and retrieving data from persistent storage

7. Which of the following is the correct method of HttpServletResponse to perform encoding in java?

Options:

A) String RedirectURL(String URL)

B) String encodeRedirect(String URL)

C) String encodeMineURL(String URL)

D) String encodeRedirectURL(String URL)

Correct Option: D) String encodeRedirectURL(String URL)

8. Which method is used to encode a URL for URL rewriting in Java Servlets?

Options:

A) request.encodeURL(String url)

B) session.encodeURL(String url)

C) context.encodeURL(String url)

D) response.encodeURL(String url)

Correct Option: D) response.encodeURL(String url)

9. Each web application has _____ servlet context/s.

Options:

A) 0

B) 1

MAM MEHWISH 03184148783

C) 2

D) 3

Correct Option: B) 1

10. HTML comments are _____ in the browser and JSP comments are _____ in the browser.

Options:

A) hidden, shown

B) shown, shown

C) shown, hidden

D) hidden, hidden

Correct Option: D) hidden, hidden

1. Question: Each web application has _____ servlet context/s.

Options:

- A) 0

- B) 1

- C) 2

- D) 3

Correct Option: B) 1

2. Question: The business layer in Java applications is responsible for:

Options:

- A) Managing the application's database connectivity

- B) Implementing business logic and processing rules

- C) Handling user interface rendering and event handling

- D) Storing and retrieving data from persistent storage

Correct Option: B) Implementing business logic and processing rules

MAM MEHWISH 03184148783

3. Question: Which of the following is responsible for handling user interactions and displaying data in a Java application?

Options:

- A) Data layer
- B) Persistence layer
- C) Business layer
- D) Presentation layer

Correct Option: D) Presentation layer

4. Question: Which session tracking technique appends the session ID as a query parameter in the URL?

Options:

- A) Database storage
- B) URL rewriting
- C) Hidden form fields
- D) Cookies

Correct Option: B) URL rewriting

5. Question: The data layer in Java applications is responsible for:

Options:

- A) Presenting data to the user in a user-friendly format
- B) Handling user input validation and error handling
- C) Handling user authentication and authorization
- D) Storing and retrieving data from persistent storage

Correct Option: D) Storing and retrieving data from persistent storage

6. Question: What is the correct syntax to create a Cookie object in Java?

Options:

- A) Cookie.createCookie();
- B) new Cookie("name", "value");

MAM MEHWISH 03184148783

- C) createCookie("name", "value");

- D) new Cookie();

Correct Option: B) new Cookie("name", "value");

7. Question: Which of the following is the correct format of writing a page directive in JSP?

Options:

- A) <%# page {attribute="val"} %>

- B) <%$ page {attribute="val"} %>

- C) <%@ page {attribute="val"} %>

- D) <%! page {attribute="val"} %>

Correct Option: C) <%@ page {attribute="val"} %>

8. Question: In which technique does the server store a unique session identifier on the client's browser?

Options:

- A) Database storage

- B) Hidden form fields

- C) URL rewriting

- D) Cookies

Correct Option: D) Cookies

9. Question: JSP Stands for _____ .

Options:

- A) JavaServer Pages

- B) Java Servlet Pages

- C) Java Server Program

- D) Java Standard Protocol

Correct Option: A) JavaServer Pages

MAM MEHWISH 03184148783

10. Question: Which of the following is the correct method of HttpServletResponse to perform encoding in java?

Options:

- A) String encodeMineURL(String URL)
- B) String RedirectURL(String URL)
- C) String encodeRedirectURL(String URL)
- D) String encodeRedirect(String URL)

Correct Option: C) String encodeRedirectURL(String URL)

1. **Question**: getProtocol() method of HTTPServletRequest is used to get the _____ and _____ of protocol.

- Options:
  1. name and class
  2. name and version
  3. class and version
  4. name and type
- Correct Option: 2. name and version

2. **Question**: Which of the following is responsible for handling user interactions and displaying data in a Java application?

- Options:
  1. Persistence layer
  2. Presentation layer
  3. Data layer
  4. Business layer
- Correct Option: 2. Presentation layer

3. **Question**: The method "getAttribute(String)" of HttpSession class extracts _____ stored value from a session object.

- Options:

MAM MEHWISH 03184148783

1. Currently

2. Previously

3. First

4. Subsequently

- Correct Option: 1. Currently

4. **Question**: How do you set the maximum age of a Cookie object in Java?

- Options:

1. myCookie.setAge(3600);

2. myCookie.setMaxAgeInSeconds(3600);

3. myCookie.setExpiration(3600);

4. myCookie.setMaxAge(3600);

- Correct Option: 4. myCookie.setMaxAge(3600);

5. **Question**: HttpServletResponse provides _____ methods to perform encoding in Java.

- Options:

1. 1

2. 2

3. 3

4. 4

- Correct Option: 2. 2

6. **Question**: How does JSP differ from servlets?

- Options:

1. JSP is used for client-side interactions, while servlets handle server-side operations.

2. JSP is written in Java, while servlets are written in JavaScript.

3. JSP allows for a mixture of HTML and Java code, while servlets are purely Java code.

4. JSP is executed on the server and generates dynamic content, while servlets handle requests and responses.

MAM MEHWISH 03184148783

- Correct Option: 3. JSP allows for a mixture of HTML and Java code, while servlets are purely Java code.

7. **Question**: setContentLength() method of HTTPServletResponse sets the length of content by taking _____ parameter as length.

- Options:

  1. character

  2. float

  3. string

  4. integer

- Correct Option: 4. integer

8. **Question**: In JSP, _____ is an implicit object, which belongs to ServletConfig class and represents the JSP configuration options.

- Options:

  1. PageContext

  2. ApplicationConfig

  3. Config

  4. ServletConfig

- Correct Option: 3. Config

9. **Question**: Which of the following tag is used to define initialization parameters value of a servlet?

- Options:

  1. <parameter-value></parameter-value>

  2. <param-value></param-value>

  3. <para-value></para-value>

  4. <initparam-value></initparam-value>

- Correct Option: 2. <param-value></param-value>

MAM MEHWISH 03184148783

10. **Question**: Which session tracking technique appends the session ID as a query parameter in the URL?

- Options:

1. Database storage

2. Hidden form fields

3. Hidden form fields

4. URL rewriting

- Correct Option: 3. URL rewriting

cs506

Question # 1

The following code creates and starts a timer that fires an action event once per _____.

Timer t = new Timer (1000, this); t.start();

Hour

Minute

Second ✅

Day

Question # 2

Which method of ServerSocket class is used to accept incoming client connections in Java?

connect()

open()

accept() ✅

bind()

Question # 3

Which of the following methods is called only once during the life cycle of an Applet?

paint()

stop()

MAM MEHWISH 03184148783

start()

destroy() ✅

Question # 4

When a thread is in "New state" during its life cycle, it is _____.

in ready queue

just created ✅

ready to run

being assigned a processor to run

Question # 5

Which keyword is used in Java to mark fields that should not be serialized?

transient ✅

volatile

final

static

Question # 6

In GET HTTP Request type, attribute-value pair is attached after _____ with requested URL.

@

? ✅

Question # 7

Which of the following method allows any other thread of same priority to execute?

notify()

wait()

yield() ✅

sleep()

MAM MEHWISH 03184148783

Question # 8

Servlets are commonly used to:

Store data in a database

Generate dynamic web content ✅

Style web pages with CSS

Execute client-side scripts

Question # 9

Thread sleep() method causes the currently executing thread to wait for the time in _____.

Microseconds

Nanoseconds

Milliseconds ✅

Zeptoseconds

Question # 10

In _____ state, thread is assigned a processor to run.

ready

running ✅

new

dead

cs506

Question 1: An applet is basically a/an _____ that allows interaction with a Java program.

Label

Frame

Window ✓

Panel

MAM MEHWISH 03184148783

Question 2: What does J2EE stand for?

Java 2 Experiment Edition

Java 2 Extended Edition

Java 2 Enterprise Edition ✓

Java 2 Essential Edition

Question 3: The following code creates and starts a timer that fires an action event once per _____.

java

Copy code

Timer t = new Timer (1000, this);

t.start();

Hour

Day

Second ✓

Minute

Question 4: To serialize an object in Java, we typically use _____.

ClassOutputStream

ObjectInputStream

ClassInputStream

ObjectOutputStream ✓

Question 5: In Java, Serializable Interface can be found under _____ package.

java.io ✓

java.sql

java.net

java.util

MAM MEHWISH 03184148783

Question 6: _____ is NOT the type of HTTP request.

Update ✓

Post

Delete

Get

Question 7: Which of the following commands is used to invoke an Applet named Test from command line interpreter?

appletrunner Test.html

appletrunner Test.java

appletviewer Test.java ✓

appletviewer Test.html

Question 8: Which Java graphics method would you use to draw a filled circle on a graphics context g2 at position (50, 50) with a diameter of 20 pixels?

g2.fillOval(50, 50, 20, 20); ✓

g2.drawOval(50, 50, 20, 20);

g2.fillCircle(50, 50, 20, 20);

g2.drawCircle(50, 50, 20, 20);

Question 9: To compile a servlet (e.g. MyServlet.java) _____ command is used in command prompt.

java-c

java c

java

javac ✓

Question 10: In GET HTTP Request type, attribute-value pair is attached after _____ with requested URL.

MAM MEHWISH 03184148783

@

? ✓

1. getProtocol() method of HTTPServletRequest is used to get the _____ and _____ of protocol.

Options:

- A) name, versionid

- B) name, versionname

- C) versionid, versionname

- D) name, versionid, versionname, classid, class

Correct Options: A) name, versionname

2. What is the correct syntax to create a Cookie object in Java?

Options:

- A) Cookie myCookie = new Cookie();

- B) Cookie myCookie = new Cookie("name", "value");

- C) Cookie myCookie = Cookie.createCookie();

- D) Cookie myCookie = createCookie("name", "value");

Correct Option: B) Cookie myCookie = new Cookie("name", "value");

3. In JSP, _____ is an implicit object, which belongs to ServletConfig class and represents the JSP configuration options.

Options:

- A) Config

- B) Session

- C) Application

- D) PageContext

Correct Option: D) PageContext

MAM MEHWISH 03184148783

4. From the following packages which one is used to write the servlets?

Options:

- A) java
- B) java.util
- C) javax
- D) java.lang

Correct Option: C) javax

5. Which of the following is the correct method of HttpServletResponse to perform encoding in java?

Options:

- A) String encodeRedirectURL(String URL)
- B) String RedirectURL(String URL)
- C) String encodeMineURL(String URL)
- D) String encodeRedirect(String URL)

Correct Option: A) String encodeRedirectURL(String URL)

6. How does URL rewriting work in Java web applications?

Options:

- A) Replacing URL paths with user-friendly aliases.
- B) Storing session ID in cookies.
- C) Appending session ID as a query parameter to the URL.
- D) Modifying the URL in the client's browser using JavaScript.

Correct Option: C) Appending session ID as a query parameter to the URL.

7. Which keyword is used to declare a package in Java?

Options:

- A) import
- B) namespace
- C) package

MAM MEHWISH 03184148783

Correct Option: C) package

8. The method "getAttribute(String)" of HttpSession class extracts _____ stored value from a session object.

Options:

- A) First
- B) Previously
- C) Currently

Correct Option: C) Currently

9. How do you set the maximum age of a Cookie object in Java?

Options:

- A) myCookie.setAge(3600);
- B) myCookie.setMaxAgeInSeconds(3600);
- C) myCookie.setMaxAge(3600);
- D) myCookie.setExpiration(3600);

Correct Option: C) myCookie.setMaxAge(3600);

10. Which method is used to encode a URL for URL rewriting in Java Servlets?

Options:

- A) context.encodeURL(String url)
- B) response.encodeURL(String url)
- C) request.encodeURL(String url)
- D) session.encodeURL(String url)

Correct Option: B) response.encodeURL(String url)

1. The data layer in Java applications is responsible for:

- A. Handling user input validation and error handling
- B. Presenting data to the user in a user-friendly format

MAM MEHWISH 03184148783

- C. Storing and retrieving data from persistent storage

- D. (Not provided)

Correct Answer: C. Storing and retrieving data from persistent storage

2. Servlet context stores initialization parameters of _____ .

- A. one servlet of all web applications in a server

- B. a java file of entire web application

- C. (Not provided)

- D. (Not provided)

Correct Answer: A. one servlet of all web applications in a server

3. What is URL rewriting in Java web applications?

- A. Rewriting URLs to make them more user-friendly.

- B. Encoding special characters in URLs for secure communication.

- C. Modifying the URL of a web page for search engine optimization.

- D. Manipulating URLs to maintain session state in web applications.

Correct Answer: D. Manipulating URLs to maintain session state in web applications.

4. 3-layer architecture consists of Presentation Layer, _____ Layer, and Data Layer.

- A. Client

- B. Application

- C. Server

- D. Business

Correct Answer: D. Business

MAM MEHWISH 03184148783

5. The `getProtocol()` method of `HttpServletRequest` is used to get the _____ and _____ of the protocol.

- A. id, versionid
- B. classname, versionname
- C. (Not provided)
- D. (Not provided)

Correct Answer: A. id, versionid

6. In include type of request dispatcher, the first servlet which received request is also responsible to _____ .

- A. finish response
- B. forward request
- C. modify request
- D. show exceptions

Correct Answer: A. finish response

7. Normally web applications are partitioned into _____ logical layers.

- A. 2
- B. 3
- C. 4
- D. 5

Correct Answer: B. 3

8. In the context of Session Tracking, states are maintained by the mutual cooperation of both client & _____.

- A. Customer
- B. User

MAM MEHWISH 03184148783

- C. Browser

- D. Server

Correct Answer: D. Server

9. Which of the following is the correct method of `HttpServletResponse` to perform encoding in Java?

- A. `RedirectURL(String URL)`

- B. `encodeRedirectURL(String URL)`

- C. `encodeRedirect(String URL)`

- D. `encodeMineURL(String URL)`

Correct Answer: B. `encodeRedirectURL(String URL)`

1. Which of the following object is used for sharing resources among different servlets of the same application?

- a) ServletContext

- b) ServletResponse

- c) ServletRequest

- d) ServletConfig

- **Correct Answer: a) ServletContext**

2. Which of the following objects contain information specific to a servlet?

- a) ServletConfig

- b) ServletResponse

- c) ServletContext

- d) ServletRequest

- **Correct Answer: a) ServletConfig**

MAM MEHWISH 03184148783

3. What is the main idea behind partitioning a web application into layers?

- a) Increase Coupling
- b) Reduce Coupling
- c) Reduce Decoupling
- d) Increase Decoupling
- **Correct Answer: b) Reduce Coupling**

4. In the include type of request dispatcher, the first servlet which received the request is also responsible to _____.

- a) forward request
- b) finish response
- c) modify request
- d) show exceptions
- **Correct Answer: a) forward request**

5. The method "cookie.setMaxAge(12)" indicates that the cookie will expire after _____.

- a) 12 Minutes
- b) 12 Days
- c) 12 Hours
- d) 12 Seconds
- **Correct Answer: d) 12 Seconds**

6. getProtocol() method of HTTPServletRequest is used to get the _____ and _____ of protocol.

- a) ID, classname
- b) ID, classid
- c) ID, versionname
- d) classname, version
- **Correct Answer: b) ID, version**

MAM MEHWISH 03184148783

7. HTML comments are _____ in the browser, and JSP comments are _____ in the browser.

- a) hidden, hidden
- b) shown, hidden
- c) shown, shown
- d) hidden, shown
- **Correct Answer: a) hidden, hidden**

8. Which session tracking technique appends the session ID as a query parameter in the URL?

- a) Hidden form fields
- b) Database storage
- c) URL rewriting
- d) Cookies
- **Correct Answer: c) URL rewriting**

9. setContentLength() method of HTTPServletResponse sets the length of content by taking _____ parameter as length.

- a) integer
- b) character
- c) float
- d) string
- **Correct Answer: a) integer**

10. Which of the following is the correct format of writing an include directive in JSP?

- a) <%! include {attribute=”val”} %>
- b) <%$ include {attribute=”val”} %>
- c) <%# include {attribute=”val”} %>
- d) <%@ include {attribute=”val”} %>

MAM MEHWISH 03184148783

- **Correct Answer: d) <%@ include attribute="val" %>**

1. Which of the following is the main idea behind partitioning a web application into layers?

Options:

- Reduce Decoupling
- Increase Decoupling
- Reduce Coupling
- Increase Coupling

Correct Option: Reduce Coupling

2. The method "cookie.setMaxAge(12)" indicates that the cookie will expire after _____.

Options:

- 12 Days
- 12 Minutes
- 12 Hours
- 12 Seconds

Correct Option: 12 Seconds

3. Which of the following is the correct format of writing a page directive in JSP?

Options:

- <%! page {attribute="val"} %>
- <%# page {attribute="val"} %>
- <%$ page {attribute="val"} %>
- <%@ page {attribute="val"} %>

Correct Option: <%@ page {attribute="val"} %>

4. Which of the following is the correct method of HttpServletResponse to perform encoding in Java?

Options:

- String encodeRedirect(String URL)

MAM MEHWISH 03184148783

- String encodeRedirectURL(String URL)

- String encodeMineURL(String URL)

- String RedirectURL(String URL)

Correct Option: String encodeRedirectURL(String URL)

5. Which of the following is the correct format of writing an include directive in JSP?

Options:

- <%! include {attribute="val"} %>

- <%@ include {attribute="val"} %>

- <%# include {attribute="val"} %>

- <%$ include {attribute="val"} %>

Correct Option: <%@ include file="filename" %>

6. Each web application has _____ servlet context/s.

Options:

- 0

- 1

- 2

- 3

Correct Option: 1

7. Which of the following tag is used to define initialization parameters value of a servlet?

Options:

- <para-value> </para-value>

- <param-value> </param-value>

- <initparam-value> </initparam-value>

- <parameter-value> </parameter-value>

Correct Option: <param-value> </param-value>

MAM MEHWISH 03184148783

8. Which of the following object is used for sharing resources among different servlets of the same application?

Options:

- ServletResponse
- ServletConfig
- ServletRequest
- ServletContext

Correct Option: ServletContext

9. The method "getAttribute(String)" of HttpSession class extracts _____ stored value from a session object.

Options:

- Previously
- First
- Subsequently
- Currently

Correct Option: First

10. Normally web applications are partitioned into _____ logical layers.

Options:

- Three
- Four
- Two
- One

Correct Option: Three

MAM MEHWISH 03184148783

🔥🔥 **Paid Vu Lms Handling** 🔥🔥

♦ **1 GDB= Rs 100**

♦ **1 Quiz= Rs 200**

♦ **1 Assignment=Rs 250**

💎 **Agr complete handling krwatey hain 1 subject ki with all activities= Rs 500 (Half Semester)** 💎

LECTURES Play Service Available In Very Low Price. 📱

🗣️🎉 **80-100% Marks Guaranteed** 🎉🗣️

🔥 **Miss Mehwish:03184148783**🔥

MAM MEHWISH 03184148783