See all photos + Add to Edit & Create Share

Question # 10 of 10 (Start time: 09:24:00 AM, 19 February 2022)

The integral of $f(x) = \sin(x+1)$ from $x=0$ to $x=1$ is ____

Select the correct option

○	$\cos(2)-1$
◉	$\cos(1)-\cos(2)$
○	$\cos(2)-\cos(1)$
○	$\sin(1)-\sin(2)$

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 9 of 10 (Start time: 09:23:32 AM, 19 February 2022)

If

$$\int_0^2 (x^2+1)dx = \frac{14}{3}$$

Then the solution of

$$\int_2^0 (x^2+1)dx =$$

will be_

Select the correct option

- ○ -3/14
- ○ 14/3
- ◉ -14/3
- ○ none of these

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 7 of 10 (Start time: 09:21:23 AM, 19 February 2022)

Which of the following is the indefinite integral of f(x)=3/(xA2)

Select the correct option

- (3/x)
- (-3/x) +c
- (1/4) xA (4/3) +c
- None of these.

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 7 of 10 (Start time: 09:21:23 AM, 19 February 2022)

Which of the following is the indefinite integral of f(x)=3/(xA2)

Select the correct option

- (3/x)
- (-3/x) +c
- (1/4) xA (4/3) +c
- None of these.

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 6 of 10 (Start time: 09:20:42 AM, 19 February 2022)

In integration of $f(x) = x(x^3 - 3)^4$ from x=0 to x=2 by substitution method, we take $u = x^3 - 3$ then $du =$ _____

Select the correct option

○	x
◉	$2xdx$
○	$2x$
○	dx

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 5 of 10 (Start time: 09:19:46 AM, 19 February 2022)

$$Evaluate \int_0^x \sin t dt =$$

Select the correct option

○	$1 + \cos x$
●	$1 - \cos x$
○	$1 + \cos t$
○	$1 + \cos t$

Activate
Activate Windows
Go to Settings to activate Windows.
Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 6 of 10 (Start time: 09:20:42 AM, 19 February 2022)

In integration of $f(x) = x(x^3 - 3)^4$ from x=0 to x=2 by substitution method, we take $u = x^3 - 3$ then $du =$ _____

Select the correct option

○	x
◉	$2xdx$
○	$2x$
○	dx

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 4 of 10 (Start time: 09:18:53 AM, 19 February 2022)

The volume of the solid bounded by planes x=a and x=b with cross-sectional area A(x) perpendicular to the x-axis is

Select the correct option

Reload

- $V = \int_a^a A(y)dx$
- $V = \int_a^b A(x)dy$
- $V = \int_a^b A(y)dy$
- $V = \int_a^b A(x)dx$

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 1 of 10 (Start time: 09:14:18 AM, 19 February 2022)

The volume of cylindrical shell for R = 5, r = 3 and h = 2 is ----------

Select the correct option

- ○ 30*pi
- ○ 32*pi
- ○ 25*pi
- ○ 36*pi

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 9 of 10 (Start time: 09:12:00 AM, 19 February 2022)

$\int_a^b f(x)dx =$ _____.

Select the correct option

- $\int_b^a f(x)dx$
- $-\int_b^a f(x)dx$

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 8 of 10 (Start time: 09:10:27 AM, 19 February 2022)

If f continuous on $[a,b]$ and $F(x) = \int_a^x f(t)dt$, then

Select the correct option

- (●) $F'(t) = f(x)$ on $[a,b]$
- ( ) none of these
- ( ) $F'(x) = f(t)$ on $[a,b]$
- ( ) $F'(x) = f(x)$ on $[a,b]$

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 6 of 10 (Start time: 09:07:39 AM, 19 February 2022)

The value of $\int_0^{\frac{\pi}{4}} \tan^2 x \, dx$ _____.

Select the correct option

- ○ None of the above
- ○ $1 - \frac{\pi}{4}$
- ○ 0
- ○ $\frac{\pi}{4} - 1$

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 5 of 10 (Start time: 09:07:18 AM, 19 February 2022)

The value of $\int_1^x y^2 dy =$ _____.

Select the correct option

- $\frac{y^3}{3} - \frac{1}{3}$
- $\frac{x^3}{3} - \frac{1}{3}$

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 4 of 10 (Start time: 09:05:56 AM, 19 February 2022)

The volume of the solid bounded by planes x=a and x=b with cross-sectional area A(x) perpendicular to the x-axis is

Select the correct option

Reload M

- (●) $V = \int_a^b A(x)dx$
- ( ) $V = \int_a^a A(y)dx$
- ( ) $V = \int_a^b A(x)dy$
- ( ) $V = \int_a^b A(y)dy$

Activate Windc
Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 3 of 10 (Start time: 09:05:08 AM, 19 February 2022)

$\frac{x^4}{4} - \frac{1}{4} = \underline{\quad\quad}$.

Select the correct option

- $\int_1^x t^4\,dt$
- $\int_1^x t^3\,dt$

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 2 of 10 (Start time: 09:04:17 AM, 19 February 2022)

We can approximate integrals by Riemann sums.

Select the correct option

- (●) True
- ( ) False

Next

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 1 of 10 (Start time: 09:03:32 AM, 19 February 2022)

The Volume of a cylindrical shell can be expressed as _____

Select the correct option

- V= (area of cross section) (thickness)
- V= (area of cross section) (height)

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos Add to Edit & Create Share

Question # 10 of 10 (Start time: 09:02:36 AM, 19 February 2022)

The volume by the Washers generated by revolving the region around y-axis is given by the formula ------

Select the correct option

◉	$\int_a^b \pi([u(y)]^2 - [v(y)]^2)dy$
○	$\int_a^b \pi[\frac{u(y)}{v(y)}]^2 dy$
○	$\int_a^b \pi([u(y)]^2 + [v(y)]^2)dy$
○	$\int_a^b \pi([u(y)]^2 \bullet [v(y)]^2)dy$

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 9 of 10 (Start time: 09:02:14 AM, 19 February 2022)

Antiderivative of f(x) = x^2 is _____

Select the correct option

- x/2
- x^3
- (1/3) x^3 + c
- None of these.

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 6 of 10 (Start time: 08:59:26 AM, 19 February 2022)

If the upper limit of Definite Integral is equal to its lower limit,then the value of Definite Integral will be _____.

Select the correct option

- ○ 1
- ◉ Zero
- ○ None of the above
- ○ Same

Activate Windows

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 5 of 10 (Start time: 08:58:12 AM, 19 February 2022)

The Volume of a cylindrical shell is given by _____

Select the correct option

- ○ V = (average radius) (height) (thickness)
- ◉ V = 2π (average radius) (height) (thickness)

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 4 of 10 (Start time: 08:57:52 AM, 19 February 2022)

If the upper and lower limits for the definite integral are the same, then $\int_a^a f(x)dx =$

Select the correct option

○	positive integer
●	zero
○	none of these
○	negative integer

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 3 of 10 (Start time: 08:57:13 AM, 19 February 2022)

If

$$\int_0^2 (x^2+1)dx = \frac{14}{3}$$

Then the solution of

$$\int_2^0 (x^2+1)dx =$$

will be...

Select the correct option

◉	-14/3
○	none of these
○	14/3
○	-3/14

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos Add to Edit & Create Share

Question # 2 of 10 (Start time: 08:56:55 AM, 19 February 2022)

When we interchanged the limit of integral then sign of integral will be changed.

Select the correct option

- (•) True
- ( ) False

Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner

See all photos + Add to Edit & Create Share

Question # 1 of 10 (Start time: 08:55:46 AM, 19 February 2022)

The volume of solid obtained when the region under the curve y=x over the interval [0,2] is revolved about the x-axis is

Select the correct option

Reload

- ○ $V = \int_0^2 x^2 dx$
- ○ $V = \int_0^2 \pi x dx$
- ○ $V = \int_0^2 \pi y^2 dy$
- ◉ $V = \int_0^2 \pi x^2 dx$

Activate Wind
Activate Windows
Go to Settings to activate Windows.

Scanned with CamScanner