

Regards
Mohiu din shahu
Marry-raj
Zb rk
A.hamid
Faiz hassan
Javaid bhati
Khan
Syed Kashif
Defaulter
Sir waqas
Type a status
Status (Custom)

8:28 29%
quiz.vu.edu.pk/QuizQuestion.as
3

MC190201790: FATIMA ALI

Time Left 87 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 29 of 30 (Start time: 08:28:36 PM, 13 July 2020)

Total Marks: 1

If one shape can be deformed in another shape then topologically they are considered to be .....

Select the correct option

- the same
- dissimilar
- unique
- partially equal

Click to Save Answer & Move to Next Question

LMS-Virtual University of Pakista × Quiz

quiz.vu.edu.pk/QuizQuestion.aspx?ver=af6f0932-d

MC180405331: USAMA AHMAD

MTH634:Grand Quiz

Question # 7 of 30 (Start time: 05:40:05 PM, 13 July 2020)

The set of .....of R (Real line) forms a topology called usual topology.

Select the correct option

- all open intervals
- all open discs
- all open balls
- all open spheres

Type here to search

8:15 33%
quiz.vu.edu.pk/QuizQuestion.as
3

MC190201790: FATIMA ALI

Time Left 85 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 13 of 30 (Start time: 08:15:13 PM, 13 July 2020)

Total Marks: 1

If f(x)=x+2 , then f-1(a)=.....

Select the correct option

- a-2
- a+2
- 2a
- 2/a

Click to Save Answer & Move to Next Question

estion # 28 of 30 (Start time: 05:53:15 PM, 13 July 2020)

Let $X = \{a, b, c, d, e\}$ with topology $T = \{\phi, \{b\}, \{a, d\}, \{a, b, d\}, \{a, c, d, e\}, X\}$. The interior point of $A = \{a, b, c\}$ is:

ect the correct option

a

b

c

d

Let $X = \{a, b, c, d, e\}$. *The following set is a topology on* X.

Select the correct option

- {φ,{a},{b,c},{a,b,c},{d},X}
- {φ,{a,b},{a,c,d},X}
- {φ,{a},{a,b},{a,c,d},{a,b,c,d},{a,b,e},X}
- none

LMS-Virtual University of Paki... | Quiz

https://quiz.vu.edu.pk/QuizQuestion.aspx?ver=7c0ba1b

AliExpress 游戏中心

MC190201708: AQEEL AHMAD

MTH634:Grand Quiz

Question # 13 of 30 (Start time: 06:02:06 PM, 13 July 2020)

Continuity of a function in a topological space depends on the collection of ..... of both sets.

Select the correct option

- closed subsets
- open subsets
- proper subsets
- improper subsets

Type here to search

MC190201708: AQEEL AHMAD

MTH634:Grand Quiz

Question # 17 of 30 (Start time: 06:04:00 PM, 13 July 2020)

Exterior point of a set is the ..... point of its complement.

Select the correct option

- boundary
- interior
- exterior
- limit

Type here to search

5:22 3.00 KB/S 42

Quiz

MTH634:Grand Quiz

Question # 10 of 30 (Start time: 05:22:20 PM, 13 July 2020)

The basis for usual topology on R is the set of all .....

Select the correct option

- closed intervals
- open intervals
- open disks
- closed disks

Click to

quiz.vu.edu.pk/QuizQuestion.aspx?ver=634

MC180405331: USAMA AHMAD

MTH634:Grand Quiz

Question # 19 of 30 (Start time: 05:46:51 PM, 13 July 2020)

Topology means the study of something with respect to its .....

Select the correct option

- place
- volume
- perimeter
- area

Type here to search

8:16 33%
quiz.vu.edu.pk/QuizQuestion.as
3

MC190201790: FATIMA ALI

Time Left 89 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 14 of 30 (Start time: 08:16:21 PM, 13 July 2020)

Total Marks: 1

Function between two topological spaces is not continuous when the .....

Select the correct option

- Domain space is any space and range space is indiscrete
- Function is constant between any two topological spaces
- Domain space is discrete and range space is any space
- Domain space is indiscrete and range space is any space



Click to Save Answer & Move to Next Question

Jazz 39% 6:29 PM
quiz.vu.edu.pk/Qu

MC190200352: IMRAN SHAHZAD

Time Left 89 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 06:14 PM, 13 July 2020

Question # 23 of 30 (Start time: 06:29:48 PM, 13 July 2020) Total Marks: 1

Which of the following is the basis for an upper limit topology on R (The Set of Real Numbers)?

Select the correct option

Reload Math Equations

- $B_{up} = \{[a, b) \mid a, b \in R\}$
- $B_{up} = \{(a, b) \mid a, b \in R\}$
- $B_{up} = \{[a, b] \mid a, b \in R\}$
- $B_{up} = \{(a, b] \mid a, b \in R\}$

Click to Save Answer & Move to Next Question

8:06 35%

quiz.vu.edu.pk/QuizQuestion.as

MC190201790: FATIMA ALI

Time Left 89 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 1 of 30 (Start time: 08:06:03 PM, 13 July 2020)

Total Marks: 1

Let X be a topological space and A, a subset of X, then

Select the correct option

Reload Math Equations

- $\bar{A} = A \cup A'$
- $\bar{A} = A \cap A'$
- $A' = A \cup \bar{A}$
- none

Click to Save Answer & Move to Next Question

Question # 4 of 30 (Start time: 12:07:07 PM, 13 July 2020)

A function whose range is a singleton is called a ..... function.

Select the correct option

- continuous
- constant
- Bijective
- one to many

5:30 12.0 KB/S 40

Quiz

MC190203240: GULRAYZ GILL

MTH634:Grand Quiz

Question # 22 of 30 (Start time: 05:30:29 PM, 13 July 2020)

Closure of a subset A of a topological space X is the intersection of all ..... of X containing A.

Select the correct option

- ○ closed subsets
- ○ open subsets
- ○ subsets
- ○ none of these

3

0 PM, 13 July 2020)

Let $X = \mathbb{R}^2$ with usual topology and $A = \{(x, y) \in \mathbb{R}^2 | x^2 + y^2 < 4\}$. *Closure of A is*

$\{(x, y) \in \mathbb{R}^2 | x^2 + y^2 = 4\}$

$\{(x, y) \in \mathbb{R}^2 | x^2 + y^2 > 4\}$

$\{(x, y) \in \mathbb{R}^2 | x^2 + y^2 \leqslant 4\}$



$\{(x, y) \in \mathbb{R}^2 | x^2 + y^2 \geqslant 4\}$

quiz.vu.edu.pk/QuizQuestion.aspx?ver=faa68e

MC180405331: USAMA AHMAD

MTH634:Grand Quiz

Question # 25 of 30 (Start time: 05:50:52 PM, 13 July 2020)

Which of the following are NOT topologically equal?

Select the correct option

- A circle and a square
- A triangle and a rectangle
- A rectangle and a square
- A circle and a line

Type here to search


Question # 26 of 30 (Start time: 06:09:15 PM, 13 July 2020)

A function $f : X \to Y$ from a topological space (X, T_X) to a topological space (Y, T_Y) is continuous iff for all $u \in T_Y$, there exist $v \in T_X$, such that

Select the correct option

- $f^{-1}(v) = u$
- $f^{-1}(v) = v$
- $f^{-1}(u) = u$
- $f^{-1}(u) = v$





PM, 13 July 2020)

Let $X = \mathbb{R}$ with usual topology and $A = (0, 3)$. *The limit point of* A is:

Select the correct option

- 1.5
- 4
- 5
- -0.5

Type here to search

MTH634:Grand Quiz

Question # 1 of 30 (Start time: 06:06:45 PM, 13 July 2020)

Every open subset of the real line is a union of disjoint .....

Select the correct option

- Closed Intervals
- Open Intervals
- Semi Open Intervals
- Sets

5:23 11.0 KB/S 42

Quiz

0203240: GULRAYZ GILL

34:Grand Quiz

on # 12 of 30 (Start time: 05:23:48 PM, 13 July 2020)

Let $X = \{a, b, c, d\}$. *The following set* is not *a topology on* X.

the correct option

{φ,{a},{a,b},X}

{φ,{a},{b},X}

{φ,{a},{a,c},X}

{φ,{a},{a,d},X}

Click to

Question # 19 of 30 (Start time: 06:05:03 PM, 13 July 2020)

Quiz Start

A function is continuous if and only if the inverse image of every ____ subset of Y under f is ____ in X.

Select the correct option

- closed, closed
- Open, closed
- closed, open
- Proper,closed

Jazz 39% 6:27 PM
quiz.vu.edu.pk/Qu

MC190200352: IMRAN SHAHZAD

Time Left 89 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 06:14 PM, 13 July 2020

Question # 19 of 30 (Start time: 06:27:04 PM, 13 July 2020)

Total Marks: 1

Which of the following statement is correct?

Select the correct option

- The composition of two continuous function is piecewise continuous.
- The composition of two continuous function is a continuous function.
- The composition of two continuous function is discontinuous.
- The composition of two continuous function may or may not continuous.

Click to Save Answer & Move to Next Question

MTH634:Grand Quiz

Question # 21 of 30 (Start time: 06:05:52 PM, 13 July 2020)

Basis for indiscrete topology (ϕ, X) is.....

Select the correct option

- {0}
- empty set
- {X}
- $\{\phi, X\}$

Type here to search

(Start time: 06:08:34 PM, 13 July 2020)

Which of the following is the basis for a K-Topology defined on real line where K is a subset of R?

Select the correct option

Reload

- $B_k = \{(a,b)\,|a,b \in R\} \cup \{(a,b)\backslash K\,|a,b \in R\}$
- $B_k = \{[a,b)\,|a,b \in R\} \cup \{[a,b)\backslash K\,|a,b \in R\}$
- $B_k = \{(a,b]\,|a,b \in R\} \cup \{(a,b]\backslash K\,|a,b \in R\}$
- $B_k = \{[a,b]\,|a,b \in R\} \cup \{[a,b]\backslash K\,|a,b \in R\}$

An open disk in R^2 (Real plane) centered at $(x, y) \in R^2$, is the set of all points $(x', y') \in R^2$ such that

Select the correct option

- $\{(x', y') | \sqrt{(x - x')^2 + (y - y')^2} > r$, where r is a positive real number$\}$
- $\{(x', y') | \sqrt{(x - x')^2 + (y - y')^2} a \leq r$, where r is a positive real number$\}$
- $\{(x', y') | \sqrt{(x - x')^2 + (y - y')^2} < r$, where r is a positive real number$\}$
- $\{(x', y') | \sqrt{(x - x')^2 + (y - y')^2} = r$, where r is a positive real number$\}$

Activate
Go to Setti

Type here to search

PM, 13 July 2020)

Which of the following topology is called "Finite Complement Topology"?

Select the correct option

- Discrete Topology
- Indiscrete Topology
- Co finite Topology
- Lower Limit Topology

8:19 32%
quiz.vu.edu.pk/QuizQuestion.as
3

MC190201790: FATIMA ALI

Time Left 84 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 17 of 30 (Start time: 08:19:17 PM, 13 July 2020)

Total Marks: 1

If X is a finite set then co-finite topology on X is .....

Select the correct option

- indiscrete topology
- discrete topology
- lower limit topology
- none of these

Click to Save Answer & Move to Next Question

Question # 12 of 30 (Start time: 12:09:46 PM, 13 July 2020)

If X is finite and has n elements then power set of X has ____ elements.

Select the correct option

- 2^n
- 2^{n-1}
- 2^{n+1}
- none

Question # 3 of 30 (Start time: 05:55:50 PM, 13 July 2020)

Time Left 87 sec(s)

Quiz Start Time: 05:54 PM, 13 July 2020

Total Marks: 1

Let $X = \{a, b, c, d\}$. *The following set is a topology on* X.

Select the correct option

Reload Math Equations

- {φ,{a},{b},{c},X}
- {φ,{c,d},{b,c,d},X}
- {φ,{a},{b},X}
- none

Activate Windows

Type here to search

ENG 5:55 PM 7/13/2020

5:23 3.00 KB/S 42

Quiz

ICT90203240: GULRAYZ GILL

ITH634:Grand Quiz

Question # 11 of 30 (Start time: 05:23:05 PM, 13 July 2020)

Boundary point of a set is also called..... point.

Select the correct option

- exterior
- interior
- frontier
- limit

3

MTH634:Grand Quiz

Question # 5 of 30 (Start time: 12:08:07 PM. 13 July 2020)

Which of the following is the basis for an upper limit topology on R (The Set of Real Numbers)?

Select the correct option

○	$B_{up} = \{[a, b) \mid a, b \in R\}$
○	$B_{up} = \{(a, b) \mid a, b \in R\}$
○	$B_{up} = \{[a, b] \mid a, b \in R\}$
○	$B_{up} = \{(a, b] \mid a, b \in R\}$

ITH634:Grand Quiz

uestion # 20 of 30 (Start time: 05:29:19 PM, 13 July 2020)

For any set there are always two topologies namely..... .....

elect the correct option

○	Lower limit topology and discrete topology
○	Discrete Topology and cofinite Topology
○	Co finite and Indiscrete Topology
○	Discrete and Indiscrete Topology



LMS-Virtual University of Pakista × Quiz ×

quiz.vu.edu.pk/QuizQuestion.aspx?ver=2f8c0167-37d8

MC180405331: USAMA AHMAD

MTH634:Grand Quiz

Question # 3 of 30 (Start time: 05:37:56 PM, 13 July 2020)

Every open subset of the real line is a union of disjoint .....

Select the correct option

- ○ Closed Intervals
- ○ Open Intervals ✓
- ○ Semi Open Intervals
- ○ Sets

Type here to search

Question # 26 of 30 (Start time: 06:09:15 PM, 13 July 2020)

A function $f : X \to Y$ from a topological space (X, T_X) to a topological space (Y, T_Y) is continuous iff for all $u \in T_Y$, there exist $v \in T_X$, such that

Select the correct option

- $f^{-1}(v) = u$
- $f^{-1}(v) = v$
- $f^{-1}(u) = u$
- $f^{-1}(u) = v$

Type here to search

Question # 9 of 30 (Start time: 05:41:11 PM, 13 July 2020)

For any two topologies T1 and T2 defined on a non empty set then T1 is finer than T2 , iff for all U(open set) $\in$ T2 implies_____

Select the correct option

- $U \notin T1$
- $U \in T1$

LMS-Virtual University of Pakista × Quiz × New Tab

quiz.vu.edu.pk/QuizQuestion.aspx?ver=a7a2af0e-e10c-4a1b-b780-43b201814e20

MC180405331: USAMA AHMAD

MTH634:Grand Quiz

Question # 5 of 30 (Start time: 05:39:05 PM, 13 July 2020)

Which of the following statement is true?

Select the correct option

- In both Geometry and Topology we care about exact measurements
- In Geometry we don't care about measurements but in Topology we care about exact measurements
- In Geometry we care about measurements but in Topology we don't care about exact measurements
- In both Geometry and Topology we don't care about exact measurements

Type here to search

4G 60% 3:04 PM

Quiz

Let $\{T_i | i \in I\}$ *be any collection of topologies on set* X. *Then* $\bigcap_{i \in I} T_i$ *is* :

ect the correct option

Reload Math Equations

- not a topology
- a topology
- empty set
- empty

Click to Save

1

5:32 0.57 KB/S 40

Quiz

Question # 24 of 30 (Start time: 05:31:53 PM, 13 July 2020)

The set of all singletons forms a basis for ..... topology.

Select the correct option

- ○ indiscrete
- ○ discrete
- ○ co finite
- ○ lower limit

3

Question # 24 of 30 (Start time: 05:50:06 PM, 13 July 2020)

Which of the following is the basis for a lower limit topology on R (The Set of Real Numbers)?

Select the correct option

○	$B_l = \{(a, b) \mid a, b \in R\}$
○	$B_l = \{[a, b] \mid a, b \in R\}$
○	$B_l = \{[a, b) \mid a, b \in R\}$
○	$B_l = \{(a, b] \mid a, b \in R\}$

Telenor
Telenor
2G 4G 34% 6:34 pm
https://quiz.vu.edu.pk

MC190202248: SEERAT ABBAS

Time Left 70 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 06:29 PM, 13 July 2020

Question # 22 of 30 (Start time: 06:34:01 PM, 13 July 2020)

Total Marks: 1

Which of the following is the smallest closed super set of a subset A of a topological space X?

Select the correct option

- Derived set of A
- Closure of a set A
- Complement of A
- open sets of A

Click to Save Answer & Move to Next Question

8:21 31%
quiz.vu.edu.pk/QuizQuestion.as
3

MC190201790: FATIMA ALI

Time Left 89 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 21 of 30 (Start time: 08:21:47 PM, 13 July 2020)

Total Marks: 1

For a function f: X → Y , the restriction of f to A where A is a subset of X is continuous if f: X → Y is .....

Select the correct option

- discontinuous
- continuous
- piecewise continous
- none of these

Click to Save Answer & Move to Next Question

MC190204022: ASMA BIBI

MTH634:Grand Quiz

Question # 30 of 30 (Start time: 03:38:42 PM, 13 July 2020)

The set of all open disks forms a usual basis for the usual topology defined on .....

Select the correct option

- R(Real line)
- R2(Real plane)
- R3(space)
- Rn(n tuple)

Type here to search

Question # 27 of 30 (Start time: 05:52:39 PM, 13 July 2020)

Union of topologies on a set X is :

Select the correct option

○	a topology
○	not a topology
○	may or may not be a topology
○	none

Question # 3 of 30 (Start time: 12:05:56 PM, 13 July 2020)

Let $X = \mathbb{R}$ with usual topology and consider $B = \{1, \frac{1}{2}, \frac{1}{3}, \frac{1}{4}, \ldots.\}$. *The limit point of* B *is:*

Select the correct option

- 1
- ½
- 0
- none

6:29 PM

Quiz
quiz.vu.edu.pk

MC190202815: SAIMA AZIZ

Time Left 87 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 06:18 PM, 13 July 2020

Question # 19 of 30 (Start time: 06:29:22 PM, 13 July 2020) Total Marks: 1

If X is finite and has n elements then power set of X has ____ elements.

Select the correct option

Reload Math Equations

- 2^n
- 2^{n-1}
- 2^{n+1}
- none

Click to Save Answer & Move to Next Question

Question # 2 of 30 (Start time: 05:37:26 PM, 13 July 2020)

Quiz Start Time: 05:

Let X ={a,b,c,d} with the topology $\tau = \{\phi, \{a\}, \{a,b\}, \{a,c,d\}, X\}$, then which of the following represents a subspace topology relative to A={a,b,c}?

Select the correct option

Reload

- $\tau_A = \{\phi, \{a\}, \{a,c,d\}, A\}$
- $\tau_A = \{\phi, \{a\}, \{a,c\}, A\}$
- $\tau_A = \{\phi, \{a\}, \{a,b\}, \{a,c\}, A\}$
- $\tau_A = \{\phi, \{a\}, \{a,b\}, A\}$

Type here to search

Jazz 39% 6:27 PM
quiz.vu.edu.pk/Qu

MC190200352: IMRAN SHAHZAD

Time Left 89 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 06:14 PM, 13 July 2020

Question # 20 of 30 (Start time: 06:27:32 PM, 13 July 2020)

Total Marks: 1

If in a topology τ on X, all subsets of X are called open and closed, then τ is called :

Select the correct option

Reload Math Equations

- discrete space
- indiscrete space
- metric space
- none

Click to Save Answer & Move to Next Question

5:28 2.00 KB/S 41

Quiz

The lower limit topology is ..... than the usual topology.

Select the correct option

- coarser
- finer
- equal
- none of these

3

5:18 0.29 KB/S 43

Quiz

MC190203240: GULRAYZ GILL

MTH634:Grand Quiz

Question # 4 of 30 (Start time: 05:18:43 PM, 13 July 2020)

The trivial topology is also called:

Select the correct option

- Discrete topology
- Complete topology
- Indiscrete topology
- none

3

MC190204792: SANA MUNIR

Time Left 86 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 04:54 PM, 13 July 2020

Question # 30 of 30 (Start time: 05:16:44 PM, 13 July 2020) Total Marks: 1

For an open ball centered at x=(x1,x2,...xn) belongs to Rn, which of the following is the correct representation?

Select the correct option

Reload Math Equations

- $\{y|\sqrt{\sum_{i=1}^{n}(x_i-y_i)^2} < r\} \subset R^n, where\ y = (y_1, y_2, \ldots, y_n) \in R^n$
- $\{y|\sqrt{\sum_{i=1}^{n}(x_i-y_i)^2} \leq r\} \subset R^n, where\ y = (y_1, y_2, \ldots, y_n) \in R^n$
- $\{y|\sqrt{\sum_{i=1}^{n}(x_i-y_i)^2} > r\} \subset R^n, where\ y = (y_1, y_2, \ldots, y_n) \in R^n$
- $\{y|\sqrt{\sum_{i=1}^{n}(x_i-y_i)^2} \geq r\} \subset R^n, where\ y = (y_1, y_2, \ldots, y_n) \in R^n$

Click to Save Answer & Move to Next Question

Quiz Start Time: 05:37 PM

Question # 4 of 30 (Start time: 05:38:31 PM, 13 July 2020)

Let $X = \{a, b, c, d\}$ and $\tau = \{\phi, \{c\}, \{a, c\}, \{b, c, d\}, X\}$ be a topology on X. The closed set in X is:

Select the correct option

Reload M

- {b,d}
- {c}
- {d}
- none

$\bigcap_{n \in N} \left(-\frac{1}{n}, \frac{1}{n} \right) = \ldots\ldots$, where N stands for set of natural numbers

ct the correct option

- {0}
- {-1,1}
- {}
- {-infinity, +infinity}

5:20 13.0 KB/S 43

Quiz

Grand Quiz Quiz Start Time: 05:17 PM

r 7 of 30 (Start time: 05:20:35 PM, 13 July 2020)

Let τ be a topology on X. The elements of τ are called:

correct option

closed set

open sets

derived set

dense set

Reload

Click to Save Answer & Move to Next

3

quizez 1

quiz.vu.edu.pk/QuizQue

MC190204792: SANA MUNIR

Time Left 88 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 04:54 PM, 13 July 2020

Question # 29 of 30 (Start time: 05:16:10 PM, 13 July 2020)

Total Marks: 1

In a topological space the intersection of any collection of closed sets is .....

Select the correct option

- Closed
- Open
- Neither open nor closed
- None of these

Click to Save Answer & Move to Next Question

MTH634:Grand Quiz

Question # 12 of 30 (Start time: 05:42:39 PM, 13 July 2020)

If B is a basis for a topology T on a set X then every element of T can be written as ..... of the elements of B.

Select the correct option

- intersection
- union
- difference
- complement

5:31 0.46 KB/S 40

Quiz

n a topological space X and a subset A of X , A is dense in X if and only if.....

lect the correct option

- $\bar{A} \subset X$
- $\bar{A} = A$
- $\bar{X} = X$
- $\bar{A} = X$

3

8:18 32%
quiz.vu.edu.pk/QuizQuestion.as
3

estion # 16 of 30 (Start time: 08:18:30 PM, 13 July 2020)

The collection τ of subsets of X consisting of the empty set ϕ and all subsets of X whose complements are finite is called :

lect the correct option

○	discrete topology
○	cofinite topology
○	indiscrete topology
○	none

Click to Save Answer & M

...QuizQuestion.aspx?ver=3eacef0d-3c07-4697-aefb-041bb584a84e

Question # 28 of 30 (Start time: 07:24:15 PM. 13 July 2020)

A subset U of R2 is open in R2 iff it contains an ..... at each of its points.

Select the correct option

- closed disk
- open disk
- open sphere
- closed interval

5:35 4.00 KB/S 39

Quiz

(T1 Union T2) is the smallest topology containing .....

Select the correct option

- ○ both T1 and T2
- ○ any one from T1 and T2
- ○ Only T1
- ○ Only T2

3

5:30 4.00 KB/S 41

Quiz

MC190203240: GULRAYZ GILL

MTH634:Grand Quiz

Question # 21 of 30 (Start time: 05:29:57 PM, 13 July 2020)

Finite Complement topology defined on a set "A" consist of those subsets "U" of "A" such that either Uc is finite

Select the correct option

- U=A
- U=Empty Set
- U is infinite
- U complement is infinite

3

5:21 23.0 KB/S 43

Quiz

MTH634:Grand Quiz

Question # 9 of 30 (Start time: 05:21:49 PM, 13 July 2020)

If X=R with usual Topology and consider B= {1/n where n belongs to the set of Natural numbers}, then the limit point of B is

Select the correct option

- 1
- 0
- 1/2
- 1/3

Click to S

3

62% 7:04 pm
LMS-Virtual University of Pa
Quiz
https://quiz.vu.edu.pk/QuizQu

MC190203979: AASIA MUMTAZ

Time Left 75 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 07:00 PM, 13 July 2020

Question # 22 of 30 (Start time: 07:04:22 PM, 13 July 2020) Total Marks: 1

Which of the following is true for a subset A of a Topological space X.

Select the correct option

Reload Math Equations

- $X = A^0 \cap Ext(A) \cup bd(A)$
- $X = A^0 \cup Ext(A) \cup bd(A)$
- $X = A^0 \cap Ext(A) \cap bd(A)$
- $X = A^0 \cup Ext(A) \cap bd(A)$

Click to Save Answer & Move to Next Question

5:19 7.00 KB/S 43

Quiz

IC190203240: GULRAYZ GILL

TH634:Grand Quiz Quiz

uestion # 5 of 30 (Start time: 05:19:16 PM, 13 July 2020)

or a function f: X → Y, the restriction of f to A where A is a subset of X is a function fA:A → Y defined as .....

elect the correct option

- fA(a)=f(y) for all y belongs to Y.
- fA(a)=f(a) for all a belongs to A.
- fA(a) ⊂ f(a) for all a belongs to A.
- fA(a) ⊂ f(y) for all y belongs to Y.

Click to Save

3

5:32 0.80 KB/S 40

Quiz

Every collection of subsets of a set is said to be a topology.

Select the correct option

- True
- False



3

5:20 0.90 KB/S 43

Quiz

uestion # 6 of 30 (Start time: 05:19:51 PM, 13 July 2020)

A subset A of a topological space X is closed if and only if .....

elect the correct option

○	$A = A^c$
○	$A' \subset A$
○	$A \supset A'$
○	$A' = A^c$

3

5:26 0.23 KB/S 41

Quiz

of 30 (Start time: 05:26:21 PM, 13 July 2020)

following represents an open interval on real line R?

rect option

$\{x | a < x < b\}$ *where* $a, b \subset R$ *with usual order* $a < b$

$\{x | a \leq x < b\}$ *where* $a, b \subset R$ *with usual order* $a < b$

$\{x | a \leq x \leq b\}$ *where* $a, b \subset R$ *with usual order* $a < b$

$\{x | a < x \leq b\}$ *where* $a, b \subset R$ *with usual order* $a < b$

Click to Save An

3

5:36 0.63 KB/S 39

Quiz

Question # 30 of 30 (Start time: 05:36:07 PM, 13 July 2020)

Let X be a nonempty set and τ be a topology on X, then the following statements must be true.

Select the correct option

○	$\tau \subset X$
○	$X \subset \tau$
○	$\tau \subset P(X)$
○	none

3

5:25 3.00 KB/S 42

Quiz

TH634:Grand Quiz

uestion # 14 of 30 (Start time: 05:25:00 PM, 13 July 2020)

The smallest topology one can define on some set is called:

lect the correct option

- indiscrete topology
- discrete topology
- comparable topology
- usual topology

Click to

5:27 13.0 KB/S 41

Quiz

C190203240: GULRAYZ GILL

TH634:Grand Quiz

uestion # 18 of 30 (Start time: 05:27:43 PM, 13 July 2020)

Which of the following topology contains the complete power set of a set?

lect the correct option

- Indiscrete topology
- lower limit topology
- Discrete topology ✓
- co finite topology

3

5:25 0.17 KB/S 42

Quiz

4:Grand Quiz Quiz Start

n # 15 of 30 (Start time: 05:25:50 PM, 13 July 2020)

Let $X = \{a, b, c, d\}$. *The following set* is *a topology on* X.

he correct option

{φ,{b},{c},X}

{φ,{b},{a,b},{c},X}

{φ,{b,d},{a,b,c},{b},X}

none

Click to Save Answer

3

8:27 29%
quiz.vu.edu.pk/QuizQuestion.as
3

MC190201790: FATIMA ALI

Time Left 89 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 28 of 30 (Start time: 08:27:56 PM, 13 July 2020)

Total Marks: 1

A function is continuous …… it is continuous at …… point of the domain space.

Select the correct option

- if, every
- if and only if , any
- if, any
- if and only if, every

Click to Save Answer & Move to Next Question

8:21 32%
quiz.vu.edu.pk/QuizQuestion.as
3

MC190201790: FATIMA ALI

Time Left 89 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 20 of 30 (Start time: 08:21:18 PM, 13 July 2020)

Total Marks: 1

Topology can be a useful tool in those problems where .....study is more effective.

Select the correct option

- Qualitative
- Quantitative

Click to Save Answer & Move to Next Question

ATH634:Grand Quiz

Question # 8 of 30 (Start time: 05:21:15 PM, 13 July 2020)

Which of the following statement is not true ?

Select the correct option

- Indiscrete topology is weaker than any other topology defined on the same non empty set.
- Discrete topology is finer than any other topology defined on the same non empty set.
- Discrete topology is finer than the indiscrete topology defined on the same non empty set.
- Indiscrete topology is finer than any other topology defined on the same non empty set.

5:33 4.00 KB/S 40

Quiz

Question # 26 of 30 (Start time: 05:33:14 PM, 13 July 2020)

If B is a basis for a topology T on a set X then ..... element of T can be written as union of the elements of B.

Select the correct option

- every
- no
- some
- one

3

5:17 0.97 KB/S 44

Quiz

:Grand Quiz Quiz Start Tim

2 of 30 (Start time: 05:17:30 PM, 13 July 2020)

Let $X = \mathbb{R}$ with usual topology and $B = (1, 2)$. Then interior of a set B is

e correct option

1

2

3/2

none

Click to Save Answer & N

3

5:33 4.00 KB/S 40

Quiz

In a discrete space X, the derived set A′ of any subset A of X is ..... .

Select the correct option

- A itself
- A complement
- empty set
- X



3

4G 57% 3:17 PM

Quiz

MC190200508: MUHAMMAD SOHAIB SALEEM

MTH634:Grand Quiz

Quiz

Question # 22 of 30 (Start time: 03:17:44 PM, 13 July 2020)

Which of the following statement is true?

Select the correct option

Reload Math Equations

- For A, B Subset of a topological Space X, $If\ A \supset B\ then\ A' \subset B'$
- For A, B Subset of a topological Space X, $If\ A \subset B\ then\ A' \supseteq B'$
- For A, B Subset of a topological Space X, $If\ A \subset B\ then\ A' \subset B'$
- For A, B Subset of a topological Space X, $If\ A \subset B\ then\ A' = B'$

Click to Save Ans

MTH634:Grand Quiz

Question # 3 of 30 (Start time: 08:20:57 PM, 13 July 2020)

Quiz Start Time: 08:18

The smallest topology one can define on some set is called:

Select the correct option

- indiscrete topology
- discrete topology
- comparable topology
- usual topology

Reload Math

8:20 32%
quiz.vu.edu.pk/QuizQuestion.as
3

MC190201790: FATIMA ALI

Time Left 87 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 19 of 30 (Start time: 08:20:44 PM, 13 July 2020)

Total Marks: 1

K-Topology on the real line is not finer than the usual topology.

Select the correct option

- True
- False



Click to Save Answer & Move to Next Question

8:17 33%
quiz.vu.edu.pk/QuizQuestion.as
3

MC190201790: FATIMA ALI

Time Left 89 sec(s)

MTH634:Grand Quiz

Quiz Start Time: 08:06 PM, 13 July 2020

Question # 15 of 30 (Start time: 08:17:38 PM, 13 July 2020)

Total Marks: 1

Let $X = \{2, 4, 5, 7\}$. *The following set represents a topology on* X.

Select the correct option

Reload Math Equations

- {φ,{2},{4,5},X}
- {φ,{2},{4,5,7},X}
- {φ,{2},{5,7},X}
- {φ,{2},{4},{5},X}

Click to Save Answer & Move to Next Question

Question # 6 of 30 (Start time: 12:08:53 PM, 13 July 2020)

Which of the following statement is correct?

Select the correct option

- The composition of two continuous function is piecewise continuous.
- The composition of two continuous function is a continuous function.
- The composition of two continuous function is discontinuous.
- The composition of two continuous function may or may not continuous.

Question # 11 of 30 (Start time: 09:13:52 AM, 13 July 2020)

The largest topology defined on some set is the ..... topology.

Select the correct option

○	discrete
○	indiscrete
○	lower limit
○	co finite

Search the web and Windows