

VIRTUAL UNIVERSITY OF PAKISTAN

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP & CALL: 03087122922

(Final Term Past Paper)

MADE AND SOLVED BY TEAM HADI

WARNING: Team HADI is not responsible for any mistake or wrong answer. All students reading and using this document may check and confirm the answers at their own.



WhatsApp: 03087122922



FACEBOOK ID: <https://www.facebook.com/hadipastpapers/>

Best of luck!



Question No : 2 of 52

Marks: 1 (Budgeted Time 1 Min)

The value of χ^2 can never be :

Answer (Please select your correct option)

☐ Zero

☐ Less than 1

☐ Greater than 1

☐ Negative



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)

Analysis of variance is a procedure that enables us to test the equality of several:

Answer (Please select your correct option)

☐ Variances

☒ Means



correct answer
solved by hadi

☐ Proportions

☐ Groups

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 4 of 52

Marks: 1 (Budgeted Time 1 Min)

When two coins are tossed the probability of at most one head is:

Answer (Please select your correct option)

☐ 1/4

☐ 2/4

☒ 3/4

☐ 4/4



correct answer

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 5 of 52

Marks: 1 (Budgeted Time 1 Min)

The critical region for $H_1: \mu < \mu_0$ when $\alpha = 0.05$ is:

Answer (Please select your correct option)

☐ $z > z_{0.05}$



correct answer
solved by hadi

Correct answer solved by HADI

☐ $|z| > z_{0.10}$

☐ $z < -z_{0.05}$

☐ $|z| > z_{0.05}$

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 6 of 52

Marks: 1 (Budgeted Time 1 Min)

A discrete probability function $f(x)$ is always:


Answer (Please select your correct option)

☐ Non-negative

☐ Negative

☐ One

☐ Zero



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

correct answer

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 7 of 52

Marks: 1 (Budgeted Time 1 Min)

When $f(x)$ is continuous probability function, then $P(X = 1)$ is:

Answer (Please select your correct option)

☐ 1

☐ ∞

☐ $-\infty$

☐ 0



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 8 of 52

Marks: 1 (Budgeted Time 1 Min)

A random variable can be generated:

Answer (Please select your correct option)

- ☐ Manually
- ☐ Mechanically
- ☐ Manually & Mechanically
- ☐ Mathematically



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 9 of 52

Marks: 1 (Budgeted Time 1 Min)

The curve of the F- distribution depends upon:

Answer (Please select your correct option)

☐ Degrees of freedom



correct answer
solved by hadi

☐ Standard deviation

☐ Mean

☐ Variance

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 10 of 52

Marks: 1 (Budgeted Time 1 Min)

Assuming that following is a probability distribution, then what is the value of 'a':

X	1	2	3
P(X)	0.1	a	0.1

Answer (Please select your correct option)

☐ 0.6☒ 0.8☐ 0.2☐ 0.4

correct answer
solved by hadi

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com**MADE BY HADI**Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 11 of 52

Marks: 1 (Budgeted Time 1 Min)

The mode value from raw data can be obtained by the help of

Answer (Please select your correct option)

- ☐ Dot plot
- ☐ Stem and leaf plot
- ☐ Bar chart
- ☐ None of these



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 12 of 52

Marks: 1 (Budgeted Time 1 Min)

In normal distribution, the quartile deviation Q.D =

Answer (Please select your correct option)

☐ 0.5σ

☐ 0.75σ

☐ 0.7979σ

☒ 0.6745σ



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 13 of 52

Marks: 1 (Budgeted Time 1 Min)

A randomly selected sample of 400 students at university was asked whether or not they will participate in politics. Forty-six percent of the 400 student surveyed answered "yes". Which one of the following statement about number 46% is correct?

Answer (Please select your correct option)

- ☐ It is a sample statistic.
- ☐ It is a population parameter.
- ☐ It is a margin of error.
- ☐ It is a standard error.

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 14 of 52

Marks: 1 (Budgeted Time 1 Min)

A student solved 25 questions from first 50 questions of a book . The probability that he will solve the remaining all questions is:


Answer (Please select your correct option)

☐ 0.25

☒ 0.5

☐ 1

☐ 0



Correct answer solved by HADI

correct answer
solved by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 15 of 52

Marks: 1 (Budgeted Time 1 Min)

The average which is defined as the reciprocal of the arithmetic mean of the reciprocals of the values is called:

Answer (Please select your correct option)

☐ Geometric Mean

☒ Harmonic Mean

☐ Mode

☐ Median



correct answer
solved by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 16 of 52

Marks: 1 (Budgeted Time 1 Min)

For the independent events A and B if $P(A) = 0.25$, $P(B) = 0.40$ then $P(A \cap B) = \dots\dots\dots$

Answer (Please select your correct option)

☐ 0.65

☒ 0.1

☐ 0.50

☐ 0.15



correct answer
solved by hadi

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 17 of 52

Marks: 1 (Budgeted Time 1 Min)

The total number of samples when sampling is done with replacement is equal to:

Answer (Please select your correct option)

☐

$$N^n$$



Correct answer solved by HADI

correct answer
solved by hadi

☐

$$C_n^N$$

☐

$$\frac{N-n}{N-1}$$

☐

$$1$$

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Question No : 18 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following is correct option to find $P(X + Y \leq 1)$?

Answer (Please select your correct option)

☐ $f(0, 0) + f(0, 1) + f(1, 2)$

☐ $f(2, 0) + f(0, 1) + f(1, 0)$

☐ $f(0, 0) + f(1, 1) + f(1, 0)$

☐ $f(0, 0) + f(0, 1) + f(1, 0)$



Correct answer solved by hadi

Cell No:03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 19 of 52

Marks: 1 (Budgeted Time 1 Min)

The conditional probability function $f(x|1) =$ _____

Answer (Please select your correct option)

☐ $f(1,1)$

☐ $f(x,1)$

☒ $\frac{f(x,1)}{h(1)}$

☐ $\frac{f(x,1)}{h(x)}$



correct answer

MADE BY HADI

BITOUT
SOFTWARE
HOUSE LAHORE

(WE DEAL ALL KIND OF VU PROJECTS)

Email: hadiinc@outlook.com | WhatsApp: 9998712200 (Team Hadi Lahore)


Question No : 20 of 52

Marks: 1 (Budgeted Time 1 Min)

In interval estimation, we always get:

Answer (Please select your correct option)

☐ Range of values



Correct answer solved by HADI

correct answer
solved by hadi

☐ Zero

☐ Single value

☐ Two values

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 21 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following is an unbiased estimator of population σ^2 ?

Answer (Please select your correct option)

☐ $\frac{\sum (x - \bar{x})^2}{n}$

☐ $\frac{\sum (x - \bar{x})^2}{n - 2}$

☐ $\frac{\sum (x - \bar{x})^2}{n(n - 1)}$

☐ $\frac{\sum (x - \bar{x})^2}{n - 1}$



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 22 of 52

Marks: 1 (Budgeted Time 1 Min)

How many parameter(s) are in t-distribution?

Answer (Please select your correct option)

0

☐

1

☒



correct answer
solved by hadi

2

☐

3

☐

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

A deserving player is not selected in the team is an example of:

Answer (Please select your correct option)

☐ Type I error

☒ Type II error

☐ Correct decision

☐ No information regarding this



correct answer
solved by hadi

Correct answer solved by HADI

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

After an interval is constructed, then what is the probability of occurrence of the parameter in it?

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

Answer (Please select your correct option)

☐ Zero

☐ One

☒ Fifty

☐ Either one or zero



correct answer

MADE BY HADI

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 25 of 52

Marks: 1 (Budgeted Time 1 Min)

If $\bar{X}$ is the mean of the n observations, then which test statistic will be used to calculate the confidence limits of the population variance σ^2 ?

Answer (Please select your correct option)

☐ Z-statistic

☐ T-statistic

☒ χ^2 -statistics

☐ F-statistics



correct answer

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 26 of 52

Marks: 1 (Budgeted Time 1 Min)

If mean of χ^2 distribution is k then variance will be:

Answer (Please select your correct option)

☐ k^2

☐ $2k$

☐ $1/k$

☐ k



correct answer
solved by hadi

Correct answer solved by HADI

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 27 of 52

Marks: 1 (Budgeted Time 1 Min)

What is the graphical shape of the chi-square distribution?

Answer (Please select your correct option)

☐ Positively skewed



correct answer
solved by hadi

☐ Negatively skewed

☐ Uniformly distributed

☐ Normally distributed

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 28 of 52

Marks: 1 (Budgeted Time 1 Min)

What factor determines the shape of the t-distribution?

Answer (Please select your correct option)

☐ Degree of freedom



correct answer
solved by hadi

Correct answer solved by HADI

☐ Critical value

☐ Frequency of data

☐ Probability

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 29 of 52

Marks: 1 (Budgeted Time 1 Min)

If X and Y are random variables, then $E(X - Y)$ is equal to:

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

Answer (Please select your correct option)

☐ $E(X) + E(Y)$

☒ $E(X) - E(Y)$

☐ $X - E(Y)$

☐ $E(X) - Y$

correct answer
solved by hadi



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 30 of 52

Marks: 1 (Budgeted Time 1 Min)

In the regression line $Y = a + bX$, the non-random variable is:

Answer (Please select your correct option)

☐ Y



correct answer
solved by hadi

but check

☐ X

☐ Both X and Y

☐ Neither X nor Y

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 31 of 52

Marks: 1 (Budgeted Time 1 Min)

The parameters of the binomial distribution $b(x, n, p)$ are:

Answer (Please select your correct option)

☐ x & n

☐ x & p

☐ n & p

☐ x, n & p



Correct answer solved by HADI

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 32 of 52

Marks: 1 (Budgeted Time 1 Min)

Which of the following is true for the binomial distribution $b(x, n, p)$:

Answer (Please select your correct option)

☐ mean > variance



correct answer
solved by hadi

☐ mean < variance

☐ mean = variance

☐ mean = standard deviation

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 33 of 52

Marks: 1 (Budgeted Time 1 Min)

Hypergeometric probability distribution has :

Answer (Please select your correct option)

☐ (n, k) parameter

☐ (N) parameter

☐ (N, n, N-k) parameter

☐ (N, n, k) parameter



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 34 of 52

Marks: 1 (Budgeted Time 1 Min)

The variance of the hypergeometric probability distribution is:

Answer (Please select your correct option)

☐ $\sigma^2 = n \frac{k}{N}$

☐ $\sigma^2 = n \frac{k}{N} \frac{N-k}{N} \frac{N-n}{N-1}$



correct answer
solved by hadi

Correct answer solved by HADI

☐ $\sigma^2 = npq$

☐ $\sigma^2 = N \frac{n}{K}$

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 35 of 52

Marks: 1 (Budgeted Time 1 Min)

Tabulation is the process of arranging data into:

Correct answer solved by hadi

Cell No:03228043306

Email: hadirajputofficial@gmail.com

Answer (Please select your correct option)

☐ Different classes

☐ Rows

☐ Columns

☐ Rows and Columns



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 36 of 52

Marks: 1 (Budgeted Time 1 Min)

A simple bar chart consists of:

Answer (Please select your correct option)

☐ Vertical bars

☐ Horizontal bars

☒ Vertical or horizontal bars

☐ Multiple bars



correct answer

Correct answer solved by HADI

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 37 of 52

Marks: 1 (Budgeted Time 1 Min)

Which one is the formula to calculate the approximate value of class interval?


Answer (Please select your correct option)

☐ Minimum value/Range

☐ Maximum value/No. of classes

☐ No. of classes/Range

☒ Range/No. of classes



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 38 of 52

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is equal to the 2nd quartile:

Answer (Please select your correct option)

☐ P_{33}

☐ D_3

☒ Median

☐ Mode



correct answer

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 39 of 52

Marks: 1 (Budgeted Time 1 Min)

For the independent events A and B if $P(A) = 0.15$, $P(B) = 0.50$ then $P(A \cap B) = \dots\dots\dots$

Answer (Please select your correct option)

☐ 0.50

☒ 0.075

☐ 0.125

☐ 0.060



correct answer
solved by hadi

Correct answer solved by HADI

MADE BY HADI

Email: hadirainutofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 40 of 52

Marks: 1 (Budgeted Time 1 Min)

Which one of the following measure is not based on all the observations?

Answer (Please select your correct option)

☐ Arithmetic Mean

☐ Geometric Mean

☐ Harmonic Mean

☐ Mode



Correct answer solved by

Correct answer solved by hadi

Cell No:03228043306

Email. hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Is there any difference between distribution function and cumulative distribution function of discrete r.v. X ?

Answer (Please [click here](#) to Add Answer)

VuAnswers.com



The distribution function of a random variable X , denoted by $F(x)$, is defined by $F(x) = P(X \leq x)$.

The function $F(x)$ gives the probability of the event that X takes a value LESS THAN OR EQUAL TO a specified value x . The distribution function is abbreviated to *d.f.* and is also called the *cumulative distribution function (cdf)* as it is the cumulative probability function of the random variable X from the smallest value upto a *specific* value x .

Let us illustrate this concept with the help of the same example that we have been considering --- that of the probability distribution of the sum of the dots when two fair dice are thrown.

MADE BY HADI

What is meant by sampling distribution of sample proportion?

Answer (Please [click here](#) to Add Answer)

VuAnswers.com



The probability distribution of any statistic (such as the mean, the standard deviation, the proportion of successes in a sample, etc.) is known as its sampling distribution.

The sample proportion has different values in different samples.

MADE BY HADI

Email: hadiraiputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)


Question No : 43 of 52

Marks: 2 (Budgeted Time 4 Min)

If an automobile is driven on the average no more than 16000 Km per year then formulate the null and alternative hypothesis.

Answer (Please [click here](#) to Add Answer)

VuAnswers.com



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 44 of 52

Marks: 2 (Budgeted Time 4 Min)


While applying the chi-square goodness of fit test, if an expected frequency in any category is less than 5, then what we do to solve this problem.

Answer (Please [click here](#) to Add Answer)

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

Write a short note on Quota Sampling.

Answer (Please [click here](#) to Add Answer)



A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

Write down the properties of hypergeometric distribution.

Answer (Please [click here](#) to Add Answer)

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com



The probability of success changes on each trial.

- The successive trials are not independent.
- The experiment is repeated a fixed number of times.

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 47 of 52

Marks: 3 (Budgeted Time 6 Min)

Write down critical region for the following hypothesis at 5% level of significance.

$$H_0: \mu = 75$$

$$H_1: \mu < 75$$

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL-03087122922

Answer (Please [click here](#) to Add Answer)



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

For the following table we want to test the independence of smoking pattern and marital status. What will be the degrees of freedom for the chi-square test of independence?


Marital Status	Smoking Pattern			Total
	Total self-restraint	Only at times	Regular Smoker	
Single	67	213	74	354

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

Answer (Please [click here](#) to Add Answer)



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122 922 (Team Hadi Lahore)

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

Married	411	633	129	1173
Widowed	85	51	7	143
Divorced	27	60	15	102
Total	590	957	225	1772

Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

Answer (Please [click here](#) to Add Answer)



Correct answer solved by hadi

Cell No.03228043306

Email. hadirajputofficial@gmail.com

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:0308 7122 922(Team Hadi Lahore)


Answer the following question using the given stem and leaf plot of the ages of the people who attended a musical event.

Stem	Leaf
1	2 2 3 3 4 4 5 5 5 5 5 5 6 6 6 6 6 6 7 7 7 7 7 8 8 9 9
2	3 3 4 8
3	6

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

Answer (Please [click here](#) to Add Answer)



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)


Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

2	3 3 4 8
3	6
4	5 8

- a) How many people attended the event?
b) What is the age of youngest attendee?

Answer (Please [click here](#) to Add Answer)



Co: Correct answer solved by hadi
Cel: Cell No.03228043306
Em: Email. hadirajputofficial@gmail.com

Correct answer solved by hadi
Cell No.03228043306
Email. hadirajputofficial@gmail.com

MADE BY HADI

Email:hadirajputofficial@gmail.comWhatsapp:03087122922(Team Hadi Lahore)

Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

- a) How many people attended the event?
- b) What is the age of youngest attendee?
- c) What was the age of oldest person attending event?
- d) Which age group was more widely represented?
- e) How many people were above 30?

Answer (Please [click here](#) to Add Answer)

A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**


(WE DEAL ALL KIND OF VU PROJECT)

Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)

If $\bar{X}$ is normally distributed with $\mu_{\bar{X}} = \mu = 24000$ and $\sigma_{\bar{X}} = 412.20$
then find out the $P(\bar{X} > 24500)$.

Answer (Please [click here](#) to Add Answer)



A Good Education is a Foundation For a Better Future

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL: 03087122922

Correct answer solved by hadi
Cell No. 03228043306
Email: hadirajputofficial@gmail.com

MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 03087122922 (Team Hadi Lahore)


If we have $\bar{X} = 15$ and $\sum_{i=1}^{10} (X_i - \bar{X})^2 = 56$

Then, find the 90% confidence interval for population variance (σ^2).

A Good Education is a Foundation For a Better Future

Answer (Please [click here](#) to Add Answer)

CORRECT ANSWER SOLVED BY HADI
EMAIL: hadirajputofficial@gmail.com
WHATSAPP& CALL-03087122922



MADE BY HADI

Email: hadirajputofficial@gmail.com Whatsapp: 0308 7122922 (Team Hadi Lahore)

**BITOUT
SOFTWARE
HOUSE LAHORE**

(WE DEAL ALL KIND OF VU PROJECT)

Question No : 52 of 52

Marks: 5 (Budgeted Time 10 Min)


A research worker wishes to estimate the mean of a population using a sample sufficiently large that the probability will be 0.95 that the sample mean will not differ from the true mean by more than 25 percent of the standard deviation. How large a sample should be taken?

Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

Answer (Please [click here](#) to Add Answer)



Correct answer solved by hadi

Cell No.03228043306

Email: hadirajputofficial@gmail.com

MADE BY HADI

Email:hadirajputofficial@gmail.com Whatsapp:03087122922(Team Hadi Lahore)