

[Type text]

FOR LMS HANDLING CONTACT US

0341-4349913

CS407 - Routing and Switching

Exam Preparation Material (Topics 1 to 55)

Section 1: Multiple Choice Questions (200)

1. 1. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

2. 2. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

3. 3. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

4. 4. What is the default administrative distance of a static route?

- A) 1
- B) 90

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) 110
- D) 120

Answer: A

5. 5. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

6. 6. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

7. 7. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

8. 8. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

9. 9. What is the default administrative distance of a static route?

- A) 1
- B) 90

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) 110
- D) 120

Answer: A

10. 10. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

11. 11. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

12. 12. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

13. 13. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

14. 14. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Encrypt data
- D) Assign IP addresses

Answer: B

15. 15. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

16. 16. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

17. 17. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

18. 18. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

19. 19. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

20. 20. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

21. 21. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

22. 22. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

23. 23. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

24. 24. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Layer 3
- D) Layer 4

Answer: C

25. 25. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

26. 26. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

27. 27. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

28. 28. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

29. 29. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Layer 3
- D) Layer 4

Answer: C

30. 30. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

31. 31. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

32. 32. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

33. 33. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

34. 34. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Encrypt data
- D) Assign IP addresses

Answer: B

35. 35. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

36. 36. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

37. 37. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

38. 38. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

39. 39. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Encrypt data
- D) Assign IP addresses

Answer: B

40. 40. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

41. 41. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

42. 42. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

43. 43. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

44. 44. What is the default administrative distance of a static route?

- A) 1
- B) 90

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) 110
- D) 120

Answer: A

45. 45. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

46. 46. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

47. 47. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

48. 48. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

49. 49. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Encrypt data
- D) Assign IP addresses

Answer: B

50. 50. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

51. 51. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

52. 52. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

53. 53. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

54. 54. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) show ip route
- D) show startup-config

Answer: C

55. 55. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

56. 56. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

57. 57. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

58. 58. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

59. 59. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

60. 60. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

61. 61. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

62. 62. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

63. 63. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

64. 64. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) show ip route
- D) show startup-config

Answer: C

65. 65. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

66. 66. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

67. 67. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

68. 68. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

69. 69. What is the default administrative distance of a static route?

- A) 1
- B) 90

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) 110
- D) 120

Answer: A

70. 70. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

71. 71. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

72. 72. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

73. 73. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

74. 74. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) show ip route
- D) show startup-config

Answer: C

75. 75. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

76. 76. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

77. 77. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

78. 78. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

79. 79. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

80. 80. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

81. 81. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

82. 82. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

83. 83. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

84. 84. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

85. 85. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

86. 86. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

87. 87. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

88. 88. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

89. 89. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Layer 3
- D) Layer 4

Answer: C

90. 90. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

91. 91. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

92. 92. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

93. 93. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

94. 94. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) show ip route
- D) show startup-config

Answer: C

95. 95. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

96. 96. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

97. 97. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

98. 98. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

99. 99. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) show ip route
- D) show startup-config

Answer: C

100. 100. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

101. 101. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

102. 102. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

103. 103. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

104. 104. What is the default administrative distance of a static route?

- A) 1
- B) 90

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) 110
- D) 120

Answer: A

105. 105. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

106. 106. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

107. 107. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

108. 108. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

109. 109. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Encrypt data
- D) Assign IP addresses

Answer: B

110. 110. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

111. 111. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

112. 112. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

113. 113. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

114. 114. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

115. 115. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

116. 116. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

117. 117. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

118. 118. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

119. 119. What is the default administrative distance of a static route?

- A) 1
- B) 90

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) 110
- D) 120

Answer: A

120. 120. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

121. 121. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

122. 122. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

123. 123. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

124. 124. What is the default administrative distance of a static route?

- A) 1
- B) 90

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) 110
- D) 120

Answer: A

125. 125. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

126. 126. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

127. 127. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

128. 128. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

129. 129. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

130. 130. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

131. 131. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

132. 132. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

133. 133. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

134. 134. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Layer 3
- D) Layer 4

Answer: C

135. 135. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

136. 136. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

137. 137. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

138. 138. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

139. 139. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Layer 3
- D) Layer 4

Answer: C

140. 140. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

141. 141. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

142. 142. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

143. 143. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

144. 144. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

145. 145. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

146. 146. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

147. 147. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

148. 148. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

149. 149. What is the default administrative distance of a static route?

- A) 1
- B) 90

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) 110
- D) 120

Answer: A

150. 150. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

151. 151. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

152. 152. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

153. 153. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

154. 154. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) show ip route
- D) show startup-config

Answer: C

155. 155. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

156. 156. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

157. 157. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

158. 158. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

159. 159. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Encrypt data
- D) Assign IP addresses

Answer: B

160. 160. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

161. 161. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

162. 162. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

163. 163. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

164. 164. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Layer 3
- D) Layer 4

Answer: C

165. 165. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

166. 166. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

167. 167. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

168. 168. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

169. 169. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

170. 170. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

171. 171. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

172. 172. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

173. 173. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

174. 174. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

175. 175. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

176. 176. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

177. 177. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

178. 178. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

179. 179. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Encrypt data
- D) Assign IP addresses

Answer: B

180. 180. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

181. 181. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

182. 182. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

183. 183. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

184. 184. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

185. 185. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

186. 186. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

187. 187. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version
- C) show ip route
- D) show startup-config

Answer: C

188. 188. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

189. 189. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) show ip route
- D) show startup-config

Answer: C

190. 190. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

191. 191. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

192. 192. Which layer of the OSI model is responsible for routing?

- A) Layer 1
- B) Layer 2
- C) Layer 3
- D) Layer 4

Answer: C

193. 193. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

194. 194. Which command shows the IP routing table on a Cisco router?

- A) show run
- B) show version

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) show ip route
- D) show startup-config

Answer: C

195. 195. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

196. 196. What is the main function of ARP?

- A) Resolve hostnames
- B) Map IP to MAC address
- C) Encrypt data
- D) Assign IP addresses

Answer: B

197. 197. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

198. 198. What is the default administrative distance of a static route?

- A) 1
- B) 90
- C) 110
- D) 120

Answer: A

199. 199. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority

LMS HANDLING CONTACT US 03414349913

[Type text]

- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

200. 200. What does the TTL field in an IP packet do?

- A) Stores data length
- B) Sets priority
- C) Limits packet lifetime
- D) Encrypts packets

Answer: C

[Type text]

Section 2: Short Questions (50)

Questions 201 to 250

201. 201. What is the purpose of the ARP protocol?

Answer: ARP maps an IP address to a MAC address on a local network.

202. 202. Define routing.

Answer: Routing is the process of selecting paths in a network along which to send data packets.

203. 203. Explain the use of the ping command.

Answer: The ping command is used to test the reachability of a device on a network and measure round-trip time.

204. 204. What is the purpose of the ARP protocol?

Answer: To resolve IP addresses into MAC addresses for local network communication.

205. 205. What is the purpose of the ARP protocol?

Answer: It helps devices find the hardware (MAC) address that corresponds to a known IP address.

206. 206. Define routing.

Answer: Routing determines the best path for data packets to travel from source to destination.

207. 207. What is the purpose of the ARP protocol?

Answer: To enable communication between devices on the same network by linking IP to MAC addresses.

208. 208. What does the 'no shutdown' command do?

Answer: It enables or brings up an interface on a router or switch.

209. 209. Explain the use of the ping command.

LMS HANDLING CONTACT US 03414349913

[Type text]

Answer: It checks if a host is reachable and measures latency in the network.

210. 210. What is a MAC address?

Answer: A MAC address is a unique physical address assigned to a network interface card (NIC).

211. 211. What does the 'no shutdown' command do?

Answer: It activates a disabled interface on a Cisco device.

212. 212. Define routing.

Answer: Routing is used to forward data from one network to another based on destination IP.

213. 213. Define routing.

Answer: It is a process that determines the path of data packets in a network.

214. 214. Explain the use of the ping command.

Answer: Ping is used to check the connectivity between two devices.

215. 215. Define routing.

Answer: Routing involves path selection and packet forwarding based on IP addresses.

216. 216. Define routing.

Answer: It selects the best path for packet delivery over a network.

217. 217. Explain the use of the ping command.

Answer: Ping helps in diagnosing network issues by sending ICMP Echo requests.

218. 218. What is a MAC address?

Answer: It is a hardware address used to identify a device on a local network.

LMS HANDLING CONTACT US 03414349913

[Type text]

219. 219. Explain the use of the ping command.

Answer: It verifies if a device is available and responsive on the network.

220. 220. What is a MAC address?

Answer: It is a 48-bit unique identifier assigned to each network interface card.

221. 221. What is a MAC address?

Answer: MAC address identifies devices at Layer 2 of the OSI model.

222. 222. What is the purpose of the ARP protocol?

Answer: ARP helps find the MAC address of a device from its IP address.

223. 223. Explain the use of the ping command.

Answer: It is used to measure the response time to a destination device.

224. 224. What is the purpose of the ARP protocol?

Answer: It links Layer 3 IP addresses to Layer 2 MAC addresses.

225. 225. What does the 'no shutdown' command do?

Answer: This command turns on a network interface that was administratively shut down.

226. 226. Explain the use of the ping command.

Answer: It determines if the remote host is reachable and operational.

227. 227. Define routing.

Answer: Routing is used by routers to direct packets based on IP addresses.

228. 228. What is a MAC address?

LMS HANDLING CONTACT US 03414349913

[Type text]

Answer: A MAC address is a permanent identifier for a networked device.

229. 229. What is the purpose of the ARP protocol?

Answer: It translates IP addresses to MAC addresses in a local network.

230. 230. Explain the use of the ping command.

Answer: It diagnoses network connectivity and detects delay or packet loss.

231. 231. What does the 'no shutdown' command do?

Answer: It brings up the specified router or switch interface.

232. 232. What is the purpose of the ARP protocol?

Answer: Used to discover the MAC address of a known IP address.

233. 233. What is a MAC address?

Answer: A MAC address uniquely identifies each device on a LAN.

234. 234. What does the 'no shutdown' command do?

Answer: It administratively enables a network interface.

235. 235. Define routing.

Answer: It is a method of directing traffic in a network using routers.

236. 236. What is the purpose of the ARP protocol?

Answer: ARP resolves IP addresses to MAC addresses.

237. 237. Define routing.

Answer: Routing determines how data is forwarded between networks.

238. 238. What does the 'no shutdown' command do?

LMS HANDLING CONTACT US 03414349913

[Type text]

Answer: It activates a network interface that is shut down.

239. 239. What does the 'no shutdown' command do?

Answer: It enables a disabled interface on a router or switch.

240. 240. What is a MAC address?

Answer: It is the physical address assigned to a network interface card.

241. 241. Define routing.

Answer: It is the process of sending data from source to destination across networks.

242. 242. What is a MAC address?

Answer: It is a Layer 2 address used to identify a device on a local network.

243. 243. What is the purpose of the ARP protocol?

Answer: It associates IP addresses with MAC addresses.

244. 244. Explain the use of the ping command.

Answer: Ping tests connectivity between two networked devices.

245. 245. What does the 'no shutdown' command do?

Answer: It turns on a router or switch interface.

246. 246. What does the 'no shutdown' command do?

Answer: It enables an interface that is shut down by default.

247. 247. What is a MAC address?

Answer: A MAC address is a hardware address for communication on the LAN.

248. 248. What does the 'no shutdown' command do?

LMS HANDLING CONTACT US 03414349913

[Type text]

Answer: It enables the interface on a Cisco device.

249. 249. What is a MAC address?

Answer: It is a unique identifier assigned to each device on the network.

250. 250. Explain the use of the ping command.

Answer: It sends ICMP requests to test if a host is reachable.

[Type text]

Section 3: Long Questions (50)

251. 1. Describe how subnetting improves network efficiency and security.
252. 2. Compare static and dynamic routing with examples.
253. 3. Compare static and dynamic routing with examples.
254. 4. Explain how VLANs segment a network and their practical uses.
255. 5. Explain how VLANs segment a network and their practical uses.
256. 6. Describe the complete process of configuring a router using Packet Tracer.
257. 7. Explain how VLANs segment a network and their practical uses.
258. 8. Explain the process of data packet delivery from one network to another using a router.
259. 9. Describe how subnetting improves network efficiency and security.
260. 10. Compare static and dynamic routing with examples.
261. 11. Explain how VLANs segment a network and their practical uses.
262. 12. Describe how subnetting improves network efficiency and security.
263. 13. Describe the complete process of configuring a router using Packet Tracer.
264. 14. Explain the process of data packet delivery from one network to another using a router.
265. 15. Compare static and dynamic routing with examples.
266. 16. Explain how VLANs segment a network and their practical uses.
267. 17. Compare static and dynamic routing with examples.
268. 18. Describe how subnetting improves network efficiency and security.
269. 19. Describe how subnetting improves network efficiency and security.
270. 20. Explain how VLANs segment a network and their practical uses.
271. 21. Explain the process of data packet delivery from one network to another using a router.
272. 22. Describe the complete process of configuring a router using Packet Tracer.
273. 23. Describe the complete process of configuring a router using Packet Tracer.
274. 24. Compare static and dynamic routing with examples.
275. 25. Explain how VLANs segment a network and their practical uses.
276. 26. Compare static and dynamic routing with examples.
277. 27. Explain the process of data packet delivery from one network to another using a router.
278. 28. Describe how subnetting improves network efficiency and security.
279. 29. Explain the process of data packet delivery from one network to another using a router.
280. 30. Describe the complete process of configuring a router using Packet Tracer.
281. 31. Compare static and dynamic routing with examples.
282. 32. Explain the process of data packet delivery from one network to another using a router.
283. 33. Describe the complete process of configuring a router using Packet Tracer.
284. 34. Compare static and dynamic routing with examples.
285. 35. Explain how VLANs segment a network and their practical uses.

LMS HANDLING CONTACT US 03414349913

[Type text]

- 286. 36. Explain the process of data packet delivery from one network to another using a router.
- 287. 37. Explain the process of data packet delivery from one network to another using a router.
- 288. 38. Describe how subnetting improves network efficiency and security.
- 289. 39. Explain the process of data packet delivery from one network to another using a router.
- 290. 40. Describe how subnetting improves network efficiency and security.
- 291. 41. Describe how subnetting improves network efficiency and security.
- 292. 42. Describe how subnetting improves network efficiency and security.
- 293. 43. Describe the complete process of configuring a router using Packet Tracer.
- 294. 44. Explain the process of data packet delivery from one network to another using a router.
- 295. 45. Describe the complete process of configuring a router using Packet Tracer.
- 296. 46. Explain how VLANs segment a network and their practical uses.
- 297. 47. Explain how VLANs segment a network and their practical uses.
- 298. 48. Compare static and dynamic routing with examples.
- 299. 49. Describe the complete process of configuring a router using Packet Tracer.
- 300. 50. Describe the complete process of configuring a router using Packet Tracer.