STA301 Online 5 Quizzes - Lectures 1-27 - Statistics and Probability

STA301 Online 5 Quizzes from Lectures 1-27 by Shazia , sent by Waqas

1. Question # 1 of 10

f Y=bX, then variance of Y is

Select correct option:

b*2 var(x)

var(x)

b var(x)

b square root var(x)

2. Question # 2 of 10

If f(x) is a continuous probability function, then P(X = 2) is:

Select correct option:

1

0

1/2

2

3. Question # 3 of 10

In regression line Y=a+bX, Y is called:

Select correct option:

Dependent variable

Independent variable

Explanatory variable

Regressor

4. Question # 4 of 10

If A and B are mutually exclusive events with P (A) =0.25 and P (B) = 0.50, Then P (A or B) =……

Select correct option:

0.25

0.75

0.50

1

5. Question # 5 of 10

Symbolically, a conditional probability is:

Select correct option:

P(AB)

P(A/B)

P(A)

P(AUB)

6. Question # 6 of 10

In a 52 well shuffled pack of 52 playing cards, the probability of drawing any one diamond card is

Select correct option:

1/52

4/52

13/52

52/52

7. Question # 7 of 10

Probability of a sure event is

Select correct option:

8

1

0

0.5

8. Question # 8 of 10

If Y=3X+5,then S.D of Y is equal to

Select correct option:

9 s.d(x)

3 s.d(x)

s.d(x)+5

3s.d(x)+5

Question # 9 of 10

The probability of drawing a red queen card from well-shuffled pack of 52 playing cards is

Select correct option:

4/52

2/52

13/52

26/52

10. Question # 10 of 10

If P (B|A) = 0.25 and P (A and B) =0.20, then P (A) is

Select correct option:

0.05

0.80

0.95

0.75

11. Question # 1 of 10

When a coin is tossed 3 times, the probability of getting 3 tails is

Select correct option:

1/8

3/8

3/6

2/8

12. Question # 2 of 10

In how many ways can a team of 11 players be chosen from a total of 16 players?

Select correct option:

4368(not confirmed)

2426

5400

2680

13. Question # 3 of 10

The standard deviation of c (constant) is

Select correct option:

c

c square

0

does not exist

14. Question # 4 of 10

If P (E) is the probability that an event will occur, which of the following must be false:

Select correct option:

P(E)= - 1

P(E)=1

P(E)=1/2

P(E)=1/3

Question # 5 of 10

Let E and F be events associated with the same experiment. Suppose the E and F are independent and that P(E) = 1/4 and P(F) = 1/2 Then P(E U F) is:

Select correct option:

1/8

3/4

7/8

5/8

16. Question # 6 of 10

A student solved 25 questions from first 50 questions of a book to be solved. The probability that he will solve the remaining all questions is:

Select correct option:

0.25

0.5

1

0

17. Question # 7 of 10

If Y=bX, then variance of Y is

Select correct option:

b*2 var(x)

var(x)

b var(x)
b square root var(x)

18. Question # 9 of 10
The classical definition of probability assumes:
Select correct option:
Exhaustive events
Mutually exclusive events
Equally likely evens
Independent evens

19. Question # 10 of 10 (Start time: 09:08:50 PM)
In scatter diagram, the variable plotted along Y-axis is:
Select correct option:
Independent variable
Dependent variable
Continuous variable
Discrete variable

20. Which of the following measures of dispersion are based on deviations from the mean?
Select correct option:

Variance

Standard deviation
Mean deviation

All of the these

21. What does it mean when a data set has a standard deviation equal to zero?
Select correct option:

All values of the data appear with the same frequency.
The mean of the data is also zero.
All of the data have the same value.
There are no data to begin with.

22. A set of possible values that a random variable can assume and their associated probabilities of occurrence are referred to as _____.
Select correct option:

Probability distribution
The expected return
The standard deviation
Coefficient of variation

23. Which of the following can never be probability of an event?
Select correct option:

0
1
0.5
-0.5

24. The standard deviation of -1, -1, -1, -1 will be
Select correct option:

1
-1
0
Does not exist

25. Which formula represents the probability of the complement of event A:
Select correct option:

1 + P (A)
1 - P (A)
P (A)
P (A) -1

26. The Special Rule of Addition is used to combine:
Select correct option:

Independent Events
Mutually Exclusive Events
Events that total more than 1.00
Events based on subjective probabilities

27. set which is the sub-set of every set is
Select correct option:

Empty Set
Power Set
Universal Set
Super Set

28. E(4X + 5) =_____
Select correct option:

12 E (X)
4 E (X) + 5
16 E (X) + 5
16 E (X)

29. When two dice are rolled the number of possible sample points is :
Select correct option:

6
12
24
36

30. Question # 1 of 10
If two events A and B are not mutually exclusive then
Select correct option:

P (A or B) = P (A) + P (B) – P (A and B)

P (A or B) = P (A) + P (B)

P (A or B) = P (A) x P (B)

P (A or B) = P (A) + P (B)

31.
Question # 2 of 10
Evaluate (10-4)!
Select correct option:

1000
720
480
32

32. Question # 3 of 10
When E is an impossible event, then P(E) is:
Select correct option:

0
1
2
0.5

33. Question # 4 of 10
When we toss a coin , we get only:
Select correct option:

1 outcome
2 outcome
3 outcome
4 outcome

34.
Question # 5 of 10
For exhaustive events, the P(AUBUC) is equal to:
Select correct option:

P(A)
P(S)
P(A) * P(B)* P(C)
P(B)

35. Question # 6 of 10
A student solved 25 questions from first 50 questions of a book to be solved. The probability that he will solve the remaining all questions is:
Select correct option:

0.25
0.5
1
0

36. A set of possible values that a random variable can assume and their associated probabilities of occurrence are referred to as _____.
Select correct option:

Probability distribution
The expected return
The standard deviation
Coefficient of variation

37.
Question # 9 of 10
If we roll a die then probability of getting a ‘6’ will be
Select correct option:

2/6

1/6

4/6

1

38. Question # 10 of 10
If P(A) = 0.45, P(B) = 0.35, and P(A and B) = 0.25, then P(A | B) is:
Select correct option:

1.4
1.8
0.714
0.556

39. Question # 8 of 10
Which of the following is not a measure of central tendency?
Select correct option:

Percentile

Quartile

Standard deviation

Mode

40. Question # 1 of 10
Random experiment can be repeated any no. of times under the…… conditions.
Select correct option:

Different
Similar

42. Question # 3 of 10
The simultaneous occurrence of two events is called:
Select correct option:

Joint probability
Subjective probability
Prior probability
Conditional probability

43. Question # 4 of 10
In regression analysis, the variable that is being predicted is the
Select correct option:

Dependent variable

Independent variable

Intervening variable

None of these