MUHAMMAD IMRAN

ZOO502 - Animal Physiology and Behavior

Current MCQs midterm December 2019

1. A slowly occurring evolutionary process. which is not not reversible.is called **Adaptation**:
2. Non-diffusible **anions** produce Donnan effect i.e.unequal distribution of ions across the membrane.
3. A depolarization in the range of **-55 to -30 mV** is thethreshold that triggers an AP.
4. Which is not features of Voltage-Gated Calcium (Ca2+) Channels. **These are delayed rectifers.**
5. Which of the following statement is true about action potential . **repolarization due to outflow of K+.**
6. Electrical transmission has been discovered in:**ALL**
7. The receptor molecules are typically **proteins.**
8. **Cold Receptors** are **3.5 times** more common in skin than heat receptors.
9. Achromatic vision which is produced of . **Rods.**
10. Which of the following incorrect statement . **Receptors of sour tastes are G protein-coupled receptors.**
11. Which is the example of peptide harmone . **Oxytocin**
12. **Growth Hormone** is a protein that contains **191** amino acids in a single chain.
13. **in equation η stand for .viscosity of blood vessel**
14. Rhythmic discharge rate of **A-V node** : **40 to 60 times per minute**.
15. Each molecule of this protein can bind around **50** Ca2+.
16. Myocyte are **Cardiac** muscle
17. **Thick Filaments** composed of about **300** myosin molecules.
18. Mineralocorticoids include **corticosteroids**.
19. Disease is Not a Pharmacological applications **……Anemia**
20. Increases blood Ca2+ levels; decreases blood phosphate level… **Parathormone (PTH)**

21. Inhibits release of growth hormone ……**Somatostatin**
22. ACTH is play role in the **circadian rhythms.**
23. Which is not a part of cell body? **Myelin sheath**
24. Oxytocin stimulates in **birds.**
25. target cell usually has some **2000 to 100,000** receptors.
26. Myocytes are muscles……. **cardiac**
27. Synaptic cleft is ----------**wide 20nm**
28. Troponin has a high binding affinity for **Ca2+**
29. The delta cells, about **10 per cent** of the total,
30. Anterior pituitary gland released ……
31. The visible spectrum for human eyes lies between the wavelengths of **400-740 nm.**
32. Voltage is measured in ……..**milivolt.**
33. Changed induced in lab **…….acclima**
34. Intestine is target tissue of……**…PTH**
35. Neurohypophysis is **……..posterior lobe**
36. Giant axons of arthropds molluscus**…….30m/sec**
37. Speed of propagation of action potentials in mlluscs is **30m/s**
38. The concentration of K+ is maintained ---------- times more than out side in cytosol. **10-30**
39. Which of the following is not fast inhibitory transmitter? **Acetylcholine**
40. Acetylcholine is released in **Synaptic cleft**
41. ---------- induces hallucinatioin. **Mescaline**
42. Which of the following is not pharmacological application of neuromodulators? **Anemia**
43. Depolarization involves **Na+ inflow**
44. Action potebntial can last long as **10-100 milli seconds**
45. Fast inhibitory transmitters are **GABA and Glycine**
46. ponsible for Vrest **: K+, Na+ & Cl-**
47. Which law is not applicable to animal physiology? **Acceleration law**
48. In animals function is based on **Structure**
49. An adaptive change with in an animal due to chronic exposure to new naturally occurring conditions is **Acclimatization**

50. Delayed rectifiers are **Voltage gated K+ channels**
51. Radioactively labelled TTX is used to detect density of **Na+ channels**
52. The permeability of Na+ channels to K+ ion is **0.09**
53. Example of positve feed back mechanism is/are **Clotting of blood and release of oxytocin**
54. Membrane potential varies between **-30 to -100mV**
55. Diameter of membrane channels is less than **1.0nm**
56. Which of the following is known as delayed rectifiers of the membranes? **(Voltage gated K+ channels)**
57. Which of the following is not pharmacological application of neuromodulators? **Anemia**
58. Each opsin molecule consists of **seven** transmembrane domains.
59. example of steroid harmone =**aldosterone**
60. Example of negative feed back= **insulin production**
61. Which is not associated ATPase of Na/K pump?**Ca Associated ATPases**
62. Ache abundantly found in **synaptic cleft.**
63. Thick filament are composed..... Mayosin molecules.
64. Humane s-A node is ..... **3 millimeters wide ,15 millimeters long,1 millimeter thick**
65. Velocity of impulse conduction through atrial fibre is**--- 0.3 m/s.**
66. Rhythmic discharge of AV node is -- **40 to 60 times per minute**
67. length of muscle twitch as short as……**10 milliseconds or as long as 100 ms.short 10ms . milliseconds.long 100**
68. Troponin has afinnity for--- 2+ **Ca**
69. Rod photoreceptor are sensitive to**--- low intensity dimmer light**.
70. Neurohypophysis is ----lobe of **pituitary gland**.
71. Happens due to chronic exposure to new, naturally occurring environmental conditions.. Acclimatization
72. . Neurotransmitters induce large increase to permeability to.. **both nerve and muscle cell**
73. Which is not an example mechanical stimulus..**allergens**
74. Delta cells constitutes.. **10%**
75. Action potential is inflow of ..**Na+ depolarization**
76. Hallucination is caused by..**androphins**
77. Voltage gated Na+ channels are..**fast acting channels**
78. AP can lasts up to ..**100 millisecond**
79. Cytosolic concentration of Ca ions remains below **10-7M**
80. Induces hallucination.. mascaline
81. Substance released via duct system and effects an epithelial of target cell..exocrine secretion
82. Cardiac output of resting person is 5L/m
83. More than _____receptors are present for bitter taste.. 40
84. Myosin found in...All (smooth, cardiac, skeletal muscles)
85. An adaptive change within an individual animal.Happens due to chronic exposure to new, naturally occurring environmental conditions____ Acclimatization
86. Antidiuretic hormone can increase water permeability of renal collecting duct in mammals up to _____ 10 times
87. . _____ are delayed rectifiers _____ Voltage – gated K+ channels
88. Which one of the following is not the feature of the Voltage –gated Ca+ channel _____ They are known as delayed rectifier
89. Which of the following statement is correct about action potential ___ inflow of sodium ion (depolarization)
90. Which of the following monitor the position of muscles and joints____ Proprioceptors
91. Taste receptors in terrestrial vertebrates are not located in/on _____ Larynx
92. Which is not the part of organ of Corti _____ Reissner's men
93. Near the end of pregnancy, placental estrogens are 30 times more than the normal levels. ____ 30 times
94. . Myofibers are ___ in diameter, and up to many centimeters in length____ 5 to 100 µm
95. Troponin has high affinity for_____ Ca2+

96. When the force exerted by the muscle contraction is equal to the opposing external force than ___ contraction __isometric

97. Atrial contraction provides only __volume of total mammalian ventricular output____30%

98. Which one is not related to diffusion option_____ None

99. melatonin belong to_____ pineal Gland

100. pineal gland found dorsal surface of.....in vertebrate _____forebrain

101. 41. target cell of hormones usually have ....receptors _____2000 to 100,000

102. Thick filament are composed of ...._____ myosin.

103. Each molecule of calsequestrin protein can find around.....calcium_____ 50

104. human s-A node is ...thick_____ 1 millimeter thick

105. Velocity of impulse conduction through most atria fiber is....._____ 0.3 m/s

106. Average cardiac output for resting adult man-_____ 5L/mint

107. Myocytes are ____ muscles _____Cardiac

108. The knob of dendrite has ____olfactory cilia_____ 4 to 25

109. Synaptic cleft is ___ nm wide _____20

110. Pituitary gland is __ dm _____1cm

111. Rhythmical discharge of S-A node is: ____/mint _____70 to 80

112. Catecholamine is not the secretion of adrenal cortex___

113. InsP3 causes release of Ca2+ from intracellular stores that cause the cell to ____depolarize

114. Physiology is not related to.....

115. Depolarization range in threshold to trigger active potassium.....,.___-55 to -30 mV___

116. Not true about Voltage gated Na+ channels .....

117. Which is not inhibitory neurotransmitter.....

118. Electroreceptors of plytipus are present on its bill.

119. Rods and cones are present in ..... 60. Loss of red cones is called protanop

61. InSp3 release calcium ion stored in within the cell.

120.

1)A cardiac muscle cell (myocyte) contains one nu multinucleate. Skeletal muscle fibers are individually .....

2)melatonin is the secretion of pineal gland.

11) Neurotransmitter induce large increase in the pereability to ions by acting on integral proteins in

Nerve and muscle cells

20) Slow voltage gated channels are Voltage gated Ca+ Channels

62. Not secreted by adrenal hypophysis .....
63. Thryglobin stored in .....
64. during active transport concentration of .....10 to 20 highr inside the cell then out side.
65. electrical transmission has been discovered in.....
66. .....induced hallucinations.
67. each hair cell has 20 to 30.....
68. recaptor molecule are typically....
69. the electro receptor of Platt plus are present in.....

70. human retina .....cones.
71. secretion which have effect in .....
72. neurophysis is a .....lob of pituitary.
73. adenophysis is site for production of.....
74. receptor of thyroid hormne are present in.....
75. thick filaments are composed of.
76. isotoinic.....
77. cardic output of human adult is...
78. Example of negative feed back system……..
79. Melatonin belongs……
80. Thick filaments are composed of …… myosin molecules.
81. Human s-A node is …… thick
82. Velocity of impulse conduction through most atria fiber is
83. Which is not part of cell body……..
84. .average cardiac out put during sleep
85. human S-A node is ---wide
86. In sp3 mobilizes ca2+ions form intracellular calcium stores like --------
87. mineralcaritocoids include -----
88. Visible spectrum range of human eye is ---
89. electroreceptors of platypus are present in its ------
90. Meissiner corpusles are linked to ------