

PAID VU LMS HANDLING by Mam Mehwish

03184148783

Past Papers for Mids./Finals are also Available

CS201P

Midterm (Live Quiz)

. What will be the output of the following code?

cpp

Copy code

```
int main(){  
    char str[] = "Hello World";  
    cout << str[4];  
    return 0;  
}
```

- L
- H
- W
- O ✓

Correct Option: O

2. Which of the following option gives the [value] stored at the address pointed to by the pointer "ptr"?

- ptr
- &ptr
- *ptr ✓
- ptr&

Correct Option: *ptr

3. In C++, what is the correct syntax for accessing the fifth element of an array?

- a(5)
- a[5]
- a[4] ✓
- a5]

Correct Option: a[4]

4. In C++, the precise way to declare a pointer is.

- int *ptr; ✓
- int ptr;
- int ptr*;
- int &ptr;

Correct Option: int *ptr;

5. What will be the output of the following code?

cpp

Copy code

```
int main() {  
    int a[4] = {1, 2, 3, 4};  
    cout << a[2];  
}
```

- 1
- 2
- 3 ✓
- 4

Correct Option: 3

1. What will be the output of the following code?

cpp

Copy code

```
int main() {  
    int a[4] = {1, 2, 3, 4};  
    cout << a[2];  
}
```

- ☐ 0 0
- ☐ 0 0 0
- ☒ 3 ✓
- ☐ 0 0 0

2. In C++, to get the value stored at a memory address, we use the:

- ☐ arithmetic
- ☒ dereferencing ✓
- ☐ logical
- ☐ bitwise

3. In C++, the precise way to declare a pointer is:

- ☐ int ptr;
- ☒ int * ptr; ✓
- ☐ int & ptr;
- ☐ int ptr*;

4. In C++, pointer can be initialized with:

- ☐ Semicolon(:)
- ☒ Null ✓
- ☐ Dot(.)
- ☐ Hash(#)

5. Which of the following option gives the value stored at the address pointed to by the pointer "ptr"?

- ☐ ptr
- ☐ Value(ptr)

- &ptr
- *ptr ✓

1. What will be the output of the following code?

cpp

Copy code

```
int main(){  
    char str[] = "Hello World";  
    cout<<str[4];  
    return 0;  
}
```

- A) L
- B) O ✓
- C) O
- D) O

2. Identify the invalid option.

- A) int *pi = 0;
- B) int *ip;
- C) char s, *sp = 0;
- D) int i; double* dp = &i; ✓

3. Which of the following shows the memory address of the first element in an array?

- A) array {0}
- B) array[0]
- C) array ✓
- D) O

4. What will be the output of the following code?

cpp

Copy code

```
int main() {  
    int a[4] = {1, 2, 3, 4};  
    cout << a[2];  
}
```

- A) 0
 - B) 3 ☒
 - C) 0
 - D) 0
-

5. In C++, the precise way to declare a pointer is:

- A) int * ptr; ☒
 - B) int & ptr;
 - C) int ptr;
 - D) int ptr*;
-

1. Short data type _____ bytes of memory.

- 1
 - 2 ☒
 - 3
 - 4
-

2. In C++, cout is known as

- input stream
- file stream
- output stream ☒

- error stream
-

3. The coding of a program is translated into machine language by:

- Debugger
 - Linker
 - Loader
 - Compiler ☒
-

4. While programming in C++, the statement if (x = 3), will result into a

- Logical Error ☒
 - Linker Error
 - Runtime Error
 - Syntax Error
-

5. In C/C++, the algebraic expression $(b^2 - 4ac) / 2a$ can be written as:

- $bb - (4ac) / 2a$
 - $bb - 4ac / 2a$
 - $(bb - 4ac) / (2a)$ ☒
 - $bb - 4ac / (2a)$
-

6. What will be the output of the following code?

cpp

Copy code

```
int x = 15;
```

```
int y = 10;
```

```
int z = 5;
```

```
cout << x * x - 4 * y * z;
```

- -25
- 5

- -5
- 25 ☒

7. In C++, which of the following option has the correct meaning of the expression "a <= b"?

- a is less than or equal to b ☒
- a is greater than or equal to b
- a is greater than b
- a is less than b

8. What will be the resulting value for the expression "num / 100" if num = 4567?

- 4
- 456.7
- 456
- 45 ☒

9. In C++, if we want to execute more than one statement within an 'if statement', then we have to enclose all statements in _____.

- ()
- {} ☒
- <>
- []

10. Which of the following is an example of repetition structure?

- while ☒
- if-else

11. Which of the following C++ statements is used to take input from the user?

- cout
- cget
- cin ☒

❑ Which of the following is true about the switch statement?

- It cannot handle the compound conditions which use logical operators. ✓
- It is valid for the small programs only.
- It is valid for the large programs only.
- It works efficiently on compound conditions which use logical operators.

❑ Short data type store bytes of memory.

- 2 ✓

❑ In C/C++, which of the following data types is used to store real numbers?

- int
- float ✓

❑ In C++, cout is known as:

- error stream
- file stream
- output stream ✓

❑ Which of the following is an example of a logical operator?

- | *
- %
- &&, || ✓
- <>

❑ The operators ++ and -- are used to increment or decrement the variable value by ____.

- 1 ✓

❑ Which of the following structure is correct for a WHILE loop?

- While (condition) ✓
- While (condition; end)
- While (start; condition)
- While (start; condition; end)

❑ What will be the output of the following piece of code?

cpp

Copy code

```
int square(int number) {  
    int result = 0;  
    result = number * number;  
    return result;  
}  
  
int main() {  
    cout << square(9);  
}
```

- 4
- 81 ✓

❓ A binary operator has -----operands.

- 90
- 1
- 2 ✓
- 3
- 4

❓ Which of the following is true about the switch statement?

- It is valid for the large programs only.
- It is valid for the small programs only.
- It cannot handle the compound conditions which use logical operators. ✓
- It works efficiently on compound conditions which use logical operators.

❓ Which of the following C++ statements is used take input from the user?

- ceet
- cin ✓
- O
- O O O

? The coding of a program is translated into machine language by .

- Linker
- Loader ☒
- O O O

? Which of the following is an example of logical operator?

- &&, || ☒
- +s
- <>
- % O O O

? In C++, which of the following option has the correct meaning of the expression "a <= b"?

- a is greater than b
- a is greater than or equal to b
- a is less than b
- a is less than or equal to b ☒

? Learning "how to program" is important, because it develops _____ and problem-solving abilities.

- Analytical ☒
- Writing
- O O O

? Which of the following expression is correct in C/C++ language?

- $X = X + 3$ ☒
- $X + 5 = Y + 7$
- $Y + X = 7$
- $3 = X + 3$

? If the condition is not made false in while loop, what will happen?

- Loop will become infinite. ☒
- Syntax errors occur.
- Program will terminate early.
- Program will not run at all.

Which of the following option is used when working with complicated expressions in C++?

- /
- {} ☒
- []
- 0

1. Which of the following is the correct method to declare an array?

- data_type array_name [size]; ☒
- array_name [size] data_type;
- [size] array_name data_type;
- array_name data_type [size];

2. In the call by reference method, which operator is used to get the address of a variable?

- & ☒
- 0
- 0
- 0

3. In C/C++ language, the subscript of array starts from __

- 0 ☒

4. A variable declared inside a code block becomes the variable for that block.

- Constant
- Static
- Local ☒
- Global

5. Which of the following two arrays are copy-able?

- `int a[5], int b[5]` ✓
- `int a[4], int b[5]`
- `float a[4], int b[5]`
- `int a[5], float b[5]`

1. Which of the following is the first step in a FOR loop?

- Continuation condition
- Incrementing condition
- Initialization condition ✓
- Termination condition

2. Zero

- Zero
- Null
- Return 0 ✓

3. The loop, given below, will iterate ____ times.

arduino

Copy code

For (`int counter = 1; counter < 10; counter = counter + 1`)

- 10 ✓
- 1
- 10
- 110

4. Which of the following structure is correct for WHILE loop?

- While (`condition; end`)
- While (`start; condition`)

- While (start; condition; end)
 - While (condition) ✓
-

5. What will be the output of the following piece of code?

cpp

Copy code

```
int square(int number)
```

```
{
```

```
    int result = 0;
```

```
    result = number * number;
```

```
    return result;
```

```
}
```

```
int main()
```

```
{
```

```
    cout << square(9);
```

```
}
```

- 99
- 99
- 81 ✓

If a function does not return anything, its return type will be:

- ☐ Void
- ☐ 0
- ☐ Datirrn A

Correct Option: Void ✓

2. Which of the following structure is correct for WHILE loop?

- ☐ While (condition; end)
- ☐ While (condition)
- ☐ While (start; condition; end)
- ☐ While (start; condition)

Correct Option: While (condition) ✓

3. Which of the following is true about the switch statement?

- ☐ It is valid for the small programs only.
- ☐ It cannot handle the compound conditions which use logical operators.
- ☐ It works efficiently on compound conditions which use logical operators.
- ☐ It is valid for the large programs only.

Correct Option: It cannot handle the compound conditions which use logical operators. ✓

4. Which of the following is the first step in FOR loop?

- ☐ Initialization condition
- ☐ Termination condition
- ☐ Continuation condition
- ☐ Incrementing condition

Correct Option: Initialization condition ✓

5. The operators ++ and -- are used to increment or decrement the variable value by:

- ☐ 1

Correct Option: 1 ✓

1. Which of the following structure is correct for WHILE loop?

- ☐ While (start; condition; end)
- ☐ While (start; condition)
- ☐ While (condition; end)

- ☐ While (condition) ✓
2. The loop, given below, will iterate_____ times.
- ☐ For (int counter = 1; counter < 10; counter = counter +1)
 - ☐ 9 ✓
 - ☐ 10
 - ☐ 11
 - ☐ 8
3. Which of the following is the first step in FOR loop?
- ☐ Termination condition
 - ☐ Continuation condition
 - ☐ Incrementing condition
 - ☐ Initialization condition ✓
4. If the condition is not made false in while loop, what will happen?
- ☐ Syntax errors occur.
 - ☐ Loop will become infinite. ✓
 - ☐ Program will not run at all.
 - ☐ Program will terminate early.
5. If a function does not return anything, its return type will be:
- ☐ Void ✓
 - ☐ Return 0
 - ☐ Zero
 - ☐ Null
6. Which of the following is true about the switch statement?
- ☐ It is valid for the large programs only.
 - ☐ It works efficiently on compound conditions which use logical operators.
 - ☒ It cannot handle the compound conditions which use logical operators.
 - ☐ It is valid for the small programs only.

2. Which of the following structure is correct for WHILE loop?

- While (start; condition; end)
- While (condition; end)
- While (start; condition)
- ☒ While (condition)

3. If the condition is not made false in while loop, what will happen?

- Syntax errors occur.
- Program will not run at all.
- ☒ Loop will become infinite.
- Program will terminate early.

4. The operators ++ and -- are used to increment or decrement the variable value by ____.

- ☒ 1
- 2
- 0
- 10

5. What will be the output of the following piece of code?

cpp

Copy code

```
int square(int number)
{
    int result = 0;
    result = number * number;
    return result;
}
```



```
int main()
{
    cout << square(9);
}
```

- 99
- ☒ 81
- 9
- 18

1. What will be the output of the following code?

cpp

Copy code

```
inti=0; while(i!=15){ cout <<i<<" "; i=i+5; }
```

- 05
- 0
- 1510
- 510
- 0510 ✓
- 0 0 0

2. Which of the following option is used when working with complicated expressions in C++?

- () ✓
- {}
- []
- /

3. Which of the following C++ statements is used to show output on the screen?

- cin
- 0
- cout ✓

- ☐ corr
- ☐ O O O

4. Which of the following C++ statements is used to take input from the user?

- ☒ cin ✓
- ☐ cout
- ☐ O
- ☐ corr

5. In C++, if we want to execute more than one statement within an 'if statement', then we have to enclose all statements in:

- ☐ |"
- ☐ oO
- ☐ 1.

- ☒ O O ol! ✓

6. In C++, if we want to execute more than one statement within an 'if statement', then we have to enclose all statements in:

- ☐ ()
- ☒ {} ✓
- ☐ []
- ☐ /

Which of the following is an example of logical operator?

- ☐ <>
- ☐ O
- ☒ &&, || ✓
- ☐ l%

7. While programming in C++, the statement if (x = 3), will result into a:

- Runtime Error

- Logical Error ✓
- Syntax Error

❑ In C++, if we want to execute more than one statement within an 'if statement', then we have to enclose all statements in:

- °
- 0
- {} ✓

❑ What will be the output of the following code? `inti=0;; while(i!=15){ cout <<i<<" "; i=i+5;}`

- 0510 ✓
- 0
- 05
- 510
- 1510

❑ In C/C++, the algebraic expression $(b^2 - 4ac) / 2a$ can be written as:

- $bb - (4ac) / 2 * a$
- $(bb - 4ac) / (2a)$ ✓
- $bb - 4a * c / 2 * a$
- $bb - 4 aXe / (2 * a)$

❑ Which of the following option is used when working with complicated expressions in C++?

- O ()
- O {}
- O []
- ✓ O

❑ Which of the following C++ statements is used to show output on the screen?

- O cerr
- O cin
- ✓ O cout
- O O O

❑ In C/C++, the algebraic expression $(b-4ac) / 2a$ can be written as:

- ☒ $O (bb - 4ac) / (2a)$
- $O bb - 4a * c / 2 * a$
- $O btb - (4ac) / 2 * a$
- $O bb - 4 atc / (2 * a)$

❑ While programming in C++, the statement `if (x = 3)`, will result into a:

- ☐ Runtime Error
- ☐ Linker Error
- ☐ Syntax Error
- ☒ Logical Error

❑ In C++, if we want to execute more than one statement within an 'if statement', then we have to enclose all statements in:

- ☐ |"
- ☐]
- ☐ oO
- ☒ { }

1. In C++, which of the following option has the correct meaning of the expression "`a <= b`"?

- a is greater than or equal to b
- a is less than b
- a is less than or equal to b ✓
- a is greater than b

2. In C++, if we want to execute more than one statement within an 'if statement', then we have to enclose all statements in

- ()
- []
- {} ✓
- <>

3. While programming in C++, the statement if (x = 3), will result into a:

- Logical Error ✓
 - Runtime Error
 - Linker Error
 - Syntax Error
-

4. Which of the following C++ statements is used to show output on the screen?

- cout ✓
 - cin
 - cerr
-

5. Which of the following C++ statements is used to take input from the user?

- cin ✓
- cout
- cerr

In C++, cout is known as

- O error stream
- O input stream
- ✓ O output stream
- O file stream

❓ Which of the following expression is correct in C/C++ language?

- ✓ X=X+3
- O X+5=Y+7
- O Y+X=7
- O 3=X+3

❓ What will be the output of the following code?

cpp

Copy code

```
int x = 15;
```

```
int y = 10;
```

```
int z = 5;
```

```
cout << x*x - 4*y*z;
```

- ☐ O -25
- ☐ O 25
- ☐ O 5
- ☒ O -5

☐ Normally, the float data type is half of the size of

- ☐ O short
- ☒ O double

☐ Suppose we have an integer variable named "num" with 4567 as its value, then what will be the resulting value for the expression "num/100"?

- ☐ O 456.7
- ☐ O 45
- ☒ O 456

☐ Which data type from the following will take lesser space in memory?

- ☒ char ✓
- ☐ short
- ☐ int
- ☐ float

☐ The coding of a program is translated into machine language by:

- ☐ Loader
- ☐ Debugger
- ☐ Linker
- ☒ Compiler ✓

❑ Which of the following expression is correct in C/C++ language?

- $3=X+3$
- $X=X+3$ ✓
- $X+5=Y+7$
- $Y+X=7$

❑ Learning "how to program" is important, because it develops:

- Analytical ✓
- Writing
- Reading
- Listening

❑ A binary operator has operands:

- Two ✓
- Four

1. In C/C++, which of the following data type is used to store real numbers?

char

☒ float

int

2. Learning "how to program" is important, because it develops ____ and problemsolving abilities.

Reading

☒ Writing

Listening

3. Which data type from the following will take lesser space in memory?

☒ char

short

int

float

4. In C++, cout is known as

file stream

☒ output stream

error stream

input stream

5. A binary operator has ____ operands.

One

Three

Four

☒ Two

1. Which of the following expression is correct in C/C++ language?

Options:

A. $sX = X + 3X + 5 = Y + 7Y + X$

B. $sX = 73 + X \ 3$

C. $X = 73 \ 3$

D. $X = Y + 3$

Correct Option: C. $X = 73 \ 3$

2. A binary operator has _____ operands.

Options:

A. Two

B. One

C. Three

D. Four

Correct Option: A. Two

3. If a function does not return anything, its return type will be _____.

Options:

A. Void

B. Zero

C. Null

D. Return 0

Correct Option: A. Void

4. Which data type from the following will take lesser space in memory?

Options:

A. short

B. char

C. float

D. int

Correct Option: B. char

5. What will be the output of the following code?

```
```cpp  
int x = 15;
int y = 10;
int z = 5;
cout << x * 4 * y * z;
```
```

Options:

- A. 5
- B. 25
- C. 255
- D. None of the above

Correct Option: B. 25

6. While programming in C++, the statement if (x = 3), will result into a _____.

Options:

- A. Runtime Error
- B. Logical Error
- C. Syntax Error
- D. Linker Error

Correct Option: B. Logical Error

7. Which of the following is the first step in FOR loop?

Options:

- A. Continuation condition
- B. Initialization condition
- C. Incrementing condition
- D. Termination condition

Correct Option: B. Initialization condition

8. The operators ++ and -- are used to increment or decrement the variable value by ____.

Options:

- A. 1
- B. 2
- C. 3
- D. 4

Correct Option: A. 1

9. What will be the output of the following code?

```
```cpp
int i = 0;
while(i!=15){
 cout << i << " ";
 i = i + 5;
}
```
```

Options:

- A. 0 5 10 15
- B. 0 5 10
- C. 0 5 10 15 20
- D. None of the above

Correct Option: B. 0 5 10

10. Write all above 10 MCQs, their all 4 options and all correct options attempted above in a sequence.

Options:

- A. The first MCQ statement
- B. The second MCQ statement

C. The third MCQ statement

D. The fourth MCQ statement

Correct Option: D. The fourth MCQ statement

1. Which of the following is the first step in FOR loop?

a) Termination condition

b) Incrementing condition

c) Continuation condition

d) Initialization condition

Correct option: d) Initialization condition

2. In C/C++, which of the following data type is used to store real numbers?

a) char

b) boolean

c) int

d) float

Correct option: d) float

3. Short data type store _____ bytes of memory.

a) 1

b) 2

c) 3

d) 4

Correct option: b) 2

4. What will be the output of the following code?

```
```cpp
```

```
int i = 1;
```

```
while(i<10){
```

```
if (i / 2 == 2)
 cout << i << " ";
 i++;
}
```

...

- a) 6 7
- b) 4 5
- c) 2 3
- d) 2 4

Correct option: b) 4 5

5. Which of the following structure is correct for WHILE loop?

- a) While (start; condition; end)
- b) While (condition)
- c) While (condition; end)
- d) While (start; condition)

Correct option: b) While (condition)

6. Which of the following option is used when working with complicated expressions in C++ ?

- a) /
- b) {}
- c) ()
- d) []

Correct option: b) {}

7. Which of the following is an example of repetition structure?

- a) if
- b) ifelse
- c) do

d) while

Correct option: d) while

8. If a function does not return anything, its return type will be \_\_\_\_.

a) Null

b) Zero

c) Void

d) Return 0

Correct option: c) Void

9. The coding of a program is translated into machine language by \_\_\_\_.

a) Compiler

b) Linker

c) Debugger

d) Loader

Correct option: a) Compiler

1. Which of the following expression is correct in C/C++ language?

A)  $X = X + 3$

B)  $X + 5 = Y + 7$

C)  $Y + X = 7$

D)  $3 = X + 3$

Correct Option: B)  $X + 5 = Y + 7$

2. C/C++ has many libraries which contain variables and function names normally starting with \_\_\_\_.

A) SemiColon

B) Hyphen

C) Underscore

D) Hash

Correct Option: C) Underscore

3. The loop, given below, will iterate \_\_\_\_\_ times. For (int counter = 1; counter < 10; counter = counter +1)

- A) 8 times
- B) 9 times
- C) 10 times
- D) Infinite times

Correct Option: B) 9 times

4. Which of the following is true about the switch statement?

- A) It is valid for the small programs only.
- B) It is valid for the large programs only.
- C) It cannot handle the compound conditions which use logical operators.
- D) It works efficiently on compound conditions which use logical operators.

Correct Option: C) It cannot handle the compound conditions which use logical operators.

5. What will be the output of the following code?

```
```cpp
int i = 1;
while(i<10){
    if (i / 2 == 2)
        cout << i << " ";
    i++;
}
```
```

- A) 1 3 5 7 9
- B) 2 4 6 8
- C) 1 2 3 4 5 6 7 8 9

D) There will be no output.

Correct Option: D) There will be no output.

6. Which of the following is the first step in FOR loop?

A) Continuation condition

B) Incrementing condition

C) Initialization condition

D) Termination condition

Correct Option: C) Initialization condition

7. Which of the following C++ statements is used to take input from the user?

A) cinc

B) cout

C) cget

D) cerr

Correct Option: A) cin

8. Short data type store \_\_\_\_ bytes of memory.

A) 1

B) 2

C) 4

D) 8

Correct Option: B) 2 bytes

9. Which of the following is an example of a repetition structure?

A) condifelse

B) while

C) if

D) cout



Correct Option: B) while

1. In C/C++, which of the following data type is used to store real numbers?

- a) boolean
- b) char
- c) int
- d) float

Correct Option: d) float

2. Which data type from the following will take lesser space in memory?

- a) short
- b) int
- c) char
- d) float

Correct Option: c) char

3. Normally, the float data type is half of the size of \_\_\_\_\_.

- a) short
- b) int
- c) double
- d) char

Correct Option: c) double

4. A binary operator has \_\_\_\_\_ operands.

- a) 1
- b) 2
- c) 3
- d) 4

Correct Option: b) 2

5. The coding of a program is translated into machine language by \_\_\_\_.

- a) Compiler
- b) Linker
- c) Loader
- d) Debugger

Correct Option: a) Compiler

1. Learning “how to program” is important because it develops \_\_\_\_\_ and problemsolving abilities.

Options:

- A) Analytical
- B) Reading
- C) Writing
- D) Listening

Correct Option: A) Analytical

2. The coding of a program is translated into machine language by \_\_\_\_.

Options:

- A) Linker
- B) Debugger
- C) Compiler
- D) Loader

Correct Option: C) Compiler

3. A binary operator has \_\_\_\_\_ operands.

Options:

- A) 1
- B) 2
- C) 3

D) 4

Correct Option: B) 2

4. In C/C++, which of the following data type is used to store real numbers?

Options:

A) char

B) float

C) boolean

D) int

Correct Option: B) float

5. Short data type stores \_\_\_\_\_ bytes of memory.

Options:

A) 1

B) 2

C) 3

D) 4

Correct Option: B) 2

1. Which of the following expression is correct in C/C++ language?

A)  $X = X + 3$

B)  $X + 5 = Y + 7$

C)  $3 = X + 3$

D)  $Y + X = 7$

Correct Option: A

2. In C++, cout is known as \_\_\_\_\_.

A) output stream

B) input stream

C) error stream

D) file stream

Correct Option: A

3. A binary operator has \_\_\_\_\_ operands.

A) 1

B) 2

C) 3

D) 4

Correct Option: B

4. Which data type from the following will take lesser space in memory?

A) short

B) int

C) char

D) float

Correct Option: A

5. What will be the output of the following code?

```
```cpp
```

```
int x = 15;
```

```
int y = 10;
```

```
int z = 5;
```

```
cout << x x 4 y z;
```

```
```
```

A) 25

B) 55

C) 25

D) 0

Correct Option: A

1. In C++, cout is known as \_\_\_\_\_.

Options:

- a) file stream
- b) input stream
- c) error stream
- d) output stream

Correct option: d) output stream

2. What will be the output of the following code?

...

int x = 15;

int y = 10;

int z = 5;

cout << x x 4 y z;

...

Options:

- a) 55
- b) 25
- c) 25
- d) 2525

Correct option: c) 25

3. Learning "how to program" is important, because it develops \_\_\_\_\_ and problemsolving abilities.

Options:

- a) Writing
- b) Listening
- c) Analytical

d) Reading

Correct option: c) Analytical

4. Suppose we have an integer variable named "num" with 4567 as its value, then what will be the resulting value for the expression "num/100"?

Options:

a) 456.7

b) 45.67

c) 456

d) 45

Correct option: d) 45

5. Which data type from the following will take lesser space in memory?

Options:

a) short

b) int

c) float

d) char

Correct option: d) char

1. Learning "how to program" is important, because it develops \_\_\_\_\_ and problemsolving abilities.

A) Analytical

B) Reading

C) Listening

D) Writing

Correct Option: A) Analytical

2. A binary operator has \_\_\_\_\_ operands.

A) Three

B) Four

C) Two

D) One

Correct Option: C) Two

3. What will be the output of the following code?

```
```cpp
int x = 15;
int y = 10;
int z = 5;
cout << x x 4 y z;
```
```

A) 25

B) 25

C) 255

D) 5

Correct Option: A) 25

4. In C++, cout is known as \_\_\_\_\_.

A) file stream

B) input stream

C) error stream

D) output stream

Correct Option: D) output stream

5. In C/C++, which of the following data type is used to store real numbers?

A) boolean

B) char

C) float

D) int

Correct Option: C) float

MAM MEHWISH 03184148783



👂👂 Paid Vu Lms Handling 👂👂

♦ 1 GDB= Rs 100

♦ 1 Quiz= Rs 200

♦ 1 Assignment=Rs 250

💎 Agr complete handling krwatey hain 1 subject ki with all activities= Rs 500 (Half Semester) 💎

LECTURES Play Service Available In Very Low Price. 📖

👑👑 80100% Marks Guaranteed 👑👑

👂 Miss Mehwish:03184148783 👂

MAM MEHWISH 03184148783