



DANISH
HANIF

HELP BY DANISH



PHY101 Update

MCQS For Mid Term

Solve By Danish Hanif

80 To 100% Marks

HELP BY DANISH
LMS HANDLING
Services Available

80 to 100% Result Gurrantee

Contact Us : 0323-1731413



DANISH

HANIF

HELP BY DANISH



Question No:1

(Marks:1)

Vu

Light year is a unit of:

Distance

Question No:2

(Marks:1)

Vu-

A force of 100 N acts upon a body for five seconds. What will be the change in momentum?_____.

500Ns

Question No:3

(Marks:1)

....Add two

vectors of length 4 m & 5 m but their orientation is not known.

The length after addition of these two vectors will be:

Between 9m and 1m

Question No:4

(Marks:1)

....Example of

physical quantity is:

Length

Question No:5

(Marks:1)

....An inelastic

collision is one in which:

kinetic energy

Question No:6

(Marks:1)

....Acceleration

in a body is always produced in the direction of:

Velocity

Question No:7

(Marks:1)

....Ali wants to

lift a mass of 7.5 kg with constant velocity by a rope that passes through a frictionless pulley which is attached to the ceiling of room. Calculate the tension in the rope by neglecting the mass of the rope.

0.75N

Question No:8

(Marks:1)

....Newton-

second is SI unit of:

Impulse



DANISH

HANIF

HELP BY DANISH



9

(Marks:1)

Vu-

The area under the curve of force-displacement graph represents:

Fs

Question No:10

(Marks:1)

Vu-

When you step on the accelerator to increase the speed of your car, the force that accelerates the car is?

Friction

Question No:11

(Marks:1)

....Is the total

momentum of a system is changing?

A next external force must be acting on the system

Question No:12

(Marks:1)

....If the

acceleration of a body is not uniform, then velocity-time graph will be:

A curved line.

Question No:13

(Marks:1)

....The goal of

all scientific inquiry (or scientific method) is:

predicting natural events based.

Question No:14

(Marks:1)

....The law of

conservation of momentum applies to a system of colliding objects only if:

The net external Impulse is zero

Question No:15

(Marks:1)

....Work has dimensions like:

power



DANISH

HANIF

HELP BY DANISH



The work done by gravity during the descent of a projectile:

Is positive

Question

No:16

(Marks:1)

....


Question No:17

(Marks:1)

....An object

moves in a circle at constant speed. The work done by the centripetal force is zero because:

The centripetal force is perpendicular to the velocity



HELP BY DANISH



standard of time is based on: **none of these**



27

2.0 rad/s

Displacement

$$J/(\text{C}\cdot\text{m})$$
 V/J

For More Help Danish Hanif 0323-1731413



DANISH

HANIF

HELP BY DANISH



Question No:32 (Marks:1) We desire to make an LC circuit that oscillates at 100 Hz using an inductance of 2.5H. We also need a capacitance of: 1 F
100 μ F

Question No:33 (Marks:1)
Which of the following statements is NOT TRUE about electromagnetic?
Electromagnetic waves satisfy the Maswell's Equation. **The electromagnetic radiation from a burning candle is unpolarized.**

34

Radio waves and light waves are _____.
Longitudinal waves
Transverse waves
Electromagnetic and transverse both

Question No:35 (Marks:1)
Wien's Law states that, $l_{max} = \frac{b}{T}$ K.
2.90 * 10⁻³ kg
2.90 * 10⁻³ m

Question No:36 (Marks:1)
Interference of light is evidence that:
the speed of light is very large
light is a wave phenomenon

Question No:37 (Marks:1)
Fahrenheit and Kelvin scales agree numerically at a reading of:
-40
0

Question No:38 (Marks:1)

Danish Hanif 03231731413

HELP BY DANISH



DANISH

HANIF

HELP BY DANISH



....According to the theory of relativity:

moving clocks run fast

energy is not conserved in high-speed collisions

Question No:39

(Marks:1)

....Light from a stationary spaceship is observed, and then the spaceship moves directly away from the observer at high speed while still emitting the light.

As a result, the light seen by the observer has: higher frequency and a longer wavelength than before **lower frequency and a shorter wavelength than before**

Question No:40

(Marks:1)

....How fast should you move away from a 6.0×10^{14} Hz light source to observe waves with a frequency of 4.0×10^{14} Hz?

20c

38c

HELP BY DANISH

41

The quantum number n is most closely associated with what property of the electron in a hydrogen atom?

Energy

Orbital angular momentum

Question No:42

(Marks:1)

...The quantum number m_s is most closely associated with what property of the electron in an atom?

Magnitude of the orbital angular momentum

Energy

Question No:43

(Marks:1)

...As the wavelength of a wave in a uniform medium increases, its speed will ____.

Decrease

Remain the same

Question No:44

(Marks:1)

...The lowest tone produced by a certain organ comes from a 3.0-m pipe with both ends open. If the speed of sound is 340m/s, the frequency of this tone is approximately:

7Hz

57 Hz

Question No:45

(Marks:1)

...To raise the pitch of a certain piano string, the piano tuner:

loosens the string

tightens the string

Question No:46

(Marks:1)

...An object attached to one end of a spring makes 20 vibrations in 10 s. Its angular frequency is:

12.6 rad/s

1.57 rad/s

47

For an object in equilibrium the net torque acting on it vanishes only if each torque is calculated about: the center of mass

the same point

Question No:48

(Marks:1)

....Ten seconds

after an electric fan is turned on, the fan rotates at 300 rev/min. Its average angular acceleration is:

3.14 rad/s²

30 rad/s²

Question No:49

(Marks:1)

....A 4.0-N puck

is traveling at 3.0m/s. It strikes a 8.0-N puck, which is stationary. The two pucks stick together. Their common final speed is:

1.0m/s

1.5m/s

Question No:50

(Marks:1)

....An object

moving in a circle at constant speed: must have only one force acting on it

has an acceleration of constant magnitude

Question No:51

(Marks:1)

....A plane

traveling north at 200m/s turns and then travels south at 200m/s. The change in its velocity is:

400m/s north

400m/s south

Question No:52

(Marks:1)

....At time $t = 0$

a car has a velocity of 16 m/s. It slows down with an acceleration given by $-0.50t$, in m/s² for t in seconds. It stops at $t =$

64 s

8.0 s

Question No:53 (Marks:1)

....1 mi is

equivalent to 1609 m so 55 mph is:

15 m/s

25 m/s

Question No:54 (Marks:1)

....The number

of significant figures in 0.00150 is:

5

3

Question No:55 (Marks:1)

....One

revolution is the same as:

2π rad **2π**

rad

Question No:56 (Marks:1)

....For a body to

be in equilibrium under the combined action of several forces:

All the forces must be applied at the same point all

the forces must be applied at the same point

any two of these forces must be balanced by a third force

Question No:57 (Marks:1)

....A bucket of

water is pushed from left to right with increasing speed across a horizontal surface. Consider the pressure at two points at the same level in the water.

It is the same

It is higher at the point on the left

Question No:58 (Marks:1)

....An organ

pipe with both ends open is 0.85m long. Assuming that the speed of sound is 340m/s, the frequency of the third harmonic of this pipe is: A.

200 Hz

D. 600 Hz

Question No:59 (Marks:1)

....

Question No:

(Marks:1)

Danish Hanif

Capacitors C1 and C2 are connected in series. The equivalent capacitance is given by

$$\mathbf{C_1 C_2 / (C_1 + C_2)}$$

$$(C_1 + C_2) / C_1 C_2$$



(Marks:1)

Danish Hanif

Question No:60

If the potential difference across a resistor is doubled:

only the current is doubled

only the current is halved

Question No:61

(Marks:1)

....By using only

two resistors, R_1 and R_2 , a student is able to obtain resistances of 3Ω , 4Ω , 12Ω , and 16Ω . The values of R_1 and R_2 (in ohms) are:

3, 16

4, 12

Question No:62

(Marks:1)

....Faraday's law

states that an induced emf is proportional to: the rate of change of the electric field

the rate of change of the magnetic flux

Question No:63

(Marks:1)

....A generator

supplies 100V to the primary coil of a transformer. The primary has 50 turns and the secondary has 500 turns. The secondary voltage is:

1000V

500V

Question No:64

(Marks:1)

....Which of the

following electromagnetic radiations has photons with the greatest energy? blue light

x rays

Question No:65

(Marks:1)

....A virtual

image is one: toward which light rays converge but do not pass through

from which light rays diverge as they pass through

Question No:66

(Marks:1)

....What is the

unit of magnification factor? meter. Kelvin **no units**

67

(Marks:1)

VuDuring

an adiabatic process an object does 100 J of work and its temperature decreases by 5K. During another process it does 25 J of

work and its temperature decreases by 5 K. Its heat capacity for the second process is.

100 J/K

15 J/K

Question No:68

(Marks:1)

....An ideal gas

expands into a vacuum in a rigid vessel. As a result there is:

a change in entropy

a decrease of internal energy

Question No:69

(Marks:1)

....The Stern-

Gerlach experiment makes use of: a strong uniform magnetic field

a strong non-uniform magnetic field

Question No:70

(Marks:1)

....A large

collection of nuclei are undergoing alpha decay. The rate of decay at any instant is proportional to:

the number of undecayed nuclei present at that instant the time since the decays started

Question No:71

(Marks:1)

....As a 2.0-kg

block travels around a 0.50-m radius circle it has an angular speed of 12 rad/s. The circle is parallel to the xy plane and is centered on the z axis, a distance of 0.75m from the origin. The z component of the angular momentum around the origin is:

6.0kg · m²/s

9.0kg · m²/s

Question No:72

(Marks:1)

....A body will

be in translation equilibrium if:

F = 0

ML2T-1

Question No:74 (Marks:1)

The ultimate strength of a sample is the stress at which the sample
Breaks

Question No:75 (Marks:1)The law of
inertia was firstly formulated by:
Newton

Question No:76 (Marks:1)
Sound waves are
Longitudinal

Question No:77 (Marks:1)One
revolution is the same as:
2 π rad

Question No:78 (Marks:1)A force of
100 N acts upon a body for five second. What will be the change in
momentum?
500 NS

Question No:79 (Marks:1)The dot
product of vector A with itself is equal to
A²

Question No:80 (Marks:1)Swimming
becomes possible because of:
Third law of motion

Question No:81 (Marks:1)
Coulomb's law is only true for point charges whose sizes are
Very small



DANISH

HANIF

HELP BY DANISH



82

If the force acting on a body is doubled then the acceleration becomes:

Double

Question No:83

(Marks:1)

....The

approximate value of g at an altitude above Earth equal to one Earth diameter is:

1.1m/s²

Question No:84

(Marks:1)

....

Young's modulus can be used to calculate the strain for a stress that is:

Well below the yield strength

Question No:85

(Marks:1)

....The rate of

change of momentum of a body is equal to:

Applied force

Question No:86

(Marks:1)

....As the

wavelength of a wave in a uniform medium increases, its frequency will _____.

Decrease

Question No:87

(Marks:1)

....The

momentum of an object at a given instant is independent of its:

Acceleration

Question No:88

(Marks:1)

....Work has

dimensions like:

Torque

Question No:89

(Marks:1)

....The unit

kg.m²/s can be used for:

Angular momentum

Question No:90

(Marks:1)

....



People try to keep the..... over their feet, in order to feel stable.

Centre of gravity

91

A..... vector is obtained by dividing the vector by its magnitude:

Unit

Question No:92

(Marks:1)

Vu-Topper RM

Which of the following is NOT one of Piaget's stages of development?

Operational

Question No:93

(Marks:1)

....Which of the

following process is suggested by Bandura that help human behavior to learn?

Observation

Question No:94

(Marks:1)

....All of the

following are the areas of interest for Behaviorists EXCEPT:

Unconscious desires

Question No:95

(Marks:1)

....Which of the

following learning forms an association between two stimuli?

Classical conditioning

Question No:96

(Marks:1)

....

Helmholtz's explanation of color vision is called as what?

Trichromatic theory

Question No:97

(Marks:1)

....In which of

the following process sensory receptors become less sensitive to repeated presentations of the same stimulus?

Sensation



DANISH

HANIF

HELP BY DANISH



Question No:98 (Marks:1)Farha is interested to study about progressive change in individuals' body and their functions throughout the life span. She is more likely to study:
Biological changes

99

All of the following are considered as the founders of gestalt school of thought EXCEPT:

Max Wertheimer

Question No:100 (Marks:1)Which of the following is NOT a part of mid brain?

Cerebrum

Question No:101 (Marks:1)Which of the following process is suggested by Bandura that help human behavior to learn?

Observation

Question No:102 (Marks:1)Which of the following hormone is involved in the growth and proper functioning of gonads and ovaries?

Gonadotropic

Question No:103 (Marks:1)Which of the followings are the branch-like structures that receive messages from other neurons?

Dendrites

Question No:104 (Marks:1) Who among the following talked about the "cognitive maps"?

Tolman



20Ma



DANISH

HANIF

HELP BY DANISH




Question No:113 (Marks:1) A source of frequency of 500 Hz emits waves of wavelength 0.4 m, how long does the wave take to travel 600 m?

3 s

Question No:114 (Marks:1)The center of mass of a uniform disk of radius R is located:
at the center

Question No:115 (Marks:1)
Coulomb's law is only true for point charges whose sizes are
Large



HELP BY DANISH



DANISH

HANIF

HELP BY DANISH

