



CS504 Mcq's Final Term By Vu Topper RM-1

Software Engineering (Virtual University of Pakistan)



Scan to open on Studocu

CS-504 Software Engineering-1 Update MCQS For Final Term Solve By Vu Topper RM

85% To 100% Marks



وَتُعْزِزُ مَنْ تَشَاءُ وَتُذِلُّ مَنْ تَشَاءُ

PROFESSIONAL ONLINE ACADEMY



We Offers

LMS Handling

Important Notes

Online Classes

Assignments

Quiz & GDB's

Projects

**NOTHING
IS
IMPOSSIBLE**


**Join Us
Now**

For More Info
Contact us at:

Rizwan Manzoor



0322-4021365



بري صحبت سے تہائی بہتر ہے اور تہائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:1**(Marks:1)****Vu-Topper RM**

To determine the architectural style or combination of styles that best fits the proposed system, requirements engineering is used to uncover

A. Algorithmic complexity

B. Characteristics and constraints

Page 126

C. Control and data

D. Design patterns

Question No:2**(Marks:1)****Vu-Topper RM**

The three basic principles that guide maintainability are: (a)clarity (b)enhancement (c)flexibility (d)simplicity

A. Abc

B. Acd

C. Cba

D. abd

Question No:3**(Marks:1)****Vu-Topper RM**

A necessary supplement to transform or transaction mapping needed to create a complete architectural design is

A. The data dictionary

B. Test cases for each module

C. Entity relationship diagrams

D. Processing narratives for each module

Page 422

Question No:4**(Marks:1)****Vu-Topper RM**

Which one of these is a correct short cut used by the programmer?

A. $x*=a$

B. $x=*a$

C. $x*a=$

D. $=a*x$

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:5**(Marks:1)****Vu-Topper RM**

In the switch statement, cases should always end with a -----statement.

Switch

- A. Go
- B. Stop
- C. Loop

D. Break

Page 167

Question No:6**(Marks:1)****Vu-Topper RM**

In Client server model, the application is modeled as a set ofthat are provided by servers.

- A. Requests
- B. Protocols

C. Services

Page 127

D. Requirements

Question No:7**(Marks:1)****Vu-Topper RM**

using proper paranthesis normally makes the code

- A. Easy to read
- B. Less ambiguous
- C. Easy to understand

D. All of the given options

Question No:8**(Marks:1)****Vu-Topper RM**

Charles Simonyi first discussed Hungarian Notation. He was of ———.

- A. IBM
- B. Dell
- C. Cisco

D. Microsoft

Page 152

Question No:9**(Marks:1)****Vu-Topper RM**

STL Stnads for -----

- A. Standard Type Link
- B. Standard Type Link
- C. Standard Tempo Line

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیکی صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:10**(Marks:1)****Vu-Topper RM**

Performance, Security and maintainability are the types of _____ requirements.

- A. Domain
- B. Business
- C. Functional

D. Non-Functional**Page 120****Question No:11****(Marks:1)****Vu-Topper RM**

Complex expressions:

- A. Make the code easy to modify
- B. Make the code easy to understand
- C. Does not affect understandability

D. Make the code difficult to modify**Page 164****Question No:12****(Marks:1)****Vu-Topper RM**

Goto statements violate the idea of

- A. Control structure
- B. Structured code**
- C. Repetition structure
- D. Object-oriented code

Page 164**Question No:13****(Marks:1)****Vu-Topper RM**

Which of the following is used for multi level commenting?

- A. // comment
- B. (Comment)
- C. /* Comment/*

D. /* Comment */**Question No:14****(Marks:1)****Vu-Topper RM**

Names representing methods and functions should be----and written in mixed case starting with -----case.

- A. Noun—lower

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. Noun—upper

Page 150

Vu-Topper RM

A. Balancing

B. Mutating

Page 135

D. Parallelizing

Vu-Topper RM

A. Merge

B. Clone

C. Proceed

Page 127

Vu-Topper RM

A. If

B. if-else

C. nested if

Page 167

Vu-Topper RM

A. Move

B. Design

C. Conclusion

Page 135

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Vu-Topper RM

A. Object model of the design

- B. Concurrency and synchronization aspects of the design
- C. Static organization of the software in its development environment
- D. Mapping(s) of the software onto the hardware and reflects its distributed aspect.

Vu-Topper RM

A. Real Numbers

- B. Magic numbers**
C. Positive Numbers
D. Constant Numbers

Vu-Topper RM

A. Encapsulation

- B. None of the given
C. Information hiding

D. Information hiding and Encapsulation

Vu-Topper RM

A. Layered

- B. Reference
C. Data-centered

D. Client Server Page 130

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:23

(Marks:1)

Vu-Topper RM

Patterns are devices that allow programs to share knowledge about their -----.

A. Code

B. Design

Page 137

C. Analysis

D. Implementation

Question No:24

(Marks:1)

Vu-Topper RM

Which of the following shows a commented statement in C++.

A. # Ans = first + second

B. \ Ans = first + second

C. /# Ans = first + second

D. // Ans = first + second

Question No:25

(Marks:1)

Vu-Topper RM

Variables should be initialized where they are -----and they should be declared in the -----scope possible.

A. Scope possible.

B. Defined and smallest

C. Declared and medium

D. Declared and smallest

Page 158

Question No:26

(Marks:1)

Vu-Topper RM

Static structural model shows the major system.....

A. Leaks

B. Activities

C. Objectives

D. Components

Page 126

Question No:27

(Marks:1)

Vu-Topper RM

The method of dividing and assigning different portions of a large system to different groups for construction is called _____ .

A. Work Basic Structure

B. Work Breakdown System

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. Working Boundary Structure

D. Work Breakdown Structure

Page 119

Question No:28

(Marks:1)

Vu-Topper RM

Architectural design process involves performing a number of activities which includes system structuring, control modeling and _____ .

A. Testing

B. System Analysis

C. Modular Decomposition

Page 120

D. Graphical User Interface

Question No:29

(Marks:1)

Vu-Topper RM

Software architecture must address _____ requirements of a software system.

A. Functional

B. Non-functional

C. User Interface Requirements

D. Both functional and non-functional.

Page 120

Question No:30

(Marks:1)

Vu-Topper RM

A useful technique for evaluating the overall complexity of a proposed architecture is to look at the component's

A. Size and cost

B. Function points

C. Number and size of components

D. Flow dependencies and has ring dependencies

Question No:31

(Marks:1)

Vu-Topper RM

Data-Centered Architectural Style is also called

A. Repository model

B. Reference model

C. Sub system model

D. Client Server model

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:32**(Marks:1)****Vu-Topper RM**

"is" prefix should be used for----- variables and methods.

A. General

B. Boolean

Page 152

C. Constant

D. None of given

Question No:33**(Marks:1)****Vu-Topper RM**

In the N-Tire Architecture, the idea is to enhance scalability and ----- by distributing both the data and the application using multiple server machines.

A. Integrity

B. Usability

C. Performance

Page 131

D. Interoperability

Question No:34**(Marks:1)****Vu-Topper RM**

Code should not be:

A. Cryptic

B. Aligned

C. Indented

D. Commented

Page 162

Question No:35**(Marks:1)****Vu-Topper RM**

Issues like system performance, availability, scalability, and security are analyzed in _____.

A. Code View

B. Logical View

C. Physical View

Page 127

D. Concurrency View

Question No:36**(Marks:1)****Vu-Topper RM**

if (!(block < activeBlock))

is equivalent to:

A. if ((block < activeBlock))

بری صحبت سے تھائی بہتر ہے اور تھائی سے نیک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. if ((block == activeBlock))
C. if ((block >= activeBlock))
D. None of the given

Question No:37

(Marks:1)

Vu-Topper RM

The number _____ is the most abused symbol in programs written in C or C++.

A. 0 Page 169

- B. 1
C. 2
D. 3

Question No:38

(Marks:1)

Vu-Topper RM

N-tier architecture stems from the struggle to find a ----- between the fat-client architecture and the thin-client architecture

- A. Similarity
B. Concurrency
C. Middle ground
D. Distribution point

Page 131

Question No:39

(Marks:1)

Vu-Topper RM

There arelayers in OSI reference model.

- A. 5
B. 6
C. 8

D. 7 Google

Question No:40

(Marks:1)

Vu-Topper RM

The criteria used to assess the quality of an architectural design should be based on system.

- A. Functionality
B. Data and control
C. Implementation details

D. Accessibility and reliability

Page 404

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:41

(Marks:1)

Vu-Topper RM

Identifier names also play a significant role in enhancing the ----- of a program.

- A. Reliability
- B. Writ ability
- C. Readability**
- D. All of given

Page 148

Question No:42

(Marks:1)

Vu-Topper RM

-----provides a unified interface to a set of interfaces in a sub-system.

- A. Observer Pattern
- B. Singleton Pattern
- C. Façade Pattern**
- D. All of the above

Page 143

Question No:43

(Marks:1)

Vu-Topper RM

Fat Client Model is one of the configurations ofModel.

- A. Data
- B. Layered
- C. Centered
- D. Client Server**

Question No:44

(Marks:1)

Vu-Topper RM

The clients and servers, in a client server environment, are connected through _____.

- A. Interface
- B. Groupware
- C. Framework
- D. Middleware**

Page 129

Question No:45

(Marks:1)

Vu-Topper RM

Distributing the responsibilities to different subsystems so that we get a software system which is easy to maintain, is calledthe architecture.

- A. Cloning

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Balancing

C. Subtracting

D. Partitioning

Page 138

Question No:46

(Marks:1)

Vu-Topper RM

which of the following statements are same in output:

1) $a = a >> 2$

2) $a = a / 4$

3) $a = a * 2$

A. and (3) only

B. (2) and (3) only

C. (1) and (2) only

Page 168

D. All produce the same result

Question No:47

(Marks:1)

Vu-Topper RM

Which one of these represents the Krutchen's 4+1 architectural view model?

A. Dynamic view, Process view, Physical view, Development view, Use case view

B. Logical view, Process view, Physical view, Development view, Sequence view

C. Logical view, Process view, Physical view, Development view, Use case view

D. Logical view, Dynamic view, Physical view, Development view, Use case view

Question No:48

(Marks:1)

Vu-Topper RM

_____ is concerned with decomposing a system into interacting sub-systems.

A. Control Modeling

B. System Structuring

Page 121

C. Work breakdown structure

D. Work Breakdown Structure

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:49

(Marks:1)

Vu-Topper RM

A _____ is a system component that provides services to other components but would not normally be considered as a separate system.

A. Message

B. Method

C. Module

Page 121

D. Relationship

Question No:50

(Marks:1)

Vu-Topper RM

In the architecture trade-off analysis method the architectural style should be described using the

A. module view and process view

B. data Flow view and module view

C. data Flow view and process view

D. data Flow view, module view and process view

Page 403

Question No:51

(Marks:1)

Vu-Topper RM

Thin Client Model places a heavy processing load on.....

A. Only Server

B. Only Network

C. Both Server and Network

Page 133

D. Neither server nor network

Question No:52

(Marks:1)

Vu-Topper RM

Physical view in Krutchen's 4+1 architectural view model captures

A. Object model of the design

B. Concurrency and synchronization aspects of the design

C. Static organization of the software in its development environment

D. Mapping(s) of the software onto the hardware and reflects its distributed aspect.

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:53

(Marks:1)

Vu-Topper RM

1) $x = (a + 2 > 3)? a : a - 1$;

2) if((a + 2) > 3)

x = a;

else

x = a - 1;

A. Statement (1) is more complex than (2)

B. Both statements are very complex

C. None of the given options

D. Statement (2) is more complex than (1)

Question No:54

(Marks:1)

Vu-Topper RM

Development view in Krutchen's 4+1 architectural view model captures

A. Object model of the design

B. Concurrency and synchronization aspects of the design

C. Static organization of the software in its development environment

D. Mapping(s) of the software onto the hardware and reflects its distributed aspect

Question No:55

(Marks:1)

Vu-Topper RM

The form for (;) should be used for.

A. Nested loop

B. Empty loop

C. More than 1000 iterations

D. less than 1000 iterations

Question No:56

(Marks:1)

Vu-Topper RM

Which of following is among ten things, which the basic template of GOF design pattern includes.

A. IQ

B. Context

Page 142

C. Performance

D. Requirements

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:57

(Marks:1)

Vu-Topper RM

_____ and _____ are two important tools that helps in managing the program complexity.

- A. Modularity, Composition
- B. Aggregation, Inheritance
- C. Composition, Inheritance

D. Abstraction, Encapsulation

Page 170

Question No:58

(Marks:1)

Vu-Topper RM

Software _____ is the process of examining the software product against its requirements.

A. Fixing

B. Testing

Page 192

C. Debugging

D. Exception handling

Question No:59

(Marks:1)

Vu-Topper RM

Alpha testing is:

A. Validation against user expectations

B. Testing a collection of dependent components

C. Testing individual components independent of other components

D. Acceptance testing for customized projects, in-house testing for products

Page 198

Question No:60

(Marks:1)

Vu-Topper RM

A function should not be larger in any case and should not exceed _____ in length.

A. Half page

B. One page

Page 150

C. Two pages

D. Three Pages

Question No:61

(Marks:1)

Vu-Topper RM

Bit fields are a convenient way to express many difficult operations.

However, bit fields suffer from one problem

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيك صحبت بہتر ہے

For More Help Contact What's app 03224021365

- A. Lack of security
- B. Lack of usability
- C. Lack of portability**
- D. Lack of performance

Page 183

Question No:62

(Marks:1)

Vu-Topper RM

When a small set of functions (which use each other) is so overwhelmingly the bottleneck, there are two alternatives:

- A. Debug the code OR place assertions in code
- B. Remove the functions OR add more functions
- C. Use a better algorithm OR re-write the code**
- D. Changed programming language OR compiler at least

Page 177

Question No:63

(Marks:1)

Vu-Topper RM

_____ identifies which statements in a method or class have been executed.

- A. Class Coverage
- B. Branch Coverage
- C. Method Coverage

D. Statement Coverage

Google

Question No:64

(Marks:1)

Vu-Topper RM

if a major rework is required to translate a program written for one environment to another, it means code is not or less _____

- A. Secure
- B. Bug Free

C. Portable

Page 179

D. Platform dependent

Question No:65

(Marks:1)

Vu-Topper RM

which one is correct?

- A. Double total=.5;
- B. Double total=.50;
- C. Double total=0.5;**
- D. All of the given

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:66

(Marks:1)

Vu-Topper RM

Which indent size eliminates the chance of code lines splitting?

A. 2

B. 4

C. 3

D. 6

Question No:67

(Marks:1)

Vu-Topper RM

White box testing is performed to test the _____ of the program.

A. Logic

B. Flow

C. Syntax

D. Structure

Page 198

Question No:68

(Marks:1)

Vu-Topper RM

Testing of collection of modules to discover interfacing problems among interacting modules is called

A. Unit testing

B. Module testing

C. System testing

D. Subsystem testing

Page 198

Question No:69

(Marks:1)

Vu-Topper RM

Unit Testing will be done by

A. Testers

B. End Users

C. Customer

D. Developers

Page 207

Question No:70

(Marks:1)

Vu-Topper RM

Which of the following is not a possible server in client server environment?

A. File Server

B. Time Server

Page 132

C. Database Server

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

D. Transaction Server

Question No:71

(Marks:1)

Vu-Topper RM

Global variables in C++ should always be referred to by using the:

A. Operator

B. :: operator **Page 153**

C. Without an operator

D. None of the given

Question No:72

(Marks:1)

Vu-Topper RM

In order to make a code more portable, Instead of using vendor specific language extensions, use _____ as much as possible

A. ISO

B. STL **Page 179**

C. ANSI

D. CMMI

Question No:73

(Marks:1)

Vu-Topper RM

There are _____ basic coding structures.

A. One

B. Two

C. Five

D. Four **Page 200**

Question No:74

(Marks:1)

Vu-Topper RM

If a function changes the value of some other accessible data object along with returning its value after execution, is called _____.

A. Modularity

B. Abstraction

C. Side Effects **Page 174**

D. Short Circuiting

Question No:75

(Marks:1)

Vu-Topper RM

The order in which bytes of one word are stored is _____ dependent

A. Syntax

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- B. Software
- C. Language

D. Hardware **Page 181**

Question No:76 **(Marks:1)** **Vu-Topper RM**

In _____ control can take either of several branches.

- A. If
- B. While
- C. Sequence

D. Case statement **Page 201**

Question No:77 **(Marks:1)** **Vu-Topper RM**

Cyclomatic complexity measures the logical complexity

_____.

- A. Worthily
- B. Creditably
- C. Qualitatively

D. Quantitatively **Page 205**

Question No:78 **(Marks:1)** **Vu-Topper RM**

If an application fulfills its specifications but deviates from users expectations or their desired behavior. This means, software is verified but not -----

- A. Traced
- B. Checked
- C. Corrected

D. Validated **Page 192**

Question No:79 **(Marks:1)** **Vu-Topper RM**

_____ is the starting point, base document for both testing and the development

- A. Software code
- B. Test case document
- C. Software architecture document

D. Functional specification document **Google**

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:80

(Marks:1)

Vu-Topper RM

Client server is a _____ system model.

A. Integrated

B. Distributed

Page 130

C. Homogeneous

D. Heterogeneous

Question No:81

(Marks:1)

Vu-Topper RM

Exception handling provides:

A. Portability mechanism

B. Code Usability mechanism

C. Error Handling mechanism

Page 184

D. Both Portability & Code Usability mechanism

Question No:82

(Marks:1)

Vu-Topper RM

When programmers use shortcuts and cryptic codes in their program, _____ becomes a major problem.

A. Reusability

B. Readability

C. Availability

D. Maintenance

Question No:83

(Marks:1)

Vu-Topper RM

MVC stands for -----

A. Model View Center

B. Modern View Center

C. Model View Controller

Google

D. Modern View Controller

Question No:84

(Marks:1)

Vu-Topper RM

_____ is not a white box testing technique.

A. Path Coverage

B. Branch Coverage

C. Statement Coverage

D. State Transition Coverage

Page 202

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:85**(Marks:1)****Vu-Topper RM**

When an error is thrown the overall system (on the lookout for this error flag) responds by _____ the error.

A. Ignoring

B. Casting

C. Catching **Page 184**

D. All of the given options

Question No:86**(Marks:1)****Vu-Topper RM**

The complexity of a program may _____ if there are exceptional paths in it

A. Decrease

B. Increase **Page 185**

C. Remain same

D. All of given options

Question No:87**(Marks:1)****Vu-Topper RM**

for (i =0, col = 0; i < 27; i++, j++)

In the above line of the code, 27 is representing_____.

A. Real Numbers

B. Magic Numbers **Page 167**

C. Positive Numbers

D. Constant Numbers

Question No:88**(Marks:1)****Vu-Topper RM**

Floating point constants should always be written with decimal point and at least

A. one decimal **Page 161**

B. two decimal

C. three decimal

D. none of the given

Question No:89**(Marks:1)****Vu-Topper RM**

Which one is used to describe flow of data or control in an application

A. Code

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Flow Chart**Page 200**

- C. Class diagram
- D. Use case diagram

Question No:90**(Marks:1)****Vu-Topper RM**

In case of header files, construction is to avoid ----- errors. The construction should appear in the top of the file (before the file header).

- A. Run time
- B. Logical

C. Compilation**Page 160**

- D. All of the given

Question No:91**(Marks:1)****Vu-Topper RM**

Dynamic process model shows the processof the system.

- A. Objects
- B. Linkage

C. Structure**Page 129**

- D. Components

Question No:92**(Marks:1)****Vu-Topper RM**

A path through a program which is never traversed for any input data is called _____.

- A. Feasible path
- B. Dependent path

C. Infeasible path**Page 206**

- D. Independent path

Question No:93**(Marks:1)****Vu-Topper RM**

C++ header files should have the extension---- Source files can have the extension ----

- A. .c and .h
- B. .cc and .h

C. .h and .cpp**Page 158**

- D. All of the given

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:94**(Marks:1)****Vu-Topper RM**

It ensures that a class only has one instance and provides a global point of access to it.

- A. Real Pattern
- B. Observer Pattern
- C. Singleton Pattern**
- D. None of the given

Page 145**Question No:95****(Marks:1)****Vu-Topper RM**

In case of using unrelated operators in a single expression, _____ would be the best choice to prevent the logical errors.

- A. Indents
- B. Short Cuts
- C. Comments
- D. Parenthesis**

Page 166**Question No:96****(Marks:1)****Vu-Topper RM**

_____ and _____ are important short circuiting logical operators.

- a. AND b. OR c. NOTd. NOR

- A. a&b**
- B. b&c
- C. c&d
- D. a&c

Page 173**Question No:1****(Marks:1)****Vu-Topper RM**

The greatest advantage of exception handling is its ability to handle:

- A. Syntax errors
- B. Memory errors
- C. Asynchronous errors**
- D. Control Structure errors

Page 184**Question No:97****(Marks:1)****Vu-Topper RM**

Whole part structure is also called _____

- A. Generalization

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Aggregation

C. Association

D. Specialization

Question No:98

(Marks:1)

Vu-Topper RM

How can we implement generalization in Object Oriented programming languages?

A. Abstraction

B. Inheritance

C. Encapsulation

D. Polymorphism

Question No:99

(Marks:1)

Vu-Topper RM

Specialization means:

A. Calling the same method with the object of child object

B. Hiding the data

C. Creating new subclasses for an existing class

Page 86

D. None of the given options

Question No:100

(Marks:1)

Vu-Topper RM

A _____ relationship indicates that one entity is composed of one or more parts which are themselves instances of that or another entity.

A. Whole -part

Google

B. Inheritance

C. Generalization

D. Specialization

Question No:101

(Marks:1)

Vu-Topper RM

In sequence diagram, the objects are organized in a _____ line and the events in a _____ time line.

A. Horizontal, vertical

Google

B. Horizontal, straight

C. Vertical, straight

D. Vertical, horizontal

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:102

(Marks:1)

Vu-Topper RM

_____ is a tool that can help us in reducing the size of individual functions.

- A. Abstraction
- B. Inheritance
- C. Modularity**
- D. Association

Page 170

Question No:103

(Marks:1)

Vu-Topper RM

In Object Oriented Design, combining the services offered by an object with the attributes they work on, results in:

- Lower coupling and strong cohesion
- Lower cohesion and strong coupling
- Increased likelihood of reuse
- Decrease the modularity of the system

- A. A only
- B. B and c only
- C. A and c only**
- D. B and c only

Question No:104

(Marks:1)

Vu-Topper RM

As per Peter Coad's methodology, which of the following may not be a perfect candidate for being an object?

- A. Zone
- B. Garage
- C. Recipient

D. Password

Page 93

Question No:105

(Marks:1)

Vu-Topper RM

In "Point of Sale system", the term "Payment" represents

- A. Actor
- B. Container
- C. Participant

D. Transaction

Page 99

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:106

(Marks:1)

Vu-Topper RM

The _____ provides the software engineer with a view of the system as a whole.

- A. Process Model
- B. Business model
- C. Requirements Model
- D. Architectural Model**

Question No:107

(Marks:1)

Vu-Topper RM

Different messages in sequence diagrams includes:

- A. Simple
- B. Notify
- C. Asynchronous

D. Both Simple and Asynchronous **Page 108**

Question No:108

(Marks:1)

Vu-Topper RM

Selecting Objects (in a domain) include:

- A. Only Actors
- B. Only Participants
- C. Only Actors and Places

D. Actors. Participants and Places

Question No:109

(Marks:1)

Vu-Topper RM

In order to write a portable code which of the following guideline will not be helpful:

- A. Size of data types
- B. Stick to the standards
- C. Program in the mainstream

D. Using vendor specific language extensions

Question No:110

(Marks:1)

Vu-Topper RM

Verification and validation are the processes in which we check a product against its _____ and the _____ of the users who will be using it

- A. statements, arguments

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. statements, expectations

C. specifications , arguments

D. specifications, expectations

Page 192

Question No:111

(Marks:1)

Vu-Topper RM

A self documenting code is a code that explains itself without the need of comments and extraneous documentation, like _____

A. All

B. Flowcharts

C. Process-flow

D. UML diagrams

Question No:112

(Marks:1)

Vu-Topper RM

Consider the following piece of code:

```
public class Square extends Shape {  
// some code  
}
```

The above code is an example of

A. Part-Whole relationship

B. Generalization/ Specialization

C. Data Sharing

D. Data encapsulation

Question No:113

(Marks:1)

Vu-Topper RM

-----was the first pure Object-Oriented language in which observer pattern was used in implementing its Model View Controller pattern

A. C++

B. JAVA

C. PASCAL

D. Smalltalk

Question No:114

(Marks:1)

Vu-Topper RM

The size of -----plays a significant role in making the program easy or difficult to understand.

A. Object

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

B. Data type

C. Function

Page 170

D. None of the above

Question No:115

(Marks:1)

Vu-Topper RM

The expressions with logical operators can be evaluated only from-----

A. Right to left

B. Left to right

C. Top to bottom

D. Bottom to top

Question No:116

(Marks:1)

Vu-Topper RM

One of the main reasons to make functions is _____

A. Reliability

B. Efficiency

C. Reusability

Page 171

D. Maintainability

Question No:117

(Marks:1)

Vu-Topper RM

Comma is very dangerous because

A. Side effects

B. All of the above

C. It creates linkage problem

D. Compiler does not recognize it

Question No:118

(Marks:1)

Vu-Topper RM

A self-documenting code is that explains itself without need of comments & extraneous documentation, like

A. All

B. Flow charts

C. UML diagram

D. PFS diagram

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:119

(Marks:1)

Vu-Topper RM

— & ——— r important short circuiting logical operators

- A. OR
- B. AND
- C. Both**
- D. None

Question No:120

(Marks:1)

Vu-Topper RM

A self-documenting code is a code that explains itself without the need of comments and extraneous documentation, like _____

- A. Flowcharts
- B. UML diagrams
- C. Process-flow state diagrams
- D. All of above**

Question No:121

(Marks:1)

Vu-Topper RM

Using proper parenthesis normally makes the code

- A. Easy to read
- B. Less ambiguous
- C. Easy to understand**
- D. All of the given options

Question No:122

(Marks:1)

Vu-Topper RM

Some bit field members are stored: I) left to right II) right to left III) in circular array

- A. Only (I) is true
- B. Only (II) is true
- C. Both (I) and (II) are true**
- D. All of the options (I, II and III) are true

Question No:123

(Marks:1)

Vu-Topper RM

The process that involves verification of product with respect to its written requirements is called _____ .

- A. Testing**
- B. Debugging

Page 192

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

- C. Maintenance
- D. Development

Question No:124

(Marks:1)

Vu-Topper RM

The C/C++ language has not specified whether _____ is arithmetic or logical.

- A. II
- B. &&
- C. Right shift >>**
- D. Right shift

Question No:125

(Marks:1)

Vu-Topper RM

Identify the TRUE statement:

- A. Portability effects security
- B. Size of data types vary from one machine to other
- C. Size of control structures vary from one machine to other**
- D. To write portable code, use vendor specific language extensions as much as possible

Question No:126

(Marks:1)

Vu-Topper RM

In the classical thin-client architecture, the entire processing is carried-out by -----

- A. Single server**
- B. Multiple servers
- C. Multiple servers
- D. None of the given

Question No:127

(Marks:1)

Vu-Topper RM

The C/C++ language does not define the alignment of items within

- A. Unions
- B. Classes
- C. Structures
- D. All of the given options**

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:128

(Marks:1)

Vu-Topper RM

Process view in Kuchen's 4+1 architectural view model captures ____.

A. Object model of the design

B. Concurrency and synchronization aspects of the design

C. Mapping(s) of the software onto the hardware and reflects its distributed aspect

D. Static organization of the software in its development environment

Question No:129

(Marks:1)

Vu-Topper RM

The key objective(s) of OOD process should achieve the following:

A. The class as far as possible should be Independent , but could be dependent on only a few classes.

B. Interaction between two classes should be explicit.

C. Class hierarchy should be built on specialization of higher class.

D. All of the given options

Question No:130

(Marks:1)

Vu-Topper RM

Maintainability and Portability issues are discussed in _____.

A. Code View

Page 126

B. Logical View

C. Physical View

D. Functional View

Question No:131

(Marks:1)

Vu-Topper RM

Str = 0;// str is string Which rewritten from of above line of code is more in line with the self-documentation philosophy than the code above.

A. Str = '\0;

B. Str = 0.0;

C. Str = false;

D. Str = NULL;

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:132**(Marks:1)****Vu-Topper RM**

Struct packed_struct {unsigned int f1:1;} pack; Here in “packed_struct”:

- A. Value of f1 =1
- B. Size of f1 = 1 bit
- C. Value of f1 should not exceeded 1**
- D. None of given options

Question No:133**(Marks:1)****Vu-Topper RM**

Bit fields allow the packing of data in a structure. using Bit fields we can:

- A. Avoid syntax errors
- B. Read 9-bit integers** **Page182**
- C. Avoid memory leakages
- D. Avoid memory overflow

Question No:134**(Marks:1)****Vu-Topper RM**

In order to write a portable code which of the following guideline will be helpful:

- A. Size of data types
- B. Stick to the standards
- C. Program in the mainstream
- D. All of give options**

Question No:135**(Marks:1)****Vu-Topper RM**

x = 0; // x is floating pt.

Which rewritten form of above line of code is more in line with the self-documentation philosophy than the code above.

- A. x = ‘\0’
- B. x = 0.0;** **Page 169**
- C. x = false
- D. x = NULL

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:136**(Marks:1)****Vu-Topper RM**

The use of comments should be minimized by making the code self-documenting by appropriate name choices and an explicit logical structure.

True

False

Question No:137**(Marks:1)****Vu-Topper RM**

$x = (a + 2 > 3) ? a : a - 1 ; 2$ if $((a + 2) > 3)$ $x = a$; else $x = a - 1$;

A. Both statements are very complex

B. Statement (2) is more complex than (1)

C. Statement (2) is more complex than (1)

D. None of the given options

Question No:138**(Marks:1)****Vu-Topper RM**

80/20 rule states that:

A. you spend 20 percent of your time in 80 percent of the code

B. you spend 80 percent of your time in 20 percent of the code**Page 177**

C. We should try to optimized 80 percent or at least 20 percent of the code

D. None of the given options

Question No:139**(Marks:1)****Vu-Topper RM**

Be very careful when you use functions with side effects – functions that change the values of the _____

A. Objects

B. Classes

C. Structures

D. Variables**Question No:140****(Marks:1)****Vu-Topper RM**

Comma (,) is very dangerous because

A. Compiler does not recognize this symbol

B. It creates linkage problem

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

C. It causes side effects

D. All of the given options

Question No:141

(Marks:1)

Vu-Topper RM

_____ cause major portability issues

A. Loops

B. Bugs in code

C. Sizes of data types

Page 179

D. Conditional Structures

Question No:142

(Marks:1)

Vu-Topper RM

A test case involves:

A. Input/output specification plus a statement of the function under test

B. Steps to perform the function

C. Expected results that the software application produces

D. All of the given options

Question No:143

(Marks:1)

Vu-Topper RM

The raising of the imaginary error flag is simply called raising or

_____ an error

A. Catching

B. Casting

C. Throwing

Page 184

D. None of given options

Question No:144

(Marks:1)

Vu-Topper RM

In case of a file server, client request selected records from a_ and the server transmits recorded to client over the network

A. File

B. Network

C. Database

D. Local memory

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:145

(Marks:1)

Vu-Topper RM

The idea behind exception handling is to raise some error flag every time _____

- A. The code compiles
- B. The code links
- C. Memory is allocated
- D. Something goes wrong**

Question No:146

(Marks:1)

Vu-Topper RM

A _____ is a variance from a desired product attribute.

- A. Error
- B. Defect**
- C. Mistake
- D. Exception

Page 192

Question No:147

(Marks:1)

Vu-Topper RM

Consider the following statement:

int a,b=10;

Which of the following is correct:

- A. Variable "a" is initialized to 10
- B. Variable "b" is initialized to 10**
- C. Both
- D. variables "a" and "b" are initialized to 10

Question No:148

(Marks:1)

Vu-Topper RM

Exception handling is a powerful technique that separates error-handling code from _____ code

- A. Faulty
- B. Buggy
- C. Normal**
- D. Complex

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:149

(Marks:1)

Vu-Topper RM

Comments are not syntax checked

True

False

Question No:150

(Marks:1)

Vu-Topper RM

Modularity is a tool that can help us in increasing the size of individual functions, making them less readable.

True

False

Question No:151

(Marks:1)

Vu-Topper RM

Anti- Patterns is another concept that corresponds to common in analysis and design.

A. Mistake

B. Issues

C. Problems

D. All of the given

Question No:152

(Marks:1)

Vu-Topper RM

Three tier architecture contains layers.

A. Presentation

B. Application

C. Database

D. All of the above

Question No:153

(Marks:1)

Vu-Topper RM

Description of communicating objects and classes that are customized to solved a general problem in a particular context is called.

A. System Patter

B. System Design

C. Design Pattern

D. None of the Given

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:154

(Marks:1)

Vu-Topper RM

In the N-tier Architecture, the idea is to enhance scalability and by distributing both data and the application using multiple server machines.

A. Usability

B. Performance

C. Interpretability

D. None of the given

Question No:155

(Marks:1)

Vu-Topper RM

STL Stands for _____

A. Standard Type Link

B. Standard Tempo Line

C. Standard Template Library

D. None of the given

Question No:156

(Marks:1)

Vu-Topper RM

The nominal case should be put in the if-part and the exception in the else-part of an if statement.

True

False

Question No:157

(Marks:1)

Vu-Topper RM

The terms get/set must be used where an attribute is accessed.

Directly

Indirectly

Question No:158

(Marks:1)

Vu-Topper RM

A self-documented program/code contains the following attribute(s):

A. Size of each function

B. Choice of variable

C. All of the given choices

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:159

(Marks:1)

Vu-Topper RM

Comments should NOT be indented relative to their position in the code.

True

False

Question No:160

(Marks:1)

Vu-Topper RM

In Client Server model, there application is modeled as a set so — that are provided by server.

A. Application

B. Protocol

C. Services

D. All of the above

Question No:161

(Marks:1)

Vu-Topper RM

Facade Pattern provides a unified interface to a set of interfaces in a sub-system.

True

False

Question No:162

(Marks:1)

Vu-Topper RM

Which of the is/are among ten things which the basis template of GOF design pattern includes.

A. Problem

B. Context

C. Forces

D. All of the above

Question No:163

(Marks:1)

Vu-Topper RM

Zero install architecture does not need any installation on ____.

A. Server side

B. Client side

C. Client & Server Side (Not Sure)

D. None of the above

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:164

(Marks:1)

Vu-Topper RM

A tricky sequence of fall through code using switch statement with no Break statements used, causes more trouble than being helpful.

True

False

Question No:165

(Marks:1)

Vu-Topper RM

Which of the following is not part of software architecture?

- A. Database
- B. Data design
- C. Program structure

D. Algorithm details

Question No:166

(Marks:1)

Vu-Topper RM

Defining the services of an object means

A. what it does?

B. what it knows?

C. who knows it?

D. whom it knows?

Question No:167

(Marks:1)

Vu-Topper RM

The focus of sequence diagrams is:

- A. On object constraints
- B. On the flow of Control
- C. On static model of system

D. On object(and classes) and message exchanged among them.

Question No:168

(Marks:1)

Vu-Topper RM

An architectural style encompasses which of the following elements?

- A. Constraints
- B. Set of components
- C. Semantic models

D. All of the given

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Question No:169

(Marks:1)

Vu-Topper RM

In sequence diagram, the solid lines depict:

- A. Objects (or classes) 1
- B. Life-time of an object**
- C. Messages being sent from one object to the other
- D. None of the given option

Question No:170

(Marks:1)

Vu-Topper RM

Data Centered Architectural Style is also called ____

- A. Reference model
- B. Sub System model**
- C. Repository model
- D. Client Server model

Question No:171

(Marks:1)

Vu-Topper RM

When an error is thrown the overall system (on the lookout for this error flag) responds by ____ the error

Catching

Question No:172

(Marks:1)

Vu-Topper RM

The form for (;;) should be used for

Empty loop

Question No:173

(Marks:1)

Vu-Topper RM

In order to write a p or table code which of the following guideline will not be helpful:

Using vendor specific language extensions

Question No:174

(Marks:1)

Vu-Topper RM

Testing individual components independent of other components is called:

Unit testing

بري صحبت سے تھائی بہتر ہے اور تھائی سے نيک صحبت بہتر ہے

For More Help Contact What's app 03224021365

Visit My YouTube Channel
For Subjective and More
Important Files
Channel Name = #VuTopperRM

بري صحبت سے تٲهائي بهتر هے اور تٲهائي سے نيك صحبت بهتر هے

For More Help Contact What's app 03224021365