

PAID VU LMS HANDLING by Mam Mehwish

03184148783

Past Papers for Mids./Finals are also Available

1. In C++, a file can be opened for reading by using the function.

Options:

- _file
- O
- read()
- Correct option: O

2. In C++, all the string manipulation function are defined inside which header file?

Options:

- string.h
- conio.h
- stdio.h
- iostream
- Correct option: string.h

3. What will be the output of the following code?

cpp

```
int main(){  
    char str1[] = "Hello ";  
    char str2[] = "World!";  
    cout << strcat(str1,str2);  
}
```

Options:

- Hello
- O
- HelloWorld!
- HelloWorld!
- World!
- Correct option: HelloWorld!

4. To create an output file stream, we must declare the stream to be of which class?

Options:

- cstream
- O
- iostream
- ofstream
- ifstream
- Correct option: ofstream

5. In C++, atoi() function is used to convert

Options:

- Character string to double
- O
- Character string to long integer
- Character string to float
- Character string to integer
- Correct option: Character string to integer

1. Suppose we have declared a two-dimensional array "multi". To access its elements using a pointer, we should use referencing like:

- *multi+
- O

- **multi
- multi
- Correct option: **multi

2. From the following code, what will be the size of the array "name"?

c

```
char name[] = "My full name";
```

- 15
- 0
- 13
- 14
- Correct option: 14

3. From the following code, what will be the size of the array "name"?

c

```
char name[] = "My full name";
```

- 15
- 13
- 14
- 12
- Correct option: 14

4. In C++, a file can be opened for reading by using the function:

- open()
- O
- read()
- write()

- Correct option: open()

5. In C++, all the string manipulation functions are defined inside the header file:

- iostream
- O
- conio.h
- string.h
- Correct option: string.h

6. To create an output file stream, we must declare the stream to be of class:

- iostream
- O
- ifstream
- cstream
- Correct option: ofstream

1. *Question:* In C++, the precise way to declare a pointer is.

- Options:
- int & ptr:
- int ptr*:
- int ptr:
- int * ptr:
- Correct Answer: int * ptr:

2. *Question:* Which of the following option gives the [value] stored at the address pointed to by the pointer "ptr"?

- Options:
- &ptr
- Value(ptr)

- Correct Answer: *ptr

3. *Question:* What will be the output of the following code?

```
int main() {  
    int a[4] = {1, 2, 3, 4};  
    cout << a[2];  
}
```

- Options:

- 0

- 0 0 0

- 0 1 2 3 4

- Correct Answer: 3

4. *Question:* What is the correct syntax to dynamically allocate memory in C++?

- Options:

- malloc()

- new()

- alloc()

- allocate()

- Correct Answer: new()

5. *Question:* Which statement correctly declares a reference variable in C++?

- Options:

- int& refVar = num;

- int* refVar = #

- int refVar = #

- int refVar = num;

- Correct Answer: `int& refVar = num;`

6. *Question:* What is the output of the following code snippet?

`cpp`

`int x = 5;`

`int* ptr = &x;`

`cout << *ptr;`

- Options:

- 5

- &x

- *ptr

- 0

- Correct Answer: 5

7. *Question:* What is the correct syntax to define a pointer to a function in C++?

- Options:

- `int (*funcPtr)();`

- `int *funcPtr();`

- `int funcPtr();`

- `int *funcPtr;`

- Correct Answer: `int (*funcPtr)();`

8. *Question:* Which operator is used to access the value stored at the address pointed to by a pointer in C++?

- Options:

- &

- *

- ->

- ::

- Correct Answer: *

9. *Question:* What does the 'delete' operator do in C++?

- Options:

- Deallocates memory

- Deletes a file

- Removes a variable

- None of the above

- Correct Answer: Deallocates memory

10. *Question:* What will be the output of the following code snippet?

cpp

```
int arr[5] = {1, 2, 3, 4, 5};
```

```
int* ptr = arr + 2;
```

```
cout << *ptr;
```

- Options:

- 3

- 2

- 5

- 1

- Correct Answer: 3

1. What will be the output of the following code?

```cpp

```
int main() {
```

```
 int x = 5;
```

```
 int * ptr = &x;
```

```
 *ptr + 1;
```

```
cout << (*ptr)++;
}
...
```

Options:

- a) 5
- b) 6
- c) 7
- d) 8

Correct Option: a) 5

2. In C++, a one-dimensional array inside a one-dimensional array is called \_\_\_\_\_.

Options:

- a) One-dimensional array
- b) Three-dimensional array
- c) Multi-casting array
- d) Two-dimensional array

Correct Option: d) Two-dimensional array

3. What will be the output of the following code?

```
```cpp  
int main(){  
    char str[] = "Hello World";  
    cout<<str[4];  
    return 0;  
}  
...
```

Options:

- a) L
- b) W

c) O

d) H

Correct Option: c) O

4. In C++, to get the value stored at a memory address, we use the _____ operator.

Options:

a) logical

b) dereferencing

c) arithmetic

d) bitwise

Correct Option: b) dereferencing

5. In C++, what is the correct syntax for accessing the fifth element of an array?

Options:

a) a[5]

b) a(4)

c) a(5)

d) a[4]

Correct Option: d) a[4]

1. Which of the following expression is correct in C/C++ language?

Options:

A. $sX = X + 3X + 5 = Y + 7Y + X$

B. $sX = 73 + X - 3$

C. $X = 73 - 3$

D. $X = Y + 3$

Correct Option: C. $X = 73 - 3$

2. A binary operator has _____ operands.

Options:

- A. Two
- B. One
- C. Three
- D. Four

Correct Option: A. Two

3. If a function does not return anything, its return type will be _____.

Options:

- A. Void
- B. Zero
- C. Null
- D. Return 0

Correct Option: A. Void

4. Which data type from the following will take lesser space in memory?

Options:

- A. short
- B. char
- C. float
- D. int

Correct Option: B. char

5. What will be the output of the following code?

```cpp

int x = 15;

int y = 10;

int z = 5;

cout << x \* x - 4 \* y \* z;

```

Options:

- A. -5
- B. -25
- C. -255
- D. None of the above

Correct Option: B. -25

6. While programming in C++, the statement if (x = 3), will result into a _____.

Options:

- A. Runtime Error
- B. Logical Error
- C. Syntax Error
- D. Linker Error

Correct Option: B. Logical Error

7. Which of the following is the first step in FOR loop?

Options:

- A. Continuation condition
- B. Initialization condition
- C. Incrementing condition
- D. Termination condition

Correct Option: B. Initialization condition

8. The operators ++ and -- are used to increment or decrement the variable value by _____.

Options:

- A. 1
- B. 2
- C. 3
- D. 4

Correct Option: A. 1

9. What will be the output of the following code?

```
```cpp
int i = 0;
while(i!=15){
 cout << i << " ";
 i = i + 5;
}
```
```

Options:

- A. 0 5 10 15
- B. 0 5 10
- C. 0 5 10 15 20
- D. None of the above

Correct Option: B. 0 5 10

10. Write all above 10 MCQs, their all 4 options and all correct options attempted above in a sequence.

Options:

- A. The first MCQ statement
- B. The second MCQ statement
- C. The third MCQ statement
- D. The fourth MCQ statement

Correct Option: D. The fourth MCQ statement

1. Which of the following is the first step in FOR loop?

- a) Termination condition
- b) Incrementing condition
- c) Continuation condition

- d) Initialization condition

- Correct option: d) Initialization condition

2. In C/C++, which of the following data type is used to store real numbers?

- a) char

- b) boolean

- c) int

- d) float

- Correct option: d) float

3. Short data type store _____ bytes of memory.

- a) 1

- b) 2

- c) 3

- d) 4

- Correct option: b) 2

4. What will be the output of the following code?

```
```cpp
```

```
int i = 1;
```

```
while(i<10){
```

```
 if (i / 2 == 2)
```

```
 cout << i << " ";
```

```
 i++;
```

```
}
```

```
```
```

- a) 6 7

- b) 4 5

- c) 2 3

- d) 2 4

- Correct option: b) 4 5

5. Which of the following structure is correct for WHILE loop?

- a) While (start; condition; end)

- b) While (condition)

- c) While (condition; end)

- d) While (start; condition)

- Correct option: b) While (condition)

6. Which of the following option is used when working with complicated expressions in C++ ?

- a) /

- b) {}

- c) ()

- d) []

- Correct option: b) {}

7. Which of the following is an example of repetition structure?

- a) if

- b) if-else

- c) do

- d) while

- Correct option: d) while

8. If a function does not return anything, its return type will be _____.

- a) Null

- b) Zero

- c) Void

- d) Return 0

- Correct option: c) Void

9. The coding of a program is translated into machine language by _____.

- a) Compiler
- b) Linker
- c) Debugger
- d) Loader

- Correct option: a) Compiler

1. Which of the following expression is correct in C/C++ language?

- A) $X = X + 3$
- B) $X + 5 = Y + 7$
- C) $Y + X = 7$
- D) $3 = X + 3$

****Correct Option:**** B) $X + 5 = Y + 7$

2. C/C++ has many libraries which contain variables and function names normally starting with _____.

- A) Semi-Colon
- B) Hyphen
- C) Underscore
- D) Hash

****Correct Option:**** C) Underscore

3. The loop, given below, will iterate _____ times. For (int counter = 1; counter < 10; counter = counter + 1)

- A) 8 times
- B) 9 times
- C) 10 times
- D) Infinite times

****Correct Option:** B) 9 times**

4. Which of the following is true about the switch statement?

- A) It is valid for the small programs only.
- B) It is valid for the large programs only.
- C) It cannot handle the compound conditions which use logical operators.
- D) It works efficiently on compound conditions which use logical operators.

****Correct Option:** C) It cannot handle the compound conditions which use logical operators.**

5. What will be the output of the following code?

```
```cpp
int i = 1;
while(i<10){
 if (i / 2 == 2)
 cout << i << " ";
 i++;
}
```
```

- A) 1 3 5 7 9
- B) 2 4 6 8
- C) 1 2 3 4 5 6 7 8 9
- D) There will be no output.

****Correct Option:** D) There will be no output.**

6. Which of the following is the first step in FOR loop?

- A) Continuation condition
- B) Incrementing condition
- C) Initialization condition
- D) Termination condition

****Correct Option:** C) Initialization condition**

7. Which of the following C++ statements is used to take input from the user?

- A) cinc
- B) cout
- C) cget
- D) cerr

****Correct Option:** A) cin**

8. Short data type store ____ bytes of memory.

- A) 1
- B) 2
- C) 4
- D) 8

****Correct Option:** B) 2 bytes**

9. Which of the following is an example of a repetition structure?

- A) condif-else
- B) while
- C) if
- D) cout

****Correct Option:** B) while**

1. In C/C++, which of the following data type is used to store real numbers?

- a) boolean
- b) char
- c) int
- d) float

- Correct Option: d) float

2. Which data type from the following will take lesser space in memory?

- a) short
- b) int
- c) char
- d) float
- Correct Option: c) char

3. Normally, the float data type is half of the size of _____.

- a) short
- b) int
- c) double
- d) char
- Correct Option: c) double

4. A binary operator has _____ operands.

- a) 1
- b) 2
- c) 3
- d) 4
- Correct Option: b) 2

5. The coding of a program is translated into machine language by _____.

- a) Compiler
- b) Linker
- c) Loader
- d) Debugger
- Correct Option: a) Compiler

1. Learning “how to program” is important because it develops _____ and problem-solving abilities.

Options:

- A) Analytical
- B) Reading
- C) Writing
- D) Listening

Correct Option: A) Analytical

2. The coding of a program is translated into machine language by _____.

Options:

- A) Linker
- B) Debugger
- C) Compiler
- D) Loader

Correct Option: C) Compiler

3. A binary operator has _____ operands.

Options:

- A) 1
- B) 2
- C) 3
- D) 4

Correct Option: B) 2

4. In C/C++, which of the following data type is used to store real numbers?

Options:

- A) char
- B) float
- C) boolean

D) int

Correct Option: B) float

5. Short data type stores _____ bytes of memory.

Options:

A) 1

B) 2

C) 3

D) 4

Correct Option: B) 2

1. Which of the following expression is correct in C/C++ language?

- A) $X = X + 3$

- B) $X + 5 = Y + 7$

- C) $3 = X + 3$

- D) $Y + X = 7$

- Correct Option: A

2. In C++, cout is known as _____.

- A) output stream

- B) input stream

- C) error stream

- D) file stream

- Correct Option: A

3. A binary operator has _____ operands.

- A) 1

- B) 2

- C) 3

- D) 4

- Correct Option: B

4. Which data type from the following will take lesser space in memory?

- A) short

- B) int

- C) char

- D) float

- Correct Option: A

5. What will be the output of the following code?

```
```cpp
```

```
int x = 15;
```

```
int y = 10;
```

```
int z = 5;
```

```
cout << x * x - 4 * y * z;
```

```
```
```

- A) -25

- B) -55

- C) 25

- D) 0

- Correct Option: A

1. In C++, cout is known as _____.

Options:

a) file stream

b) input stream

c) error stream

d) output stream

Correct option: d) output stream

2. What will be the output of the following code?

...

int x = 15;

int y = 10;

int z = 5;

cout << x * x - 4 * y * z;

...

Options:

a) -55

b) -25

c) 25

d) 2525

Correct option: c) 25

3. Learning “how to program” is important, because it develops _____ and problem-solving abilities.

Options:

a) Writing

b) Listening

c) Analytical

d) Reading

Correct option: c) Analytical

4. Suppose we have an integer variable named “num” with 4567 as its value, then what will be the resulting value for the expression “num/100”?

Options:

a) 456.7

b) 45.67

c) 456

d) 45

Correct option: d) 45

5. Which data type from the following will take lesser space in memory?

Options:

a) short

b) int

c) float

d) char

Correct option: d) char

1. Learning “how to program” is important, because it develops _____ and problem-solving abilities.

- A) Analytical

- B) Reading

- C) Listening

- D) Writing

- Correct Option: A) Analytical

2. A binary operator has _____ operands.

- A) Three

- B) Four

- C) Two

- D) One

- Correct Option: C) Two

3. What will be the output of the following code?

```
```cpp
```

```
int x = 15;
```

```
int y = 10;
```

```
int z = 5;
```

```
cout << x * x - 4 * y * z;
```

```
...
```

- A) 25

- B) -25

- C) 255

- D) -5

- Correct Option: A) 25

4. In C++, cout is known as \_\_\_\_\_.

- A) file stream

- B) input stream

- C) error stream

- D) output stream

- Correct Option: D) output stream

5. In C/C++, which of the following data type is used to store real numbers?

- A) boolean

- B) char

- C) float

- D) int

- Correct Option: C) float



👤👤 Paid Vu Lms Handling 👤👤

♦ 1 GDB= Rs 100

♦ 1 Quiz= Rs 200

♦ 1 Assignment=Rs 250

♦ Agr complete handling krwatey hain 1 subject ki with all activities= Rs 500 (Half Semester) ♦

LECTURES Play Service Available In Very Low Price. 📄

👤👤 80-100% Marks Guaranteed 👤👤

👤 Miss Mehwish:03184148783👤

MAM MEHWISH 03184148783