VUBWN Contact Us for LMS Handling NASIR ABBAS

CS609 UPDATED MCQ FILE BY VUBWN





VUBWN Contact Us for LMS Handling NASIR ABBAS

The RegOpenKeyEx() function opens a named_____.

Ans: subkey

The Function RegCreateKeyEx() has_____ parameters.

Ans: 9

_____function enumerates subkey names of an open registry key.

Ans:RegEnumKeyEx()

The RegOpenKeyEx() function opens a named_____.

Ans:Subkey

_____ function enumerates subkey names of an open registry key.

Ans: RegEnumKeyEx()

The function RegCreateKeyEx() has _____parameters.

Ans: 9

IsReg() function processes registry keys rather than_____ and _____ .

Ans: Directories, files

RegSetValueEx() function is used to set the data of a _____ value.

Ans: Named

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

SEH is not supported through_____.

Ans: windows registry

The value of the _____ determines the actions that follow.

Ans: filter_experssion

The Filter_expressions in the _____ clause is evaluated immediately after the excess accours.

Ans: _except

The exception could occur within a _____embedded in the try block.

Ans: block

The exception handler is actually a code portion associated with _____ block

Ans: _except

The new value of floating-point mask is determined by its value_____ and its two arguments.

Ans: Current_mask

_____ function is used to clear the floating-point exception after it is processed.

Ans: _clearfp()

Programs can raise their own exceptions using the _____ function .

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

Ans:RaiseException

RaiseException has_____ parameters.

Ans: 4

The _____ function terminates the process if the program indicates that the error is fatal.

Ans: ReportError()

SIGSEGV error can only be generated by_____ but not by_____.

Ans: Raise, Windows

_____ function is used within the termination handler to check how the try block is terminated.

Ans: AbnormalTermination()

The process or thread can terminate itself using _____ or_____ function.

Ans: ExitProcess(), ExitThread()

C++ exception handling is implemented using _____.

Ans: SEH

ReportException() functon have _____ arguments.

Ans: 2

VUBWN Contact Us for LMS Handling NASIR ABBAS

Second argument of ReportException() function is_____.

Ans: Exception Code

The termination handler cannot execute the_____ statement.

Ans: Report

A single try block must have a single_____ or _____block.

Ans: finally, Except

The filter function_____ the type of an exception.

Ans: Identifies

Which of the following is the number of parameters taken by a filter function.

Ans: 2

Which of the following is the number of parameters taken by controlfp() function?

Ans: 2

The_____ exceptions are enabled with the help of controlfp() function.

Ans: Floating point

eCategory is a/an_____.

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

Ans: Reference variable

The filter function_____ the type of an exception.

Ans: Identifies

Which of the following is the number of parameters taken by a filter function.

Ans: 2

Which of the following is the number of parameters taken by controlfp() function?

Ans: 2

The return type of WINAPI Handler() function is_____.

Ans: static BOOL

Which of the following is used to suspend the execution of a program for 5 miliseconds?

Ans: Sleep (5000)

A program can be terminated by pressing _____ from keyboard.

Ans: CTRL+C

Which of the following is a dynamic data structure?

Ans:tree

Windows mainly uses _____ API platforms.

Ans: 2

Identify the advantages provided by Memory Mapped files.

Ans: Convenience, Speed, and Memory Sharing

Which of the following is a static data structure.

Ans: Array

Which of the following is a dynamic data structure?

Ans:tree

In Win32,_____ of the virtual space is accessible to a process and the remaining space is utilized by the system for other tasks.

Ans: Half

Which of the following is a static data structure.

Ans: Array

Pages are swapped in and out when a _____ occurs.

Ans: page fault

The translation of a virtual address into physical address is managed by the_____.

Ans: Operating System

Which of the following occur as a result of excessive pages faults.

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

Ans: Decreased System Performance

The virtual space of a process _____be larger than the physical memory space.

Ans: may

When the required page is not in memory then a _____ occurs.

Ans: Page fault

In order to make a program more efficient ,_____ heap(s) may be required.

Ans: Several

The parameter "flOption" in the HeapCreate() API is a combination of ____ flags.

Ans: 3

_____ is an appropriate API to dispose-off a heap handle.

Ans: HeapDestroy ()

Which of the following is correct Windows API for accessing heap?

Ans: HANDLE GetProcessHeap(VOID)

There are _____ parameters taken by the HeapCreate()API.

Ans: 3

VUBWN Contact Us for LMS Handling NASIR ABBAS

When a fixed size data structure is allocated from a single heap, it reduces_____.

Ans: HEAP_CREATE_ENABLE_EXECUTE

_____ API is used to create a new heap.

Ans: HeapCreate()

A process can have _____ heap(s).

Ans: many

If threads have separate memory space, then it will reduce _____.

Ans: Memory Contention

Which of the following flags allows to execute code from heap.

Ans: Fragmentation

When a heap (logical structure) is created , the memory is_____ allocated to the program.

Ans: Not directly

_____ are the APIs for heap memory allocation.

Ans: HeapAlloc() and HeapReAlloc()

The HeapAlloc() API has _____ parameter(s).

Ans: 3

For a non-growable heap, the value of “dwBytes” in heap memory allocation is _____,

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS

Ans:0x7FFF8

The HeapReAlloc API has _____ parameter(s).

Ans: 4

There are _____ parameters taken by the HeapSize() API.

Ans: 3

In order to deallocate a block of heap, _____ is used.

Ans: HeapFree()

_____ is the first step to allocate heap in a program.

Ans: Get heap handle

_____ is used to deallocate the entire heap.

Ans: HeapDestroy()

Serialization is necessary when concurrent threads use _____ resource(s).

Ans: Common

The function HeapSize() returns the size of a block, or _____ in case of failure.

Ans: 0

Which of the following function enumerates the allocated blocks on heap?

Ans: HeapDestroy()

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS

_____ is used to determine the size of an allocated block.

Ans: HeapSize()

Which of the following allocates memory blocks from a heap.

Ans: HeapAlloc()

_____ stores the root address.

Ans: ProcHeap

Which of the following stores the records.

Ans: RecHeap

Sorting is performed in the _____.

Ans: NodeHeap

The NodeHeap maintains a _____.

Ans: Data Structure

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 59 sec(s)**

To provide an interface between the user and computer, a system is required which is called_____.

Select the correct option

Reload Math Equations

- (●) Operating System
- ( ) Customized Software
- ( ) Application Software
- ( ) Both Application and Customized software

Click to Save Answer & Move to Next Question

Question # 2 of 5 **Time Left: 85 sec(s)**

Windows operating system provides a naming scheme for the resources which allows maximum_____.characters only.

Select the correct option

Reload Math Equations

- (●) 255
- ( ) 55
- ( ) 155
- ( ) 16

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5 **Time Left: 84 sec(s)**

A process-1 in Windows operating system can access the memory space of process-2 if _____.

Select the correct option Reload Math Equations

- ○ Both processes have same ID
- ○ Process-1 has no privilege to access memory space of other processes
- ◉ Process-1 has privilege to access memory space of other processes
- ○ Process-1 is loaded in the same memory space as process-2

Click to Save Answer & Move to Next Question

Question # 4 of 5 **Time Left: 62 sec(s)**


Which of the following tasks is not performed by the Operating System?

Select the correct option Reload Math Equations


- ○ Memory Management
- ◉ Hardware repairing
- ○ Files management
- ○ Multitasking

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS



Topic 2



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 4 **Time Left: 86 sec(s)**

Which Operating System was offered by Microsoft that was used prior to Windows?

Select the correct option Reload Math Equations

- ○ UNIX
- ◉ DOS
- ○ Solaris
- ○ LINUX

Question # 3 of 4 **Time Left: 85 sec(s)**

Which of the following features was not supported by Windows NT?

Select the correct option Reload Math Equations

- ○ Multi-user
- ○ NTFS
- ◉ 64-bit architecture
- ○ Enhanced security

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS

DOS was a _____ Operating System.

Select the correct option

Reload Math Equations

- (●) Command line
- ( ) Multitasking
- ( ) GUI based
- ( ) Real time

Topic 3

Question # 1 of 5 **Time Left: 83 sec(s)**

In 2021, which of the following desktop operating systems was widely used in the world market?

Select the correct option

Reload Math Equations

- ( ) Fedora
- ( ) Solaris
- (●) Windows
- ( ) Linux

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 5 **Time Left: 80 sec(s)**

Which statement is NOT correct about the Windows Operating System?

Select the correct option

Reload Math Equations

- ○ It supports diverse hardware platforms
- ○ It supports voice commands
- ○ It supports both 32 & 64-bit architecture
- ◉ It can only be used in desktop systems

Question # 3 of 5 **Time Left: 86 sec(s)**

One of the major causes of Windows dominance in PCs market is its_____.


Select the correct option


Reload Math Equations

- ○ Best security features
- ○ Feature of multitasking
- ○ Best Marketing strategy
- ◉ User-friendly GUI

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS





Topic 4

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 85 sec(s)**

Example of a closed source software is_____.

Select the correct option Reload Math Equations

- ○ Fedora
- ◉ Windows OS
- ○ Linux
- ○ Chrome browser

Question # 2 of 5 **Time Left: 81 sec(s)**

A uniform extension in software components is possible in_____ software.

Select the correct option Reload Math Equations

- ○ Open source
- ◉ Vendor specific
- ○ Both open and closed
- ○ Community source

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS

Question # 3 of 5 **Time Left: 78 sec(s)**

Choose the major drawback of a closed source software:

Select the correct option

Reload Math Equations

- (●) Neither affordable, customizable, nor freely available for download
- ( ) Not freely available to download
- ( ) Not affordable by the user
- ( ) Not customizable

Question # 4 of 5 **Time Left: 84 sec(s)**

A socket on end-point is required only if _____.

Select the correct option

Reload Math Equations

- ( ) A process needs a resource
- (●) Two processes communicate over a network
- ( ) Processor tries to write on internal hard disk
- ( ) Processor needs to access main memory

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS

Question # 5 of 5 **Time Left: 85 sec(s)**

Which statement is incorrect about open source software?

Select the correct option Reload Math Equations

- ( ) It is publicly available
- (•) Paid license is required for its use
- ( ) Source code is freely available
- ( ) Changes can be made by the general public

Topic 5

Question # 1 of 4 **Time Left: 80 sec(s)**

DWORD data type represents_____.

Select the correct option Reload Math Equations

- ( ) 32 bits signed integer
- ( ) 16 bits signed integer
- (•) 32 bits unsigned integer
- ( ) 16 bits unsigned integer

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS

Question # 2 of 4 **Time Left: 84 sec(s)**

Each Windows API has a_____ number of parameters.

Select the correct option Reload Math Equations

- ( ) Two
- ( ) Fixed
- (•) Variable
- ( ) Four

Question # 3 of 4 **Time Left: 81 sec(s)**


Which statement is true about a multi-threading process?

Select the correct option Reload Math Equations


- (•) A process has one or many threads.
- ( ) A thread has only one process.
- ( ) A thread can be created without process.
- ( ) A process has only one thread.

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS



Topic 6



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 3 **Time Left: 78 sec(s)**

Which statement is incorrect about the 32-bit source code?

Select the correct option Reload Math Equations

- (●) It runs on 64-bit hardware and can use its all features
- ( ) It does not support large disk space
- ( ) It has its own Windows APIs
- ( ) It runs on 64-bit hardware

Question # 3 of 3 **Time Left: 82 sec(s)**

Windows operating system keeps _____ versions of each API.

Select the correct option Reload Math Equations

- ( ) One
- ( ) Interpreted
- (●) Two
- ( ) Compiled

Topic 7

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 2 **Time Left: 82 sec(s)**

Choose the appropriate advantage of C source code that uses C standard functions.

Select the correct option Reload Math Equations

- ○ Can access advance Windows features
- ○ Runs without making system calls to Windows APIs
- ○ Runs on Windows platform only
- ◉ Portable source code

Question # 2 of 2 **Time Left: 78 sec(s)**

Choose the correct option for a source code that uses only Windows APIs instead of C Library functions.

Select the correct option Reload Math Equations

- ◉ Source code will not remain portable.
- ○ Source code can only access some features of Windows.
- ○ Source code is portable.
- ○ Source code cannot be compiled.

Topic 8

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 74 sec(s)**

Open file objects using C Library functions are identified by _____.

Select the correct option Reload Math Equations

- (●) Pointer to a file structure
- ( ) Both Handle and Buffer
- ( ) Buffer
- ( ) Handle

Question # 2 of 5 **Time Left: 86 sec(s)**

What the following C statement represents?

FILE *ptr;

Select the correct option Reload Math Equations

- (●) Pointer to a file structure
- ( ) Pointer to an integer
- ( ) Pointer to a binary number
- ( ) Pointer to a character

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5 **Time Left: 87 sec(s)**

Which statement is true about fopen() function in C?

Select the correct option Reload Math Equations

- ○ It opens the file only for reading purpose.
- ○ It opens the file only for writing purpose.
- ◉ It opens the existing file and if not exists, it creates a new file.
- ○ It opens the existing file only.

Question # 4 of 5 **Time Left: 86 sec(s)**


A successful read using fread() function in C is indicated by a _____ return value.

Select the correct option Reload Math Equations


- ○ Boolean
- ◉ Non-negative
- ○ Zero
- ○ Negative

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS




Topic 9




Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 10



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 11

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 85 sec(s)**

UDF stands for _____.

Select the correct option

Reload Math Equations

- ( ) Universal Disk File
- (•) Universal Disk Format
- ( ) Universal Driver Format
- ( ) Universal Driven File

Question # 2 of 5 **Time Left: 84 sec(s)**

Which option is NOT related to the NT File System?

Select the correct option

Reload Math Equations

- (•) File size limitation
- ( ) Encryption
- ( ) Fault Tolerance
- ( ) Compression

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5 **Time Left: 86 sec(s)**

Keeping in view the support for huge file size, which file system is more favorable?

Select the correct option Reload Math Equations

- FAT32
- FAT16
- FAT8
- NTFS

Click to Save Answer & Move to Next Question

Question # 4 of 5 **Time Left: 86 sec(s)**

Which feature of NTFS is related to Data Security?

Select the correct option Reload Math Equations


- Encryption
- Large file name mechanism
- Compression
- File Allocation Table

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS



Topic 12:



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 3 **Time Left: 78 sec(s)**

The file extension usually contains _____ characters.

Select the correct option

Reload Math Equations

- 5 to 8
- (•) 2 to 4
- 1 to 3
- 1 to 2

Click to Save Answer & Move to Next Question

Question # 3 of 3 **Time Left: 56 sec(s)**

The path name of a remote resource or server starts with _____ symbol.

Select the correct option


Reload Math Equations

- (•) Double backslash
- Backslash
- Forward slash
- Pipe


Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS



Topic 13



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 5 **Time Left: 85 sec(s)**

The name of Windows API used for opening or creating a new file is_____.

Select the correct option

Reload Math Equations

○	CreateOpenFile()
●	CreateFile()
○	OpenFile()
○	ReOpenFile()

Click to Save Answer & Move to Next Question

Question # 3 of 5 **Time Left: 85 sec(s)**

In the CreateFile() function, which statement is true about OPEN_EXISTING attribute, if the file does not exist?

Select the correct option


Reload Math Equations


○	It will open an existing file
○	It will create a new file
●	It will fail to open the file
○	It will open some other file instead of specified file

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 14:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 86 sec(s)**

If we want to read 1000 bytes from a file with ReadFile() function but there are actually only 400 bytes in a file, then _____.

Select the correct option

Reload Math Equations

- ○ 1000 bytes will be read
- ● 400 bytes will be read
- ○ Exception will be thrown
- ○ Read operation will fail

Click to Save Answer & Move to Next Question

Question # 2 of 5 **Time Left: 65 sec(s)**

The Windows API _____ is used to read data from a file and store it in a buffer.

Select the correct option

Reload Math Equations

- ○ CopyFile()
- ○ WriteFile()
- ● ReadFile()
- ○ CreateFile()

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5 **Time Left: 86 sec(s)**

The return type of WriteFile() function is _____.

Select the correct option

Reload Math Equations

- (•) BOOL
- ( ) DWORD
- ( ) LPDWORD
- ( ) LPOVERLAPPED

Click to Save Answer & Move to Next Question

The Windows API _____ is used to write data from a buffer and store it in a file.

Select the correct option


Reload Math Equations

- ( ) CreateFile()
- ( ) CopyFile()
- ( ) ReadFile()
- (•) WriteFile()


Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS



Topic 15:



Topic 16:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Post-Assessment

Question # 1 of 5 **Time Left: 82 sec(s)**

The latest versions of Windows supports _____ standard.

Select the correct option

Reload Math Equations

- ○ Unicode
- ○ ASCII
- ○ Scan codes
- ◉ Both ASCII and Unicode

Click to Save Answer & Move to Next Question

Post-Assessment

Question # 2 of 5 **Time Left: 82 sec(s)**

_stprintf() is a/an _____ C library function.

Select the correct option

Reload Math Equations

- ◉ Generic
- ○ Unicode
- ○ Both ASCII and Unicode
- ○ ASCII

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Post-Assessment

Question # 3 of 5 **Time Left: 85 sec(s)**

In Unicode format, _____ number of characters can be encoded.

Select the correct option Reload Math Equations

- 2^{16}
- 2^{8}
- 2^{10}
- 2^{32}

Click to Save Answer & Move to Next Question

Post-Assessment

Question # 4 of 5 **Time Left: 84 sec(s)**

A Unicode word consists of _____ bits.


Select the correct option Reload Math Equations

- 32
- 24
- 8
- 16


Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS



Topic 17:



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS

Question # 2 of 5 **Time Left: 66 sec(s)**

Which one is the correct definition of generic main() function?

Select the correct option

Reload Math Equations

- ○ int main(int argc, LPTSTR argv[])
- ○ int main(int argc, String argv[])
- ◉ int _tmain(int argc, LPTSTR argv[])
- ○ int _main(int argc, LPTSTR argv[])

Click to Save Answer & Move to Next Question

Question # 3 of 5 **Time Left: 81 sec(s)**

All generic functions are included in _____ header file.

Select the correct option


Reload Math Equations


- ◉ <windows.h>
- ○ <tchar.h>
- ○ <char.h>
- ○ <string.h>

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 18:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 6 Time Left: 85 sec(s)

The standard C library function atoi() supports _____.

Select the correct option

Reload Math Equations

- [ ] 128-bit character code
- [x] 8-bit character code
- [ ] Generic code
- [ ] Unicode

Click to Save Answer & Move to Next Question

Question # 2 of 6 Time Left: 78 sec(s)

Which header file includes all the Unicode macros for setting environment of a program?

Select the correct option

Reload Math Equations

- [ ] <windows.h>
- [x] <environment.h>
- [ ] <everything.h>
- [ ] <tchar.h>

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 6 **Time Left: 85 sec(s)**

Developing generic code needs extra effort but provides maximum _____.

Select the correct option

Reload Math Equations

- (●) Flexibility
- ( ) User-friendly look
- ( ) Productivity
- ( ) Chance of errors

Click to Save Answer & Move to Next Question

Question # 4 of 6 **Time Left: 75 sec(s)**

What is the return value of GetLastError() function?

Select the correct option


Reload Math Equations


- ( ) It returns error message for the last error
- ( ) It returns a formatted message for last error
- ( ) It takes input message from user and returns
- (●) It returns error code for the last error

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 21:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 78 sec(s)**

STD_INPUT_HANDLE macro contains a varibale, CONIN$, which is a/an _____.

Select the correct option Reload Math Equations

- ( ) Console variable
- ( ) Input variable
- ( ) Default variable
- (•) Environment variable

Click to Save Answer & Move to Next Question

Question # 2 of 5 **Time Left: 81 sec(s)**

STD_OUTPUT_HANDLE contains _____ as an environment variable.

Select the correct option Reload Math Equations

- ( ) CONPRNT$
- ( ) CONDIS$
- (•) CONOUT$
- ( ) CONIN$

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5 **Time Left: 76 sec(s)**

On execution, HANDLE GetStdHandle(DWORD nStdHandle) will return a valid handle, in case of _____.

Select the correct option Reload Math Equations

- ○ Failure
- ○ Passing invalid parameters
- ○ Exception
- ◉ Success

Click to Save Answer & Move to Next Question

Question # 4 of 5 **Time Left: 78 sec(s)**

In a Windows system, Input, _____, and _____ are the three standard I/O devices.


Select the correct option Reload Math Equations

- ○ Display, error
- ○ Error, Correction
- ◉ Output, Error
- ○ Output , display


Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS




Topic 22



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS



VUBWN

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 73 sec(s)**

_____ empire is considered to be pioneers of encryption as they used basic encryption algorithms to encrypt secret conversation in a war.

Select the correct option

Reload Math Equations

- ○ Chinese
- ○ Mughal
- ○ Persian
- ◉ Roman

Click to Save Answer & Move to Next Question

Question # 2 of 5 **Time Left: 72 sec(s)**

The formula of Ceaser Cipher is _____.

Select the correct option

Reload Math Equations

- ○ E= (P + n) mod 27
- ○ E= (D + n) mod 27
- ○ C= (E + w) mod 26
- ◉ C= (P + n) mod 26

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5 **Time Left: 82 sec(s)**

Roman empire use _____ algorithm to encrypt secret conversation.

Select the correct option

Reload Math Equations

- ○ Cryptography
- ◉ Ceasar Cipher
- ○ Brute Force
- ○ CRT

Click to Save Answer & Move to Next Question

Question # 4 of 5 **Time Left: 84 sec(s)**

When a text is encrypted, we represent that text by the symbol _____, in the encryption formula.

Select the correct option

Reload Math Equations

- ○ A
- ◉ C
- ○ B
- ○ E

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS

Question # 5 of 5 **Time Left: 83 sec(s)**

The text that we are going to encrypt is called _____text so it is denoted by _____.

Select the correct option Reload Math Equations

- (●) Plain , P
- ( ) Proposed, P
- ( ) Personal , P
- ( ) Secret, W

Click to Save Answer & Move to Next Question

Topic 24

Question # 1 of 5 **Time Left: 69 sec(s)**

Which of the following API is used for copying a file?

Select the correct option Reload Math Equations

- ( ) Char CopyFile(LPCTSTR lpExistingFileName, LPCTSTR lpNewFileName, BOOL bFaillfExists);
- (●) BOOL CopyFile(LPCTSTR lpExistingFileName, LPCTSTR lpNewFileName, BOOL bFaillfExists);
- ( ) CopyFile(LPCTSTR lpExistingFileName, LPCTSTR lpNewFileName, BOOL bFaillfExists);
- ( ) String CopyFile(LPCTSTR lpExistingFileName, LPCTSTR lpNewFileName, BOOL bFaillfExists);

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 2 of 5 **Time Left: 75 sec(s)**

Which statement is true about hard copy function?

Select the correct option

Reload Math Equations

- ( ) Both the files must not be on same system volume
- ( ) Both the files must be in encrypted form.
- ( ) Creates a hard link for copy file
- (•) Security attributes will apply on new file name

Click to Save Answer & Move to Next Question

Question # 3 of 5 **Time Left: 83 sec(s)**

We use MoveFileEx() to _____ the existing file.

Select the correct option


Reload Math Equations


- ( ) Copy
- (•) Overwrite
- ( ) Rename
- ( ) Delete

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 25:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4 **Time Left: 87 sec(s)**

Return type of GetCurrentDirectory() function is _____.

Select the correct option

Reload Math Equations

- (●) DWORD
- ( ) Bool
- ( ) Int
- ( ) String

Click to Save Answer & Move to Next Question

Question # 2 of 4 **Time Left: 84 sec(s)**

SetCurrentDirectory() function takes _____ parameter(s).

Select the correct option


Reload Math Equations


- ( ) 4
- ( ) 2
- ( ) 3
- (●) 1

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 27:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4 **Time Left: 71 sec(s)**

Correct syntax for create console input file is _____.

Select the correct option

Reload Math Equations

- hIn = CreateFile (_T("CONIN$"), GENERIC_WRITE | GENERIC_READ, 0, $ NULL, OPEN_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);
- hIn = CreateFile (_T("CONOUT$"), GENERIC_READ § NULL, OPEN_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);
- (●) hIn = CreateFile (_T("CONIN$"), GENERIC_READ | GENERIC_WRITE, 0, $ NULL, OPEN_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);
- hIn = CreateFile (_T("CONOUT$"), GENERIC_READ | GENERIC_WRITE, 0, $ NULL, OPEN_ALWAYS, FILE_ATTRIBUTE_NORMAL, NULL);

Click to Save Answer & Move to Next Question

Question # 2 of 4 **Time Left: 75 sec(s)**

Return type of printMsg() function is _____.

Select the correct option


Reload Math Equations


- CHAR
- DWORD
- (●) Bool
- WORD

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS







Topic 28:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS







Topic 29:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS







Topic 30:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 31:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4 **Time Left: 76 sec(s)**

In setFilePointer() function, DistanceToMove parameter is placed in _____.

Select the correct option Reload Math Equations

- ○ PLARGE_INTEGER
- ● Large_integer
- ○ Handle
- ○ Dword

Click to Save Answer & Move to Next Question

Question # 2 of 4 **Time Left: 83 sec(s)**

in setFilePointer() function, lpNewFilePointer parameter is placed in a/an_____.


Select the correct option Reload Math Equations


- ○ DWORD
- ○ Handle
- ● PLARGE_INTEGER
- ○ Large_integer

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 32:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4 **Time Left: 77 sec(s)**

In the OVERLAPPED structure, ULONG_PTR Internal is a _____ field.

Select the correct option

Reload Math Equations

- ○ Integer
- ○ DWORD
- ◉ Reserved
- ○ Pointer

Click to Save Answer & Move to Next Question

Question # 2 of 4 **Time Left: 85 sec(s)**

Overlap structure is a structure which is defined in the _____ header file.

Select the correct option


Reload Math Equations


- ○ everything.h
- ○ stdio.h
- ○ stdarg.h
- ◉ windows.h

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 33:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4 **Time Left: 77 sec(s)**

File size can be obtained using the _____windows API.

Select the correct option

Reload Math Equations

- [ ] FileSizeExGet ()
- [ ] GetFileSize()
- [x] GetFileSizeEx()
- [ ] FileSize()

Click to Save Answer & Move to Next Question

Question # 2 of 4 **Time Left: 78 sec(s)**

Retrun type of GetFileSizeEx() is _____.

Select the correct option


Reload Math Equations


- [ ] Int
- [ ] Char
- [x] Bool
- [ ] DWORD

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 34:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 73 sec(s)**

What will be next code statement, if the following *if statement* is true

if (!ReadFile(hFile, &header, sizeof (HEADER), &nXfer, &ovZero))

Select the correct option

Reload Math Equations

- (•) ReportError (_T("RecordAccess Error: ReadFile header."), 6, TRUE);
- ( ) ReportError (_T("RecordAccess Error: Set Pointer."), 4, TRUE);
- ( ) ReportError (_T("RecordAccess Error: Set End of File."), 5, TRUE);
- ( ) ReportError (_T("RecordAccess Error: WriteFile header."), 4, TRUE);

Click to Save Answer & Move to Next Question

Question # 2 of 5 **Time Left: 70 sec(s)**

What will be next code statement, if the following *if statement* is true?

if (!SetFilePointerEx (hFile, currentPtr, NULL, FILE_BEGIN))

Select the correct option

Reload Math Equations

- ( ) ReportError (_T("RecordAccess Error: WriteFile header."), 4, TRUE);
- ( ) ReportError (_T("RecordAccess Error: Set End of File."), 5, TRUE);
- (•) ReportError (_T("RecordAccess Error: Set Pointer."), 4, TRUE);
- ( ) ReportError (_T("RecordAccess Error: ReadFile header."), 6, TRUE);

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS

Question # 3 of 5 **Time Left: 82 sec(s)**

In the RECORD structure, data type of numRecords is _____.

Select the correct option

Reload Math Equations

- ( ) Int
- (•) DWORD
- ( ) Bool
- ( ) Double

Click to Save Answer & Move to Next Question

Question # 4 of 5 **Time Left: 83 sec(s)**

What will be next code, if the following *if statement* is true?

if (!WriteFile(hFile, &header, sizeof (header), &nXfer, &ovZero))

Select the correct option


Reload Math Equations

- ( ) ReportError (_T("RecordAccess Error: Set End of File."), 5, TRUE);
- (•) ReportError (_T("RecordAccess Error: WriteFile header."), 4, TRUE);
- ( ) ReportError (_T("RecordAccess Error: Set Pointer."), 4, TRUE);
- ( ) ReportError (_T("RecordAccess Error: ReadFile header."), 6, TRUE);


Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 35:



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS





Topic 36:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 3 **Time Left: 80 sec(s)**

CompareFileTime() API returns _____ if both the file times are equal.

Select the correct option

Reload Math Equations

- [ ] 2
- [x] 0
- [ ] 1
- [ ] -1

Click to Save Answer & Move to Next Question

Question # 2 of 3 **Time Left: 76 sec(s)**

Using GetFileTime() API, _____ argument(s) is/are provided.

Select the correct option


Reload Math Equations

- [ ] Only creation time
- [x] Creation, last access, and last write time
- [ ] Only last access time
- [ ] Both creation and last access time


Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 38:



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 39:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 4 **Time Left: 80 sec(s)**

_____ is NOT a valid argument for SetFileTime() function.

Select the correct option

Reload Math Equations

- (●) _T(amc)
- ( ) NULL
- ( ) _p(AccessTime)
- ( ) pModifyTime

Click to Save Answer & Move to Next Question

Question # 2 of 4 **Time Left: 72 sec(s)**

Which of the following is NOT a correct argument of options() function?

Select the correct option


Reload Math Equations

- ( ) argv
- (●) _T(amg)
- ( ) _T(amc)
- ( ) argc

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS



Topic 40:

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 3 **Time Left: 85 sec(s)**

In Microsoft's UNIX library, all I/O functions are named with _____ prefix.

Select the correct option

Reload Math Equations

- ○ Semicolon
- ◉ Underscore
- ○ Colon
- ○ Dot

Click to Save Answer & Move to Next Question

Question # 2 of 3 **Time Left: 70 sec(s)**

For file processing, Windows provides a proprietary function called _____.

Select the correct option


Reload Math Equations

- ○ Pseek()
- ○ Pseek64()
- ○ Fseek()
- ◉ Fseek64()


Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS




Topic 40:




Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS





Topic 43:



Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS







Topic 45:(pre assessment)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS





Topic 45:(post assessment)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 67 sec(s)**

Programmers usually access Windows build number through _____.

Select the correct option

Reload Math Equations

- [ ] Web sockets
- [ ] REST API
- [ ] Web API
- [x] Windows API

Click to Save Answer & Move to Next Question

Question # 2 of 5 **Time Left: 82 sec(s)**

_____Information is present in the registery HKEY_CURRENT_CONFIG.

Select the correct option

Reload Math Equations

- [ ] Processor make
- [ ] Display size
- [x] Display resolution
- [ ] Memory amount

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5 **Time Left: 83 sec(s)**

The registery HKEY_CURRENT_USER does NOT contains _____ information.

Select the correct option Reload Math Equations

- (●) System fonts
- ( ) Environment variables
- ( ) Application preferences
- ( ) Printers

Click to Save Answer & Move to Next Question

Question # 4 of 5 **Time Left: 86 sec(s)**

The registery HKEY_LOCAL_MACHINE stores _____ information about the machine.


Select the correct option Reload Math Equations

- (●) Physical
- ( ) Protected
- ( ) Logical
- ( ) Private

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS


VUBWN Contact Us for LMS Handling
NASIR ABBAS



Topic 47:(pre assessment)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling
NASIR ABBAS



Topic 47: (post assessment)

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 1 of 5 **Time Left: 78 sec(s)**

RegSetValueEx() function is used to set the data of a _____ value.

Select the correct option Reload Math Equations

- Fixed
- Final
- Named
- Static

Click to Save Answer & Move to Next Question

Question # 2 of 5 **Time Left: 82 sec(s)**

The function RegCreateKeyEx() has _____ parameters.

Select the correct option Reload Math Equations

- 7
- 9
- 6
- 8

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 3 of 5 **Time Left: 82 sec(s)**

The RegOpenKeyEx() function opens a named _____.

Select the correct option

Reload Math Equations

- ( ) Key
- (•) Subkey
- ( ) List
- ( ) Instance

Click to Save Answer & Move to Next Question

Question # 4 of 5 **Time Left: 80 sec(s)**

IsReg() function processes registry keys rather than _____and_____.

Select the correct option

Reload Math Equations

- ( ) Directories, key-value pairs
- ( ) Key-value pairs, files
- (•) Directories, files
- ( ) Key-value pairs, properties

Click to Save Answer & Move to Next Question

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS

VUBWN Contact Us for LMS Handling NASIR ABBAS

Question # 5 of 5 **Time Left: 73 sec(s)**

_____ function enumerates subkey names of an open registry key.

Select the correct option

Reload Math Equations

- (●) RegEnumKeyEx()
- ( ) RegOpenKey()
- ( ) RegEnumKey()
- ( ) RegOpenKeyEx()

Click to Save Answer & Move to Next Question

VUBWN

Contact Us for Your Assignment, Quizzes and Projects
03176526827 NASIR ABBAS