

Question # 5 of 10 (Start time: 02:04:55 PM, 02 July 2025)

The ASCII value for character 'A' is:

Select the correct option

☐	67
☒	65
☐	68
☐	66

Question # 3 of 10 (Start time: 02:03:38 PM, 02 July 2025)

If the tree becomes unbalance after deleting a node then we use _____ to rebalance it.

Select the correct option

☒	Rotations
☐	Heap
☐	Stack
☐	Insertions

Question # 6 of 10 (Start time: 02:05:13 PM, 02 July 2025)

Which of the following represents frequency of all characters in Huffman Encoding tree?

Select the correct option

☐	Root Node
☐	Right Branch
☐	Left Branch
☒	Leaf Node

Question # 7 of 10 (Start time: 02:05:31 PM, 02 July 2025)


If values 10,20,15 are used to build AVL tree then which type of rotation can balance the AVL tree?

Select the correct option

☐	Single right
☐	Double left-right
☒	Single left
☐	Double right-left

Question # 9 of 10 (Start time: 02:06:13 PM, 02 July 2025)

How many rotations will be made if a node is inserted as left child of the node R in the given tree?



Select the correct option

☒	1
☐	3
☐	4
☐	2


Question # 8 of 10 (Start time: 02:05:48 PM, 02 July 2025)

If values 9,5,7 are used to build AVL tree then which type of rotation can balance the AVL tree?

Select the correct option

☐	Single right
☒	Double right-left
☐	Single left
☐	Double left-right

What is the encoding of character 'C' in the given Huffman encoding tree?



Select the correct option

☐	00
☐	01
☒	10
☐	11