INTIZAR SHAH

STA641 Quizzes + (Midterm)

(1) Which one is not the function in MS excel.

⇒ AVG

(2) What is the intersection of a column and row on a worksheet. Called?

⇒ Cell

(3) Function in MS Excel must begain with ——

⇒ An equal sign [= Sum ( )]

(4) Extent to which value are dispersed around central observation is considered as

⇒ Variation

(5) Less than sign (<) is an example of — operator

⇒ Logical

(6) Which of the following is not a measure of Variability.?

⇒ Median

Scanned with CamScanner

(7) Getting data from a cell located in a different sheet called?

⇒ Referencing

(8) If formula = B2+5, what is operator?

⇒ +

(9) The ____ is the value you calculate when you want the arithmetic average

⇒ Mean

(10) The cell reference for cell range of B2 to B10 is

⇒ B2 : B10

(11) In excel, which one denoted a range of cell from B1 through E5.

⇒ B1 : E5

Scanned with CamScanner

(12) Method used to compute average or central value of collected data is considered.

⇒ Measures of central tendency

(13) What is the median of following set of score.
18, 16, 12, 10, 14 ?

⇒ 12

(14) On excel, the calculate the Arithmetic mean of given data which function we we?

⇒ Average

(15) Extent to which value are dispersed around central observation is considered as

⇒ Variation

(16) Excel will display when calculating = 1/8. show the answer in two decimal place.

⇒ 0.13

(17) which of following formula is not enter correctly?

10+50 =SAB7+B14 correct

Scanned with CamScanner

(18) which is not term of MS-Excel?

⇒ Documents

(19) What is meant by precision of data?

⇒ The number of decimals places stored in computer

(20) The middle value of ordered array number is the

⇒ Median

(21) basic unit of work sheet into which you enter data in excel is called a

⇒ Cell

(22) The Caret sign (^) is an example of operator

⇒ Arithmetic

(23) When data is arranged, middle value is set of observation is classified as

⇒ Median

(24) Standard deviation is 3 what is value of variance?

⇒ 9 $3^2 = 9$

Scanned with CamScanner

INITIZAR SHAH

(25) If mean = 25, Standard D. SD = 5 what will be value of coffiecent of variance CV?

⇒ 20%

$CV = \left(\frac{5}{25}\right) \times 100$ $\left(\frac{SD}{\bar{x}}\right) \times 100$

$= 20\%$

(26) Convert the value of 0.25 into two decimal places.

⇒ 0.13

(27) In excel, Rows are labeled as ——

⇒ 1, 2, 3 etc

(28) In excel what will be the formula = 2+2*2

⇒ 6

(29) Sum of values of data is ~~deleted~~ divided by total number of ~~data~~ value is used

⇒ Arithmetic mean

(30) What is the intersection of a Column and row or worksheet Called.

⇒ Cell

Scanned with CamScanner

(31) Convert the value 0.125 into two decimal place.

⇒ 0.13

(32) Which is example of correct formula.

sum (A1 : A2)

(33) Colums are labelled as

⇒ A, B, C etc

(34) What is the two Component of any excel formula.

⇒ Operator and operands

(35) Getting data from a cell located in diff sheet is called —

⇒ Referencing

(36) In excel, which function is used to Calculated Standard deviation?

= STDEV( )

(37) Type of descriptive measure Includes Measure of dispersion / skewness / central tendency

Scanned with CamScanner

INITIZAR SUHAN

Midterm

38 Plus sign (+) is an example of — operator.

⇒ Arithmetic

39 In excel, what will be value of formula = 2+2*2

⇒ 6

40 Logical operators (six)

⇒ =, ≠, <, >, ≤, ≥

41 Arithmatic Means the most common measur of central tendency

⇒ Find Average

42 Which of following is not measure of variability?

⇒ Median (range, Variance, Standard dev)

43 Middle value of an ordered array the number is

⇒ Median

44 First cell in excel is labeled ü

⇒ A1

Scanned with CamScanner

INITIZAR SHAH

✓

Q#2 + final term

STA 641

① Bringing the data from Excel into spss called
→ Importing the data

② which variable name will not be accepted by spss?
⇒ orge.

③ following is used for creating and defining various characteristics of variable in spss?
⇒ Variable view
- # of variable, variable view, characteristics, data, Total, Label, Numerical value, Type

④ In spss the data view window looks like excel sheet, by default columns in data view are labeled as.
⇒ var, var, var,

⑤ SPSS stand for ?
⇒ statistical packages for social science.

⑥ On spss what is Data viewer?
⇒ A spreadsheet into which data can be entered.

Scanned with CamScanner

(7) Advantage of using spss over Concluding statistic by hand?

(a) require you useful transferable skill (b) reduce to chance making error (c) Many researcher use spss it recognize software package

(8) following Variable spss reject?

→ roll-No.

-birth_date
-age
-sex

(underscore / under score) حرف

(کسی لفظ میں / دو کلمات میں لگاتے ہیں)

(9) Consider spss, which of following is use entering and views data.

(watch)

→ Data view

(10) spss data files are stored with which file extension?

→ .sav (*.sav)


(11) On spss the data view window look like excel sheet By default the row in data view are lebaled.

→ 1, 2, 3

(12) on spss select the window where the result of your analysis appear?

→ Out put view / output window.

Scanned with CamScanner



Scanned with CamScanner

(24 Which spss tab, the row represent variable and columns represent characteristics of variable?

⇒ Variable view

(25

Scanned with CamScanner